

Index

- acetaldehyde enamines, 3
acids, long-chain, synthesis, 27
aldehyde enamines
 C-*v.* *N*-alkylation, 15
 reaction with
 alkyl halides, 14
 electrophilic olefines, 31
 nitro-olefines, 39, 40
 α , β -unsaturated aldehydes, 41
 α , β -unsaturated esters, 39
 α , β -unsaturated ketones, 40
 α , β -unsaturated nitriles, 39
alkaloids, synthesis of
 berberine, 88
 corynantheidine, 85
 indole, 80
 lamprolobine, 85
 lupinine, 84
 mesembrine, 78
 myosmine, 78
 pavine, 87
 yohimbine, 86
alkylation
 C-*v.* *N*, 17
 of aldehyde enamines, 14
 of dihydroberberine, 70
 of 1, 2-dihydroisoquinolines, 70
 of heterocyclic enamines, 70
 of ketone enamines, 15
 with acyl halides, 22
 with alkyl halides, 14
 with benzyl halides, 17
 with propargyl halides, 17
 with sulphonyl halides, 30
aminal, 3
arylation of enamines, 41

benzyne
 cycloaddition, 42
 reaction with enamines, 42
berberine, 70
berberine alkaloids, synthesis, 88

bromination of enamines, 43

carbenes, reaction with enamines, 50
corynantheidine alkaloids, synthesis, 85
cycloadditions to enamines, 23, 24, 25,
 26, 27, 28, 30, 33, 34, 35, 36, 37,
 38, 39, 40, 42, 46, 48, 49, 50, 51,
 53
cyclobutanes, 34, 39
cyclobutanones, 23
cyclobutenes, 47
cyclohexanone enamines, alkylation of,
 11

dehydroindolizidine, 58
dehydroquinolizidines, 56
 acylation, 72
 preparation, 56
Diels–Alder addition to enamines, 49
dihydroberberine, alkylation, 70
1,2-dihydroisoquinolines, 55
 acylation, 73
 alkylation, 70
 preparation, 64
 rearrangement, 89
 use in synthesis, 86
1,4-dihydroquinolines, 55
 preparation, 64
1,3-dipolar additions, 50

enamines,
 acylated, use in synthesis, 27
 acylation, 22
 keten formation, 24
 rearrangement, 23
 with acid halides, 22
 with sulphonyl halides, 30
 with α , β -unsaturated halides, 28, 29
arylation, 41
azabicycloalkane
 alkylation, 71
 protonation, 70

- enamines (*cont.*)
- azabicycloalkane (*cont.*)
 - structure, 68
 - basicity, 8, 17
 - bromination, 43
 - cycloaddition, 46
 - Diels–Alder, 49
 - 1,3-dipolar, 50
 - miscellaneous, 51
 - with acetylenes, 47
 - with acyl halides, 23
 - with carbenes, 50
 - with diazoalkanes, 53
 - dialkylation, 18
 - heterocyclic, 55
 - acylation, 72
 - alkylation, 70
 - cycloadditions to, 77
 - definition, 55
 - preparation, 55
 - protonation, 69
 - reactions, 69; with cyanide ion, 73; with organometallics, 73
 - structure, 67
 - uses in synthesis, 78; 1,2-dihydroisoquinolines, 86; pyrrolines, 78; piperidines, 80
 - hydrolysis, 8
 - indolizidine, alkylation, 71
 - infrared spectra, 10
 - cis* isomer, preparation, 7
 - geometrical isomerism, 7
 - hydroboration of, 45
 - nuclear magnetic resonance spectra, 10, 11
 - protonation, 8
 - preparation, 1
 - from aldehydes and ketones, 1
 - from imines, 5
 - from iminium salts, 6
 - from ketals, 5
 - reactions, 14
 - reaction with
 - acetylenes, 47
 - acyl halides, 22
 - aldehydes, 42, 43
 - alkyl halides, 14
 - aryl halides, 41
 - benzynes, 42
 - carbenes, 50
 - cyanide ions, 54
 - cyanogen halides, 44
 - diazoalkanes, 52, 53
 - diazonium salts, 44
 - electrophilic olefines, 31
 - electrophilic reagents, 14
 - halogens, 43
 - hydride ions, 52
 - lithium aluminium hydride, 52
 - miscellaneous reagents, 41
 - nucleophiles, 51
 - organometallic compounds, 52
 - sodium borohydride, 52
 - reactivity, 11
 - resonance, 7
 - structure, 10
 - sulphonation, 30
 - ultraviolet spectra, 9
 - Vilsmeier reaction, 28
- indoles, 55
 - alkylation, 71
- indole alkaloids, synthesis, 80
- indolizidine, 58
- imines, 1, 5
 - reaction with
 - Meerwein's salt, 5
 - Grignard reagent, 6
- ketone enamines, reaction with
 - alkyl halides, 15, 16
 - diketen, 24
 - electrophilic olefines, 31
 - keten, 24
 - nitro-olefines, 38
 - α , β -unsaturated aldehydes, 36
 - α , β -unsaturated esters, 32
 - α , β -unsaturated ketones, 34
 - α , β -unsaturated nitriles, 32
- lactams, reaction with organometallic compounds, 65
- lithium aluminium hydride, reduction of
 - isoquinolines, 64
 - pyridines, 61
 - pyrroles, 65
 - quinolines, 64
- lamprolobine, synthesis, 85
- lupinine, synthesis, 84
- mercuric acetate oxidation
 - mechanism of, 57
 - preparation of enamines by, 56
 - stereochemistry of, 57
 - of piperidines, 58
 - of pyrrolidines, 60

Index

93

- mercuric acetate oxidation (*cont.*)
 of tertiary amines, 56
 mesembrine, synthesis, 78
 2-methylcyclohexanone, enamine, 11
 3-methylcyclohexanone, enamine, 12
 myosmine, synthesis, 78
- nitro-olefins, reaction with
 aldehyde enamines, 39, 40
 ketone enamines, 38
- olefins, electrophilic
 cycloaddition, 76
 reaction with aldehyde enamines, 31
 reaction with ketone enamines, 31
- α , β -olefinic aldehydes
 Diels–Alder addition, 49
 reaction with aldehyde enamines, 41
 reaction with ketone enamines, 36
- α , β -olefinic esters, reaction with
 aldehyde enamines, 36, 39
 ketone enamines, 32
- α , β -olefinic ketones, reaction with
 aldehyde enamines, 40
 ketone enamines, 34
- α , β -olefinic nitriles, reaction with
 aldehyde enamines, 39
 ketone enamines, 32
- oxidation, with mercuric acetate, 56
- pavine alkaloids, synthesis, 87
- Δ^1 -piperideines, 68
 acylation, 72
 dimers, 75
 trimers, 75
- Δ^2 -piperideines, 55
 acylation, 72
 cycloaddition to, 76
 dimers of, 75
 preparation of
 from lactams, 65
- by reduction, 61
 protonation, 69
 use in synthesis, 80
- piperidines, oxidation with mercuric
 acetate, 59
- pyridines, partial reduction of, 61
- pyrrolidines, oxidation with mercuric
 acetate, 60
- Δ^1 -pyrrolines, 67
 acylation, 72
 dimers, 74
 trimers, 74
 reaction with cyanide ion, 73
 reaction with Grignard reagents, 74
- Δ^2 -pyrrolines, 55
 preparation from lactams, 65
 structure, 68
 use in synthesis, 78
- quinolizidine, 56
- quinuclidine, protonation, 69
- reduction
 isoquinolines, 64
 partial, 61
 pyridines, 61
 pyrroles, 65
 quinolines, 64
- sparteine, 58
- sodium borohydride reduction of
 pyridines, 61
 isoquinolines, 64
- α -tetralone enamines, 4
 alkylation, 20
- β -tetralone enamines, 18
- Vilsmeier reaction, 28
- yohimbine alkaloids, synthesis, 86