

INDEX

- abamp 11
 admittance
 intrinsic 200
 vacuum 183
 amp 5, 7, 10, 11
 Ampère 4, 32
 Ampères'
 circuital law 35, 36, 50; differential form
 of 37
 dipole law 32, 39
 amplitude of time harmonic quantity 151
 amplitude, complex 184
 angle
 of deflection 18
 of dip 62
 of reflection, 202: critical 206
 angle,
 Brewster 207
 pitch 253
 anode 264
 anisotropic substance 104
 antenna, linear 220, 221, 229
 atom, 6, 8, 15, 27, 230, 266
 radius of 19, 277
 attenuation coefficient 200
 averaging 5, 6, 236–40

 battery 44, 45
 Biot 4
 Biot–Savart law 37, 42, 63
 for infinitesimal current loop 62
 for steady current 38, 39
 Bohr
 magneton 277
 radius 277
 Boltzmann's constant 12
 boundary conditions
 at dielectric interface 105
 at interface of magnetic media 161
 at surface charge 74
 at surface current 128
 at surface of conductor 77
 at surface of superconductor 129
 for time varying fields 174, 175: at sur-
 face of good conductor (impedance
 conditions) 204; at surface of perfect
 conductor 175
 in waveguide 189, 192
 bridge network 169
 capacitor (condenser) 80
 cylindrical 82: dielectric filled 109,
 110
 current voltage relation 147
 discharge through resistance 148
 parallel plate 81, 89, 116: dielectric
 filled 103; partly 108, 109
 spherical 82, 116: dielectric filled 108
 capacitors in parallel and series 84
 capacity (capacitance) 80, 81
 analogue with conductance 121
 of twin wire line 99
 see also capacitor
 capacity
 coefficients of 102
 stray 147
 cathode 264
 causality 276
 Cavendish 3
 cavity
 in dielectric 242, 243
 in magnetic matter 245, 248
 in perfect conductor: cylindrical 225;
 rectangular 198, 199; spherical 225
 charge
 conservation 1, 42, 43
 conservation relation 8, 50, 51, 54: for
 steady current 31
 density 5, 6: average 238; decay in a
 homogeneous conductor 128; in steady
 current flow in an inhomogeneous con-
 ductor 121; of ideal electric dipole
 moment density 234
 charge
 bound 230
 electric 1, 13
 free 230
 line 18, 61, 82
 point 23, 24
 spherical distribution of 25
 surface 73, 77–9: of ideal electric dipole
 moment density 234
 Child's law 263–5
 circuit
 inductance 142
 theory 146–53: time harmonic case 150–
 3; validity of 172
 Clausius–Mosotti relation 274
 coefficients of capacity 102
 coercivity 160
 collisions 255, 256, 258
 collision frequency 255

- complex
 amplitude 184
 representation: of Maxwell's equations 181; of time harmonic quantity 151, field 179
- conductance 121
- conducting sheet 78, 79
- conductivity 15, 120
 of various substances 120
- conductivity
 simple theory of 255–8
 expression for 255
 plasma 261
- conductor 8, 12, 13, 21, 43, 71–3, 77
 good 204
 perfect 120, 173, 174
- constitutive relation
 for conductor 120, 173, 230
 for dielectric 104, 173, 230, 275
 for magnetic medium 157, 173, 230
 for permanent magnet 163
- copper 12
- Coriolis force 278
- corner reflector 227
- Coulomb 3, 11
- coulomb 5, 7, 11, 84
- Coulomb's law *see* force, inverse square law of
- couple
 between current loops 156
 between electric dipoles 87
 between steady current distributions 63
 on current loops 32, 33
 on dielectric 249
 on electric dipole 29, 87
 on magnetized matter 249
 on permanent magnet 164
- Curie temperature 282
- Curie's law 280
- Curie–Weiss law 281
- current
 density 7, 31, 120: average 239; external 182; in plasma 260; in ideal electric dipole moment density 234; of ideal magnetic dipole moment density 236; of permanent magnet 163
 flow: between electrodes 121; lines (tubes) of 31
 in wire 43, 44
 in wire loop 31, 32, 37, 47
 pinch 265
- current
 bound 230
 diode 264, 265
 displacement 49, 51, 53
 free 230
 Hall 256
 line 9
 steady 10
- steady rectilinear 9
- surface: of ideal magnetic dipole moment density 236; of permanent magnet 164; of perfect conductor 175; of superconducting sphere in uniform field 138; on superconductor 128
- damped oscillation 150
- deflection, angle of 18
- diamagnetism, elementary theory of 279
see also magnetic media
- dielectric 51, 72, 83, 103, 173
 phenomenological theory of 103, 104
- dielectric
 analogue with conducting medium 121
 cylinder in uniform field 113, 114
 half-space and point charge 110, 111
 sphere in uniform field 114
- dielectric constant 104, 200
 complex 181
- dielectric constant
 of dense gases, liquids and solids 273–5
 of dilute gases 269–73
 of plasma 259
 of various substances 105
- dimensions
 of \mathbf{B} , \mathbf{E} , ϵ_0 , μ_0 5
 of charge, 4, 5
 of \mathbf{D} , \mathbf{H} 52
 of magnetic scalar potential 34
- diode 264
- dip angle 62
- dipole
 electric 27: couple on 29; infinitesimal (point) 29; line 62, 114; time dependent 213–16; vector moment of 27, 28
 magnetic 33, 42: time dependent 215, 216, 229
- dipole moment
 molecular 232, 236, 240, 276: order of magnitude of 266, 267, 277; induced by magnetic field 278
 vector: of charge distribution 232; of current distribution 39, 232, 233; of two point charges 27
- dipole moment density 231
 electric 234
 magnetic 235
- dispersion, 194–7
 anomalous 267, 271
 normal 271
- dispersion relation 197
 plasma 259
- displacement current 49, 51, 53
- divergence theorem 8, 30, 47, 288
- domains, magnetic 282
- doubly connected region 137
- dynamics of charged particle 3, 252–4

INDEX

293

- dynamo 48, 170
dyne 11
- edge effects 81
electret 249
electric motor 48, 170, 171
electrodes 120
electromotive force (emf) 44
electron 1, 7, 8, 15–19
 charge 12
 mass 12
 spin 2, 3, 276, 277
electrons
 conduction 9, 13, 43, 45, 48, 64, 72, 255
 free, in plasmas 258
elliptic integrals 144, 167
energy
 balance: for plane wave in conducting medium 201; in circuits 148, 152, in time harmonic case 153; in electromagnetic field 177, 224
 density: of electric field 91; of electromagnetic field 177, in media 179, time averaged 180; of magnetic field 141, with magnetic media 165; of monochromatic field in frequency dependent dielectric 262, 263; of plane wave 183
 of charged conductors 89
 of current loops, mutual 154, 155
 of cylindrical inductor 140
 of distributed charge 88, 107
 of distributed current 140, 141
 of electric dipole in external field 86
 of electric dipoles, mutual 87, 88
 of inductors 138, 139
 of parallel plate capacitor 89
 of point charges, mutual 84, 85
 of thermal motion 19
 of uniformly charged spherical surface 115
 quantum 16, 19
energy
 field: electric 90; magnetic 140
 interaction 115
 Kelvin's theorem of minimum 100, 101, 107; analogue in current flow 122
 potential 19
 theorem of reduction of 101
 time averaged, in circuit 153
 use of in force calculation 249–51
equipotential surfaces (equipotentials) 67, 70, 95
equivalent height of reflection 286
erg 16
event 61
- far field 215, 217–20
farad 84
- Faraday 43, 46, 47
Faraday's law of induction 42, 44, 46–50
ferro-electric substances 274
ferromagnetism, elementary theory of 281, 282
 see also magnetic media
- field
 acting on a molecule 268, 269
 impedance 203
 lines (tubes): of **E** 67, 69, 70, 79, 105, 114; of **B** 119, 247
 vector, introduction of: **B**, **E** 2; **D**, **H** 51; **J** 7; **P**, **M** 231
- field
 average 6
 conservative 22
 electromagnetic 2: of point charge in uniform motion 66; two-dimensional 223; *see also* cavity, dipole (time dependent), waveguide modes, waves
 electrostatic: in dielectric cavity 241; of dipole 28, 29; of line dipole 62; of point charge and conducting plane 94; of polarization density 240, 241; of static charge 20; of stationary charged particle 3; on axis of uniformly charged disc 76
 magnetic: in cavity in magnetized matter 245; of circular current loop 125–7, 166; of current loop 32, 33, 62; of Earth 62; of moving charged particle 3; of solenoid 145, 146; of steady current 9, 31
 non-conservative 43
 time harmonic (monochromatic) 58, 173, 179
- flux
 of **B** 46, 47, 48, 50
 of **E** 23, 24
- focus 17
force between particles 1, 15
force
 chemical 45
 electric 4, 13, 14, 49, 53: between capacitor plates 89; between dipoles 87; between point charge and conducting plane, sphere 94, 96; inverse square (Coulomb) law of 2–4, 12, 15, 20–3, 42, 52; on dielectric 248, expressed as surface integral 251; on dipole 86; on superconductor 130; on surface charge 75, 251
 electromagnetic (Lorentz) 2, 14, 54, 55, 59, 176, 207
 magnetic: between current loops 155, 156; between parallel rectilinear currents 9, 10; between steady current distributions 39, 40; on current loop 153, 154; on magnetized matter, 249,

- force (*cont.*)
 expressed as a surface integral 252; on moving electric dipole 115; on permanent magnet 163, 164
- Fourier series in mode matching 193
- frame of reference 47, 60, 61
- frequency 16, 19, 58, 59
- frequency
 angular 58
 collision 255
 cut-off (critical), of waveguide mode 190
 gyro 253
 oscillation, of circuit 148
 plasma 259
 resonant, of cavity 198
 vibration, of atom 267
- gain 217–19
- gamma rays 59
- Gauss' theorem 23, 24, 30, 61, 81, 82, 105
- germanium 258
- gold 12
- gravitation 1, 21, 27
- Green's reciprocal theorem 101, 102, 107
 analogue for dielectrics and conducting media 122
 analogue in current flow 141
- gyro frequency 253
- Hall coefficient, conductivity, current, effect 256–8
- heat 16, 59
- helium 129
- helix 16
- hydrodynamics 59
- hydrogen 269
- hysteresis 159–162, 282
- images
 method of 95
 line charge: conducting cylinder 98–9; dielectric half-space 111; dielectric cylinder 112, 113
 orthogonal conducting spherical surfaces 117
 point charge: conducting plane, wedge 94–6; conducting sphere 96–8; dielectric half-space 110, 111
- impact parameter 17
- impedance conditions 204
- impedance
 complex, of circuit elements, 151, 152
 intrinsic 199
 surface 205, 226; reactive 227
 vacuum 183
 wave (or field) 203
- inductance 132, 133
 defined in terms of energy 142
 of ideal cylindrical inductor 134
 of ideal ring inductor 135
 of toroidal solenoid 167
 of twin parallel wires 168
- inductance
 mutual 135, 136: of coplanar concentric circles 144, 145; of wire circuits 143; symmetry of coefficients of 141
 self 135, 136: internal 142; of circular wire loop 142
 stray 147
- induction
 magnetic, vector of 2
 Faraday's law of 42, 44, 46–50
- inductor
 current-voltage relation of 147
 ideal 133–7
 leakage from 136, 137
- insulator 72, 103
- interference 220
- ionosphere 258, 260, 286
- isotropic substance 104
- joule 16
- Joule heating 122
- Kelvin's minimum energy theorem 100
- ladder network 170
- Langevin function 272, 280
- Laplace's equation *see* potential, electric
 scalar, equation
- laser 16
- light, 16, 59
see also speed of light
- lines
 of current flow 31
 of force *see* field lines (tubes) of \mathbf{E}
see also field lines
- Lorentz
 force *see* force, electromagnetic
 transformation 61
- magnets
 hard and soft 160–3
 permanent 160, 162–4, 245
- magnetic
 charge (hypothetical) 246, 248
 domains 282
 media: phenomenological theory of 157; diamagnetic 158, 279; ferromagnetic 158–161, 281, 282; paramagnetic 158, 280
- magnetization curve 159, 160
- magnetization (vector) 232
- Maxwell 14, 50, 51
- Maxwell stress tensor 252
- Maxwell's equation
 expressing Faraday's law 48, 54
 generalizing Ampère's law 49, 52–4

INDEX

295

- Maxwell's equations 15, 20, 49, 54, 57, 59, 65, 172-4
 a route to 14
 complex representation of 181
 invariance under Lorentz transformation of 61
 invariant transformation of 181
 microscopic and macroscopic form of 230
- Meissner effect 130
- mho 120
- Michelson-Morley experiment 60
- Millikan 12
- mode *see* waveguide mode
- models, physical 15
- molecule 27
 polar and non-polar 265
 field acting on 268, 269
- moment, vector, of dipole *see* dipole moment, vector
- momentum, field 14, 208, 228
- multipole moment 232
- neutral point 67
- neutron 1
- newton 11
- Newton's third law 14
 for steady currents 40
- noise 255
- observer 14, 47, 49, 59, 60, 61
- paramagnetism, elementary theory of 280, 281
see also magnetic media
- permeability
 magnetic medium 157, 158, 160
 vacuum 11
- permittivity
 complex 181
 dielectric 104: frequency dependent 173
 vacuum 11
- phase
 of time harmonic quantity 151
 speed of waveguide mode 190
 velocity of plane wave 184
- Planck's constant 16, 277
- plasma 258-63
 conductivity 261
 dielectric constant 259: complex 261
 dispersion relation 259
 frequency 259-61
 oscillation 260
 refractive index 259
- plasma
 collisions in 261
 energy density and velocity of energy propagation in 261-3
 overdense 260
- Poisson's equation *see* potential, electric scalar, equation
- polar diagram 219, 229
- polarizability 72
 of molecule 266
- polarization
 deformation and orientation 265
 electric and magnetic 231, 232
- polarization (wave)
 circular, elliptic 180: of plane wave 184, 185
 linear 58, 180
- potential difference
 between capacitor plates 81-3
 between centre and rim of rotating disc 64
 between electrodes 121
 between terminals 44
- potential theory 91, 92
 with dielectrics 106
- potential
 electric scalar 22, 49, 67: equation 29-31, 55, 80, 91, 93, 106, 264; expansion 232; of dipole 27, 28, 62; of line dipole 62; of polarization density 240; of semi-infinite charged conducting plane 116; of sphere of uniform charge density 26; of uniformly charged disc, on axis 76
 magnetic scalar: in magnetic medium 158; multivalued 35, 36; of circular current loop, on axis 125; of dipole 34; of finite current loop 34, 35; of homogeneous permeable sphere in uniform field 161; of polarization density 246; of steady rectilinear current 124; of superconducting sphere in uniform field 138; of uniformly magnetized sphere 163, 248
 scalar of general field 209
 vector 40, 42: equation 41, 55; expansion 233; of general field 209; of polarization density 244, 246; of steady current distribution 41; of steady current in a circular loop 166, 167; of steady rectilinear current 123
- potentials, retarded 209-12, 228
- power flux density 177
 time averaged 180: of evanescent wave 188; of far field 218; of plane wave 183, 200, 201
- Poynting vector 177
- Poynting's theorem 176-9
- proton 1, 7, 8, 15, 19
- quadrupole moment 232, 240
- quantum
 of energy 16, 19
 theory 15, 16

296

radiated power 216
radiation 16, 216
 field 215, 217–20
 from dipole 216, 217
 pressure 207, 208
 resistance 216, 217, 229
radio waves 16, 59
Rayleigh distance 219, 220
reciprocal theorems *see* Green's reciprocal theorem
reciprocity 221–3, 229
reflection *see* waves, reflected
reflection coefficient 202, 203, 226
 of good conductor 204
reflection, total internal 205, 206
refraction 201–3
refractive index 200
 of plasma 259
relativity 14, 59, 61
remanence 160, 163, 245
resistance
 between electrodes 121
 of uniform wire 146
 of copper wire 147
 to current in wire 43, 120
resistor 147
retarded
 potentials 209–12, 228
 time 212
Savart 4
self-inductance *see* inductance, self
semi-conductor 72, 258
silver 12
simply connected region 37, 137
skin depth, effect 204, 205
Snell's law 203, 205
soap bubble, charged 115
solenoid 129, 145, 157
solenoidal vector 31, 42
solid angle 24, 35
 of cone 63
space-charge 264
speed
 of light 4, 10, 13, 44, 55, 57, 59, 199
 of energy propagation: in plasma 259;
 in waveguide mode 194, 195
speed
 group 197: in plasma 259
 phase: of waveguide mode 190; in
 plasma 259
 thermal 12, 45, 255
Stoke's theorem 22, 37, 289
stress tensor, electromagnetic (Maxwell)
 252
superconductor 127–30
superconducting sheet 130, 131
superposition 3, 24

INDEX

susceptibility
 electric 269: of dense gases, liquids and
 solids 273–5; of dilute gases 270–3
 magnetic 279: of diamagnetic matter 279;
 of paramagnetic matter 280
temperature 12
 critical, for superconductivity 129, 130
 Curie 282
tesla 33
transistor 16
transmission
 coefficient 202, 203, 226
 line 170
tubes
 of current flow 31
 of force *see* field lines (tubes) of **E**
uniqueness of solution
 to potential equation 80, 92–4, 106, 137
 to Maxwell's equations 175
unit of
 B 5, 33
 charge 4, 5, 10
 current 5, 10, 11
 D, **H** 52
 E 5, 23
 electric potential 5, 23
 inductance 133
 magnetic scalar potential 34
 ϵ_0 11, 84
 μ_0 11, 133
units
 absolute 10
 gaussian 4
 mks 4
 practical 5, 8
 rationalized 4
 rationalized mks conversion to gaussian
 5, 289
vacuum
 admittance, impedance 183
 permeability, permittivity 11
velocity of light *see* speed of light
velocity
 average energy flow 183
 drift, of particle in uniform **E**, **B** 253
 group 194–8
 phase 184
 see also speed
volt 5, 23
voltage in current loop 42, 44–8
watt 23
wave
 equation 55, 56: for **B** and **E** 55; for
 ϕ and **A** 209; solution of one-
 dimensional 56; solution of 210–12

Cambridge University Press

978-0-521-09815-1 - An Introduction to Electromagnetic Theory

P. C. Clemmow

Index

[More information](#)

INDEX

297

- wave (*cont.*)
 number 58
 waveguide 189
 waveguide mode
 lossy 225, 226
 propagated and evanescent 190
 transverse electric (TE) and magnetic (TM) 190
 TE_{01} 189–91
 TE_{mn} and TM_{mn} 191–4
 TEM 224
 wavelength 58, 59
 waveguide mode cut-off 191
 waves
 electrostatic type 260
 electromagnetic 56, Chapter 5: evanescent 187, 188, in plasma 259; incoming 175; inhomogeneous 188; outgoing 187; plane, in media 199–208, in plasma 259, in vacuum 182–8; reflected, at good conductor 204, 205, at medium interface 201–4, at perfect conductor 185; refracted 201–3; standing 184; surface 188, at plasma boundary 285; transverse 57, 182; travelling 58, 182, 199–201
 sound 59
 weber 33
 X-rays 16, 59