

## Index

Numbers in *italic* refer to figures and those in **bold**  
 refer to tables

- Abisko
  - bryophyte N fertilizer response 232
  - litter decomposition 50
  - litter fungi 44
  - nitrogen mineralization 59
  - soil characteristics 42
  - Sphagnum* N assimilation from air 231
  - UV-B radiation studies 241–51
- Acaena* 76, 85
- Achyla* 44
- acid deposition 108, 219–36
  - critical loads 221
  - ice-core analyses 220, 220
  - pollutant sources 222–5
  - see also* N pollutants deposition; S pollutants deposition
- active layer 1
  - C soil pool 256
  - soil creep 5
- Acyrtosiphon svalbardicum* 147–8, 149, 157–9, 158, 161
  - life cycle 148
- Agaricus bisporus* 51
- airborne pollution 209, 235
  - heavy metals 212, 212
  - persistent organochloride compounds 214
  - S pollutants 225
- alas 20
- Alaska
  - climate change 101
  - ice wedges 16
  - orientated lakes 18
  - permafrost depth 14
  - soil characteristics 42
  - see also* Barrow, Alaska
- Alaskozetes antarcticus* 126
- albatrosses, population fluctuations 178
- Alectoria* 74, 81, 83
- algae 2, 31, 185
  - fresh-water food webs 191
  - Frigid-Antarctic vegetation zone 72
- Alnus* 80
  - alternative-pathway respiration (APR) 123
    - short stature ecoforms 123–4
  - alpiplantation (cryoplantation) terraces 22
  - aluminium 6, 31
    - levels in waterways 8
    - soil release by hydrolysis 7
  - amino acid nitrogen 55
  - ammonia volatilization 59
  - ammonium ( $\text{NH}_4^+$ ) nitrogen 55, 56, 57, 58, 59
    - bryophyte assimilation from air 231
    - transfer from cyanobacteria to mosses/vascular plants 86
  - Andosols 2, 25, 26
  - Andreaea* 74, 78
  - angiosperms
    - Cold-Arctic vegetation zone 75, 76
    - Cool-Antarctic vegetation zone 76, 80
    - Cool-Arctic vegetation zone 78
  - anoxia tolerance 125–8
    - assessment 125, 125, 126
    - species 126
  - antarctic vegetation zones 72
  - Anthrosols 32
  - antifreeze proteins, cold-tolerant arthropods 145
  - apatite 6
  - aphids 147–8, 149, 157–9
    - life cycles 148
  - aquatic food chains
    - heavy metals accumulation 214, 214
    - persistent organochloride compounds accumulation 214, 215
    - radionuclides contamination 210, 210
    - stable isotope analysis 191–2
  - Arctagrostis* 78
  - arctic cod (*Boreogadus saida*) 114
    - food-web  $^{15}\text{N}$  isotope studies 194
  - arctic fox 114
    - organochloride accumulation 215
  - arctic haze 108, 212, 219
    - composition 219
  - Arenosols 32
  - arthropod adaptations 115, 143–7
    - behaviour 144, 145
    - body size 144
    - cold tolerance 144–6
    - desiccation resistance 146
    - generation times 144
    - growth/development 146–7
    - heat tolerance/thermoregulation 144, 146
    - life cycles 144
      - flexibility 159
      - metabolic rate 147
      - wings reduction 144
  - arthropods 137–62
    - climatic change response 160–2
    - climatic constraints 142
      - summer 140–1, 152
      - transition periods 141
      - winter 140
    - environmental templet 138–42, 138
      - macro/microclimate 139–40
    - microhabitat constraints/opportunities 142–3, 143
    - trophic interactions 189
      - bryophyte herbivory 83
      - see also* soil microarthropods
  - Astragalus alpinus*, nitrogen fixation 55
  - asymmetric valleys 22

- Aulacomnium* 78, 80  
*Aureobasidium* 43, 44
- barnacle goose (*Branta leucopsis*) 197  
barrens vegetation 78  
Barrow, Alaska  
  cations in waterways 7–8, 7  
  CO<sub>2</sub> flux measurements 264, 264  
  denitrification 59  
  fungi 44, 46, 47  
    biomass 45  
  nitrogen fixation 55  
  soil characteristics 42  
    nitrogen availability 56  
    phosphorus 60  
    water content 256, 265  
  temperature trends 265  
basidiomycetes 44  
bearded seal (*Erignathus barbatus*) 167  
Beaufort Sea polar bear study 168, 168, 169, 173–8,  
  174, 179  
Beluga whales 114  
  food-web <sup>15</sup>N isotope studies 194  
*Betula* 80, 81, 100  
biological weathering 11  
biotite 6  
black guillermot, organochloride levels 215  
black spruce (*Picea mariana*) 2, 20, 28  
  nutrient transfer from mosses 87  
block fields 23  
*Brachythecium* 74, 76  
braided rivers 21, 22, 22, 28  
brent goose (*Branta bernicla*) 196  
bryophytes 69–90  
  climate change response 88–9  
  decomposition 85–6  
  herbivory 83–4  
  nitrogen  
    assimilation from air 230, 231  
    fertilizer response 232  
    NO<sub>x</sub> assimilation from snowmelt 233–4  
    pollutant deposition 230–2, 236  
  nitrogen-fixing micro-organism associations 86  
  nutrient retention from precipitation 69, 86–7  
  phytomass accumulation 69, 85  
    thermal insulation 69, 88  
    water-holding capacity 69, 80  
  polluted snowmelt effects 232–5  
    physiological damage 234–5, 234  
  see also mosses  
*Bryum* 72, 74  
*Buellia* 74
- Cacopsylla* 149–51  
cadmium accumulation 214  
*Calamagrostis deschampsoides* 197  
*Calamus hyperboreus* 193  
calcium  
  levels in waterways 7  
  moss phytomass retention 87  
  soil  
    bacterial population effects 48  
    release by hydrolysis 6
- calcium carbonate deposition 9, 27, 34  
*Calliergidium* 74, 78  
*Calliergon* 76, 86  
*Caloplaca* 74  
Cambisols 2, 25, 26–7, 34  
  calcium carbonate deposition 9, 27  
  iron oxides 8, 12  
*Camisia anomia* 153  
Canada  
  ice segregations in soil 3  
  Lancaster Sound 192, 193  
  Mackenzie area salt accumulations 32  
  pingos 21  
  see also Beaufort Sea polar bear study; Devon  
  Island, Canada; Hudson Bay
- carbon accumulation  
  bryophytes phytomass 69, 85  
  *Sphagnum* sequestration 249  
  carbonates  
  CO<sub>2</sub> concentration elevation response 259  
  long-term climate warming response 267–8  
  soil organic matter pool 10, 41, 54, 256  
carbon balance 83–6  
carbonates 6  
  abiotic CO<sub>2</sub> release 52  
  accumulation 9, 12, 27, 31, 34  
  isotope studies 35  
*Carex* (sedges) 2, 27, 41, 46, 78, 131, 196, 197, 199  
  Cool-Arctic vegetation zone 78  
  growth season phenological variation 118  
  methane flux effects 105  
  see also sedge ecosystems  
caribou (*Rangifer tarandus*)  
  lichen herbivory 83, 84, 101  
  omnivorous feeding habits 189  
  organochloride accumulation 215  
  tundra carrying capacity 188  
carnivore net production 189  
case hardening 9  
*Cassiope* 80  
  mycorrhizae 44, 229  
  N fertilization experiments 225–6, 227
- cations  
  levels in waterways 7–8, 7, 8  
  moss phytomass retention 87  
  soil release by hydrolysis 6–7
- Cephalozziella* 76  
*Ceratium* 75  
*Ceratodon* 74  
*Ceratoppia hoeli* 153  
*Cetraria* 75, 78, 81, 83  
  UV-B exposure response 245, 250  
Chile megalanic moorland 80  
*Chorisodontium* 74, 75, 76  
*Chrysosporium* 43, 44  
*Cinclidium* 78  
*Cladonia* 76, 78, 80, 81, 83, 245, 250  
*Cladosporium* 44, 46  
clay translocation 13  
climate change 54, 88–9, 97, 255–69  
  animal population responses 114–15  
  arthropod indices 160  
  arthropods response 160–2

- bryophyte/lichen responses 69  
 $\text{CO}_2$  concentration 98–9, 104–5  
 $\text{CO}_2$  net ecosystem flux 263–8, 269  
 community responses 99–101, 99, 102–4, 103  
   biomass 100  
   net primary production 100  
   species diversity 100–1, 101, 109  
 Holocene 115, 268  
 light intensity 97, 98  
 moisture availability 97, 98, 256  
 nutrient availability 97, 98, 266–7  
 plant growth-form response 97–9  
 plant population survival 115  
 plant preadaptation 113  
   temperature increase 97, 98, 256  
 climatic effects of arctic vegetation 104–8  
   global coupling 104–5  
   human influences 108  
   regional coupling 106–8  
 climatic subzones 1  
 clones fractionation 128  
 cloud transmission factor computation 245, 246  
 $\text{CO}_2$  concentration elevation 98–9, 255–69  
   direct effects 258–63  
   ecosystem responses 257–8, 258  
   general circulation models (GCMs) 255  
   global climatic effects 104–5  
 $\text{CO}_2$ -emitting springs, photosynthetic rate response 262, 263  
 $\text{CO}_2$  flux  
   climate change effects 263–8, 269  
   net primary production 267  
   water-table depth influence 265–6  
 Cold-Antarctic vegetation zone 74–5  
   climatic data 73  
   decomposition 85  
   herbivory 83  
 Cold-Arctic vegetation zone 75–6, 78–80  
   climatic data 73  
   herbivory 83  
   net production/phytomass 79  
 cold-polar vegetation zone 70  
 cold tolerance 116  
   arthropod adaptations 144–6, 152  
   behavioural responses 145  
   freeze-avoidance 145, 146  
   freeze-tolerance 145  
   ice-nucleating agents (INAs) 145, 152  
   soil microarthropods 153–4, 154, 155  
*Collema* 75  
*Collembola* 51, 152, 153, 161, 162  
   desiccation resistance 146, 160  
   heat tolerance 146, 155, 157, 159–60, 159  
   life cycles 144  
 common eider, organochloride levels 215  
 competitors 128  
 Cool-Antarctic vegetation zone 71, 76, 78  
   climatic data 73  
   net production/phytomass 77, 82  
   see also High Arctic  
 Cool-Arctic vegetation zone 71  
   climatic data 73  
 cool-polar vegetation zone 70  
 copper pollution 213, 213, 222  
*Coprinus* 44  
*Cortaderia pilosa* 80  
*Cortinarius* 44  
*Crassula* 76  
 cryoplanning (alpiplanation) terraces 22  
*Cryosols* 24, 25, 27  
 $^{137}\text{Cs}$  pollution 209, 211  
   authorized discharge 210  
 cyanobacteria  
   Cold-Arctic vegetation zone 76  
   Frigid-Antarctic vegetation zone 72, 74  
   nitrogen fixation 55, 86, 199  
 DDT pollution 214  
 decomposition 41, 43, 49, 50–4, 139  
   bryophytes/lichens 85–6  
   fungal activity 46, 47, 48  
   moisture dependence 46, 48  
   psychrophilic properties 46  
   litter composition 51  
   climate change response 102–4, 103  
 measurement 51–2  
 moisture dependence 50  
 soil organic matter 10  
   organic acids production 11  
 temperature dependence 50  
   UV-B exposure effect 250–1  
 deforestation 108  
   thermokarst formation 20, 34  
 denitrification 59  
 desert varnish 2, 9–10, 29, 31, 33, 34  
 desiccation tolerance  
   arthropods 146  
   frost resistance 82–3  
   mosses 82  
 Devon Island, Canada  
   fungal biomass 45  
   fungal decomposing activity 46, 48  
   litter accumulation 50–1  
   mire annual production 82  
   moss phytomass calcium retention 87  
   *Saxifraga oppositifolia* physiological variation 122  
   soil bacterial biomass 49  
   soil nitrogen availability 56  
   trophic level energy transfer 189, 190  
*Dipterobates notatus* 153  
*Diaptomus pribilofensis* 191, 192  
*Dicranoweisia* 74  
*Dicranum* 85  
*Diptera* 51, 152  
   bryophytes herbivory 83  
*Distichlis spicata* 196  
*Ditrichium* 75, 78  
 DNA absorption spectrum 241  
*Draba* 75, 78  
   ecotypic diversity 122, 132  
   genetic hybridization 133  
*Drepanocladus* 76, 85, 86  
*Dryas* 45, 78  
   *Acyrothosiphon svalbardicum* herbivory 147, 157  
   ecotypic variation 119, 120, 132  
   mycorrhizae 44–5

- Dryas* (Cont.)  
 N fertilization experiments 225–6, 227, 228, 229  
 nitrogen fixation 55
- Dupontia* 78, 196  
 dwarf shrubs 2  
 Cool-Arctic vegetation zone 78  
 litter fungi 44  
 Mild-Antarctic vegetation zone 80  
 Mild-Arctic vegetation zone 80, 81  
 nitrogen mineralization 56  
 UV-B exposure effects 247–9, 248
- earth mounds 18  
 ecotypes  
 plant adverse conditions survival 115  
 preadaptation 132–3
- eggcup topography 22–3, 24
- El Niño Southern Oscillation 178
- elk 114
- Empetrum* 80  
 UV-B exposure effects 245, 248
- Enchytraeidae* 27, 51
- energy flow 83–6  
 at surface 106–8  
 marine food webs 194
- environmental disturbance 115, 116  
 polar desert plant survival strategies 128, 133
- environmental stress factors 128  
 population differences in tolerance 130
- environmental template 138–42, 138
- Eriophorum* 27, 41, 46, 78, 101, 102, 131, 188, 196  
 photosynthetic response to CO<sub>2</sub>, elevation 259, 260
- Evernia* 83
- Falkland Islands 80  
 fellfield/exposed ridge ecotypes 119, 120, 122  
 fellfields  
 Cool-Arctic vegetation zone 78  
 herbivory 129  
 Mild-Arctic vegetation zone 80, 81
- female-biased sex ratios 130, 130
- Festuca* 76, 78, 197
- fitness, arctic arthropods 138
- fitness, arctic plants 116, 117  
 adaptation to instability 132, 133  
 genetic hybridization 133  
 high-latitude physiological variation 122–4  
 phenological variation 117–22
- Fluvisols 25, 28
- food chains 183–4  
 persistent organochloride compounds  
 accumulation 214  
 trophic cascades *see* trophic cascades  
*see also* aquatic food chains
- food webs 183, 184  
 detritivore-based 189  
 herbivore-based 189  
 stable isotope analysis 191–2  
 trophic ladders 184, 196
- forbs, climate change response 101
- forest 20  
 climate change response 106  
 vegetation shift 268
- litter decomposition 50  
 on Luvisols 29
- Mild-Arctic vegetation zone 81  
 nutrient immobilization during succession 87  
 on relic permafrost 14–15  
 soil blisters (drunken forest) 20  
 soil organic matter 10, 11  
 soil types 31, 32
- forest communities 10  
 freeze-thaw processes in soil 2–4, 22, 34  
 freezing behaviour of water 2  
 fresh-water food webs 191–2
- Frigid-Antarctic vegetation zone 72, 74  
 climatic data 73
- frigid-polar vegetation zone 70
- frost churning 11, 12
- frost heave 2, 3, 4  
 microhabitats 139  
 stones orientation 17
- frost-resistant bryophytes 82–3
- frost shattering (wedging) 4, 24, 34  
 talus slopes 22
- frost susceptible materials 4, 17
- frost wedging *see* frost shattering
- frostings (icings) 23
- Funaria hygrometrica* 86
- fungi 43–8  
 decomposing activity 41, 46, 47, 48  
 ectomycorrhizal associations 44  
 litter flora 43–4  
 soil flora 44  
 total biomass 44–5
- fur seals, population fluctuations 178
- Galerina* 44
- geese, arctic-breeding 195–200  
 habitat use 195–6
- herbivory (foraging) 83  
 below-ground biomass removal 196  
 grazing behaviour 195, 196  
 impact on agricultural land/wetlands 195–6  
 impact in natural habitats 196–7  
 trophic cascade initiation 195, 196  
 population increase 195–6
- gelification 5
- Gelisols 25
- generation times 144
- glaucous gull, organochloride levels 215
- Gleysols 2, 20, 25, 28–9, 28, 32, 34, 35
- global distillation hypothesis 214, 215
- Glossisols 32
- grass heath  
 Cool-Antarctic vegetation zone 76, 77, 80  
 Mild-Arctic vegetation zone 80
- grasses 2  
 anoxia tolerance 126, 127  
 around mud boils 18
- Cool-Arctic vegetation zone 78  
 Mild-Antarctic vegetation zone 80
- grazing *see* herbivory
- greater snow goose (*Anser caerulescens*), grazing  
 behaviour 195, 196, 197
- Greenland 118

*Index*

279

- ice-core analyses of acid deposition 220, 220
- lead deposition 212
- Mesters Vig Fjord 116
- growing season length/variability 113, 115, 116, 118
  - aphid adaptations 148
  - ecotypic variation 132
  - phenological variation 117–19
  - predicted changes with global CO<sub>2</sub> elevation 256, 257
  - snow-bed versus ridge habitat 119, 139
- growth, UV-B plant exposure effects
  - dwarf shrubs 247–9, 248
  - mosses 249
- growth/development in arthropods 146–7
  - Gynaephora groenlandica* 151–2
  - psyllids 149–50
  - Gymnomitrion coralloides* 78
  - Gynaephora groenlandica* 144, 151–2
    - life cycle 151, 151
- habitat fragility 113–33
- hamada 10, 31, 33, 34
- HCB (hexachlorobenzene) pollution 215
- HCH (hexachlorocyclohexane) pollution 215
- heat tolerance in arthropods 144, 146
  - Collembola* 146, 155, 157, 159–60, 159
  - oribatid mites 146, 155, 157, 159–60, 159
  - soil microarthropods 155, 157, 159
- heathland
  - Cool-Arctic vegetation zone 78
  - critical N load 229–30, 235
    - on Podzols 31
- heavy metals contamination 108, 209, 211–14, 215, 219, 222
  - air concentrations 212
  - local emissions 213, 213
  - long-range atmospheric transport 212
    - ocean currents transport 213–4
- Hebeloma* 44
- herbfields 76, 77
- herbivory 83–4, 101, 128–30, 133, 139, 189, 248
  - arctic-breeding geese *see* geese, arctic-breeding
  - community composition changes with climate change 104
    - lesser snow goose grazing 197
  - cyclical grazing pressure 130, 131
  - food pulse-regulated systems 188, 189
    - net production 189
  - nutrient cycling acceleration 128, 130, 131, 197, 199
  - plant–herbivore interactions 188
    - selective grazing of willow bark 130
  - trophic cascades 184, 186
    - trophic level energy transfer 188, 189, 190, 191
  - tundra carrying capacity 188–9
- Hermannia reticulata* 153
- Heteropepon septentrionalis* 191, 192
- High Arctic
  - ecotypic diversity 119
  - plant production with climate change 98
  - plant survival stress factors 128
    - see also* Cool-Arctic vegetation zone
- Himantormia* 74
- Histosols 2, 25, 27, 32, 33
- hollow microhabitats 139
- Hudson Bay
  - La Pérouse Bay staging snow geese 197, 198, 199
    - vegetation destruction 199–200
    - polar bear study 168, 168, 169, 171–3, 172, 179
  - human activity impact 97, 108
    - arctic-breeding goose population growth 195, 197, 201
  - hummocks 27, 78
    - microhabitats 139
  - hydrolysis in soil 6–8
  - Hydrocomium* 78, 81, 85, 86, 232, 245
    - UV-B exposure effect 249
  - Hypholoma* 44
  - Hypnum* 78
    - Hypogastrura tullbergi* 153, 154, 154
    - Hypogymnia* 78
- IBP (International Biological Programme) 43, 45, 54, 263
- ice-encasement 125–8
- ice-nucleating agents (INAs) 145, 152
- ice segregations in soil 3–4, 26
- ice wedges 15–16, 15, 24, 28, 29, 34, 35
  - epigenetic/syngenetic 16
  - isotope studies 35
- Iceland
  - Andosols 26
  - Mild-Arctic vegetation 81
  - thufurs 18
- icings (frostings) 23
- invertebrates
  - litter decomposition influence 51
    - trophic interactions 189, 191
  - involutions 17, 35
  - iron
    - deposition 12
    - levels in waterways 8
    - oxidation in soils 8–9, 12
    - Podzols 31
    - soil release by hydrolysis 7
    - translocation 12
  - iron oxides/hydroxides 6
  - isotope studies 35
    - see also* stable isotope analysis
- Jan Mayen Island 81
- Kiaeria starkei* 233, 234
- Kobresia* 78
- Kola Peninsula
  - metal smelter pollution 213, 213, 222, 223
    - total area affected 225
    - snowmelt waters acid pollution 233
    - vegetation degradation 223, 224, 235
- Laccaria* 44
- Lactarius* 44
- lake ecosystems
  - food webs 191–2
  - trophic cascades 185–6
- lakes, orientated 18–20

- larch (*Larix*) 2, 10, 81
- lead pollution 212
- Lecanora* 74, 75
- Lecidzia* 74, 75, 78
- Ledum* 80
- lemming (*Lemmus sibericus*)
  - herbivory 84
  - population crashes 131
  - proteinase inhibitor effects 131
- Lepidoptera
  - larval herbivory 83
  - thermoregulation 144
- Leptosols 2, 25, 29, 30, 32
- lesser snow goose (*Anser caerulescens caerulescens*)
  - impact of grazing 196, 197
  - population growth 197
    - negative feedback regulation 200
    - positive feedback initiation 197–200, 198
    - trophic cascades 199–200, 201
- lichen acids 11
- lichens 2, 10, 29, 31, 69–90
  - annual net production 74, 81, 82
  - climate change response 101
  - Cold-Antarctic vegetation zone 74
  - Cold-Arctic vegetation zone 74, 75
  - Cool-Antarctic vegetation zone 76
  - Cool-Arctic vegetation zone 78, 80, 82
  - decomposition 85–6
  - direct biological weathering 11
  - Frigid-Antarctic vegetation zone 72, 74
  - frost resistance 83
  - herbivory 83–4
  - Mild-Arctic vegetation zone 80, 81
  - nitrogen fixation 55, 86, 90
  - nutrient cycling 86–7
  - phytommass 76, 80, 81, 82
  - poikilohydry 82, 90
  - polar adaptive features 82–3
  - pollution sensitivity 108
  - radionuclides absorption 211
  - UV-B effects 250
- life cycles, arthropod 144
  - aphids 147–8, 148, 158–9
  - Collembola* 153
  - Gynaephora groenlandica* 151, 151
  - oribatid mites 153
  - psyllids 149
- life strategies 115, 128
  - terrestrial arthropods 137–62
- life-strategy theory 115, 128–32
  - limited applicability in Arctic 128, 132
  - three-way CSR theory 115, 128
- light intensity, climate change 97, 98, 99
  - plant community responses 100
- Lithosols
  - carbonate CO<sub>2</sub> release 52
  - fungal biomass 45
  - nitrogen mineralization 56
- litter 10
  - fungus species 43
- litter composition/quality 51
  - climate change associated community composition shift 102–4, 103
- UV-B exposure effect 245, 250–1
- litter decomposition 85
  - fungus 46
  - organic acids production 11
  - temperature dependence 50
- litter mass loss estimation 51
- liverworts
  - Cold-Arctic vegetation zone 75, 76
  - Cool-Antarctic vegetation zone 76
  - Cool-Arctic vegetation zone 78
  - Mild-Antarctic vegetation zone 80
- loess 6
- Lophozia* 76
- Low Arctic
  - plant growth response to increase in temperature 98, 99
  - see also* Mild-Arctic vegetation zone
- Luvisols 2, 25, 29–30
- Luzula* 78
- magnesium, moss phytomass retention 87
- marine food webs
  - radionuclides contamination 210, 210
  - stable isotope analysis 192–4, 193
- melanistic arthropods 144
- mercury accumulation 214
- metabolic rate
  - arthropods 147
  - compensation in plant ecotypes 119–20
- methane 54
  - global climatic effects 104–5
  - vegetation effects on flux 105, 106
- microbial community 61–2
  - composition 61
  - in decomposition *see* decomposition
  - fungi 43–8
  - in nitrogen cycling *see* nitrogen cycling
  - soil bacteria 48–9
  - structure 43–5
- microbial ecology 41–62
- migration
  - animal populations 114
  - vegetation response to climate change 269
- Mild-Antarctic vegetation zone 80
  - climatic data 73
- Mild-Arctic vegetation zone 80–1
  - climatic data 73
  - see also* Low Arctic
- mild-polar vegetation zone 70
- minke whale
  - heavy metals tissue contamination 214
  - radionuclide tissue concentrations 210, 210
- mires
  - Cool-Antarctic vegetation zone 76, 85
  - Cool-Arctic vegetation zone 78
  - Mild-Antarctic vegetation zone 80
  - Mild-Arctic vegetation zone 80
    - annual production 81
    - moss annual production 81–2
    - moss decomposition 85
    - moss nutrient immobilization 87
    - pH 88
  - mites 51

*Index*

281

- anoxia tolerance 126
- bryophytes herbivory 83
- desiccation resistance 146
- heat tolerance 146
- life cycles 144
- soil 152–3
- see also* oribatid mites
- moisture availability 6
- arthropod adaptive features 146
- climate change 97, 98, 99
- CO<sub>2</sub> flux influence 265–6
- decomposition dependence 50, 52–3
- ecotypic variation 132
- growing season limitation 118
- mosses/lichens adaptive features 82
- nitrogen mineralization 56
- phenological variation 119
- vegetation zones 71
- monk seal (*Monachus schauinslandi*) 178
- Montgomery Effect 124
- Mortierella* 44
- mosses 2, 18, 27, 28
  - annual net production 74, 75, 76, 78, 80, 81
  - atmospheric metal deposition 212
  - climate change response 101
  - CO<sub>2</sub> retention 82, 105
  - Cold-Antarctic vegetation zone 74
  - Cold-Arctic vegetation zone 75–6
  - Cool-Antarctic vegetation zone 76
  - Cool-Arctic vegetation zone 78
  - decomposition
    - nutrient release 87
    - slowness 74, 105
  - direct biological weathering 11
  - Frigid-Antarctic vegetation zone 72, 74
  - frost resistance 82–3
  - herbivory 83–4
  - longevity 74, 75
  - Mild-Antarctic vegetation zone 80
  - Mild-Arctic vegetation zone 80, 81
  - peat accumulation 105
  - phytomass 74, 75, 76, 80, 81, 85
    - seasonal changes 85
  - poikilohydric/desiccation tolerance 82, 90
  - polar adaptive features 82–3
  - polluted snowmelt effects 232–5
    - physiological damage 234–5, 234
  - pollution sensitivity 108
  - in seral communities 87, 88
  - symbiont nitrogen fixation 55
  - thermal conductivity 105
  - UV-B exposure effects 249
  - water-table effects 105
    - see also* bryophytes
- Mount Pinatubo eruption 172
- movement of animal populations 114
- Mucor hiemalis* 44, 251
- mud boils 17, 18, 19, 19, 24, 27, 28, 34
  - sorted 18
- mud-flows 20
- mud stripes 18, 24
- muskox (*Ovibos moschatus*), tundra carrying capacity 188–9
- mycorrhizae 44
  - N fertilization effect 229, 230
- <sup>15</sup>N isotope studies 191
- N fertilization response in shrubs 229–30
- N pollutants deposition 219, 220, 225–32, 226, 235
  - critical load 221, 225, 229–30, 236
  - effect on bryophytes 230–2, 236
  - effects on shrubs 225–30
- Nardus stricta* 262, 263
- narwhal (*Monodon monoceros*) 114
  - food-web <sup>15</sup>N isotope studies 194
- near extinction, animal populations recovery 114
- Nephroma arcticum* 86
- net primary productivity (NPP)
  - climate change responses 98, 100, 101
  - CO<sub>2</sub> concentration elevation response 259
  - CO<sub>2</sub> flux 267
  - cold-polar zones 75, 76, 81
  - cool-polar zones 76, 77, 78, 79, 80
  - effect of goose grazing 196–7
  - energy transfer 189
  - marine food webs 194
  - mild-polar zones 81
- Neuropogon sulphureus* 75
- nickel pollution 213, 213, 222
- nitrate (NO<sub>3</sub>) nitrogen 55, 56, 57, 58
  - bryophyte assimilation from air 231
  - in snow samples 233
- nitrate (NO<sub>3</sub>) pollution 219
- nitrate reductase induction 231, 231, 232, 234
- nitrogen availability
  - biomass/species composition effect 225
  - N fertilization experiments 225–6, 227, 228–9
  - mycorrhiza effects 229, 230
  - snowmelt input 232–5
  - soil nitrogen 55–9
- nitrogen cycling 54–9
  - ammonia volatilization 59
  - bryophyte/lichen uptake from precipitation 87, 230, 231
  - nitrate reductase induction 231, 231, 232
- climate change predicted effects 266–7
- denitrification 59
- herbivore–plant positive feedback 188
  - goose grazing 199
  - moss phytomass N retention 87
- nitrogen fixation 54–5
  - bryophytes 86
  - lichens 86, 90
- nitrogenous pollutants 219
  - see also* N pollutants deposition
- north–south migrations 114
- Norway
  - heavy metals air concentrations 212
  - litter fungi 44
  - persistent organochloride compounds pollution 215
  - radionuclides contamination 211

- Nothofagus* 80  
 nutrient availability  
   climate change 97, 98, 99, 266–7  
   trophic cascades 184, 185, 186  
 nutrient cycling 41, 49, 61  
   bryophytes phytomass cation exchange capacity 69  
   bryophytes/lichens 86–7, 89–90  
   climate change 89–90  
     influence of community composition  
       changes 102  
   effects of herbivory 128, 130, 131, 197, 199  
   nitrogen *see* nitrogen cycling  
   phosphorus 60  
*Ny-Ålesund*, Svalbard 140, 141  
 arthropod study 141–60  
 climatic/microclimatic fluctuations 140–1, 142  
 heavy metals air concentrations 212  
*N* deposition effect on dwarf shrubs 225–6, 228  
 persistent organochloride compounds pollution 215  
 rainfall 140  
 soil characteristics 42  
 soil respiration measurement 53  
 temperature range 140, 140
- ocean current borne pollution 209  
 heavy metals 213–14  
 persistent organochloride compounds 214  
*Ochrolechia* 75, 78  
 omnivory 189  
<sup>15</sup>N isotope studies 192  
*Onychiurus* 153, 154, 155  
 organochloride compounds, persistent 209, 214–15  
   global distillation hypothesis 214, 215  
   marine food webs 194  
 orbital mites 152–3, 161, 162  
   heat tolerance 155, 157, 159–60, 159  
   life cycles 153  
 orientated lakes 18–20  
 otter 114  
*Oxyria digyna* 118  
*Oxytropis* 188  
 ozone column measurement 243, 245, 246  
 ozone layer  
   depletion 241, 245  
   monitoring methods 243  
   UV-B radiation relationship computer modelling  
     243, 247  
   cloudiness correction 244, 247
- palsas 20, 35  
*Papaver* 75  
*Parmelia* 78  
 PCB (polychlorinated biphenyls) pollution 214, 215  
 Peary caribou (*Rangifer tarandus pearyi*), tundra  
   carrying capacity 188  
 peat/peatlands 27, 32, 105  
   CO<sub>2</sub> flux 266  
   long-term C storage 54, 85  
   Mild-Arctic vegetation zone 80  
   soil decomposition measurement 52–3  
*Pedicularis* 188  
*Peltigera* 76, 80, 86  
 penguins, population fluctuations 178
- Penicillium* 44, 251  
 periglacial environment 1, 2  
 periglacial features 1, 13–24, 14, 34  
   classification 13, 14  
   experimental studies 35  
   in rock 22–4  
   slope spatial relationships 23  
   in unconsolidated deposits 14–21
- permafrost 1–35  
   C soil pool 256  
   composition 4  
   creep/solifluction 5  
   depth 14  
   lateral percolation over surface 12  
   subsurface arcs 5–6  
   thermal profiles 255  
   wet/dry 14
- Pertusaria* 75
- pH  
 microbial decomposition optima 46  
 soil 6–7, 27  
   bacterial populations effect 48
- Phaeozems 2, 25, 30–1
- phenology  
   psyllid life-cycles synchronization 149  
   variation in plant populations 117–22
- Phoma exigua* 44
- phosphorus  
   bryophyte/lichen accumulation 87  
   soil availability 60
- photosynthesis  
   CO<sub>2</sub> concentration elevation response 258–9  
   with air temperature increase 260, 261  
   homeostatic adjustment 259, 260, 261,  
     262, 268  
   long-term effects 262
- mosses 82  
 N fertilization response 228, 228
- photosynthetically active radiation (PAR)  
 cloud transmission factor computation  
   245, 246  
 computer modelling 243
- physiological variation 122–4  
   alternative-pathway respiration (APR) 123–4  
   genetic ecotypes 122–3  
   phenotypic ecoforms 123
- Picea mariana* 50  
 pine marten 114  
 pingos 21, 21, 24, 35
- Placopsis* 74  
 planktonic trophic levels 191, 192
- Planosols 32
- Plantago maritima* 197
- Pleurozium* 81, 85, 96
- Podsols 2, 12, 25, 31  
   iron deposition 12  
   nitrogen mineralization 56
- Pohlia* 74  
 poikilohydry 82, 90  
 polar bear (*Ursus maritimus*) 114  
   adult condition evaluation 171  
   annual weight cycle 169, 194
- Beaufort Sea population fluctuation 173–5, 174

- ringed seal reproduction fluctuations effect 176–8  
 data collection methods 169–70  
 food-web  $^{15}\text{N}$  isotope studies 192, 193  
 inactive/fasting period (open-water period) 169  
 omnivorous feeding habits 189  
 organochloride accumulation 215  
 reproduction study 167–79  
   study areas 168, 169–70  
 reproductive parameters 170–1  
   natality estimation 170  
 ringed seal predation 167–8  
 western Hudson Bay population fluctuation 171–3, 172
- polar desert 1, 2, 10, 29, 31  
 carbonate accumulation 9  
 food chains 183  
 freeze-thaw processes in soils/surface boulders 2  
 ice wedges 16  
 lichens 2, 11  
 plant biomass 139–40  
 plant survival strategies 128  
 salt wedging/fretting 9  
 soil organic matter 10, 11, 11  
 soil types 33  
 surface desert varnish (hamada) 10  
 trophic levels 189  
   see also Cold-Arctic vegetation zone
- polar semi-desert  
  fungal biomass 45  
  nitrogen mineralization 56  
  soil respiration measurement 52–3
- polar vegetation zones 69–83
- pollutants 108, 209–16, 219  
  acid deposition 219–36  
  critical loads 235  
  local sources 209  
  long-range transport 209  
  snowmelt waters release 233, 233
- Polygonum viviparum*, phenotypic ecoforms 123
- polynyas 183
- polyols, cold-tolerant arthropods 145, 153
- Polytrichum* 74, 75, 76, 78, 85, 232, 245
- positive feedback responses 186–7
- potassium  
  bryophyte/lichen cycling 87  
  soil release by hydrolysis 6
- preadaptation 130  
  arctic plant populations 113–14  
  arthropods 137–8  
  definitions 113  
  ecotypic variation 132–3
- precipitation 1, 34  
  pollutants deposition 219–20  
  predicted changes with global  $\text{CO}_2$  elevation 256  
   see also moisture availability
- primary production *see net primary productivity (NPP)*
- psyllids 149–51  
  host plant relationships 150
- $^{239}\text{Pu}$ – $^{240}\text{Pu}$  pollution 210
- Puccinellia* 196, 197, 199  
  goose-grazing effects 196, 197, 199, 200
- pulse-regulated systems  
  aquatic ecosystems 194  
  herbivory 188, 189
- Pythium* 44
- quartz weathering 6
- Racomitrium* 78, 81, 89, 231  
  N fertilizer response 232
- radionuclide contaminants 209–11, 210, 215  
  marine food chains 210, 210  
  sources 210  
  terrestrial food chains 211
- Ramalina* 74
- recovery from near extinction 114
- red fox 114
- Regosols 2, 25, 31, 32  
  iron oxides 12
- reindeer (*Rangifer tarandus*) 114  
  lichen herbivory 83–4  
  moss herbivory 84  
  nitrogen recycling metabolism 84  
  radionuclide tissue concentrations 211, 211
- respiratory metabolism  
  short stature ecoforms 123  
  soil microarthropods 154–5, 156  
   *see also* soil respiration
- Rhizocarpon* 75
- ringed seal (*Phoca hispida*)  
  Beaufort Sea population fluctuation 174, 175–6  
   causative environmental factors 177–8  
   effect on polar bears 176–8  
   food-web  $^{15}\text{N}$  isotope studies 193, 194  
   polar bear predation 167–8  
   reproductive parameters 170–1
- rock slides 23, 24
- rodents  
  herbivory 84, 129, 130  
  population crashes 130, 131  
  proteinase inhibitor effects 131
- Rostkovia magallenica* 6
- ruderals 115, 128  
  alternative-pathway respiration (APR) 123
- Russia  
  fungal biomass 45  
  litter fungi 44  
  pollutant emissions 213, 213, 235  
   *see also* Kola Peninsula  
  S pollutant sources 222  
   *see also* Siberia
- Russula* 44
- S pollutants deposition 219, 220  
  critical loads 221, 224, 225  
  Kola Peninsula 224, 225  
  sources 222, 222
- Salix* 18, 50, 80, 130  
  mycorrhizae 44, 229, 230  
  N fertilization experiments 225–6, 227, 228, 229  
  phenotypic ecoforms 123  
  psyllid herbivory 149–50, 150
- salt accumulations 2, 9, 32
- salt efflorescences 2, 9, 12, 32

- salt fretting 9
- salt marsh, grazing by geese 196, 197
  - positive feedback processes 198, 199–200
  - sward destruction 199–200
- salt wedging 9
- sand dunes 6
- sand wedges 15, 17
- Sanionia* 74, 76
- Saprolegnia* 44
- saprovore net production 189
- Sarconeum glaciele* 72
- Saxifraga* 78, 117, 118, 124
  - anoxia tolerance 126
  - ecotypic diversity 119, 120, 121, 122, 132
  - metabolic rate compensation 119–20
  - phenotypic ecoforms 123, 124
  - physiological variation 122–3
- Schistidium* 74
- Scirpus* 196
  - effects of goose foraging 196, 197
- Scotland
  - Saxifraga oppositifolia* ecotypic diversity 126, 128
  - snowmelt waters pollutants release 233
- Scots pine (*Pinus sylvestris*) 224, 224
- Scytalidium* 43
- sea birds, food-web  $^{15}\text{N}$  isotope studies 192, 193, 194
- seasonal variation
  - decomposition 53, 54
  - food pulses for herbivores 188, 189
  - moss phytomass 85
  - pollutants deposition 219–20
  - pulse-regulated aquatic ecosystems 194
  - soil nitrogen availability 56, 57, 58, 59
  - soil phosphorus availability 60
- sedge ecosystems 18, 28
  - $\text{CO}_2$  flux 263, 264, 266
  - goose grazing 196
- Seligeria polaris* 78
- short stature ecoforms 123
  - alternative-pathway respiration (APR) 123–4
  - survival value of low growth rate 124
- shrub tundra
  - plant biomass 140
  - soil organic matter 10
- shrubs 2
  - N pollutant effects 225–30, 235
  - see also* dwarf shrubs
- Siberia
  - air pollutant sources 222
  - forest removal, effect on permafrost 15
  - ice segregations in soil 3
  - ice wedges 16
    - orientated lakes 18
  - permafrost depth 14
  - salt accumulations 32
  - spotty tundra 18
  - thermokarst 20
- silt cappings 12–13, 13, 35
- silt translocation 12
- slopes
  - movement of material 5–6, 34–5
  - periglacial features 23, 24
  - rock slides 23
- solifluction lobes 20
- steps, sorted/non-sorted 20, 24
- stones orientation 17
- stratified deposits 5
- surface stipes/terraces 17
- talus 22
- small size, arthropods 144
- snow-bed ecotypes 119, 120, 122
- snow-bed microhabitat 139
  - ice encasement 125
- snow cover survival 118–19
- snowmelt nitrogen input 232–5
- $\text{SO}_2$  pollution 213, 219
  - Kola Peninsula 224
- $\text{SO}_2^+$  pollution 219
  - in snow samples 233
- sodium, soil release by hydrolysis 6
- soil 1–35, 42
  - biological processes 10–11
  - carbonate deposition 9
  - chemical processes 6–10
  - desert varnish formation 9–10
  - freeze-thaw processes 2–4
  - frost shattering (wedging) 4
  - hydration 6
  - hydrolysis 6–8
  - microbial community structure *see* microbial community
  - nitrogen availability 55–9
  - oxidation/reduction 8–9
  - phosphorus availability 60
  - physical processes 2–6
  - profile formation 11–13
  - salinization 9
  - solifluction 5–6
  - solution 6
  - types 24–34, 25
    - wind action 6
- soil bacteria 48–9
- soil blisters 20
- soil coloration 8–9
- soil creep 5
- soil microarthropods 152–7
  - heat tolerance 155, 157, 159
  - nutrient cycling 51
  - respiratory metabolism 154–5, 156
  - supercooling 153–4, 154
  - temperature thresholds for activity 154, 156
- soil organic matter 10, 11
  - incorporation into soil 12
  - nitrogen mineralization 56, 59
  - polar desert 10, 11
- soil pH 6–7, 48
  - Cambisols 27
  - hydrolysis 6
- soil respiration
  - decomposition measurement 51–2
  - fertilizer application effect 53
  - moisture effects 52–3, 53
  - $Q_{10}$  values 52
- soil wedges 15, 17
- solifluction 5–6, 35
- solifluction lobes 20

*Index*

285

- Solonchaks 2, 25, 32
- solution, soil 6
- Spartina* 196
  - greater snow goose grazing behaviour 195
  - species diversity
    - climate change responses 100–1, 101, 109
    - food chains 184, 185
    - habitat fragility 114
- Sphaerophorus* 78
- Sphagnum* 20, 27, 76, 78, 80, 89, 90
  - decomposition 85
  - long-term C storage 54, 85
  - Mild-Arctic zone annual production 81
  - mire pH effect 88
  - N assimilation from air 231
    - nitrate reductase induction 231, 231, 232
  - N deposition response 232
  - nitrogen-fixing micro-organism associations 86
  - nutrient immobilization 54, 85
  - peat accumulation 105
  - UV-B exposure effect 245, 249
- Spitsbergen 117, 127, 129
  - arthropods 161
  - bryophyte N fertilizer response 232
  - carbonate accumulation, isotope studies 35
  - mud boil soil profiles 34
  - nitrogen mineralization 59
  - salt accumulations 32
  - Saxifraga oppositifolia* ecotypic diversity 119, 126
  - solifluction 5
  - talus cones 22, 24
  - tors 23
  - spruce (*Picea*) 10, 81
  - <sup>90</sup>Sr pollution 209, 210
  - stable isotope analysis
    - aquatic food webs 191, 192–4, 193
    - N fertilization response in shrubs 229–30
  - Stagnosols* 32
  - Stereocaulon* 75, 81, 83, 86
    - UV-B exposure response 245, 250
  - stone circles 17, 18, 24, 27, 28, 29, 35
  - stone levees 17
  - stone nets 17
  - stone polygons 17, 27
  - stone stripes 27, 29
  - stones, surface orientation 2, 4, 17
    - Camisols 27
    - on slopes 5
  - Stordalen
    - denitrification 59
    - fungal biomass 45
    - litter fungi 44
    - soil nitrogen availability 56
  - stress-tolerators 115, 128
  - subpolar desert 1, 2, 29, 31
    - leaching processes 12
    - soil pH 7
  - sulphur emissions 220–1
    - see also S pollutants deposition
  - summer snow-line variability, growing season limitation 118
  - surface angular rock debris 4, 29
  - surface energy exchanges 106–8
  - surface features
    - classification 13
    - periglacial features in rock 22–3
    - periglacial unconsolidated deposits 17–21
    - surface free organic matter 10
  - Svalbard
    - acid deposition, critical load 221
    - Acyrtosiphon svalbardicum* 147
    - litter decomposition 50
    - soil respiration measurement 52–3
    - see also Ny-Ålesund
  - taiga
    - methane release 54
    - nitrogen mineralization 56, 59
    - soil decomposition measurement 52–3
  - talik layer 14
  - talus cones 22, 24
  - talus slopes 22
  - tardigrades 83
  - temperature
    - arthropods growth/development 146–7
    - bryophyte phytomass thermal insulation 69, 88, 105
    - CO<sub>2</sub> concentration elevation
      - photosynthetic rate response 260, 261–2
      - predicted increases 255
    - CO<sub>2</sub> flux dependence 266
    - fungal species selection 44
    - litter decomposition dependence 46, 50, 52
    - nitrogen mineralization 56, 59
    - plant growth response to increase 98
    - vegetation effects 106
    - vegetation zones 71
  - Thamnolia subobscura* 78
  - thermal insulation
    - accumulations removal by grazing 128, 130, 131
    - bryophyte phytomass 69, 88, 105
  - thermokarst 15, 19–20, 27, 34, 88
  - thermoregulation in arthropods 144
  - thufurs 18, 19, 19, 32
  - Tomentypnum* 78, 80
  - tors 23, 24
  - Tortula robusta* 76, 85
  - translocation, arctic soils 11–12
  - Trichoderma* 44
    - trophic cascades 184–7, 185
      - effects on different trophic levels 187
      - positive feedback responses 186–7, 187
    - trophic ladders 184, 196
    - trophic level energy transfer 188, 189, 190, 191
    - trophic relationships 188–95
      - aquatic ecosystems 191–5
      - terrestrial ecosystems 188–91
  - Truncatella truncata* 44, 251
  - tundra 1, 2, 10
    - CO<sub>2</sub> flux 41, 257, 263–4
    - food chains 183
    - fungi 43, 44–5
    - ice wedges 16
    - leaching processes 12
    - methane release 54
    - nitrogen fixation 54–5

- tundra (*Cont.*)
  - nitrogen mineralization 56, 59
  - plant biomass 140
  - plant–herbivore interactions 188–9
  - regional climate effects 106, 107
  - snowmelt nitrogen input 232–3
  - soil bacteria 48–9
  - soil decomposition measurement 52–3
  - soil invertebrates 51
  - soil pH 7
  - soil phosphorus 60
  - soil types 27, 29, 31, 32, 34
    - spatial relationships 33
  - surface free organic matter 10
  - trophic level energy transfer 189, 190, 191
  - vegetation zones 69–83
- ‘Tundra Biome’ study 43, 45
- tundra forest 20
- tundra polygons 15, 16, 16, 24, 27, 28
  - Cold-Arctic vegetation 75, 76
- tussock vegetation
  - climate change responses 98, 99, 99, 105
  - CO<sub>2</sub> flux 263, 264
  - Cool-Antarctic vegetation zone 76, 77
  - Mild-Antarctic vegetation zone 80
  - soil organic matter 10
- Umbilicaria* 74
- Umbrisols 25, 32, 34
- Usnea* 74, 81, 83
- UV-B radiation 241–51
  - arctic plant susceptibility 242
  - biological effects 247–51
    - dwarf shrub growth/morphology 247–9, 248
    - lichens 250
    - litter quality/decomposition 250–1
    - mosses 249
  - cloud transmission factor computation 245, 246
  - monitoring 243–4
  - ozone depletion relationship 243
    - computer modelling 243, 247
- plant exposure
  - irradiance computation 245, 247
  - lamp arrangement 244–5
  - plants 245
  - results 245–51
  - weighting functions 241
- Vaccinium* 80, 126
  - litter decomposition 50, 245, 250
  - mycorrhizae 44
  - UV-B radiation response 245, 247, 248–9, 248, 250, 251
- vegetation 97–109
  - climatic coupling 104–8
  - recovery from near extinction 114
- vegetation zones 69–83, 70
  - Antarctic 72
  - Arctic 71
- ventifacts 17
- Verrucaria* 74
- volcanic material 26
- voles, selective grazing of willow bark 130, 131
- water moulds 44
- water translocation processes 11–12
- wetlands 78
- whales 192
- willows 2, 28
  - Cool-Arctic vegetation zone 78
  - female-biased sex ratios 130
  - see also Salix*
- wind-faceting (ventifacts) 6
- wind speeds 6
- wolf 114
- wound-induced proteinase inhibitors 131
- Xanthoria* 74
- zooplankton
  - fresh-water food webs 191
  - trophic cascades 185, 186