

Index

- ACF, *see* autocorrelation function
- aliasing, 15–16
- amplitude 5, 15, 198
- and Fourier Analysis, 213, 213–14
 - and periodogram, 204–6, 214–16
 - and spectral density function, 23
 - and stochastic models, 189–90
 - see also* cross-amplitude
- amplitude spectrum, *see* cross-amplitude spectrum
- AR, *see* autoregressive models
- ARMA, ARIMA, 157–8, 239–40, 255–69
- autocorrelation, autocovariance, 33, 67–77, 356–8
- and bias, 55–7, 166–7, 270, 375
 - Box–Pierce test for, 245–6, 341
 - and ITSE, 337, 356–8
- autocorrelation function, 66–70, 71–7
- and AR models, 116–17, 119–20, 126, 127–35, 177
 - and ARIMA models, 262
 - and ARMA models, 257–8
 - and deterministic cycles, 85–7
 - and Fourier transform, 195–208
 - and MA models, 111–14
 - and nondeterministic cycles, 87
 - and spectral windows, 218–19
 - and stationarity, 77–8, 135
 - and transformations, 95–6
 - and trend, 83–5
- autoregressive models, 34–5, 114–16, 125–41, 191–4
- and backward shift operator, 155–7, 159–60
 - and bias, 55–7, 166–7
 - and correlogram, 116–20, 126, 127–35, 177–8
 - and forecasting, 270–1, 272–7
 - and ITSE, 341–2, 342–62
 - and MA models, 123–5, 155–7
 - and model fitting, 116–18, 121–3, 159–60, 171–3, 240–50, 250–5
 - and PACF, 141–53, 171–3, 241–2
 - and prewhitening, 249–50
 - and spectral density function, 126, 135, 232–5
 - and stationarity conditions, 118–19, 123–4, 126–8, 158–9, 176–8
 - variance of, 128, 135
- backward shift operator, 154–60, 229
- band-pass filter, 89–90, 97, 102
- band spectra, 103
- bandwidth, 217, 224–6
- Bartlett band, 67–9, 71, 245
- bias
- and autocorrelated data, 55–7, 166–7, 270, 364–5, 375
 - and coherence estimates, 310
 - and spectral windows, 217, 310
- bidirectionality, 78–80, 322–7
- bivariate time series, 35–40, 47
- in frequency domain, 78–80, 299–310, 310–16
 - in time domain, 317–31
- Box–Jenkins models, *see* ARMA, ARIMA
- Box–Pierce test, 245–6, 291
- Buys–Ballot table, 184–5, 285–8
- coherence, 302–4, 306–7, 341
- confidence intervals
- for ARIMA model parameters, 265–6
 - for autocorrelation, 67–9, 245–6
 - for autoregressive model parameters, 242–5, 251
 - for coherence, 306–7, 307–8, 308–9
 - for cross-amplitude, 307
 - for forecasted points, 271–2, 275–7

398 *Index*

- confidence intervals (*cont'd*)
 for ITSE parameters, 346, 348, 353–9, 366
 for least-squares parameters, 166–7, 253–4, 373, 374–5
 for linear regression, 167–9
 for mean of a series, 55–7
 for PACF (AR model fitting), 144–8, 244
 for phase estimate, 304, 307, 309
 for spectral densities, 222–3
- critical incidents, 47
- cross-amplitude/cross-amplitude spectrum, 300–2, 307
- cross-correlation/cross-covariance, 37, 300–1, 318–19, 321–6
- cross-spectral density, 301–2
- data sets
 business cycle data (Slutzky), 109
 children's conversation data (Gottman & Parkhurst, 1980), 38–40
 fetal heartrate data (Porges), 99–102
 Gallup polls of presidential popularity, 375
 IBM stock prices (Box & Jenkins), 84
 identical twin gazing data, 120
 Ireland data, 338–42, 362–5
 marital interaction data, 195
 migraine headache data (Budzynski & Stoyva), 33, 66–8, 139–40, 241, 273–7, 285–91
 mother–infant play data (Tronick, Als, & Brazelton, 1977), 78–80, 310–16, 322–8
 New England traffic fatalities data (Glass, 1968), 17–19, 277–85
 physiological data (Levenson), 148–53, 377–9
 schizophrenic perceptual speed data (Holtzman, 1963), 49–51; word association relatedness data (Holtzman, 1963), 8–10
 sunspot data (Wolfer), 191–4, 292–6
 variable star brightness (Whittaker & Robinson, 1924), 21–2, 185–8
- deMoivre's equality, 174–6, 207, 230
- design matrix, 163–6, 329, 344–5, 350, 365–6
- deterministic components, 26, 82–3, 102–3, 181–3
 detection of, 83–7, 97, 103, 214–16, 262
 removal of, 213–14, 261–2
- differencing, 88, 91–7, 261–2, 311
- drunkard's walk, *see* random walk
- equivalent degrees of freedom, 222–3
- filter, *see* bandpass filter or linear filter
- forecasting, 33–5, 269–77
 and AR processes, 272–3
 forecast function, 47
 and MA processes, 271–2
 updating, 33–4, 47, 273–5
- Fourier analysis, 19–23, 181–3, 201–4, 205–6, 212–13
 fast Fourier transform, 208–10
 Fourier transform, 195, 218
- frequency, 5, 14–16, 198–9
 Nyquist frequency, 15
- frequency domain, 12, 43
see also Fourier transform
- gain spectrum, 302, 307
- general linear model, 160–7, 167–71
 Gottman–Ringland procedure, 322–6, 329–31
- hidden periodicities, 7–10, 13, 57–9
- impulse response function, 319–21
- innovation process, 116, 126
- interrupted time-series experiment (ITSE), 47–51, 55–7, 163–7, 335–72
- invertibility conditions, 113, 124, 158–9, 174–7
- lag, 61–2, 110
- lead indicator, 47
- lead/lag relationship, *see* phase relationship
- least-squares solutions, 166–7, 167–9, 250–5, 372–3
see also general linear model
 generalized least squares, 373–5
- Linear filter, 30, 36, 89–90, 97, 102, 229, 319
 and coherence, 303
- MA, *see* moving average models
- Mann–Wald least-squares fitting, 240–2
- matrix algebra, 160–7
- memory, 42–3
see also autocorrelation
- mixed process, *see* ARMA, ARIMA
- mixing condition, 190
- model fitting, 240–69
 and AR models, 121–3, 126–7, 240–6, 250–5
 and ARMA models, 255–69
 and MA models, 110–14
- moving-average models, 109–14, 155, 230–2
 relationship to AR models, 123–5, 156–7, 232–3

- moving averages
 and deterministic components, 99–102
 and the Slutsky effect, 30–2, 107
 as a smoothing transformation, 88–9,
 216–17
- moving window, 91, 120
- multicomponent model, 82–8, 97–9
- multivariate time series, 380
see also bivariate time series; regression
 analysis
- noise
 identification of, 245–6
 and Slutsky effect, 29–32, 228–9
 versus signal, 7, 57–8
- nonstationarity, 71–7, 78–81
 and AR processes, 135
 modeling, 82–8, 99–102
 transforming, 88–97
- Nyquist frequency, 15
- overtone series, 203, 203–4
- PACF, *see* partial autocorrelation function
- Pandit–Wu models, 240, 269
- parsimony, 256–7, 281–5
- partial autocorrelation function
 and AR models, 135, 141–53, 171–3,
 241–2
 and ARMA models, 257–61
 and MA models, 141, 173
- period, 15, 197–9
- periodic function, 14, 15, 197
- periodogram, 204–10
 and Buys–Ballot table, 184–9
 criticisms of, 108–9, 190, 210–12
 and deterministic cycles, 87, 97, 214–16
 and model identification, 291–6
- phase, 14–15, 198, 307, 309
- phase relationship, 37, 301–2
- phase spectrum, 47, 302, 303, 310
- prewhitening, 249–50, 319, 320–1, 337–8,
 376–9
- process, 61, 65, 65–6
- pseudoperiodicity, 125–6, 135, 177–8, 189–
 91, 289
- q-dependent process, 114
- random walk, 75, 118–19, 156–7
- realization, 61, 65, 65–6
- regions of stationarity, *see* stationarity,
 regions of
- regression analysis, 167–71, 372–80
- sample size, 144–8, 204, 210–11, 312, 348–9,
 353–6, 359–62
- Satterthwaite's approximation, 226–8
- seasonal adjustments, 85
- Shewart chart, 55–7, 337, 341
- side lobe distortion, 219–22
- significance testing
 for size of AR model, 144–8, 242–6
 for AR model parameters, 242–5
 for ARIMA models, 265–6
 for ITSE parameters, 346, 347, 348, 349–
 50, 350, 353–9, 366
 for least-squares parameters, 166–7
 for noise, 245–6
 for Pandit–Wu models, 269
 for periodogram, 204–5, 206
 for spectral density function, 222–4,
 226–8
see also confidence intervals
- sine wave, 14–15, 181, 197–202
- Slutsky effect, 28–32, 107–9, 110, 228–35
- smoothing, 88–91, 306–8
- spectral decomposition, 194–5
see also spectral density function
- spectral density function, 181–97
 of autoregressive processes, 126, 135,
 232–5
 determinisms and, 97, 103
 limitations of, 23
 nonstationarity and, 71–7, 78–81
 of moving average processes, 111, 230–2
 transformations and, 89–90, 97, 229
 trend and, 84
- spectral distribution function, 194
- spectral window, 212, 216–26, 249–50
- stationarity, 60–81, 111, 118–19
 regions of stationarity, 125–6, 126, 128–
 35, 177–8
 stationarity conditions, 115, 119, 123–4,
 127–8, 158–9, 174–7
- stochastic components, 11, 83, 97–8, 102–3,
 261
- time domain, 12, 42–3
see also Fourier transform
- transfer function, 36–7, 89–90, 97, 318, 319–
 21, 376–80
- transformation, 88, 99–102, 228–9, 318, 319,
 337–8
see also differencing; linear filter; smooth-
 ing; transfer function
- trend
 detection, 83–5, 277–8
 modeling, 82, 99–102
 transformations and, 88–97
 trend lines, 15, 82

Cambridge University Press

978-0-521-10336-7 - Time-Series Analysis: A Comprehensive Introduction for Social Scientists

John M. Gottman

Index

[More information](#)400 *Index*

-
- variance
 accounted for by frequency, 12–13, 194, 206
 accounted for by model, 41, 43, 99, 102, 118, 128, 135, 146, 247
 accounted for by model components, 277–85
 of predictions, 271–2, 275–7
 of a series, 61, 62–5, 70, 71–7
 of ITSE parameters, 368–71
- white noise, *see* noise
Wiener–Khinchine theorem, 194–5, 208
window, *see* moving window; spectral window
Wold decomposition theorem, 81, 102–3, 107, 163, 191
Wu–Pandit models, *see* Pandit–Wu models
- Yule–Walker equations, 121–3, 126–7, 159–60, 171–3, 177, 239–42