

INDEX

- Acanthopterygii, 290
 Acheulean industry, 2, 262; sites of, 3, 259, 282-9; at EF-HR, 124, 264, 265, 266, 268; intrusive to Olduvai area, 269; bifaces of, compared with Developed Oldowan, 270, 271, 272; artefacts of, at sites other than Olduvai Gorge, 274-5
Acinonyx, 292
 Aeolian Tuff Member, of Bed II, *see* tuffs, II A
Aepyceros sp., 294
Afrochoerus, modified teeth of, 240-1
A. nicoli, 288, 293
 Agamidae, 291
 Alcelaphini, 294
Alcelaphus howardi, 288
 Ambrona, Spain, Acheulean butchering site at, 275
 amphibian remains, 290; FLK NN, 42, 43, 250; FLK, 251; FLK N, 253; HWK East, 254; MNK, 254, 255
Ancylotherium hennigi, 21, 287, 293
 angles of striking platforms on *débitage* flakes, 268; FLK, 58, 66, 68, 72, 83; HWK East, 106, 108; EF-HR, 136; MNK, 155; FC West, 161, 165; SHK, 171; TK, 174, 183, 196; BK, 221
Anisus, 290
 antelope remains: FLK NN, 42, 43; FLK, 50, 60; FLK N, 71; SHK, 165, 166
 Antilopini, 294
 Anura, 290
 anvils, 7, Pl. 17; DK, 37; FLK, 53, 58, 59; FLK N, 64, 66, 68, 72, 81, 84, 86, 99, 114; HWK East, 104, 107, 109, 110; MNK, 121, 122, 150, 154, 155; FC West, 160, 163, 164; SHK, 166, 170; TK, 172, 181, 183, 184, 194, 196, 197; BK, 218, 222
 Arambourg, Prof. C., 49
 artefacts, 16-17; water-rolled, 87, 96, 110, 126; percentage of, in finds at different sites, 261
 Artiodactyla, 293-4
 australopithecine caves, Transvaal, 273, 274, 280
Australopithecus africanus, 280, 281
A. boisei, 280; *see also* 'Zinjanthropus'
A. robustus, 280, 281
 awls, 7; percentage of, at different sites, 264, 267; HWK East, 95, 102, 107, 109, 111; FLK N, 112, 113, 114; MNK, 150, 154, 155; FC West, 160, 164; SHK, 167, 170, 171; TK, 173, 174, 181, 183, 184, 193-4, 195, 196, 197; BK, 199, 214, 217, 222
 baboons, bones of, in leopard lairs, 276 n
 Balbal Depression, 10
 balls, stone, 9, 110
 Bartlett, Des, xix, 48, 227
 basalt: flows, 10; Member of Bed I, 10, 15; tools of, 17; nodules and blocks of, 37, 47, 51, 83; hummocks, 21, 86; age of, 258
 basement rock, tools of, 17, 18
 Bathyergidae, 292
 bats, remains of, 250, 251, 252-3, 291
Beatragus antiquus, 284, 294
 Bedacryl, 43, 85
 Bell, G. T., 197
 Biberson, P., 273, 275
 bifaces, 2, 5, 265, 269-70, 272, Pl. 20; term replaces 'hand axes', 3, 172; of elephant bone, 245, 275; none from Bed I, 262; comparison of Acheulean and Developed Oldowan, 270, 271, 272; EF-HR, 124, 125-32, 133, 135, 137; MNK, 139, 150-1, 155; FC West, 157, 159, 161-2, 164; FC, 165; SHK, 167, 168, 169, 171; TK, 172, 174-5, 178, 179, 180, 184, 187-9, 190, 196, 197; BK, 204, 205, 207, 208, 209, 222; at sites other than Olduvai Gorge, 273-5
 bird remains: FLK NN, 39, 40, 42, 43, 250, 251; FLK, 58, 251; FLK N, 67, 253; HWK East, 88, 254; MNK, 118, 254, 255; DK, 249; FC West, 255
Bitis, 291
 BK (Bell's Korongo) site, 1, 3, 197-222, 259; map, 198; sections, 200-1; Pls. 23, 24; hominid remains at (H. 3), 3, 226, 234, 280; modified bones at, 198, 242, 244, 245, 246, 247; faunal remains at, 255-6; density of finds at, 260; percentages of different finds at, 261; tools at, (materials) 264, (types) 265, 266, 267, 268; Developed Oldowan bifaces at, 270, 271, 272
 Blanchard, G., xix
 blocks, *see* nodules and blocks
 Boidae, 291
 bones: tooth-marks of scavenging animals on, 43, 50, 246, 277-8; in concretionary nodules, 61, 67, 259; altered by stomach acids, 61, 68-9; fragments of, 118; modified mammalian, 235-47, 275; splinters of, standing vertically, 137-8; *see also* under groups of animals
 bovid remains, 248, 257, 293-4, Pls. 15, 22; modified bones, 235-6, 237, 238, 239, 240, 246; comparison of, from Olduvai, Makapansgat, and goats from Hottentot middens, 277, 278, 279; FLK NN, 39, 40, 250, 251; FLK, 50, 58, 60, 251, 252; FC West, 156, 255; DK, 249; FLK N, 251, 252, 253, 254; HWK East, 254; MNK, 254; EF-HR, 255; BK, 255, 256
 Bovini, 294
 Brain, Dr C. K., 235, 273, 275, 276
 Breuil, Abbé, 262, 275
 British Museum of Natural History, London, 165, 197, 233
 Brock, Dr A., 15
 buffalo skull, 284
Bufo, 290
 Bufonidae, 290
Bularchus arok (sexual variation of *Pelorovis*), 255
 bulbs of percussion on *débitage* flakes, 268; FLK, 55, 58; FLK N, 66, 68, 72, 83, 114; HWK East, 106, 108, 268; MNK, 155; FC West, 161, 164; SHK, 171; TK, 174, 181, 183, 196; BK, 221
Bulinus, 253, 290
 Burg Wartenstein Symposium, 3
 burins, 1, 7; percentage of, at different sites, 265, 267; DK, 23, 34, 36, 48; FLK, 48, 53, 58; HWK East, 92, 93; MNK, 123, 150; FC West, 160, 163, 164; SHK, 167, 170, 171; TK, 174, 181, 182, 183, 184, 193, 196, 197; BK, 214, 216, 222
 Bushman sites, 259
 butchering sites, 258; FLK N, 61, 64, 258, 285; Ambrona, 275
 butt-end scrapers, 102, 103, 111
 Calcrete, 10
 Campbell, R. I. M., xix
 Canidae, 292
 Capsian: artefacts (Upper Kenya), 10; living site, near RK, 225, 284; skulls (Kenya), 225
 carbon-14 dating, 10
 carnivore remains, 257, 292; DK, 249; FLK NN, 250, 251; FLK N, 252-3; MNK, 254; EF-HR, 255
 carnivores: bones regurgitated by, 61, 69 n; dung of, 67, 68
 cat, sabre-toothed, 228
 cat-fish remains, 43, 172
 Centre for Prehistory and Palaeontology, Nairobi, 233, 256
Ceratotherium simum, 256, 282, 293
 Cercopithecidae, 292
Cercocebus, 292
 Chalicotheriidae, 292
 chameleon remains, 67, 250, 251
 Chamaeleontidae, 291
 channels: at DK, 23; FLK NN, 40; FLK, 49; HWK E, 89, 90; EF-HR, 124, 125; SHK, 166, 259; TK, 173-4, 176, 258-9; BK, 199, 259
 Chavaillon, J., 274
 Chelles-Acheul industry, 262, 269
 Chellean industry, 150, 157, 199, 282
 Chelonia, 251, 252-3, 255, 257, 290

INDEX

- chert: nodules of, 13, 15; tools of, 17-18, 263-4, 267, at HWK E, 87, 93, 95-7, 102-8, 110-11, at FLKN, 112-14; percentage of tools of, at different sites, 264; fragments of, at Transvaal sites, 274
- Chiroptera, *see* bats
- chisel-edged choppers, 4, 264; DK, 29, 30, 39; FLK N, 69, 70, 73, 75, 86; HWK East, 99, 107, 109-10; MNK, 120, 121, 122, 139, 150, 155; FC West, 159, 161, 164; BK, 204, 222
- choppers, 1, 4, 262; percentage of, at different sites, 264, 265, 266; at sites other than Olduvai Gorge, 273-5; *see also* chisel-edged, end, pointed, side, two-edged and unifacial choppers
- Chou Kou Tien, bone and antler industry at, 275
- Cichlidae, 290
- CK (Camp Korongo) site, 3, 124, 263
- Clarias*, 290
- Clariidae, 290
- Clark, Prof. J. D., xvii, 50, 85
- clays (claystones): sedimentation rate of, 15; at DK, 21, 23; FLK NN, 42, 43; FLK, 49; FLK N, 62, 63, 70, 84, 85; HWK E, 87, 125; FCW, 157; SHK, 165, 166; TK, 172; BK, 199; MK, 226
- cleavers, 2, 5, 266; EF-HR, 125, 132; MNK, 150; SHK, 168, 169; BK, 204, 205; Peninj, Lake Natron, 274
- cobblestones (1) as manuports: FLK NN, 47; FLK, 58; FLK N, 72, 83, 114; HWK East, 106; MNK, 137; FC West, 157, 161, 165
- cobblestones (2), utilised, 1, 7; grooved and pecked, 84, 269, Pl. 18; DK, 37, 39; FLK, 53, 58, 59; FLK N, 61, 64, 66, 68, 70, 72, 81, 84, 86, 114; HWK East, 92, 93, 104, 107, 110; MNK, 121, 122, 154, 155; EF-HR, 136, 137; FC West, 160, 163, 164; TK, 172, 174, 181, 183, 194, 196, 197; BK, 220, 222
- Colubridae, 291
- combination scrapers, 193, 211, 214
- concretions, at FLK, 49; FLK N, 62, 63; nodules of, 84
- conglomerates, 13; Sandy, at FLK N, 3, 62, 111-14; at HWK E, 87, 88, 96-111; SHK, 166, 259
- Cooke, Dr H. B. S., 248
- coprolites, 24, 43, 61, 67, 254
- Corbicula*, 290
- cores: definition of, 8, 269; as centres of concretions, 84, 171, 221, 222, 269
- Cricetidae, 292
- Crocidura*, 291
- crocodile remains, 249, 257, 258; in the Olduvai lake, 15; DK, 24, 249, 250; MK, 226, 227; FLK NN, 250, 251; FLK, 251; FLK N, 252-3; HWK East, 254; MNK, 254, 255; FC West, 255
- Crocodylia, 291
- Crocodylidae, 291
- Crocodylus*, 291
- Crocuta*, 292
- cross-bedding, 13
- Curtis, Dr G. H., 13
- Cyrenidae, 290
- Damaliscus angusticornis*, 253, 254, 294
- D. antiquus*, 288
- D. niro*, 283, 294
- Dar es Salaam, National Museum, 233
- Dart, Prof. R. A., 246, 277
- dating, by K-Ar., 10, 13-15, 258, 280; *see also* fission track
- Day, Dr M. H., 229, 230, 233
- débitage, 8, 273; percentage of end-struck flakes in, at different sites, 268; DK, 24, 25, 37, 39; FLK NN, 44, 46, 47; FLK, 49, 55, 58, 59, 60; FLK N, 64, 66, 68, 70, 72, 83, 84, 85, 86, 114; HWK East, 89, 92, 93, 95, 104, 108, 109, 110; MNK, 122, 123, 155, 156; EF-HR, 124-5, 136, 137; FC West, 157, 160; SHK, 171; TK, 174, 181-2, 183, 184, 194, 196, 197; BK, 221, 222
- Deinotheriidae, 292
- Deinotherium, 3, 293; FLK N (skeleton in clay), 64, 85, 252, 253-4, 262, 285; HWK East, 87, 254, 286; DK, 249
- Dekker, G., 274
- Dendromys*, 292
- 'desert roses' (gypsum rosettes), 11
- Developed Oldowan industry, 1; A and B phases of, 2, 3; A at HWK East, 111; B at BK, 199; sites of, 259, 283-9; histograms of tool percentages of, 265; bifaces of, 266; bifaces of, compared with Acheulean, 270, 271, 272; development of, from Oldowan, 2-3, 269; artefacts resembling those of, at sites other than Olduvai Gorge, 273-4
- Diceros bicornis*, 256, 293
- discoidal scrapers, 6; MNK, 121, 154; FC West, 160; SHK, 170; TK, 179, 180, 193; BK, 211, 214, 215
- discoids, 1, 6; percentage of, at different sites, 265; DK, 23, 30, 31, 33, 48; FLK, 48, 53, 55, 58; FLK N, 68, 69, 70, 71, 72, 80-1, 84, 86, 97, 112; HWK East, 92, 93, 94, 95, 99, 105, 107, 109, 110; MNK, 120, 121, 122, 139, 153, 155; EF-HR, 132, 137; FC West, 159, 163, 164; SHK, 168, 171; TK, 183, 184, 189, 196, 197; BK, 210-11, 212, 222
- DK (Douglas Leakey Korongo) site, 1, 3, 17, 21-39, 258; map, 22; sections, 23; plan, Fig. 7; Pls. 1-4; hominid remains at (H.24), 3, 230, 233; modified bones at, 247; faunal remains at, 249-50, 256, 257; density of finds at, 260; percentages of different finds at, 261; tools at, (materials) 264, (types) 265, 266, 268; percentages of different mammalian bones at, 276
- double-pointed bifaces, 5; EF-HR, 125, 126; MNK, 139, 150; SHK, 168; TK, 174, 175
- dung, *see* faeces
- Ectopotamochoerus dubius*, 252, 285, 293
- EF-HR (Evelyn Fuchs-Hans Reck) site, 3, 17, 124-37, 259; section and map, 125; faunal remains at, 255; density of finds at, 260; percentages of different finds at, 261; tools at, (materials) 264, (types) 265, 266, 268; percentages of different mammalian bones at, 276
- Elapidae, 291
- Elephant Korongo site, 3, 17, 124
- elephant remains, 3, 293; modified bones, 239, 240, 244, Pl. 38; FLK N (skeleton in clay), 61, 64, 65, 252, 262, Pl. 13; HWK East, 87; MNK, 115, 254; DK, 249; FLK N, 252; FC West, 255
- Elephantidae, 293
- Elephas*, 254, 282, 293
- E. recki*, 64, 87, 165, 166
- Elephantulus*, 291
- end choppers, 4, 264; DK, 25, 28, 39; FLK NN, 44, 45; FLK, 53, 54, 58; FLK N, 67, 68, 69, 70, 71, 72, 73, 76, 84, 86, 112, 114; HWK East, 92, 93, 95, 97, 106, 108, 109, 110; MNK, 120, 121, 122, 139, 150, 155; EF-HR site, 126, 137; FC West, 159, 161, 164; SKH, 167, 171; TK, 173, 174, 183, 184, 196, 197; BK, 201, 203, 222
- end scrapers, 6; DK, 35; FLK N, 81; HWK East, 102, 103, 107, 109, 111; MNK, 154; SHK, 169-70; TK, 173, 179, 180, 184, 193; BK, 211, 213
- equid remains, 249, 257, 260, 293, Pls. 10, 15; modified bones, 235, 236, 237, 238, 239, 240, 245, 246, Pl. 34; FLK NN, 39, 235, 250, 251; FLK, 60, 251, 252, Pl. 10; MNK, 138-49, 254, 255; FC West, 156, 255; DK, 249; FLK N, 252-3, 253-4; HWK East, 254; EF-HR, 255; TK, 255
- Equus*, 249, 251, 253, 255, 293
- Erinaceidae, 290
- Erinaceus*, *see* hedgehog
- Eumellibranchiata, 290
- Eurygnathohippus*, 256
- Evernden, Dr J., 13
- faeces, possible hominid, 61, 67, 259; *see also* coprolites
- faults, 9, 10, 12, 15, 16, 115, 137
- faunal remains, 2, 248-57, 275-81; percentage of at different sites, 261
- FC (Fuch's Cliff) site, 165; modified bones at, 245, Pl. 40.
- FC West site, 3, 156-65, 263; plan, 158; hominid remains at (H.19), 3, 233; modified bones at, 247; faunal remains at, 255, 256, 257; density of finds at, 259, 260; percentages of different finds at, 261; pattern of finds at, 261; tools at, (materials) 264, (types) 265, 268; percentages of different mammalian bones at, 276
- feldspar, 11; tools of, 18
- Felidae, 40, 292
- feline, sabre-toothed, 40
- Felis*, 292
- femora, percentage of, in faunal remains at different sites, 276, 277, 278, 279; femur, equid, with depressed fracture, 245-6
- Fiches typologiques africaines*, 264 n

INDEX

- Fish Gully, *see* TK Fish Gully site
 fish remains, 258, 290; FLK NN, 40, 42, 43, 251, 258; MK, 226; LLK, 229; MNK, 254, 255; FC West, 255
 fission-track dating, 14, 89
 flakes (1), in *débitage*, 8; *see also débitage*
 flakes (2), laterally trimmed (Developed Oldowan), 7; percentage of, at different sites, 265, 267; HWK East, 104, 109; SHK, 167, 170, 171; TK, 181, 182, 183, 194, 196, 197; BK, 218, 220, 222
 flakes (3), resharpening, 8; DK, 29; FLK N, 83, 84; MNK, 122, 155, 156; FC West, 160, 164; SHK, 171; TK, 184, 197; BK, 221, 222
 flakes (4), utilised, heavy-duty, 7; HWK East, 95, 111; EF-HR, 136, 137; TK, 181, 183, 194, 196
 flakes (5), utilised, light-duty, 1, 7-8; materials of, 264; types of utilisation of, 268; DK, 37, 38, 39; FLK NN, 44, 47; FLK, 55, 58; FLK N, 66, 70, 72, 83, 84, 85, 99; HWK East, 92, 93, 95, 104, 107, 108, 109, 111; MNK, 122, 154, 155; EF-HR, 136, 137; FC West, 160, 163, 164; SHK, 170-1; TK, 174, 181, 183, 184, 194, 196, 197; BK, 218, 222
 flamingos, 15, 39, 58, 258
 flat-butted (square-butted) bifaces, 5, 125, 126
 Flatt, Miss J., xix
 FLK (Frida Leakey Korongo) site, 48-9, 58-60, 263; Pls. 27, 28, 33; hominid remains at (H. 5 and H. 6), 227-8; faunal remains at, 256, 257; *see also* FLK Maiko Gully, FLK 'Zinjanthropus' floor
 FLK Maiko Gully, hominid remains at: (H. 16), 3, 48, 225, 232, 234; (H. 17), 232, 234; (H. 30), 234
 FLK 'Zinjanthropus' floor, 1, 3, 42, 48-58, 285; section, Fig. 23; plan, Fig. 24; Pls. 7-10; hominid remains at, (H. 5) 1, 3, 48, 227, 233, 234, 285, Pl. 28, (H. 6) 227-8, 234; faunal remains at, 251-3, 256, 257; density of finds at, 250; pattern of finds at, 260; percentages of different finds at, 261; tools at, (materials) 264, (types) 265, 267, 268; percentages of different mammalian bones at, 276
 FLK N (Frida Leakey Korongo North) site, 1, 3, 18, (Bed I) 61-84, (Bed II) 84-6, 111-14; section, 63; plans, Figs. 32-6; Pls. 11-18, 35, 41; hominid remains at (H. 10), 230, 233; modified bones at, 240, 245, 247; faunal remains at, (Bed I) 252-3, (Bed II) 253-4; density of finds at, 260; pattern of finds at, 260-1; percentages of different finds at, 261; tools at, (materials) 264, (types) 265, 266, 268; percentages of different mammalian bones at, 276
 FLK NN (Frida Leakey Korongo North-North) site, 1, 3, 36, 40-7, 258; section, 41; plan, Fig. 20; Pls. 5, 6, 29, 30, 31, 34; hominid remains at, 228; modified bones at, 235, 240, 247; faunal remains at, 250-1, 256, 257; density of finds at, 260; percentages of different finds at, 261; percentages of different mammalian bones at, 276
 FLK South site, 263
 Fosbrooke, H., xix
 fox, bat-eared, *see Otocyon*
 fractures, from blows, 61, 262; conchoidal, 62; from faulting, 67; of crania and limb bones, 245-6
 Fuchs, Sir E., 124

Galago, 251, 292
 Gastropoda, 290
Gazella, 294
G. wellsi, 251, 252
 genet, 252, 292
 Gentry, Mrs A., xix, 248
 Gentry, A. W., xix, 255
Gerbillus, 292
Giraffa gracilis, 286, 293
G. jumae, 126, 255, 283, 293
G. sp., 255, 256, 293
 giraffid remains, 257, 260, 293; modified bones, 236, 237, 239, 240, Pl. 37; FLK N, 252-3; TK, 177, 186; DK, 249; FLK, 251, 252; BK, 256
 gneiss, tools of, 18, 112, 139; percentage of tools of, at different sites, 264
 Goate, Mr, xix
 goats, bones of, from Hottentot middens, 235, 275, 276-7; compared with bones from Olduvai and Makapansgat, 277, 279
Gorgon olduvaiensis, 252
Gorgon sp., 282, 294
Grammomys, 292
 Grobbelaar, B. J., 269, 273
 grooved and pecked stone, 84, 269, Pl. 18
 ground squirrel, 69, 253

 hammerstones, 1, 7; DK, 37; FLK NN, 44, 46, 47; FLK, 53, 58, 59; FLK N, 64, 66, 68, 70, 72, 80, 81, 84, 87, 114; HWK East, 92, 93, 95, 104, 107, 109, 110; MNK, 121, 122, 154, 155; EF-HR, 136, 137; FC West, 160, 163, 164; TK, 172, 174, 184, 194, 196, 197; BK, 218, 222
 hand axes (bifaces), 3, 172
 Hay, Dr R. L., xix, 1, 9, 225, 258
 heavy- and light-duty tools and utilised material, 4; materials of, at different sites, 264
 hedgehog, 69, 252-3, 291
 Heizer, Dr R., 67
Herpestes, 292
 Herpestinae, 292
Heterocephalus, 252
 hides, working of, 114
 hippopotamid remains, 257, 260, 293; modified bones, 236, 237, 239, 240; modified teeth, 238, 240, 241-2, 245, Pls. 39, 40; in Olduvai lake, 15; PDK, 21; FLK, 60, 252; SHK, 165; TK, 176, 255; DK, 249; FLK N, 252-3; HWK East, 254; MNK, 254, 255; FC West, 255
Hippopotamus gorgops, 256, 287, 293

H. sp., 293
 Hippotragini, 294
 hollow scrapers, 6; DK, 34, 35; FLK, 53; FLK N, 81; HWK East, 102, 111; MNK, 121; TK, 173, 179, 180, 193; BK, 211, 214, 215
 hominid remains, 225-34; H. 1 (RK), 225, 274, 284; H. 2 (MNK), 115, 226, 234, 280; H. 3 (BK), 3, 199, 226, 234, 280; H. 4 (MK), 3, 226, 234, 284; H. 5 'Zinjanthropus' (FLK), 1, 3, 48, 227, 233, 234, 272, 285, Pl. 28; H. 6, 227; H. 7, H. 8 (FLK NN), 3, 40, 42, 43, 228-9, 234, 246, 285, Pls. 29, 30, 31; H. 9 (LLK), 3, 229, 234, 288; H. 10 (FLK N), 3, 67, 230, 234; H. 11 (DK), 230, 234, 280; H. 12 (VEK), 230, 234, 280; H. 13 (MNK), 3, 118, 231-2, 234, 246, 280, 289; H. 14 (MNK), 3, 116, 231-2, 234; H. 15 (MNK), 3, 116, 118, 232, 234, 281, 289; H. 16 (FLK Maiko Gully), 3, 48, 225, 232, 234, 281, 286; H. 17 (FLK), 232, 234; H. 18 (MNK), 3, 233, 234, 289; H. 19 (FC West), 3, 156, 233, 234; H. 20 (HWK Castle), 233, 234, 286; H. 21, 280; H. 22-3, 234; H. 24, 3; H. 25-34, 234
 hominids: evidence of bone modification by, 235-47; possible diet, 253, 259; Oldowan, as hunter-gatherers, 259
Homo erectus, 229, 230, 234, 288; intrusive to Olduvai area? 269; responsible for Acheulean industry? 273, 280
H. habilis, 1, 280; bones of, 40, 42, 226, 227-8, 230; tools associated with, 44-7; co-existent with 'Zinjanthropus', 49 n; responsible for Oldowan and Developed Oldowan industries, 272, 280
H. sapiens, skull of type (RK), 225
Homorus, 290
 Hooijer, Dr D. A., 248
 horn cores, 245, 276, 277, 279
 horns, utilisation of, 245
 Hottentots, goat remains from middens of, 235, 275, 276-7; compared with bovid bones from Olduvai and Makapansgat, 277, 279
 Howard, S., 165
 Howell, Dr F. Clark, 280
 Hughes, Mr Alun, 273
 humeri: modified, 236, 238; percentage of, in faunal remains at different sites, 276, 277, 278, 279
 hunter-gatherers, Olduvai hominids as, 259
 HWK (Henrietta Wilfrida Korongo) Castle site, hominid remains at (H. 20), 233, 234, 286
 HWK East site, 1, 3, 5; section, 88; Pl. 19; levels 1 and 2, 86-95, 263, 264, plans, 90, 91, 94; levels 3, 4, and 5, 96-111, 264, plan 98; modified bones at, 242, 247; faunal remains at, 254, 256, 257; density of finds at, 260; percentage of different finds at, 261; tools at, 263, (materials) 264, (types), 265, 266, 267, 268; percentage of different mammalian bones at, 276

INDEX

- hyaenas, 59, 60, 252, 253; material regurgitated by, 69 n
 Hyaenidae, 292
 Hyracoidea, 293
 Hystricidae, 292
Hystrix, 292
- ignimbrite, Naabi, 9, 10
 industry, *see* lithic industries
 insectivores, 43, 61, 67, 252, 291
 Isaac, Dr G. L., xix, 274
 Isimila, site, 259, 275
- jackal, 252
 Jilori, Lake, 43
 JK (Juma Korongo), hominid remains from, 234
- Kariandusi site, 259, 275
 Kimeu, K., 233, 234
 KK (Kitibi Korongo), 259
 Kleindienst, Dr M. R., xix, 270
 Kliplaatdrif, Transvaal, Acheulean artefacts at, 274
 knife-like tools, 35, 37
Kobus sp., 251, 294
 Koenigswald, Dr G. H. von, 226
- Laetolil Beds, 18
 Lagomorpha, 292
 lake, prehistoric, in Olduvai basin, 15; map, 16; sites close to, 251, 258; drainage of, 260
 lava, tools of, 17, 263; percentage of tools of, at different sites, 264, 268; lack of *débitage* of, 264
 Leakey, J. H. E., xix, 40, 228
 Leakey, L. S. B., 1, 87 n, 156, 199, 226, 229, 231, 248, 249, 266
 Leakey, Margaret, xix, 225, 230, 290
 Leakey, M. D., 226, 227, 228
 Leakey, Mollie, xix
 Leakey, R. F., xix, 266
 leather-working? 114
 Lemagrut volcano, 17, 18
 Lemuta Member of Bed II, 18
 leopards, baboon remains from lairs of, 276 n
 Leporidae, 292
Libytherium olduvaiensis, 198, 252, 255, 256, 260, 284, 293; modified bones of, 236, 238, 240, 245, 246, 275
 light- and heavy-duty tools and utilised material, 4; materials of, at different sites, 264
 limb-bone shafts, percentage of, in faunal remains from different sites, 276
 limestone, at FLK NN, 43; FLK, 49, 60; FLK N, 62, 63; MNK, 115; EF-HR, 124
Limnaea, 290
 Limnaeidae, 290
 lions, material regurgitated by, 69 n
 lithic industries, 262-75; DK, 24-39, 263; FLK NN, 44-7; FLK, 50-8, 263; FLK N, 61, 64-84, 111-14; HWK East, 89, 92-111, 263; MNK, 118-23, 138-56, 263; EF-HR, 124-37, 263; FC West, 157-65, 263; FC, 165; SHK, 166-71; TK, 173-97, 263; BK, 199-222; CK, FLK S, 263; *see also* Acheulean, Chellean, Oldowan, and Developed Oldowan industries
 living floors, *see* occupation floors
 lizards, 252-3
 LLK (Louis Leakey Korongo) site, hominid remains from (H. 9), 3, 229, 234, 273, 288
 Loricidae, 292
Lutra, 292
 Lyons, Miss K., xix
- McCalman, Miss H. R., 269, 273
 machairodont mandible, 40
 Machairodontinae, 292
 Macroscelididae, 291
 Maiko Gully, *see* FLK Maiko Gully
 Makapansgat: modified bones at, 246, 275; quartzite cobble at, 269; bones of bovids from, compared with those from Olduvai and from Hottentot middens, 277, 278, 279; lower levels at, 281
 mammals, bones of: modified, 42, 73, 139, 235-47, 275, Pls. 34-40; percentages of, at different sites, 276; from Olduvai sites, compared with those from Makapansgat and from Hottentot middens, 277, 279; *see also individual groups of mammals*
 man, tool-making as criterion for status of, 278, 280; *see also* hominids
 manuports, 3-4, 8; percentage of, in finds at different sites, 261; DK, 39; FLK NN, 43, 47; FLK, 50, 51, 58; FLK N, 66, 68, 70, 72, 83, 84, 85; HWK East, 89, 92, 93, 95; MNK, 122, 123, 155, 156; TK, 196
 marker tuffs, *see* tuffs
 Mason, Dr R., 273, 274, 281
 materials for artefacts, 17-18, 263-4; *see also* chert, gneiss, lava, quartz, phonolite, *etc.*
 Mbuika, N., 231
 Megadermidae, 291
 Melka Kontouré, Ethiopia, artefacts resembling Oldowan at, 274
 Mesak Beds, 14, 18
Mesochoerus heseloni, 293
M. olduvaiensis, 288, 293
 metacarpals, percentage of, in faunal remains at different sites, 276, 277, 278, 279
 metapodials: *Libytherium*, with depressed fracture, 246; modified, 237, 239, 246, 275; percentage of, in faunal remains at different sites, 276
 metatarsals, percentage of, in faunal remains at different sites, 276, 277, 278, 279
 micro-fauna, 61, 62
 migmatite, tools of, 264
 miniature tools: DK, 23, 25; FLK, 48; TK, 172, 174; BK, 199, 204, 209
 MK (MacInnes Korongo) site; section, 23; Pl. 26; hominid remains at (H. 4), 3, 226, 234, 284
 MNK (Mary Nicol Korongo) site, 17, 18, 115-23; map, 116; section, 117; *see also* MNK Main Occupation site, MNK Skull site
 MNK Main Occupation site, 3, 137-56, 263, 271; section, 117; map, 116; plans, 138-49; Pls. 20, 40; modified bones at, 240, 243, 247; faunal remains at, 255, 256, 257; density of finds at, 260; percentages of different finds at, 261; tools at, (materials) 264, (types) 265, 266, 268; percentages of different mammalian bones at, 276
 MNK Skull site, 3; map, 116, section, 117; plan, 119; Pl. 32; hominid remains at (H. 2, H. 13, H. 14, H. 15), 3, 115, 118, 226, 231-2, 234, 246, 280, 289; faunal remains at, 254, 256, 257; density of finds at, 260; percentages of different finds at, 261; tools at, (materials) 264, (types) 265; percentages of different mammalian bones at, 276
 molluscs, 115, 251, 253, 254, 290
 mongoose, 252
 monkey, cercopithecoid, 251
 mud flows, 12, 16
 Mukiri, H., xix, 226
Mungos, 292
 Muridae, 252, 292
 Museum of Comparative Anatomy, Harvard, 250
 Mustelidae, 292
 Mutaba, J., 230
 Mutumbo, M., 225, 230, 232
Myonax, 292
Myosorex, 291
- Naabi ignimbrite, 9, 10, 14
 Naibor Soit, source of quartz and quartzite, 18
 Naisiusiu Beds, 10
 Naivasha Railway Rockshelter, 225
Naja, 291
 Napier, Dr. J. R., 229, 230
 Napton, Dr L. K., xx, 67
Nasilio, 291
 National Geographic Society, Washington, D.C., 1
 Ndutu Beds, 10, 14
 Neanderthal phalanges, 230
 Neotragini, 294
Nesotragus, 249
 nephelinite, 16; tools of, 17
 Neuville, R., 275
 Ngorongoro, 9, 16, 17
 nodules and blocks (1), manuports: FLK NN, 47; FLK, 58; FLK N, 83; HWK East, 92; MNK, 155; FC West, 161, 165
 nodules and blocks (2), modified and battered, 6; FLK, 59; FLK N, 112, 114; HWK East, 106; MNK, 150, 153, 155; FC West, 157, 159, 163, 164; FC, 165; SHK, 169, 171; TK, 175, 183, 191, 196, 197; BK, 199, 211, 222
 nodules and blocks (3), utilised material, 7; DK, 37, 39; FLK NN, 44, 47; FLK, 53, 58, 60; FLK N, 64, 66, 68, 70, 72, 81, 83, 84, 85, 86; HWK East, 92, 93; MNK, 122, 154, 155; TK, 181, 183, 194, 196, 197; BK, 218, 222

INDEX

- Norkilili Member, Bed IVb, 10
nosed scrapers, 6, 170; TK, 173, 179, 180, 193; BK, 213, 214
Notochoerus compactus, 288, 293
N. euilus, 293
N. sp., 293
- Oakley, Dr K. P., 281
obsidian, tools of, 89, 264
occupation floors (sites), DK, 23-5, 262-3; FLK NN, 42; FLK, 48, 49-50, 58-60; FLK N, 61-2, 67, 70, 260; HWK E, 89; MNK, 118, 137-8; EF-HR, 124; FC W 157-61, 261; SHK, 166; TK, 172, 174-83, 184-96, 261; BK, 198-9; Oldowan and Developed Oldowan, 258, 259; density of remains on, 260; faunal remains from, 275-8
Okapia, 50, 249, 256, 293
Okombambi people, S.W. Africa, shelter made by, 24, Pl. 3
Ol'Balbal, *see* Balbal depression
Oldowan industry, 1, 42, 262; derivation of Developed Oldowan from, 2-3, 269; tools of, at different sites, 264, 265, 266, 267, 268, 269; artefacts resembling those of, from sites other than Olduvai Gorge, 273-4; sites where found, 283-9
Olduvai Beds (I-V), 2, 9-10; stratigraphy, 1, 2, 10-13; dating, 13-15, 258, 280; palaeogeography and sedimentation, 15-16; materials for tools in, 263; Lower Bed I, 21-39; Middle Bed I, 40-60; Upper Bed I and Lower Bed II, 61-95; Middle Bed II, (Lower) 61-95, (Upper) 124-71; Upper Bed II, 172-222
Olduvai Gorge, 9; map, xxii-xxiii; aerial view, frontispiece
Olmoti volcano, 15, 16
Olorgesailie, habitation site at, 259; exhibition floor at, 138 n
Orthostonyx brachyops, 288, 293
Oryx sp., 251, 294
Ostariophysi, 290
'Osteodontokeratic culture', 246, 276
Osteolaemus tetraspis, 249
ostrich, 254, 285, 291
Otocyon, 71, 252, 292
Otomys, 292
outils écaillés (Developed Oldowan), 7; percentage of, at different sites, 265, 267; SHK, 167, 170, 171; TK, 181, 182, 183; BK, 218, 219, 222
Ova Tjimba people, stone tools of, 268-9
ovates, irregular (bifaces), 5; EF-HR, 125, 126; TK, 174, 175, 187; BK, 204, 206
Owen, Miss R., xix
owl pellets, 253
palaeogeography, of Beds I and II, 15-16
palaeosols, 11, 17; at FLK, 49; HWK E, 87; TK, 172; FLK NN, 228; Developed Oldowan sites on, 259
- Panthera*, 292
Papio, 292
papyrus, rhizomes resembling, 15, 24, 258, *Parmularius altidens*, 294, Pl. 8; fractures on frontlets of, 245, 262, Pl. 41; FLK, 50, 251; FLK N, 61, 67, 245, 252; HWK 286
P. rugosus, 287
PDK (Peter Davies Korongo), 21
'pebble culture', Morocco, 273
'pebble tools', 264 n
Pedetes, 292
Pedetidae, 292
pegmatite: tools of, 18, 161; percentage of tools of, at different sites, 264
Pelomedusidae, 290
Pelorovis oldowayensis, 249, 255, 259, 283, 294; skeletons of, in clay, 198, 199; modified bones of, 239-40
Pelusios castaneus, 250, 290
pelves, in faunal material from different sites, 276
Peninj, Lake Natron, Acheulean artefacts from, 274
perimetal scrapers, 6, 170; TK, 179, 180, 184, 193; BK, 211, 214, 215
Perissodactyla, 293
Phenacotragus recki, 165, 183, 294
phonolite: tools of, 17; grooved and pecked cobblestone of, 84, 269, Pl. 18
Pickering, Dr R., 9, 61, 229
Pickford, M., xix
picks, 5; EF-HR, 125, 132, 134; MNK, 139, 150-1; SHK, 168, 169; TK, 189; BK, 204, 205, 209, 210
Pipidae, 290
Pleistocene, 9; Lower, 13, 235; Middle, 13, 225, 235, 274
pointed choppers, 4, 264; DK, 25, 30, 39; FLK N, 73, 76, 78; HWK East, 92, 93, 97, 106, 109, 110; MNK, 121, 122; FC West, 159, 164; SHK, 167, 171; BK, 204
polyhedrons, 1, 5; percentage of, at different sites, 265, 266; DK, 23, 30-1, 32, 48, Pl. 4; FLK NN, 44; FLK, 48, 53, 58, 59; FLK N, 61, 69, 70, 71, 72, 79, 84, 86, 112, 114; HWK East, 94, 95, 99, 107, 109; MNK, 121, 122, 139, 153, 155; EF-HR, 132, 137; FC West, 159, 163, 164; SHK, 168, 171; TK, 175, 183, 189, 196; BK, 203, 210, 222; from sites other than Olduvai Gorge, 273, 274
Potamachoerus intermedius, 285, 293
P. majus, 293
P. mukiri, 293
potassium-argon dating, 13-14, 280
precambrian (basement complex), 9, 14, 17
primates, 257, 292; representations of? 269; DK, 249; FLK NN, 250; FLK, 251, 252; FLK N, 252-3; MLK West, 284
Proboscidea, 257, 293
Procavidae, 293
Promesochoceros mukiri, 285
Pronotochoerus, 293
proto-bifaces, 5, 263, 266; percentage of, at different sites, 265; FLK N, 66, 69, 70, 75, 77, 79, 80; HWK East, 92, 93, 95, 99, 100-2, 107, 109, 110
Pseudocivettictis, 292
Ptychadena, 290
Pulmonata, 290
Pultiphagonides africanus, 294
pumice, 10, 11, 12
pyroxene, 13, 15
Python, 291
quartz, blocks of, 93, 95
quartz and quartzite, tools of, 18, 263-4, 266, 267, 268; percentage of tools of, at different sites, 264; FLK, 48, 57, 58-9; FLK N, 64, 96; HWK East, 96, 110; MNK, 139; FC West, 157; SHK, 167; TK, 184, 263; BK, 200
radii, mammalian: modified, 237; percentage of, in faunal remains at different sites, 276, 277, 278, 279
Rana, 290
Ranidae, 290
Ranney, G., xix
Reck, Prof. H., 9, 10, 124, 225
'Reck's man', 225
Redunca sp., 294
reptiles, 61, 67, 250, 251, 290-1
rhinocerotid remains, 257, 260, 293; modified bones of, 236, 239, 240; HWK East, 88, 254; DK, 249; FLK NN, 251; FLK N, 253; MNK, 254; EF-HR, 255
rhizomes, fossil, *see* papyrus
ribs, utilised equid, 235, Pl. 34; percentage of, in faunal remains at different sites, 276, 277, 279
river channel sites, 258
RK (Reck's Korongo) site, hominid remains at (H. 1), 225, 234, 284
Robinson, Dr J. T., 226, 281
rodents, 292; FLK NN, 40, 43, 250, 251; FLK N, 61, 252-3; FLK, 251; HWK East, 254; MNK, 254, 255; bones damaged by, 246
roots, casts and markings, 11, 13, 43, 58, 62; clay with, at FLK N, 84-5; HWK E, 87-8; Maiko gully, 232
Ruhmann, A., 275
Rusinga Island, fossil slugs at, 252
- Saccostomus*, 292
Sadiman volcano, 17
sandstone, 10, 12, 15; oolitic, 13; clayey, 17; conglomeratic, 17
sandy conglomerate: FLK N, 111-14; HWK East, 96-111
Savage, Mrs S. C., xix, 248, 256
scapulae: modified, 239; percentage of, in faunal remains at different sites, 276, 277, 279
scavengers, 43, 50, 64, 228
Scincidae, 291
Scuridae, 292
scrapers (1), 1
scrapers (2), heavy-duty, 6; DK, 31, 34, 39; FLK NN, 44, 46, 47; FLK, 53, 56, 58; FLK N, 68, 69, 70, 72, 81, 84, 85, 86; HWK East, 92, 93, 95, 102, 107, 109, 110; MNK 121, 122; FC West, 157, 159-60; 163, 164; SHK, 169; TK, 175, 179, 183, 184, 191, 193, 196; BK, 211, 222
scrapers (3), light-duty, 6; DK, 39; FLK, 48, 58; FLK N, 69, 70, 112, 113, 114; HWK East, 102, 103, 107, 109, 111;

INDEX

- Scrapers (3), *cont.*
 MNK, 121, 122; FC West, 163, 164; TK, 172, 184, 196, 197; BK, 199, 222; *see also* butt-end, end, discoidal, hollow, nosed, perimetal, *and* side scrapers
- Serengeti Plains, 9
- Serengetilagus*, 253, 292
- shelter, made by Okombambi people, 24, Pl. 3
- SHK (Sam Howard Korongo) site, 1, 3, 17, 165-71, 198, 259; modified teeth at 241-2; modified bones at, 243, 247, Pl. 37; tools at, (materials) 264, (types) 265, 268; Developed Oldowan bifaces at, 270, 271, 272
- shrews, 250, 251, 252-3
- side choppers, 4, 264; DK, 24, 25, 26, 27, 28; FLK NN, 47; FLK, 51, 52, 58, 59, FLK N, 61, 66, 67, 68, 69, 70, 71, 72, 73-5, 84, 85, 96, 112, 114; HWK East, 89, 91, 93, 95, 97, 105, 106, 108, 109, 110; MNK, 116, 118, 120, 122, 139, 150, 155; EF-HR, 126, 137; FC West, 157, 159, 161, 164; SHK, 167, 171; TK, 173, 174, 183, 184, 197; BK, 199, 200-1, 202, 222
- Side Gorge, 1, 9, 11, 13, 17-18
- side scrapers, 6, 267; DK, 34, 35, 39, 57, FLK N, 81; HWK East, 107, 111; MNK, 154; SHK, 170; TK, 173, 179, 180, 184, 193; BK, 211, 213, 214
- Sidi Abderrahman quarry, Casablanca, Acheulean artefacts at, 273, 274
- Simons, J. W., 276 n
- Simopithecus*, 198, 245, 292
- S. leakeyi*, 284
- S. sp.*, 287, 288
- Simpson, G. G., 251
- sites in Olduvai Gorge; map of, xxii-xxiii; list of, 282-9
- skulls: smashed to remove brains, 50, with depressed fracture, 245-6; percentages of different parts of, in faunal remains at different sites, 276; human, *see* hominid remains, H. 2, H. 5, H. 6, H. 7, H. 9, H. 11, H. 12, H. 13, H. 14, H. 16, H. 24, H. 25, H. 33
- slug, Urocyclid, 251
- Smithsonian Institution, 39
- snails, 118, 254, 259, 290
- snakes, 250, 251, 253, 254, 291
- Soricidae, 291
- spheroids, 6, Pls. 16, 19, 24; used as bolas? 262, 266; percentage of, at different sites, 265, 266; graph of weights of, 266, 267; DK, 48; none at FLK, 48; FLK N, 68, 81, 84, 85, 96, 112, 114; HWK East, 99, 107, 109, 110; EF-HR, 132, 137; MNK, 150, 153, 155, 159, 164; FC West, 157, 163, 164; SHK, 168, 171; TK, 172, 175, 183, 184, 189, 196, 197; BK, 211, 222; at sites other than Olduvai Gorge, 274, 275
- Squamata, 291
- Steatomys*, 292
- Stekelis, Prof. M., 274
- Stenogyridae, 290
- step-flaking, 125-6
- Sterkfontein, artefacts at, 273, 275, 280, 281
- Stone Age, Middle, 10
- stone circle: at DK, 23, 24, 261-2, Fig. 7, Pl. 2; made by Okombambi people, 24, Pl. 3
- stream channel sites, 17, 258
- Strepsiceros grandis*, 115, 284, 294
- S. maryanus*, 42, 44, 251, 293
- Strepsicerotini*, 294
- Streptosteles* sp., 290
- striking platforms, angles of, at DK, 39; FLK, 58; FLK N, 83; HWK E, 106, 108; EF-HR, 136; MNK, 155; FC W, 161; SHK, 171; TK, 183, 196; BK, 221; converted to scraping edges, 111
- Struthio*, *see* ostrich
- Stylohipparion*, 249, 251, 253, 255-6, 293
- subspheroids, 1, 6, Pls. 16, 19, 21, 25; percentage of, at different sites, 265, 266; graph of weights of, 266, 267; DK, 31; FLK N, 69, 70, 71, 72, 81, 84, 86, 112, 97, 99; HWK East, 89, 92, 93, 94, 95, 99, 107, 109, 110; MNK, 120, 121, 122, 150, 153, 155; EF-HR, 134, 137; FC West, 157, 159, 163, 164; SHK, 167, 168-9, 171; TK, 172, 175, 183, 184, 191, 196, 197; BK, 199, 211, 222
- suid remains, 249, 257, 293; modified teeth, 240-1; FLK, 60, 251; FLK N, 64, 252-3; FC West, 156, 255; BK, 199, 256; DK, 249; FLK NN, 250, 251; MNK, 254; EF-HR, 255; TK, 255
- Suncus*, 291
- swamps, possible driving of animals into, 64, 85, 199, 262
- Swartkrans, artefacts from 273, 280
- Taieb, M., 274
- Tanzania Geological Survey, 61, 229
- Tanzania National Museum, 233
- Tapinochoerus meadowsi*, 293
- Tardiguet er Rahla, 273
- Tatera*, 292
- Taurotragus arkelli*, 284
- Taylor, Miss C., xix
- Tchernov, Dr E., 233, 248
- teeth, modified, 240, 241; hominid, H. 3, 226, 234; H. 4, 226, 234; H. 6, 227, 234; H. 7, 228, 234; H. 11, 230, 234; H. 13, H. 15, 231, 232, 234; H. 16, H. 17, 232, 234; H. 19, 233, 234; percentage of, in faunal remains at different sites, 276, 277, 279
- Testacellidae, 290
- THC (Thiongo Cliff), 21
- thorn fences, possible sites of, 260, 262
- Three Rivers, Transvaal, Acheulean artefacts at, 274
- tibiae: modified, 236-7, 238; percentage of, in faunal remains at different sites, 276, 277, 278, 279
- Tilapia*, 15, 290
- Tippett, M., xix
- TK (Thiongo Korongo) site, 3, 17, 172-97, 258-9, Pl. 22; sections, 173; faunal remains at, 255, 256, 257; density of finds at, 260; percentages of different finds at, 261; no pattern in finds at, 261; tools at, (materials) 264, (types) 265, 267, 268; percentages of different mammalian bones 276
- TK Fish Gully, Acheulean bifaces from, 270, 271, 272, 276
- Tobias, Prof. P. V., xix, 233, 281
- tools: materials used for, 17-18, 263-4; manufacture of, as criterion for status of man, 278, 280; at different sites, *see under* lithic industries
- tortoises, 249; FLK NN, 42, 43, 235, 250-1; FC West, 156; DK, 249, 250; FLK, 252; MNK, 254; EF-HR, 255
- trihedral bifaces, 5, 125, 204, 209
- tuffs, aeolian, *see* II^A; lapilli, 11, 12; as marker beds, I^A, 10; I^B, 2, 3, 10, 21-4, 43, 258; I^C, 10; I^D, 2, 3, 10; I^E, 10; I^F, 3, 10, 59-62, 70, 88-9, 118, 258; II^A, 2, 9, 12, 16, 87; II^B, 2, 156; II^C, 2, 263; II^D, 156, 165, 198, 199
- two-edged choppers, 3, 4, 264; DK, 25, 29, 39; FLK, 59; FLK N, 66, 67, 69, 70, 73, 76, 78, 84; HWK East, 92, 93, 95, 97, 106, 109, 110; MNK, 121, 122, 123, 139, 150, 155; FC West, 161; SHK, 167, 171; BK, 196, 197, 203, 204, 222
- 'Ubeidiya, Israel, artefacts resembling Oldowan at, 274
- ulnae, percentage of, in faunal remains at different sites, 276, 277, 278, 279
- unifacial choppers, 77, 95, 96, 110
- Urocyclidae, 290
- VEK (Vivian Evelyn Korongo) site, hominid remains at (H. 12), 230, 234, 280
- Verdcourt, Dr B., xix, 251-2
- vertebrae, percentage of, in faunal material at different sites, 276, 279
- Vespertilionidae, 291
- Villafranchian: at Olduvai, 13, 15; in Morocco, 273
- Viperidae, 291
- Viverridae, 292
- Wachter, Dr. J., xix, 172
- Walsh, Dr J., xix
- water, artefacts showing rolling by, 17, 87, 97, 110, 126, 157, 166, 199
- Wetmore, Dr A., 39
- Williams, Dr E., 250
- windbreaks?, at DK, 24, 261; FLK, 50
- Windhoek, State Museum, 268
- WK (Wayland's Korongo), 13, 15, 21
- Xenocephalus*, 283, 294
- Xenopus*, 290
- Xerus*, 252, 292
- Zinjanthropus boisei*, 1, 3, 48, 227, 233, 234, 272, 285, Pl. 28
- '*Zinjanthropus*' occupation floor, *see* FLK 'Zinjanthropus' floor