

INDEX OF PERSONS

- Aaron, C., 115, 248
 Aichel, O., 188, 245
 Akabori, E., 32, 245
 Anthony, R., 75
 Arambourg, C., xvi, 4, 236, 245
 Ariëns Kappers, C. U., 91, 245
 Ashton, E. H., 16, 18, 23, 36–7, 40, 43–4,
 49–51, 77–8, 80–3, 85, 151–2, 161–2,
 168–9, 171, 173, 195, 197–8, 204, 222,
 245
 Baikie, G. G., 142
 Bartholomew, G. A., 240, 245
 Baume, L. J., 122, 245
 Becks, H., 122, 245
 Birdsell, J. B., 240, 245
 Black, Davidson, 31, 33, 95, 99–100, 130,
 245
 Black, G. V., 173, 186, 245
 Blanc, A. C., 219
 Boise, C., 1
 Bolk, L., 80, 89, 245
 Boné, E. L., 4, 245
 Bonin, G. von, 78, 91–3, 245
 Bonné, B., 190, 247
 Bork-Feltkamp, A. J. van, 222, 245
 Borovansky, L., 67
 Boule, M., 82, 245
 Brain, C. K., 66, 236, 245
 Breathnach, A. S., 66, 245
 Bronowski, J., 222, 245
 Broom, R., 4, 26–7, 32–3, 41–3, 49, 55, 58,
 60, 78–9, 84, 92, 95, 98, 102, 109–10, 112,
 128–9, 142, 177–8, 231, 235, 245
 Brothwell, D., xvi
 Browning, H., 66, 68, 70, 245
 Buchanan, A. M., 29
 Bunak, V. V., 109
 Bürkner, K., 32
 Butler, P. M., 182, 245
 Cabibbe, G., 41, 245
 Calogero, B., 130, 245
 Campbell, B. G., 1, 4, 59, 73, 82, 224, 245,
 252
 Campbell, T. D., 122, 132–3, 135, 151, 170,
 245
 Caspari, E. W., 220, 246
 Cave, A. J. E., 126–31, 246
 Chopra, S. R. K., 238, 246
 Čihák, R., 69
 Clark, J. D., 236–7, 246
 Clark, W. E. Le Gros, xiii, xvi, 1, 16–18, 22,
 43–4, 46–7, 49, 59, 65, 67–8, 78–9, 91,
 116, 132, 139, 169, 223–5, 231, 233–4,
 246
 Cohen, L. B., 119, 247
 Colyer, F., 141–2, 246
 Connolly, C. J., 78, 246
 Cooke, H. B. S., 233, 246
 Coon, C. S., 1, 82, 246
 Coppens, Y., 1, 246
 Costa Ferreira, A. A. da, 24, 246
 Curtis, G. H., 233, 248
 Dabelow, A., 75
 Dahlberg, A. A., 182, 246
 Dalitz, G. D., 190, 246
 Darlington, D., 75, 246
 Dart, R. A., xvi, 1, 3–4, 9, 20–1, 35, 43, 45,
 49, 78–9, 84, 95, 117, 137–8, 146, 219,
 231, 234, 236, 238–9, 245–6
 Davis, P. R., 6, 241, 246
 Day, M. H., 6, 241, 246
 Delattre, A., 14–15, 89, 193, 246
 De Villiers, H., 27, 32, 136, 246
 DeVore, I., 236, 252
 Drennan, M. R., 98, 151, 246–7
 Dubois, E., 86, 94, 247
 Economo, C. von, 92, 247
 Eisler, P., 108, 247
 Evernden, J. F., 233, 248
 Fanning, E. A., 143, 190, 247–8
 Fenart, R., 14, 89, 246
 Fick, L., 75
 FitzSimons, V., xvi, 66, 146
 Flower, W. H., 103, 116, 132–4, 170, 209,
 216, 247
 Frisch, J. E., 167, 184–6, 188–9, 191–2, 247
 Galloway, A., 136, 247
 Gardner, E., 29
 Garn, S. M., 190, 247
 Getz, B., 74, 204, 247
 Giuffrida-Ruggeri, V., 93, 247
 Gray, D., 29
 Gray, T., 29
 Gudden, J. von, 75
 Guggenheim, P., 119, 247
 Gyldenstolpe, N., 80, 247
 Haines, R. W., 126, 246
 Harris, H. A., 74, 80, 247
 Harrison, G. A., 1, 224, 247
 Healy, M. J. R., 222, 245
 Heberer, G., 1–2, 225, 247
 Henlé, F. G. J., 68
 Hoadley, M. F., 97–8, 247
 Hofer, H., 130, 247
 Hofman, L., 59, 130, 247
 Holloway, R. L., 21, 247
 Hooijer, D., xvi
 Howell, F. C., 60, 231, 233, 236, 239, 247,
 252
 Howes, A. E., 170–1, 247
 Hrdlicka, A., 24, 86, 247
 Hughes, A. R., xvi, 6, 31, 77
 Hughes, D. R., xvi
 Huizinga, J., 99, 247
 Hulse, F. S., 1, 224, 247
 Hunt, E. E., 190, 248
 Inskeep, R. R., 236, 247
 Jacob, T., 94
 Jacobson, A., 133, 135–6, 170, 247
 Jerison, H. J., 86–8, 205, 247
 Jovanovic, S., 127–8, 247, 249
 Kaufman, T. W., xvi, 77
 Kaufmann, H., 11, 249
 Kaye, D. B., 69
 Keith, A., 3, 16, 64, 67, 78, 84, 247–8
 Khroustov, H. F., 239, 247
 Klomfass, R., xvi
 Knott, J. F., 68, 247
 Koenigswald, G. H. R. von, xvi, 1, 4, 94,
 159, 183, 187, 236, 247–8, 251
 Köppel, L., 68, 248
 Korenhof, C. A. W., 145, 184–6, 188–9,
 191–2, 248
 Korkhaus, G., 133, 248
 Kraus, B. S., 248
 Krogman, W. M., 32, 248
 Kronfeld, R., 143, 248
 Kurth, G., 2, 248
 Laffont, J., 115, 248
 Laing, J. D., 133–4, 136, 248
 Leakey, L. S. B., xv, xvi, 1–4, 6, 8–9, 28, 30,
 44, 47, 74, 79, 105, 108–10, 116, 119,
 126, 145, 155, 157, 167, 169, 182, 221,
 223–4, 231–3, 235–7, 241, 243, 246, 248
 Leakey, M. D., xv, 1, 6, 8, 79, 182, 241, 248
 Le Double, A. F., 29
 Le Gros Clark, *see under* Clark
 Lesshaft, P., 75
 Lewis, A. B., 190, 247
 Lewontin, R. C., 84, 147, 250
 Lieutaud, J., 68
 Lindley, D. V., 84, 147, 248
 Lipton, S., 222, 245
 Lisowski, F. P., 75, 246
 Logan, W. H. G., 143, 248
 Long, W. M., 222, 245
 Lubosch, W., 37, 248
 McKown, T., 16, 248
 Manouvrier, L., 111, 248
 Marchand, F., 77, 248
 Martin, R., 11–14, 16, 60–1, 73, 81, 100–1,
 106–8, 110–11, 115, 125, 133, 135, 248
 Mason, R. J., 236–7, 248, 250
 Massler, M., 143, 248
 Matiegka, J., 67–8, 248
 Maxwell, J. H., 119, 248
 Mayr, E., 1, 224, 248
 Mednick, L. W., 89, 116, 248

INDEX OF PERSONS

- Miller, J. C. P., 84, 147, 248
 Montagu, M. F. A., 133–4, 248
 Moorrees, C. F. A., 133, 138, 144–5, 170,
 182, 190, 248
 Morant, G. M., 16, 219, 249
 Morris, H., 29
 Moss, M. L., 89, 249
 Musiker, R., 3, 249
 Napier, J. R., 1–2, 6, 221, 223–4, 231, 237–
 8, 241, 246, 248–9
 Negus, V., 131, 249
 Nikitiuk, B. A., 75, 249
 Oakley, K. P., xvi, 224, 231, 236–7, 249
 Oetteking, B., 32, 249
 Olivier, G., 133–4, 144, 249
 Oppenheimer, A., 138, 249
 O’Rahilly, R., 29
 Patterson, B., 231, 252
 Pearson, K., 15, 97–9, 247
 Pedersen, P. O., 145, 170, 249
 Petriková, E., 68–9, 249
 Petrovits, L., 36, 249
 Pfisster, H., 77, 249
 Pilbeam, D. R., 146, 169, 250
 Pittard, E., 11, 249
 Pycraft, W. P., 114, 249
 Radoievitch, S., 128, 249
 Randall, F. E., 80, 83, 249
 Raven, H. C., 119, 249
 Reed, R. B., 138, 248
 Remane, A., 145, 162, 168, 175, 185, 220,
 249
 Riesenfeld, A., 24, 249
 Robinson, J. T., xvi, 1–4, 9–10, 16, 18–19,
 21–4, 26–7, 31–2, 35, 41–4, 46, 51, 55,
 58, 60, 66, 78–80, 83–4, 92, 95, 98, 102,
 104–5, 109–10, 112, 114–16, 120, 128–9,
 132, 134–5, 137–8, 140–3, 145–6, 148–9,
 151, 153–5, 157–9, 162, 167–8, 173–85,
 187–8, 190–2, 194, 213, 217–18, 220–2,
 224–31, 233–4, 236–7, 240–2, 244–5,
 249–50
 Roe, A., 84, 147, 250
 Sartono, S., 94
 Sauter, M. R., 13, 16, 250
 Schaik, C. van, 122, 250
 Schepers, G. W. H., 4, 26, 33, 41, 49, 55,
 63–5, 67, 71, 78–9, 84, 88, 91–2, 94, 98,
 100, 102, 128–9, 177–8, 206, 245, 250
 Schour, I., 143, 248
 Schultz, A. H., 28, 61, 77–8, 80–1, 83, 86,
 112, 195, 219–20, 250
 Schwalbe, G., 54, 250
 Scott, J. H., 74–5, 120–1, 123, 204, 211,
 231, 250
 Seeds, A. E., 66, 252
 Sergi, S., xvi, 2, 118–19, 210, 250
 Shaw, J. C. M., 133, 135, 145, 151, 170,
 250
 Shdanov, D. A., 75
 Shear, M., 142, 250
 Sicher, H., 175, 184, 250
 Simonetta, A., 4, 250
 Simons, E. L., 146, 169, 243, 250
 Simpson, G. G., 1, 84, 147, 220, 224, 250
 Sollas, W. J., 49, 250
 Sonntag, C. F., 119, 250
 Spence, T. F., 77–8, 80–1, 204, 245
 Stewart, T. D., 29, 33, 250
 Stoll, N. R., 224, 250
 Straus, W. L., 78, 251
 Streeter, G. L., 70, 251
 Streit, H., 68
 Symons, N. B. B., 121, 211, 251
 Tildesley, M. L., 16, 222, 251
 Tobias, P. V., 1–2, 4, 6, 15–16, 77, 79, 81,
 84, 86–7, 89, 95, 106, 116, 178, 182, 219–
 21, 223–4, 231, 236, 237–9, 241, 248, 251
 Todd, T. W., 78, 251
 Trevor, J. C., xvi, 3, 15, 251
 Turner, W., 133, 251
 Twiesselmann, F., 73, 251
 Vallois, H. V., xvi, 73, 78, 80–2, 84, 220,
 245, 251
 Van Bork-Feltkamp, A. J., *see under* Bork-
 Feltkamp
 Van Reenen, J. F., 170–1, 251
 Van Riet Lowe, C., 236, 245
 Van Schaik, C., *see under* Schaik
 Vernieuwe, J., 68
 Vogel, C., 112, 251
 Von Bonin, *see under* Bonin
 Von Economo, *see under* Economo
 Von Koenigswald, *see under* Koenigswald
 Waggoner, R. W., 119, 248
 Wagner, K., 89, 97–8, 102, 251
 Waltner, J. G., 42, 68, 251
 Washburn, S. L., 60, 89, 95, 116, 122, 228–
 9, 231, 236, 248, 251–2
 Wegner, R. N., 126, 252
 Weidenreich, F., 4, 14–16, 28–35, 37, 39–
 40, 44–50, 53, 56–7, 59–60, 62, 72–6, 78,
 80–3, 91, 94–6, 98–104, 107–8, 110–11,
 116–18, 123–5, 127–8, 130–1, 133, 135–6,
 145, 154, 158, 163, 170, 178, 187–8, 193,
 196, 199–200, 204, 210, 252
 Weiner, J. S., 1, 59, 73, 224, 247, 252
 Weinert, H., 81, 98, 252
 Welcker, H., 77
 Wells, L. H., xvi
 Wiebes, J. T., 94
 Woo, J. K., 94, 168, 252
 Woodhall, B., 66, 68, 70, 252
 Wood Jones, F., 32, 252
 Zoja, L., 29
 Zuckerkandl, E., 184
 Zuckerman, S., 16, 18, 23–4, 36–7, 40, 43–
 4, 49–51, 74–5, 77, 122, 151–2, 161–2,
 168–9, 171, 173, 194–5, 197–8, 204, 245,
 252

INDEX OF SUBJECTS

- acrocephaly, 112
 adaptation, 228
 adaptive capacity, 86–7, 123
aditus ad antrum, 61
African
 great apes, 87, 105; *see also Gorilla, Pan*
Negroid crania, 58, 115, 202
age changes
 in brain size, 77–9, 204
 in condylar position index, 51
 in parietal thickness, 74, 204
age, individual, of *Zinjanthropus*, 74, 77, 121–2, 129
air cells
 ethmoidal, 109, 128–9, 208, 212
 mastoid, 61, 202
 of orbital plate of frontal, 108–9, 208
akanthion, 114
ala
 major *ossis sphenoidae*, *see under* sphenoid bone
 vomeris, 7, 129, 212
Aleut, teeth of, 154, 158, 163, 172
alisphenoid, 37–40, 54, 61–2, 197; *see also* sphenoid bone, greater wing
Alouatta, 112
alveolar
 point, *see* prosthion
 process, *see under* process
 profile angle, *see under* angle
 ridge, *see under* process
alveolare, 107, 114, 124
alveolus
 of canine, 137–8, 229
 of incisors, 137–8, 229
 of third molar, 122
American White, teeth of, 152, 154, 158, 163, 167, 171–3, 186, 216
Amerindian crania, 32–3, 35, 43
Anatomy Department
 Cape Town, 3
 Witwatersrand, 1–3, 66, 69, 77, 106, 120
Andamanese, teeth of, 170
ANGLE
 alveolar profile, 115–16, 209
 asterionic, of parietal bone, *see angle*, mastoid
 external orbital, 105–6
 facial profile, 115, 209
 floor/square, of anterior cranial fossa, 53
 mastoid, of parietal bone, 21, 54, 73, 201
 between nasal bones, 110, 208
 nasal profile, 115–16, 209
 nasion–basion–opisthion, 47–8, 199, 223
 opisthion–basion–prosphenion, 47, 199
 petro-median, 33–4, 57, 196, 223
 petro-tympanic, 33, 196
 pterionic, of temporal square, 54
 sphenoid, of parietal bone, 54, 200
angular torus, *see under* torus
anterior cranial fossa, *see under* fossa
anthropoid ape
 crania, 28, 30, 34, 37, 43, 46–8, 57–9, 107, 111, 113, 115, 125–6, 220; *and see* individual species
 teeth, 135, 188
Anthropoidea, 169, 238
antrum
 mastoid, 61, 202
 maxillary, *see under* sinus, air
ape-man, 4
aperture
 for aqueduct of cochlea, 57
 for aqueduct of vestibule, 57
 meatal, 31–3, 49, 196
 piriform, 7, 109–14, 208–9
apex of petrous pyramid, 57–8, 202
apophysis, supernumerary mastoid, 29
ARC
 coronal margin, 10–12
 lambdoid margin, 10–12
 nasomalar, 107
 occipital sagittal, 13, 193
 parietal sagittal, 10–13, 193
 temporal margin, 10–12
 total sagittal, 14
arcadal index (of Laing), *see under* index
arcade, dental, 132–8, 211, 223
arch
 dental, 132–8, 170, 213; dimensions, 132–4
 zygomatic, 8, 119, 121, 124–5, 210, 212, 229
AREA
 infra-orbital, 116–18
 interorbital, 106–9, 208
 naso-alveolar junction, 126
 naso-orbital, 128–9
 pterygomaxillary contact, 127
ARTERY
 anterior tympanic, 41–2
 descending palatine, 126
 greater palatine, 122
 infra-orbital, 117–18, 126
 maxillary, 42
 meningeal, accessory, 62, 202
 meningeal, middle, 54, 60, 62–3, 93–4, 203, 205
 occipital, 26, 29–30
 superficial temporal, 42
articular eminence, *see under* tubercle
articulation, glenoid, *see joint*, temporomandibular
asterion, 21–2, 72, 96
ASYMMETRY
 of attrition pattern, 19, 140–1, 213–14
 of canines, 177–9, 217
 of jaw function, 19, 140–1
 of nuchal crest, 22
 of occipitomastoid crest, 29
 of temporalis, 19–20, 140–1, 213–14
Atlanthropus mauritanicus, *see Homo erectus mauritanicus*
atlas, 27, 195
ATTRITION
 diet and, 141, 214, 227
 interproximal (interstitial), 138, 170
 occlusal, 139–42, 213–14, 227
 pattern of, 140–1, 213–14
 rate of, 227
auriculare, 30, 96, 103, 195
Australian
 crania, 17–18, 24, 32, 44, 51, 67, 73–4, 97–8, 170
 teeth, 133, 135–6, 151–4, 158, 163, 170–2
Australopithecinae, 1, 4, 223–4, 237–9
 crania, 35, 40, 43–4, 48, 61, 73–4, 76–9, 81–2, 84–5, 87, 91, 93, 95, 97, 99, 101, 105, 108, 115, 117–18, 128, 205, 207, 212
 teeth, 132, 136, 138, 141, 143, 146, 151–2, 168–9, 172, 184, 191, 213, 215, 221
Australopithecine
 ancestral, 241, 243
 gracile, 1, 79–80, 86, 204, 230, 240, 244
 robust, 1, 64, 70, 79–80, 123, 204, 224, 229, 240, 244
Australopithecus (as subgenus), 2, 219–20, 224, 231
 cranium, xv, 1, 9–16, 18–21, 33–5, 38, 42–50, 54–6, 59, 63, 65–6, 71–3, 78–80, 83, 88–92, 95–9, 101–5, 109, 112–17, 120–2, 130, 132, 193–9, 201, 204–11, 228–30
 teeth, 132, 135–40, 142, 145–9, 151–60, 162–9, 172–87, 189–92, 213–18, 220–1, 225–8
Australopithecus (as genus), 219–20, 222, 224, 231, 233, 236, 242
 definition, 223, 234
A. africanus, 45, 86–7, 146–7, 219, 231–2, 240–1, 243–4
 definition, 234–5
A. boisei, 223–4, 232, 235–7, 240–4
 definition, 235
A. robustus, 146–7, 231–2, 240–4
boisei, 224, *and see A. boisei*
crassidens, 24
 definition, 235
Axis
 basicranial, 46–7, 103
 biporial, 27, 63, 200, 203
 of petrous, 33–4, 57, 196, 223
 of pyramid, 33–4
 of tympanic plate, 33, 196
 vestibular, 14

INDEX OF SUBJECTS

- baboon, 75, 141, 239
Bantu
 crania, 32, 34, 37, 67, 69–70, 203
 teeth, 133, 135–6, 151–2, 154, 158, 163, 170–2
bare area
 of cranium, 20–1, 194
 of occipital bone, 21
basal line of face, 103, *and see length, nasion–basion*
basicranial axis, *see under axis*
basi-occipital, *see occipital bone, pars basilaris*
basion, 34, 46–7, 59, 96, 102–3, 129
 –inion length, 45
 –nasion length, 47, 96, 103, 116, 170, 199
 –opisthion length, 48, 199
 –prosthion length, 45, 107, 116
basis crani, 3, 8, 47, 103
basis crani externa, 26–42, 195–8
basis crani interna, 54–63, 202
 shortening of, 34–5, 103, 196–7, 199, 207, 223
 spheno-occipital part, 34–5
bicondylar breadth, *see under breadth*
bidental distances, 134, 137, 213
biglenoid breadth, *see under breadth*
Biometric School, 96, 101, 114, 220
biparietal fragment, 7
bipedalism, 238
biporial breadth, *see under breadth*
Birunga, 105
Boise Fund, xvi
bone tools, 238–40
Boskop calvaria, 95
boss
 frontal, *see tuber frontale*
 parietal, *see tuber parietale*
BRAIN
 –body weight ratio, 78, 86–7
 –case, expansion of, 18, 40, 75, 102, 204, 207; hafting of, 8, 19, 101, 124, 194, 206, 212, 230
 morphology, 18, 230
 quality, 229
 size, 78, 87, 229
 stem, 88–90, 205
 volume, 18, 78
 weight, 78
BREADTH
 arc, of occipital bone, 13
 arcadal, 133–4
 biasterionic, 13, 96, 101
 biauricular, 96, 99–101, 206
 bicondylar, 40, 198
 biglenoid, 40
 biorbital, external, 107; inner, 107
 biparietal (of endocast), 92
 biporial, 40
 bizygomatic, 107, 114, 124–5, 212
 of clivus, 96
 dental arch, 133–4
 ectomolar, 133–4, 136
 endomolar, 133–4, 136
 facial, superior, 107, 124–5, 212
 of foramen magnum, 60–1, 96
 –height index, *see under index*
 intercondylar, 40, 198
 intercrestal, 99
 interglenoid, 40
 interorbital, anterior, 107–8, 208; posterior, 107–8, 129, 208
 interporial, 96
 maxillary, 107, 113–14, 124, 212
 maxillo-alveolar, 132–5
 maximum, across supramastoid crests, 22, 96, 99, 101, 206; average, of calvaria, 100–1; bimastoid, 22, 96, 99, 206; biparietal, 96, 99–101, 206; cranial, 96, 99–100, 125; intercristal, 96, 99; of posterior cranial fossa, 55; on temporal squames, 96, 99–101, 206; supramastoid intercristal, 96, 100
 minimum frontal, 96, 100, 125, 206
 nasal, 110
 of nasal bones, greatest, 110, 208; inferior, 110, 208; least, 109–10, 208; superior, 110, 208
 palatal, 133–5
 rameal, 120–1, 211
 temporoparietal, 96, 100–1, 206
bregma, 24, 63, 101
 –lambda arc, *see arc, parietal sagittal*
British Council, xvi
British Museum (Natural History), 3, 59, 66, 120, 127
Broken Hill
 cranium, 16, 37, 45, 48, 60, 82, 95, 97–8, 111, 114–15, 117, 120, 123–4, 210–11
 teeth, 135–6
brow ridges, 29, 223, 230–1; *and see torus, supra-orbital*
buccolingual
 diameter, 3, 144–5, 151, 156–64, 166–7, 215–16, 220–1
 expansion, 117, 159, 162, 172–4, 179, 184, 190, 215–17
buccostyle, 183–5, 192
bulb, jugular, 65, 68–70, 203
Burmese crania, 16
Bushman
 crania, 27, 32, 58, 113, 209
 teeth, 136, 151–4, 158, 163, 171–2, 227
calcification of teeth, 141–3, 188
Callicebus, 112
calotte, 3, 8, 16, 24, 102
calvaria, 3, 8–10, 95–103, 206–7
 hafting of, 8, 19, 101, 124, 194, 206, 212, 230
 height of, 96, 230
 shape of, 9–10, 206
 thickness of, 72–6
calvariofacial
 indices, *see under index*
 part of *Zinjanthropus*, 7, 8
CANAL, CANALIS
 carotid, 33, 58, 60
 condylar, 27, 67
 greater palatine, 122
 hypoglossal, 27, 57, 202
 incisive, 112, 126
 infra-orbital, 113, 126
 medullary, 76
 pterygopalatine, 127
 for superior alveolar nerves, 127
canalculus
cochleae, 57
innominatus, 62
CANINE
 asymmetry, 177, 179, 217
 attrition, 139, 214, 223
 hypoplasia, 141
 metrical characters, 144, 147–57, 179, 214–15, 217, 225–6
 morphology, 177–9, 217
 –premolar ratios, 155–7, 179, 214–15, 217, 226
 root, 179
 shape index, 144, 147–50, 172–4, 179
Canis familiaris, 75
capacity, cranial, *see under cranial*
Carabelli's cusp or tubercle, 189–92, 218
caries, 142
Carnivora, 75, 237
cast, endocranial, *see under endocranial*
Catarrhini, 128
Caucasoid crania, 34, 58
Ceboidea, 49
Cebus, 142
cellulae
 ethmoidales, *see under air cells*
 mastoideae, *see under air cells*
Cercopithecus, 142
Cercopithecoidea, 49, 58, 77, 202
Cercopithecus, 58
CEREBELLAR
 arc of occipital bone, 13–15, 193
 chord of occipital bone, 13–15, 193
 index of occipital bone, 13, 15, 193
 indices, 92
cerebellum, 56, 88, 91, 205
 expansion of, 56, 70, 92, 201, 203, 205, 223
 hemispheres, 57, 65, 71, 88–90, 203, 205
CEREBRAL
 arc of occipital bone, 13–15, 193
 chord of occipital bone, 13–15, 193
 height-length index, 92
 hemisphere, 88, 205
 index of occipital bone, 13, 15, 193
 indices, 92
 ‘Rubicon’, 78, 84
 cerebrospinal fluid, 78
 cerebrum, 88, 230
Chellean man, *see Olduvai hominid 9*
chimpanzee, *see Pan*
 pygmy, *see Pan paniscus*
China, 10
Chinese crania, 32, 97
chipping of teeth, 141, 227
CHORD
 breadth of occipital bone, *see breadth, biasterionic*
 cerebellar, of occipital bone, 13–15, 193
 cerebral, of occipital bone, 13–15, 193
 coronal margin, 7, 10–12, 193
 index of occipital scales, 13–15, 193
 lambdoid margin, 10–13, 193
 occipital sagittal, 13, 15–16, 193–4
 parietal sagittal, 10–13, 193
 premolar–molar, 157–8, 170
 temporal margin, 10–12

INDEX OF SUBJECTS

- Choukoutien
 crania, 4, 16, 50, 62, 81, 94, 97, 99, 102, 104, 111, 130, 242
 teeth, 152, 154, 158, 163, 167, 172
and see Homo erectus pekinensis
 cingulum, 178, 184–6, 188–92, 218
 reduction of, 184, 189–92, 218
 clade, classification by, 244
 cladistic evolution, 240
 classification, 1, 4, 219
 clivus
 naso-alveolar, 112–14, 126, 209
 occipitosphenoid, 7, 57–8, 96, 202
Colobus, 58
 complex
 mastoid-supramastoid-auriculare, 100, 206
 supramastoid-auriculare, 100, 206
 components of cranial vault, 9–16
 compound temporal-nuchal crest, 21–5, 194–5
 concha, middle nasal, 128
 condylar position index, 17–18
 condyle, condylus, *see under* occipital bone
 confluence of sinuses, 67–9
 Copenhagen Congress, 222
CORONAL MARGIN of parietal, 10–13, 193
 arc, 11–12
 chord, 10–12
 index, 11, 13, 193
 cortical neurones, 86–7, 205
CRANIAL
 base, *see under* basis cranii
 capacity, 77–87, 204–5; of Australopithecinae, 78–87, 204–5; of *A. africanus*, 78–9, 204, 229–30; of *A. boisei*, 77–9, 204, 223, 229–30; of *A. robustus*, 79–80, 229–30; of *Gorilla*, 78, 80–5, 87, 94, 204; of *Homo erectus*, 78, 81–7, 94, 204–5; of *H. habilis*, 84, 205; of *H. sapiens*, 81, 85, 87; of Hylobatidae, 80–1, 84–5; of *Pan*, 81–5, 87, 204; of *Pongo*, 81–3, 85, 87, 204
 crests, *see under* crest
 craniogram
 lateral, 9, 17
 median sagittal, xv, 46
 occipital, 20
 vertical, 10
 cranium, 3
 reconstruction of, xv
CREST
 frontal, 53, 63, 200
 incisor, 112
 internal frontal, *see* crest, frontal
 mastoid, 28, 72
 nasal, 112, 114
 nuchal, 13–14, 16, 20–6, 43, 56, 73, 95, 193–5, 200, 204, 206, 223
 oblique, of molars, 183, 185, 187
 occipital, external, 26, 45; internal, 55, 69–70, 201
 occipitomastoid, 22, 29–30, 73, 195
 petrous, 30
 sagittal, 1, 7, 17–21, 49, 53, 73–4, 194, 204, 223, 229
 supramastoid, 22–3, 28, 30–1, 195, 223
 temporal, 7, 19–25, 28, 73, 104–6, 194–5, 207
 transverse, of tympanic plate, 30
 trigon, of molars, 183, 187; anterior, of molars, 183
crista
 galli, 128
nasalis, *see under* crest
Sylvii, 54, 200–1
Cromerian fauna, 233
 crowding of teeth, 138, 213
crown
 area, 144–5, 152, 154–9, 163, 165, 167, 169, 184, 187, 214–16, 218
 height, 145, 189–90
 shape, 144, 146–50, 172–4, 184
 cruciate eminence, 55–6, 64, 67, 69, 201
 sagittal limb, 53, 55–6, 59, 65, 201
 transverse limb, 55, 64
C.S.I.R. (S. Africa), xvi
 cultural capacity, 219, 236–40
 culture
 Oldowan, 236–7
 Osteodontokeratic, 238–40
 pre-Chelles-Acheul, 236
 curvature
 of cranial vault, 9–10, 193
 of occipital bone, 13, 15–16, 193–4
 of parietal bone, 10–13, 193
 curve of Spee, 141, 170
Cusp
 buccal (of premolars), 139–40, 179–81, 217
 Carabelli, 189–92, 218
 distoconule, 185, 187
 double metaconulus, 183, 187
 hypocone (distolingual), 140, 183, 185–7, 192
 lingual (of premolars), 139–40, 179–81, 217
 metacone (distobuccal), 140, 183, 185, 187
 paracone (mesiobuccal), 140, 181, 183, 187, 189
 paramolar, 183–5, 192
 protocone (mesiolingual), 140, 182–3, 186–7, 189, 191
 cusplet, accessory distal (of canine), 177–9, 217
DEFINITIONS
 of australopithecine taxa, 234–5
 of dental measurements, 144–5
 of dental arcade measurements, 132–4
 of maxillo-alveolar measurements, 132–4
 of palatal measurements, 133–4
 deformation of cranium, 43
DENTAL
 age, 77, 190, 211
 arcade, 132–8, 213
 eruption, 130, 190
 size, 36, 144–69, 170–1, 214–16; categories, 170–1
 terminology, 3
 dentine, exposure of, 139–40
 dentition, 3, 132–92, 213–18, 220–1, 225–8
 development
 of condyle, 27
 of nuchal crest, 23–5, 51, 195
 of sagittal crest, 21, 24–5, 195
 of tympanic bone, 31, 196
 diagnosis, 1, 9, 28, 30, 74, 105, 108–10, 116, 119, 126, 155, 223, 234–5
 diameters
 buccolingual, 3, *and see under* bucco-lingual
 labiolingual, 3, *and see under* labio-lingual
 mesiodistal, 3, *and see under* mesiodistal
 diastema, absence of, 132, 138, 213, 223
 diet of *Zinjanthropus*, 141, 227
 dietary hypothesis, 225–8, 231
 discovery of *Zinjanthropus*, 1
 displacement of teeth, 117, 138, 181, 213, 217
 distance
 basion-hormion, 34–5, 96, 196–7, 223
 endobasion-klilion, 96
 inion-internal occipital protuberance, 96
 opisthion-klilion, 96
 diverticula
 of frontal sinus, 127–8, 212
 of maxillary sinus, *see under* recess
 Djets, 242
 dorsum sellae, 7, 47, 55, 58–9, 61, 202, 223
Dryopithecus, 146, 169, 216
 Duckworth Laboratory, 15
 duct, nasolacrimal, 108, 127
 dura mater, 53, 58, 78
 ecology, 2, 225, 228, 231, 238
 ectobasion, 27, 46, 59, 60
 Egyptian crania, 97–8
 Ehringsdorf cranium, 98, 129
 ektocochlion, 107
 ektomolare, 133–5
 elongation
 of face, 1, 107, 113, 124, 200, 208–9, 212, 223
 of nose, 111, 208
EMINENCE, EMINENTIA
 arcuate, 60, 202
 articular, *see* tubercle, articular
 cruciate, *see under* cruciate
 cruciform, *see under* cruciate
 gingival, 175–7, 217
 emissary vein, *see under* vein
 enamel, state of, 139, 141–3, 214
 encephalometric constants, 92–3
 features, 92–3, 205
 encephaloscopic features, 87–91, 205–6
 endobasion, 48, 96
ENDOCRANIAL
 cast, endocast, 8, 77–94, 205–6; of australopithecines, 3, 64–5, 77, 88–94; of cercopithecoids, 77; of hominines, 3, 67, 77; of pongids, 3, 53, 71, 77, 88–91, 200; of *Zinjanthropus*, 77–94, 203, 205–6
 dimensions, 92, 205
 form, 88–91, 205
 surface, of frontal bone, 7, 53–4, 200; of occipital bone, 55–7, 64–5; of parietal

INDEX OF SUBJECTS

- ENDOCRANIAL (cont.)**
- bone, 54, 200–1; of sphenoid bone, 61–3; of temporal bones, 57, 60
 - volume, *see* cranial capacity
- endomolare, 133–5
- English crania, 16–18, 44, 51, 136
- entoglenoid process, *see under* process
- erect posture, 45, 238
- eruption of teeth, 130, 190
- Eskimo
- crania, 24, 33
 - teeth, 154, 158, 163, 167, 171–2
- ethmoid
- air cells, 109
 - bone, 7, 109, 128
 - orbital plate, 109
- European crania, 33–5, 45, 73
- euryon, 95, 99
- excess (extra) neurones, *see under* neurones
- exoccipital, *see* occipital bone, pars lateralis
- extensors of head, 45, 51–2
- FACE, 104–25, 207–11**
- breadth of, 107, 124, 209
 - elongation of, 107, 124, 200, 208–9, 212, 223
 - enlargement of, 113–14, 209
 - flatness of, 115, 117, 138, 213
 - height of, 107, 212
 - verticalising of, 124, 212
- facial
- dimensions, 107, 123–5, 212
 - indices, upper, 107, 212
 - skeleton, 3, 229
- FACIES**
- anterior partis petrosae, 60
 - cerebralis ossis sphenoidei, 61–3
 - inferior partis petrosae, 33–4
 - infratemporalis ossis sphenoidei, 37, 197
 - lateralis ossis zygomatici, 7, 123, 211–12
 - malaris ossis zygomatici, *see* facies lateralis
 - orbitalis ossis frontalis, 7, 55, 108
 - posterior partis petrosae, 57, 201–2
 - falx cerebri, 53, 67, 70, 200
- Felis domesticata*, 75
- femur, 76
- fenestra
- cochleae, 61
 - vestibuli, 61
- fibula from Bed I, 6
- field concept, 182
- FISSURE, FISSURA**
- Glaserian, *see* fissure, petrotympanic
 - horizontal, of cerebellum, 56, 88
 - orbital, superior, 37, 197
 - parieto-occipital (of cerebrum), 91
 - petro-occipital, 58, 202
 - petrosquamous, 60, 62
 - petrotympanic, 30, 41–2
 - pterygomaxillary, 127
 - squamotympanic, *see* fissure, tympanosquamous
 - tympanosquamous, 30, 41–2
- Flower's
- dental index, 170, 216
 - gnathic index, 103, 116, 209
- FORAMEN
- caecum, 53, 200
 - carotid, *see under* canal
 - of Huschke, 32, 196
 - incisive, 122, 211
 - infra-orbital, 113, 116–17, 126–7, 209–10
 - jugular, 64–5, 67–8, 70
 - lacerum, 58
 - magnum, 27, 45–8, 57, 59–61, 67, 89, 199, 202; dimensions, 60, 202; L/B index, 60, 202; plane, 43, 47–8, 199, 223; position index, 45–7, 199; shape, 59–60, 202; tilt, 47, 199
 - mastoideum, 28, 68
 - occipital, *see* foramen magnum
 - optic, 55
 - ovale, 38–40, 42, 61–2, 129, 198, 202
 - palatine, greater, 122
 - postcondylar, 27
 - postglenoid, 42
 - rotundum, 62
 - spinous, 38–40, 61–2, 197–8, 203
 - 'spurious jugular', 42
 - squamosal, 42
 - of styloid process, 29, 195
 - stylomastoid, 29, 33, 195–6
 - of Vesalius, 61
- forehead, 101, 104, 206–7, 230–1
- formation
- of enamel, 142–3, 188
 - pterygoid, *see under* sphenoid
- FOSSA**
- canine, 116–19, 210
 - cerebellar, 55–6, 67, 201
 - cerebral, 55–6, 65, 67, 201
 - condylar, 27, 195
 - cranii anterior, 53, 55, 128, 200
 - cranii media, 54–5, 60–3, 129, 202–3
 - cranii posterior, 54–9, 71, 201, 203
 - digastric, *see* incisura mastoidea
 - glenoid, *see* fossa, mandibular
 - hypophyseal, 7, 55, 58, 77, 202
 - incisive, 112, 114, 122
 - infratemporal, 37, 39
 - jugular, 33
 - lingual, of incisor teeth, 175–6
 - mandibular, 35–42, 197–8, 223; anterior wall, 37, 197, 223; dimensions, 35–6, 197; posterior recess, 41; posterior wall, 30, 40–1, 198, 223
 - masseteric, 120
 - parieto-occipital, 55
 - posterior cerebral, *see* fossa, cerebral
 - prenasal, praenasalis, 11–14, 116, 209
 - pterygoid, 42, 198
 - pterygopalatine, *see* fossa, pterygoid
 - subarcuate, 57
 - subnasal, 113, 209
 - temporal, 128, 229
 - vermian (vermiform), 55, 59
 - fossula vermicana, *see under* fossa
 - fovea
 - anterior, of cheek-teeth, 183, 187
 - central, of molars, 183, 185, 187
 - posterior, of cheek-teeth, 181, 183, 185, 187
 - fractures of teeth, 140, 227
 - Frenchman, cranium of, 58, 71
- FRONTAL BONE, 7, 19, 53–5, 108**
- air cells, 108–9
 - endocranial surface, 7, 53–4
 - pars orbitalis, 7, 55, 108
 - pars nasalis, 7
 - squame, 7, 19, 127–8
 - temporal surface, 7–8
- frontal lobe, of brain, *see under* lobe
- frontomalar
- orbital, 107
 - temporale, 107, 124
- frontotemporale, 96
- furthest occipital point, *see* opistocranion
- galea aponeurotica, 20
- Galilee cranium, 129
- ganglion, semilunar, 62
- Garusi, 146, 158, 237, 242
- Gasserian ganglion, *see* ganglion, semi-lunar
- gibbon crania, 18, 21, 58, 81, 84–5, 220
- Gibraltar cranium, 60, 98, 124
- Gigantopithecus*, 79, 116, 144, 168–9, 187, 214, 216, 218
- glabella, 8, 19, 45, 95, 103, 106, 109–10, 199, 208
- Glaserian fissure, *see* fissure, petrotympanic
- glenoid fossa, *see* fossa, mandibular
- gnathic index (of Flower), *see under* index
- gnathism, 34; *and see* orthognathism, prognathism
- Gorilla**
- crania, 12, 14–18, 20–1, 26, 28, 30, 33–6, 38–40, 44, 46–7, 49, 51, 54–5, 57–8, 60–1, 63, 67, 71–5, 77, 79–90, 94, 105–6, 118–21, 126–30, 195, 197–200, 202, 205, 210–12, 219
 - teeth, 135–6, 142, 151–2, 154, 158–9, 161–3, 168–74, 215–16
- grade, evolutionary, 244
- Grimaldi cranium, 136
- grooves
- Carabelli, 183, 186
 - for sinuses, *see under* sinus, venous
- GROWTH**
- of air sinuses, 127–31
 - of brain, 77–80
 - of brow-ridges, 230–1
 - of cranium, 14–15, 51, 74–5
 - of facial skeleton, 51, 130
 - lateral, of cerebrum, 92, 205
 - of mandibular fossa, 36, 39–40
 - of mastoid process, 28
- Guamanian crania, 32
- gyri, 87
- gyrus, frontal
- inferior, 54, 87–8, 205
 - middle, 54, 87, 205
 - superior, 54, 87, 205
- hafting
- of calvaria, 8, 19, 101, 124, 194, 206, 212, 230
 - of malars, 117, 210
- half-men, 4
- Hawaiian crania, 32
- head-balancing index (of Dart), 45

INDEX OF SUBJECTS

- Heidelberg mandible, *see* Mauer
HEIGHT
 alveolar, 107, 113–14, 124
 auricular, 96, 102–3
 basibregmatic, 96, 101–3, 206
 of calvaria, 16, 96, 101–3
 of cerebrum, 92; increase in, 92–3
 facial, superior, 107, 124
 of lambda, 96
 maximum, above basion, 96; above
 Frankfurt horizontal, 96; of sagittal
 crest, 96; of temporal squame, 96
 of mental aperture, 33
 nasal, 110
 of nuchal area, 96
 orbital, 107
 orbito-alveolar, 107, 113–14, 124
 of piriform aperture, 110
Hemanthropus, 4, 183, 219
 heteromorphism, *see under* premolars
Hominidae, 4, 78, 149, 169, 184, 191, 223–4
Homininae, 4, 224, 241
 crania, 16, 18, 35–6, 47, 49, 54–5, 63, 73,
 76–7, 88, 91, 106, 108–9, 115–16, 120,
 122, 124, 194–9, 205, 207–8, 212
 teeth, 132, 141, 143, 151–3, 169, 172,
 182, 213, 216
 hominisation
 behavioural, 228, 238, 244
 morphological, 40, 47, 49, 87, 101–2,
 207, 238, 240–1, 243–4
Hominoidea, 4, 58, 85, 127, 134–5, 152, 202
Homo, 4, 136, 244
africanus boisei, 224
erectus, 4, 237, 239–40, 244; crania, 10–
 16, 32, 36, 47, 50, 59, 73, 76–7, 81–5,
 87–8, 93–5, 97, 99–100, 104, 114, 120,
 193, 201, 204–7, 223; teeth, 147–9,
 152–4, 158, 163, 172–3, 214, 222
erectus erectus, 4, 242–3; crania, 10–14,
 28, 35, 46, 50, 60, 73–5, 81, 84, 91, 94,
 96–8, 102–3, 127–9, 195; teeth, 135,
 154, 159–60, 164–5, 167, 170
erectus mauritanicus, 4, 73–4, 147–8
erectus pekinensis, 4; crania, 10–15, 27–
 36, 38–9, 46, 48–50, 53–4, 56–7, 60,
 62–3, 65–6, 72–6, 81–2, 84, 91, 94,
 96–9, 103–4, 106–8, 111, 114–15, 117–
 18, 123–5, 127–30, 195–7, 200–1, 203–
 4, 207–11; teeth, 135–6, 147, 151–2,
 159–60, 164–5, 167, 170–1, 175, 178
habilis, 6, 84, 87, 104, 205, 221–3, 236–8,
 241–4
neanderthalensis, 82
sapiens, 36, 50, 79, 85, 87–8, 97, 200,
 205, 207, 222, 244
sapiens neanderthalensis, 88, 243
sapiens sapiens, 98, 136, 172, 243; *and*
 see modern man
sapiens soloensis, 49, 82
Hopefield cranium, 82, 97–8
 horizontal occipital length, *see under* length
 hormion, 34, 96
 Huschke, foramen of, *see under* foramen
 hyaena, 238
Hylobates, 142; *and see* gibbon
Hylobatidae, 80–1, 191, 220
 hyperorthognathism, 115–16, 209
 hyperprognathism, 34, 115–16, 209
 hypodigm, 220–1, 223–4, 233
 hypoplasia of enamel, 141–3, 214, 218, 227
 implemental
 activities, 236–40
 frontier, 239–40
 impression
 masseteric, 119–21, 210–11
 trigeminal, 60, 202
 impressions
 digitatae, 54, 56, 87–8, 205
 gyrorum, *see* impressiones digitatae
INCISORS
 attrition, 139
 central (medial, first), 144, 175, 214, 217
 crown area ratio, 152, 214, 217
 hypoplasia, 141–2, 214
 lateral (second), 144, 175–7, 214, 217
 metrical characters, 144, 147–52, 176–7,
 214, 225–6
 module ratio, 151–2, 214, 217
 morphology, 175–7, 217
 roots, 176, 217
 shape index, 144, 147–50
INCISURA
 jugularis, 64–5
 malaris, 117–19, 210
 mastoidea, 29–30, 195
 supra-orbitalis, 105
 inclination angle
 of foramen magnum, 47, 199
 of planum nuchale, 23, 43, 198
 incurvatio inframalaris frontalis, 118, 210
INDEX
 altitudinal, 101–2, 206
 arcadal (of Laing), 133–4, 136, 213
 auricular height/breadth, 101, 103, 207
 bifrontal/biparietal (of endocast), 100
 breadth/height (of calvaria), 101–2, 206–
 7
 breadth/length (of nasal bones), 111
 calvariofacial, length, 125, 212; width,
 125, 212
 cerebral height/length, 102, 206
 condylar position, 17–18, 45, 49–52, 200,
 223
 cranial, 101
 craniofacial, longitudinal, 125; trans-
 verse, 125
 depth/breadth, of mandibular fossa, 35–
 6, 196
 depth/length, of mandibular fossa, 35–6,
 196
 Flower's dental, 170, 216; gnathic, 103,
 116, 209
 foramen magnum, L/B, 60–1, 202
 frontobiorbital, 125
 frontoparietal, transverse, 100–1, 206
 horizontal occipital length, 45–7, 199
 inion-opisthion curvature, 13–15, 193
 interglenoid/biglenoid, 40, 198
 interglenoid/biporial, 40, 198
 interorbital, 107
 length/breadth, of mandibular fossa,
 35–6, 197
 length/breadth, of occipital squama, 13–
 14
 maxillo-alveolar, 132–6, 213
 molar/rameal, 120–1, 211
 nasal, 111, 208
 of nasal aperture, 111, 208
 nasion-basion length, 101, 207
 nasomalar, 107
 nuchal area height, 17–18, 22, 43–4, 198
 occipital length, 45–7, 101, 199, 223
 occipital sagittal, 13, 15–16, 193–4
 occipitoparietal arc, 14
 orbital, 106–7, 207–8
 palatal, 133–6, 213
 parieto-occipital, transverse, 101, 206
 porion position, height, 48–9, 103, 200;
 length, 48, 199–200
 of relative usefulness, 222–3
 shape, of teeth, 144, 146–50, 172–4, 216–
 17, 221–2
 spheno-occipital, 34, 196–7, 223
 supra-orbital height, 17–19, 194, 230
 superior facial, 107, 114, 124, 209, 212
 of tapering (of dental arcade), 134, 213
 torocranial, 97–9, 206
 upper facial, *see* index, superior facial
 vertical, 101–2
 zygomaticofrontal, 125
 zygomaticomaxillary, 107, 114, 124, 209
 zygomatico-suprafacial, 107, 124
Indonesian crania, *see* *Homo erectus erector*
tus
 infantile pattern of venous sinuses, 70, 203
 inion, 8, 14, 20, 56, 95–6, 193, 199
 –internal occipital protuberance dis-
 tance, 56, 201
 –opisthion dimensions, 13–15, 193
 position of, 43–5, 199
 Institut de Paléontologie Humaine (Paris),
 3
 intercondylar distance, *see* breadth, inter-
 condylar
 interglenoid distance, *see* breadth, inter-
 glenoid
 ischium, 231
 Japanese, teeth of, 154, 158, 163, 167
Java man, *see* *Homo erectus erector*
 joint
 exoccipital/supra-occipital, 66
 intra-occipital, 66
 temporomandibular, 30
 juga alveolaria, 117, 210
 of canine, 116–18, 210
Kenyapithecus wickeri, 243
 klition, 47, 96, 199
Krapina crania, 68, 111
Kromdraai, 4, 220, 225, 233, 237, 240, 242
 crania, 28, 31, 35, 37, 39–41, 49, 54, 61,
 63–5, 72–3, 79, 84, 94, 109, 113–14,
 116, 118, 122–3, 130, 139, 201, 203,
 206, 211
 teeth, 135, 146, 158, 163, 168, 173, 221
 labiolingual diameter, 3, 144–5, 147–51,
 153–4, 214–15
La Chapelle-aux-Saints cranium, 37, 48,
 98, 118, 124, 135–6
 lacrimal bone, 7, 108, 127–8

INDEX OF SUBJECTS

- lacrimale, lacrimal point, 107–9, 129, 208
 lambda, 7, 21, 55–6, 66, 93, 96
 lambda-inion
 dimensions, 13–16, 193
 curvature index, 13, 15–16, 193
 lambda-internal occipital protuberance
 distance, 56, 201
LAMINA
 externa (of calvaria), 54, 74, 128
 horizontalis ossis palatini, 122
 interna (of calvaria), 54, 74, 128
 lateralis processus pterygoidei, 7–9, 42, 229
 medialis processus pterygoidei, 42
 orbitalis ossis ethmoidei, 109
Lantian cranium, 94, 242
Lapp crania, 97–8
lateral occipital, *see under* occipital bone
LENGTH
 basion-opisthion, 48, 199
 cerebellar, 92
 cerebello-temporal, 92
 cerebral, 92, 95, 97
 cranio-basal, *see length*, nasion-basion
 dental arch, 133–4
 facial, lateral, 107; superior, 107
 of foramen magnum, 60–1, 96, 202
 glabella-opisthocranion, 95, 206
 horizontal occipital, 45–6, 199
 maxillo-alveolar, 132–5, 213
 maximum arcadal, 133–4
 maximum cranial, external, 8, 95–8, 206;
 internal, 95, 97–8
 of nasal bones, 110, 208
 nasion-basion, 47, 96, 103, 116, 170, 199
 nasion-opisthion, 47–8, 96, 199
 palatal, 133–6
 prosthion-inion, 96
 torocristal, 97–9, 206
Léopoldville Congress, 1–2
ligament of apex of dens, 27
ligamentum nuchae, 45, 199
limb-bones, 76
limen coronale, 54
Limnopithecus macinnesi, 169
LINE
 basal, of face, 103
 cervical, 178–81, 183–6, 189
 nuchal, inferior, 26; superior, 21–6, 43, 194–5
 temporal, 19–21, 194; inferior, 21–5, 28, 104, 194–5
lingula, of greater wing, 61
Livingstone Congress, 236
lobe
 frontal, 88, 93, 101
 occipital, 55, 93, 201
 parietal, 91, 93, 205
 temporal, 63, 77, 93, 203
lobuli semilunares, 56
lobulus biventer, 57
lower scale
 of occipital, 13–15, 193
 preponderance, 14–15, 193
lumping (in classification), 219
Luschka, sinus of, *see under* sinus, venous
- macrodontic hominids, 243
Makapansgat, 4, 225, 236–9, 242, 244
 crania, 9–11, 13–14, 18, 20–1, 23–4, 27, 29–35, 37–9, 43, 55–6, 61, 65, 79, 84, 96, 100–2, 109–11, 113, 117, 122, 130, 193–4, 196–7, 201, 206, 229
 teeth, 137, 146, 148, 151, 153–4, 156, 158, 163, 177–8, 184–5, 221, 227
mandibular
 head, 36, 197
 ramus, 120–1, 211
Maori crania, 97–8
MARGIN, MARGO
 frontal, of parietal bone, 7, 11, 193
 lambdoid, of parietal bone, 7, 10–13, 54, 99, 193, 201
 occipital, of parietal bone, 10–13, 193
 orbital, 104–6
 of piriform aperture, 111
 sagittal, of parietal bone, 193
 squamosal, of parietal bone, 7, 10–13, 54, 201
 superior, of petrosal part, 57, 201
 supra-orbital, 104–5
 temporal, of parietal bone, *see under* margin, squamosal
masseter, *see under* muscle
masseteric hypertrophy, 119
massiveness
 of cranium, 1, 204
 of face, 1, 103, 207
 of jaws, 130, 204
 of teeth, 130, 144, 204, 214
mastication, 36, 140–1, 211, 214, 227
masticatory apparatus, 123
mastoid
 notch, *see under* incisura
 part of temporal bone, 7, 22, 26, 61, 72, 99, 130, 202
 process, 22, 26, 28–33, 72, 99, 130, 195–6, 206, 223
mastoideale, 96
Mauer mandible, 120–1, 147, 242
MAXILLA, 113–18, 209, 223
 alveolar process, 6, 113, 118, 211
 body of, 113, 116, 210
 dimensions, 107, 113–14, 209
 extension type, 118–19, 210
 frontal process of, 108, 111, 113, 116
 inflection type, 118–19, 210
 infratemporal surface, 6, 8
 nasal crest, 6
 nasal surface, 7
 orbital surface, 7
 palatine process of, 6, 113, 122
 subnasal part, 6, 209
 tuberosities, 6, 8, 42, 113, 126–7, 132, 134
 zygomatic process of, 6, 113, 116–19, 121, 210
maxillary
 antrum, *see under* sinus
 sinus, *see under* sinus
maxillo
 –alveolar dimensions, 132–5, 213; index, 132, 213
 –facial fragment, 6
 –frontale, 106–8, 208
- meatus acusticus**
 externus, 28, 40–1, 61, 195, 223
 internus, 57
medulla
 oblongata, 88
 spinalis, 88
megadontic hominids, 243
Meganthropus, 4, 219, 242
 [*africanus*](#), *see Garusi*
 [*palaeojavanicus*](#), 159, 243
Melanesian
 crania, 24
 teeth, 170
meningeal vascular markings, 93–4, 205–6
mesiodistal diameter, 3, 144–5, 151, 153–67, 170–1, 214–16, 221
microcephalic cranium, 24
middle ear, 61, 202
migration of muscles, 15, 74–5, 121–2, 211
Miocene hominoids, 169, 243
modelling of cranium, 52
MODERN MAN
 crania, 11–18, 24, 27, 29–32, 35, 37–9, 41, 46–9, 54, 56–64, 66, 68, 70, 72–4, 77–8, 85, 93, 97, 101–3, 106–8, 111, 115, 123, 125, 127, 130, 195–7, 201–3, 206, 219; of Africa, 16; of Europe, 16, 73–4, 111
 teeth, 135–6, 143
module of teeth, 145, 147–59, 163–5, 167–8, 184, 187, 214–16
MOLARS
 lower, 220–1, 226
 upper, 140, 142, 144, 162–9, 172–4, 182–92, 215–16, 218, 220–1; attrition, 140, 186; cusp pattern, 182–3, 185, 187–8, 190, 218; first, 162–5, 182–4, 218; fissures, 182–3, 185–7; hypoplasia, 142, 188, 214; metrical characters, 144, 147–51, 154–5, 157–8, 160–9, 184, 186–7, 190, 215–16, 218, 226; morphology, 182–90, 218; ratio to dental chord, 165–6, 216; reduction of M3, 166–9, 190, 216, 218; relative size, 1, 162, 166–9, 171, 190, 216, 218; roots, 184, 186, 188–90, 218; second, 163–5, 185–7, 218; shape, 144, 147–50, 172–4, 184, 186–7, 216–17; third, 164–6, 187–90, 218
Monaco Congress, 132–3
Monte Circeo cranium, 118
Montmaurin mandible, 147, 242
Moravian crania, 67
morphogenesis of calvaria, 89; *and see under* ontogeny
Moscow Congress, 2
mouth, roof of, 126
MUSCLE, MUSCUS
 longus capitis, 27, 59
 massetericus, 119–22, 210–11, 229
 obliquus capitis superior, 26, 30
 occipitofrontalis, 20
 pterygoideus, lateralis, 42, 229; medialis, 42, 122, 229
 rectus capitis, anterior, 27; lateralis, 27; posterior major, 26; minor, 26
 semispinalis capitis, 26

INDEX OF SUBJECTS

MUSCLE, MUSCULUS (cont.)

splenius capitis, 26, 45
temporalis, 19, 22–5, 74–5, 105–6, 108, 122, 125, 140–1, 194, 204, 207–8, 214, 229–31
trapezius, 45, 199

MUSCLES

extensor, 45, 51–2
masticatory, 121–2, 130, 210, 231; adjustments, 121–2, 211
migration of, 15, 74–5, 121–2, 211
nuchal, 15, 17, 22–3, 25, 43, 45, 51–2, 130, 193, 195, 198
muscularity of *Zinjanthropus*, 23, 44–5
Musée de l'Homme (Paris), 3
Mustela furo, 75

NASAL

bone, 7, 108–11, 208
breadth, 109–10, 208
bridge, 110
cavity, 112–13
dimensions, 109–11, 208
floor, 111–15, 126, 208
height, 110, 208
index, 110–11, 208
region, 115
roof, 111, 208
spine, anterior, 112–14, 208, 223; posterior, 122

NASION, 45–6, 96, 103, 107, 109, 115–16, 124, 127, 208–9
–alveolare height, 107, 124
–basion distance, 48, 199
–nasospinal line, 110, 115
–opisthion base-line, 45–6, 103, 199–200, 207; distance, 47–8, 96, 199

–prosthion line, 115
nasospinal, 107, 114–15
–alveolare line, 107, 114
–prosthion line, 107, 114–15

National Geographic Society, xvi

National Museum of Kenya (Nairobi), 3, 58, 66–7, 71, 120

Natron, *see* Peninj

Neandertal calotte, 68, 98

Neandertaloid crania, 29, 46, 48–9, 60, 64, 73–4, 82, 93, 95, 97–8, 101–3, 111, 115, 118, 124, 210, 219
of Africa, 16, 98, 206
of Europe, 16, 97–8, 206

near-men, 4

Negro, Negroid crania, 34, 55

NERVE(s)

cranial, 78
infra-orbital, 117–18, 126
palatine, anterior, 126; greater, 122
superior alveolar, 127

trigeminal, 62, 202

neurocranium, 101

neurones

cortical, 86–7, 205
excess, 86–7, 205, 238

New Caledonian crania, 35–6

New World monkeys, 188, 220

New York Congress, 3

Ngandong crania, 48, 82, 83; *see also* Solo man

nomenclature

anatomical, 3
systematic, 4

Nomina Anatomica, 3

NORMA

basalis, 88–90
dorsalis (of endocast), 90–1
facialis, 105, 112
lateralis (of cranium), 9; (of endocast), 89, 91
occipitalis, 20
ventralis (of endocast), 88–90
verticalis, 10, 115, 193

Norwegian crania, 97–8

nose, 109–13, 208–9

NOTCH

frontotemporal, of brain, 91
jugular, 64–5
mastoid, 29–30, 195
supra-orbital, 105
Sylvian, *see* notch, frontotemporal
nuchal
area height index, 17–18, 22, 43–4, 198, 223
crest, *see under* crest
muscles, 15, 17, 22–3, 25, 43, 45, 51–2, 130, 193, 195, 198

Obercassel crania, 68

OCCIPITAL

bone, 14–16, 26–7; pars basilaris, 7, 58–60, 129, 202, 212; pars condylaris, *see* pars lateralis; pars lateralis, 7, 26–7, 59, 64, 66; pars superior, 66
cartilaginous, 14–15
condyles, 27, 36, 45, 49–52, 59, 195, 200, 223

curvature, 13, 15–16, 193–4

index, 13, 15–16, 193–4

membranous, 14–15

metrical characters, 13–16, 193

preponderance, 14, 193
sagittal curvature, 13, 15–16, 193; dimensions, 13–16, 193

squama, 14–16, 21, 54–6, 195

occipitoparietal

arc index, 14, 193

parity, 14

occipitosphenoid fragment, 7

occlusal plane, *see under* plane

occlusion, 36, 140–1, 213–14

centric, 140–1, 214

odontofacial adjustment, 117

Olduvai, 1, 2, 6, 146, 231–3, 236–9, 242

hominid 9, 4, 60, 73, 81, 83, 94, 98

Old World monkeys, 220

omnivorous hominids, 225

ontogeny

of cranium, 28, 89, 130–1, 231

of temporal crests, 24–5

of venous sinuses, 70–1

opisthion, 45–7, 50, 55–6, 64, 96, 199, 201

opisthion–internal occipital protuberance

distance, 56, 201

opithocranion, 8, 44–7, 50, 95

orale, 133–6

orang-utan, *see* *Pongo*

orbit, 106–9, 128, 207, 230

orbital

indices, 107, 207–8

margin, 105, 108, 113, 126, 209

measurements, 106–8

orbitale, 17

orthognathism, 34, 138, 196

os coxae, 231

ossicle, sutural (Wormian), 21

ossific centres of tympanic bone, 31–2, 196

ossification of crest, 75

palatal

dimensions, 132–3, 211, 213

index, 133, 213

palate, 122–3, 126, 132, 211, 213, 229

depth, 122, 211

shelving of, 122, 211

palatine bone, 42, 122, 198

palatometer, 122

Palestinian Neandertal crania, 97

Pan

crania, 12, 14, 17–21, 26, 28, 30, 33–6, 38–9, 41, 44, 49–51, 54, 58–61, 63, 67, 71, 73, 77, 79, 81–5, 87–90, 94, 106, 112–13, 117–18, 120, 126, 195–6, 202, 205, 208, 211, 219, 242

teeth, 135–6, 142, 153–4, 158–9, 161–

3, 168–70, 172–3, 192, 214–16

paniscus, 44, 49, 58, 60, 67

Papio, 142paranasal sinuses, *see* sinus, air

Paranthropus, 1, 2, 219–20, 224, 231, 241; cranium, 9–10, 16, 21, 27–31, 33, 35, 38, 40–1, 43–4, 49, 54, 61, 63–6, 70, 72–3, 78–80, 83, 95–6, 104–18, 120–2, 126, 128, 130, 193–5, 197, 201–3, 206–13, 228–30; teeth, 135–40, 142, 144–60, 162–9, 172–87, 189–92, 213–18, 225–8

boisei, 2, 224, 233; *see also* *Australopithecus boisei*, *Zinjanthropus*

crassidens, 109, 214, 224, 229; *see also* *A. robustus crassidens*

robustus, 33, 65, 94; *see also* *A. robustus*

PARIETAL

bone, 10–14, 204; dimensions, 10–13, 193; endocranial surface, 54, 200–1; supra-asterionic part, 66

lobe expansion, 91, 205–6

preponderance, 13–14, 193

sagittal curvature, 10–13, 193; dimensions, 10–13, 193

PARIETO-OCCIPITAL

area, 20

contour, 9

equality, 14

plane, 24, 193

ratio, 12–14

parietotemporal walls, 9, 193

Paris Nomina Anatomica, 3

PARS

basilaris, *see under* occipital bone

lateralis, *see under* occipital bone

mastoidea, *see under* mastoid

nasalis, *see under* frontal bone

orbitalis, *see under* frontal bone

petrosa, *see under* temporal bone

squamosa, *see under* temporal bone

tympanica, *see under* temporal bone

INDEX OF SUBJECTS

- pattern of cresting, 21, 23–5, 194–5
 Pearson's occipital index, 15
 pebble tools, 236
 pedomorphism, 32, 70
Pekin man, *see Homo erectus pekinensis*
 Peninj, 146, 182, 220–1, 237, 242
 perikymata, 141–2, 188
 periosteum, 75, 121
Petalona cranium, 98
 petro-median angle, *see under angle*
 petro-occipital fissure, gap, 58, 202
 petrosquamous sinus (of Luschka), *see under sinus*, venous
 petrous
 part, 7, 33–5, 54, 57–8, 62, 71
 pyramid, 33–4, 55, 57, 60, 63, 130, 201, 223
 shelf, 58, 202
 phyletic
 sequence, 240, 242–3
 valence, 221–2
 Piltdown cranium, 67
 piriform aperture, 109–14, 208–9
Pithecanthropus, 4; *and see Homo erectus modjokertensis*, 4; *see also H. erectus pekinensis*, 82; *see also H. erectus robustus*, 4; *see also H. erectus soloensis*, 82; *and see Solo man*, Ngandong
- PLANE**
 biporial transverse, 50, 63–4, 223
 occlusal, 121, 133, 141, 211
 orbito-occipital, 91
 Sylvian vertical, 91
 vestibular, 89
- PLANUM**
 nuchale, 14, 23, 26–7, 43–5, 194, 198; tilt of, 23, 43, 198
 occipitale, 14–15, 22–3, 193–4
 praeglenoidale, 37, 197
 vermiforme, 59
 plate, tympanic, *see under temporal bone*
Platyrrhini, 128
- Pleistocene, 241, 243
 Lower, 76, 237, 240–4
 Middle, 76, 240–4
- Plesianthropus*, 4, 92, 120–1, 219, 225; *and see Australopithecus africanus*
- plexus, tentorial, 70
- Pliocene, 243
 hominoids, 169
- PNEUMATISATION**, 126–31, 212–13
 of alisphenoid, 129–30, 212
 of basi-occipital, 59, 129–30
 of basis cranii, 129–30, 212
 of cranium, 6, 41, 72–4, 126–31, 212–13
 of crista galli, 128
 development of, 127–8, 130–1
 of frontal bone, 127–8, 212
 of glabellar region, 110
 interorbital, 108–9
 of lacrimal bone, 127–8
 of lacrimo-ethmoidal region, 128
 of maxilla, 126–8, 212
 of middle nasal concha, 128
 of nasal bone, 128
 of naso-orbital region, 128–9, 212
 of palatine bone, 127
- of perpendicular plate, 128
 of pterygoid process, 127, 129–30, 212
 of sphenoid bone, 129–30
 of sphenoidal rostrum, 129, 212
 of temporal bone, 28, 40, 99–100, 130, 206, 212–13
 of zygomatic bone, 126–7, 212
 poise of head, 45, 49–52, 199–200
 pole
 frontal, 77
 occipital, 55–6, 67, 88, 93, 201, 205
 temporal, 77, 91
- Pongidae*, 4, 78, 91, 220, 239–40
 crania, 3, 12, 33, 35–7, 43, 46–9, 53, 59–60, 63, 73–4, 76, 80, 91, 106, 108–9, 112, 116–17, 124, 127, 129, 193, 195–6, 198–200, 202–3, 205, 207–9, 212, 230
 teeth, 132, 136, 152, 161, 168–9, 172, 191, 213–14, 216
- Pongo*
 crania, 12, 14, 16–18, 30, 33–6, 38–9, 44, 50–1, 54, 58, 60–1, 63, 77–9, 81–3, 85, 88, 94–5, 112–13, 118, 126, 128, 195, 197, 205, 212, 219, 230
 teeth, 135–6, 154, 158–9, 161–3, 168–70, 172–3, 188, 215–16, 218
- porcupine, 238
- porion, 17, 48–9, 103, 207
 position height index, 48–9, 103, 200, 207, 223
 position length index, 48, 199
- Port Elizabeth Museum, 3
- porus acusticus externus, 30–3, 49, 196, 223
- postcondylar segment of cranium, 49
- postcranial skeleton, 231
- postorbital constriction, 7, 10, 39, 53, 100–1, 105, 128
- potassium-argon date, 233
- Powell-Cotton collection, 3, 59, 66, 120, 126–7
- Praeanthropus*, 219
- precondylar segment of cranium, 49, 51, 200
- Předmostí crania, 67–8, 136
- preglenoidal plane, *see under planum*
- preflateon, 137
- prehominids, 4
- PREMOLARS**, 179–82, 215, 223, 226–7
 anterior (P³), 157–9, 172–4, 179–81, 215–17
 attrition, 139
 buccolingual expansion, 117, 159, 162, 172–4, 179–80, 182, 215
 cusps, 179–82, 217–18
 fissures, 179–81
 heteromorphism, 181, 218
 hypoplasia, 142, 214
 metrical characters, 144, 147–51, 154–62, 180–2, 215
 morphology, 179–82, 217–18
 posterior (P⁴), 157–9, 172–4, 181–2, 215–18
 ratio P³/P⁴, 159, 162, 182, 218
 ratio to dental chord, 157–8, 215
 roots, 180–2, 217–18
 shape-index, 144, 147–50, 172–4, 216
 premolar–molar series, 132, 140, 155, 170, 213
- preservation of cranium, 6
- Primates, higher, 77, 220
- PROCESS, PROCESSUS**
- alveolar, of maxilla, 113–15, 118, 137–8, 227
- angular, external, 106
- clinoid, anterior, 58; posterior, 58–9, 202
- condylar, of mandible, 36, 39, 197
- ectobasionic, 27, 59
- entoglenoid, 37–41, 62, 197–8
- frontal, of maxilla, 108, 111, 113, 116
- frontal, of zygomatic bone, 106, 108, 123, 208, 212
- jugular, of occipital bone, 26–7, 64–5, 67
- marginal, of zygomatic bone, 108, 123
- mastoid, 22, 26, 28–33
- palatine, of maxilla, 113
- paramastoid, 27
- petrosal, of sphenoid bone, 58, 62
- postglenoid, 31, 40–2, 198, 223; subdivision of, 41–2, 198
- postmarginal, 108, 123, 208
- pterygoid, *see under sphenoid bone*
- pyramidal, of palatine bone, 42, 198
- spinous, of maxilla, 112
- styloid, 33, 196
- temporal, of zygomatic bone, 8, 119
- vaginal, of styloid process, 33, 196
- zygomatic, of maxilla, 6, 113, 116–19, 121; of temporal bone, 7–8
- Proconsul*, 169, 216
- prodontism, *see prognathism, dental*
- PROGNATHISM**, 34, 45, 114–16, 138, 196, 209–10
- alveolar, 115, 209
- dental, 114, 138
- maxillary, 114–16, 209
- subnasal, 114–15, 209, 223
- promontory of middle ear, 61
- Prosimii*, 220
- prosphenion, 46–7, 55, 199
- prosthion, 45, 96, 114, 132, 134, 136
- protuberance, occipital
- external, 20, 22, 24, 44–5, 95, 194, 199, 223
- internal, 55–6, 64–5, 70, 96, 201
- pterion, 63, 93, 203, 212
- pterygoid
- muscles, *see under muscles*
- process, *see under sphenoid bone*
- pygmy chimpanzee, *see Pan paniscus*
- pyramid, *see petrous part*
- Rabat teeth, 148, 152, 154, 158, 163, 172–3, 216, 242
- Ramapithecus punjabicus*, 169, 216, 243
- rameal breadth, *see under breadth*
- ramus, mandibular, 120–1, 211, 229
- RECESS, RECESSUS**
- alveolar, 126
- anterior, 127
- epitympanic, 61
- lacrimal, 127
- olfactory, 53, 200
- palatine, 126
- posterior, of mandibular fossa, 41
- pterygoid, 127
- zygomatic, 126
- reconstruction of cranium, xv, 6

INDEX OF SUBJECTS

reinforcing system of cranium
 sagittal, 53, 200
 transverse, 100
Rhesus monkey, 75, 122
rhinion, 111, 208
Rhodesian man, *see* Broken Hill cranium
ridge
 marginal, 175, 178
 median, of endocranial cast, 64
Rijksmuseum (Leiden), 3, 94
Rijksuniversiteit (Utrecht), 3, 94
rim, tympanic, 30–3
ring, childhood
 early, 143, 214
 later, 143, 214
robusticity of cranium, 72
rostrum sphenoidale, 7, 42, 77, 198

Saccopastore cranium, 118
sagittal margin of parietal bone, *see under*
 margin
Saldanha cranium, *see* Hopefield
Sangiran
 crania, 81, 84, 94
 teeth, 152, 154, 158, 163, 167, 172–4, 216
segment of sagittal crest
 anterior, 19
 intermediate, 19
 posterior, 19–21
sellula turcica, 61, 129, 202, 223
sellion, 109, 208
sexual dimorphism
 in body size, 85
 in cranial capacity, 85, 205
siamang, 81, 84, 85
Sidi Abderrahman, 242
simple nuchal crest, 22–5, 194
Sinanthropus, 4; *and see H. erectus pekinensis*
'*Sinanthropus officinalis*', 163, 172
SINUS, AIR
 ethmoidal, 128–9, 212
 frontal, 127–9, 131, 212
 maxillary, 6, 126–7, 129, 131, 212; re-
 cesses of, 126–7
 paranasal, 126, 130
 sphenoidal, 42, 59, 60, 127, 129–30, 198,
 202, 212
SINUS, VENOUS, 63–71, 203
 cavernous, 62
 development, 70–1
 horizontal, 67
 inferior, 67
 inferior longitudinal, 67
 lateral, 66–70, 203
 marginal, 55–7, 64–70, 88, 201, 203,
 205
 occipital, 55–6, 64–70, 88, 201, 203, 205
 pattern, 65, 68–71, 203; foetal, 68
 petrosal, superior, 64–5, 68, 203
 petrosquamous (of Luschka), 42, 64–5,
 203
 roentgenologic appearance, 66
 sigmoid, 27, 42, 54, 57, 64–71, 203
 straight, 65, 67, 69–70, 203
 superior sagittal, 63–5, 67–70, 203
 tentorial, 70
 transverse, 42, 54, 64–70, 203

Sivapithecus, *see under Dryopithecus*
Skhül crania, 16, 124, 135–6
skull, 3
Solo man, 14, 16, 60, 193
South African Bantu, *see* Bantu
specialisation, 168–9, 182, 216, 241
Spee, curve of, *see under* curve
SPHENOID BONE, 42, 198
 basisphenoid, *see* body
 body, 7, 42, 47, 55, 58–9, 61, 77, 198
 greater wing, 7, 8, 37–40, 42, 55, 61–2
 lesser wing, 7, 54–5
 pterygoid process, 7, 8, 42, 60, 127, 198
 rostrum, 7, 42, 77, 198
sphenoidale, 55
spheno-occipital
 index, *see under* index
 synchondrosis, 27, 42, 58, 96, 129, 202
SPINA, SPINE
 nasal, anterior, 112–14, 208, 223; pos-
 terior, 122
 of petrosal crest, 33, 196
 sphenoid, 38–9
 supravertebral, 28
splitting (in classification), 219
Springbok Flats cranium, 120
squama, squame
 occipital, 14–16, 21, 54–6
 temporal, 37–40, 54
standard deviations of mean
 cranial capacity, 83–4
 tooth size, 147–50, 162
staphylion, 133–6
Steinheim cranium, 242
Sterkfontein, 4, 225, 233, 236–7, 239, 242,
 244
 crania, 6, 9–14, 16, 18–19, 26–8, 32–4,
 37–8, 41–3, 47–50, 55, 58–65, 72, 78–
 80, 87–9, 92, 94–118, 120–5, 128–30,
 132, 197–9, 200, 203–7, 230
 teeth, 132, 135, 139, 142, 146, 148–9,
 153–4, 156, 158, 162–3, 165–6, 173,
 176–80, 182, 184–5, 188–9, 192, 217,
 220–1, 227
SULCUS
 canine, 116–17, 210
 carotid, 61
 cerebral, frontal, middle, 54, 87, 205;
 superior, 54, 87, 205
 cerebral, lunate, 91
 digastric, 29, *and see* incisura mastoidea
 interlaminar, 20
 intermaxillary, 122
 maxillary, 117–18
 for middle meningeal artery, 61–2, 201
 for occipital artery, 29
 postglenoid, 41–2
 prenasal, *see under* fossa
 sigmoid, 57, 64–7
 subnasal, *see under* fossa
 superior petrosal, 57, 64–5
 superior sagittal, 54, 63–5, 67
 supramastoid, 22, 28, 195
 supratemporal, of frontal bone, 104; of occi-
 pital bone, 15, 193
 transverse, 42, 54, 64–7
superstructures, ectocranial, 14, 29, 72–4,
 76, 104, 195, 204

supra-occipital, *see under* occipital bone
supra-orbital height index, 16–19, 194
supra-orbital torus, *see under* torus
SUTURA, SUTURE
 coronal, 7
 frontomaxillary, 106
 frontonasal, 111
 frontozygomatic, 105, 108, 123, 128, 207
 intermaxillary, 8
 internasal, 8, 109, 111, 208
 lambdoid, 7, 21–2, 55
 median palatine, 122
 occipitomastoid, 22, 26, 29, 72, 194–5
 occipitotemporal, 21
 palatomaxillary, 113, 122, 211
 parietomastoid, 21, 63, 72
 premaxillary/maxillary, 122
 sagittal, 7, 20, 54, 66, 75, 104
 spheno-ethmoid, 55
 sphenosquamosal, 37–40, 55, 62, 197–8,
 202
 squamosal, 54, 63, 130, 203
 zygomaticofrontal, 105, 108, 208
 zygomaticomaxillary, 108, 119–20, 123,
 211
 zygomaticotemporal, 6–8, 119, 122, 211
Swanscombe calvaria, 29, 59–60, 67, 73–4,
 195, 242
Swartkrans, 4, 220, 225, 233, 237, 239–40,
 242
 crania, 10, 18–19, 23–4, 28–33, 35, 37,
 40–1, 60–1, 63, 66, 70, 79, 95–6, 104–
 15, 117–18, 120, 122–6, 130, 194, 203,
 206, 229
 teeth, 135, 137–9, 142, 146–7, 152–4, 156,
 158, 162–3, 165–6, 168, 173–8, 180–4,
 189, 214, 227
Sylvian crest, *see* crista Sylvii
synchondrosis, *see under* spheno-occipital
tabula
 externa, *see under* lamina
 interna, *see under* lamina
Tabün crania, 16, 98, 124
Talgai cranium, 136
Tasmanian crania, 136, 170
Taung, 3, 4, 6, 45, 49, 62–3, 65, 78–80, 83,
 87, 89, 91–2, 106, 109, 111, 146, 163,
 184, 203–4, 221, 225, 229, 233, 237,
 239, 242
tegmen tympani, 61, 202
Telanthropus capensis, 4, 114, 120, 147, 153,
 219, 239, 242
TEMPORAL BONE, 7, 28–42
 mastoid portion, 7, 22, 26, 61, 130, 195,
 202
 pars petrosa, 7, 33–5, 54, 60, 71, 196, 201
 pars squamosa, 7, 37–40, 54, 60, 62–3,
 130, 197, 203
 pars tympanica, 30–3, 37, 40–1, 195–6,
 221, 223
 squame, squama, *see* pars squamosa
 zygomatic process, 7–8, 22, 30, 41, 120–
 2, 130, 195, 211
tentorium cerebelli, 67, 70
Ternifine
 parietal, 10–11, 242
 teeth, 148, 154, 163, 172, 174

INDEX OF SUBJECTS

- THICKNESS** (of cranial bones), 72–6, 203–4
 near asterion, 54, 72–3, 203
 near bregma, 74
 near lambda, 73
 of occipitomastoid suture, 72, 203–4
 of parietal bone, 73–6, 204
 of parietomastoid suture, 72, 203
 at tuber parietale, 73–4
 tibia from Bed I, 6
 tools
 dependence on, 240
 making of, 238–40
 using of, 238–40
 tooth
 material, 170–1, 216
 rows, divergence of, 132, 136–7, 213
 torcular Herophili, *see* confluence of sinuses
 torocristal
 index, 97–9, 206
 length, 97–9, 206
TORUS
 angularis, 54, 73, 99, 201
 frontal, *see* torus, supra-orbital
 mandibular, 123
 maxillary, 122, 211
 median palatine, 122–3, 211
 occipital, 14–15, 95, 193, 204
 parietal, 123
 sagittal, 53, 204
 supra-orbital, 19, 48, 95, 104–6, 124, 206–7, 223, 230–1
 glabellar part, 105, 207
 sagittal length, 104
 superciliary part, 105–6, 207, 212
 thickness, 104, 207
 width, 104
 Transvaal Museum (Pretoria), 1–4, 21, 66, 137, 146
 transverse frontoparietal index, *see under* index
 trigonum frontale, 104–5, 128, 207
 Trinil calvaria, 81, 94, 242
 trochlea of frontal bone, 104
 tuba infra-orbitalis, 126
TUBER, TUBEROSITY
 frontal, 104
 malar, 123
 maxillary, 6, 8, 42, 113, 126–7, 132, 134
 parietal, 73–5
TUBERCLE, TUBERCULUM
 articular, 7, 37, 39, 197, 223
 dentale, 175, 177; *and see* eminence, gingival
 jugular, 57–8, 202
 lingual, 175, 177; *and see* eminence, gingival
 molar (of Zuckerkandl), 184
 paramolar, 183–4
 pharyngeal, 27
 postglenoid, *see under* process
 sellae, 55
 zygomatic, 120
 Tuinplaats cranium, 120
 tympanic plate, *see under* temporal bone
Uganda, 105–6
 ultraprognathism, 115–16
 ungulate humeri, 239
 upper scale
 of occipital bone, 13–15, 193
 preponderance, 15, 193
Upper Palaeolithic
 brains, 93
 crania of Europe, 16
VARIABILITY, 219–21
 in cranial capacity, 80, 84–6, 219
 of dental arcade, 138
 latent, 123
 of living hominids, 219–20
 primate, 219–20
 of Tanzanian australopithecines, 2
 of teeth, 220–1, 228–9
 of torocristal index, 99
 vascular patterns, 93–4
 vascularisation of occipital pole, 94, 206
 vault of cranium, 9–25, 193
 vegetarian hominids, 225
VEIN
 deep temporal, 42
 emissary, 27, 42; of foramen Vesalii, 62;
 of postglenoid foramen, 42; of squamosal, 42
 jugular, external, 42; internal, 68, 70;
 system, 42
 vessels, blood, 78
 greater palatine, 122
 infra-orbital, 117–18, 126
 vestibular
 axes of cranium, 14
 plane of Delattre, 89
 Villafranchian, 233
 vomer, 7, 34, 42, 55, 129, 198, 212
 alae, 7, 129, 212
 Wenner-Gren Foundation, xvi, 2, 224
 West African crania, 16–18, 44, 51
WIDTH
 bicerebellar, of endocast, 92
 biparietal, 92
 bitemporal, 92
 nasal, 110
 orbital, 106–7
 Witwatersrand University, xvi, 66, 69, 77, 105, 120
 Würmian Neandertalians, 118
***Zinjanthropus* as subgenus**, 1–2, 219, 223–4
boisei, 1, 223–4; *see also* *Australopithecus boisei*
 Zulu, teeth, 162
 zygoma, *see* zygomatic process of temporal bone
ZYGOMATIC
 arch, 8, 119, 121, 124–5, 210, 212, 229
 bone, 6, 108, 119–20, 209, 211–12; body, 7, 108, 121, 123, 211; facies malaris, 7, 123, 211–12; frontal process, 7, 106, 108, 123, 208, 212; marginal process, 108, 123; orbital process, 7; post-marginal process, 108, 123, 208; temporal process, 8, 119, 123; surface, 8
 process, of frontal bone, 7; of maxilla, 6, 113, 116–19, 121, 210; of temporal bone, 6–7, 28, 37, 41, 120, 122, 130, 195
 zygomaxillare, 107, 113