

# Index

- ammonia, symmetry orbitals for, 29–30
- angular correlation, 63, 186
- angular momentum  
orbital, 13, 30–4  
spin, 13, 34–6
- anthracene, localized  $\pi$  orbitals in,  
141, 142
- antibinding region, 123
- antisymmetrized product, 38
- antisymmetrizer, 25, 26
- antisymmetry principle, 25, 38
- atomic charges, effective, 151  
and inner-shell binding energies,  
166–8
- atomic densities, 148, 149
- atomic orbitals (AO), 29, 83–6  
symmetry properties of, 32
- atomic populations, 149–50
- atomic units, 3–5
- basis  
double-zeta (DZ), 84, 98–101  
functions, 8, 82  
minimal, 84, 95–8  
for representation of group, 18  
unbalanced, 154
- basis-dependence  
of barriers to internal rotation,  
189, 193  
of population analysis, 152, 154–9
- bent-bond orbitals, 137, 143–4
- benzene, 139–41
- beryllium atom, electron correlation in,  
71, 72
- binding region, 123
- Bohr radius, 3–5
- borane, 153
- Born–Oppenheimer approximation,  
2–4
- boron fluoride, 184–5
- boron hydrides, 95, 138
- Bose–Einstein statistics, 27
- boson, 27
- Brillouin’s theorem, 55–7
- canonical orbitals, 133
- carbon atom,  $p^2$  orbital configuration of,  
32–4, 36, 51
- carbon monoxide  
calculations for, 86–8  
dipole moment of, 57, 87–8
- character table, 21
- charge density  
in Hartree–Fock theory, 56, 127  
orbital, 111, 126–9  
total, 114
- charge-density difference, 123
- charge-density maps, 121–9
- charge distribution, *see* charge density
- closed-shell states, 49–51
- complete set, 3, 8–9, 11  
of orbitals, 50  
of projection operators, 24  
of Slater determinants, 52  
of spin-orbitals, 45
- configuration, 65  
orbital, 66  
spin-orbital, 65
- configuration interaction (CI), 60,  
65–7
- constraints  
double-occupancy, 46–7, 48  
in Hartree–Fock theory, 45–8  
orbital symmetry, 47, 48
- contracted Gaussians, 92–5
- contraction effect, 171, 175
- correlated pair functions, 71–3  
localized, 146–7
- correlation  
angular, 63, 186  
in–out, 186  
interpair, 65, 71  
intrapair, 65, 71  
left–right, 186  
radial, 63
- correlation energy, 62  
of pair, 71–3, 146–7
- Coulomb hole, 63
- Coulomb integral, 41
- Coulomb operator, 45, 46
- covalent bonding, 125, 180–5
- cusps, 91
- cyclopropane, 144, 145
- delocalization effect, 175
- density function, one-electron, 111–17  
diagonal form of, 115  
in Hartree–Fock theory, 115–17  
*see also* charge density
- density matrices, 111

*Index*

- determinant  
 secular, 6, 81  
 Slater, 38
- diborane, 138, 139
- dipole moment, 56–7, 118, 119
- dissociation energy  
 and electron correlation, 185–7  
 in Hartree–Fock, theory, 58–9
- double-occupancy constraint, 46–7, 48  
 relaxation of, 58, 61, 63
- double-zeta basis (DZ), 84, 98–101
- Edmiston–Ruedenberg localization  
 method, 131–3
- effective atomic charges, 151
- eigenfunctions  
 complete set of, 3, 11  
 of Hamiltonian, 3  
 of orbital angular momentum, 31–4  
 of spin, 34–6
- electron binding energies  
 inner-shell, 159–68  
 and Koopmans’ theorem, 53–4
- electron correlation, 62–76, 185–7  
 perturbative treatment of, 67–73  
*see also* correlation
- electron permutation symmetry, 13, 24–7
- equivalent orbitals, 129
- equivalent representations, 19
- ethane, internal rotation in, 188–92
- ethylene, 137–8, 144
- exchange integral, 41
- exchange operator, 45, 46–7
- exchange repulsion, 179
- excited configuration, 50, 55–6
- excited states, 50, 101–6
- expansion  
 in complete set, 3, 8–9, 24  
 in Slater determinants, 51–2, 55  
*see also* configuration interaction
- expectation value  
 definition of, 117  
 of dipole moment, 56  
 of Hamiltonian, 41, 118  
 of one-electron operator, 119
- extended Hartree–Fock theory (EHF), 58, 62–4
- Fermi contact term, 58
- Fermi–Dirac statistics, 27
- Fermi hole, 64
- fermion, 27
- Finkelstein–Horowitz wave function, 172
- floating Gaussians, 107
- floating spherical Gaussian orbital  
 method (FSGO), 107–10
- fluorine molecule  
 dissociation energy of, 59, 60, 75  
 electron correlation in, 75–6, 187
- Gaussian lobe functions, 90
- Gaussian representation of Slater-type  
 orbitals (STO–NG), 96–7
- Gaussians  
 contracted, 92–5  
 floating, 107  
 primitive, 94
- Gaussian-type orbitals (GTO), 88–95
- geometry, *see* molecular geometry
- gross atomic population, 150
- group theory, 13–24  
 and the Schrödinger equation, 22–3
- Guillemin–Zener wave function, 172
- Hamiltonian  
 atomic, 2  
 in Born–Oppenheimer approximation, 2–4  
 Hartree–Fock, 44, 47, 49, 52  
 non-empirical, 1  
 one-electron, 37
- Hartree energy, 3–5
- Hartree–Fock equations  
 restricted for closed shells, 49, 133  
 restricted for open shells, 52  
 unconstrained, 44, 47
- Hartree–Fock theory (model), 40–61, 80–3  
 constraints in, 45–8  
 extended (EHF), 58, 62–4  
 matrix representation of, 80–3  
 projected (PHF), 58  
 restricted (RHF), 48–53  
 spin-unrestricted (SUHF), 58  
 unconstrained, 44–5
- helium atom  
 electron correlation in, 62–5  
 orbital model of, 43–4
- helium molecule, 178–9
- Hellmann–Feynman theorem, 120–1
- hybrid orbitals, 63, 142–3
- hybridization, 142–6
- hydrogen fluoride  
 bonding in, 183–5  
 population analysis for, 155–6
- hydrogen molecule  
 configuration interaction for, 60–1  
 density-difference distribution for, 179  
 EHF model of, 61, 186–7

*Index*

- hydrogen molecule (*cont.*)  
 RHF model of, 59–60
- hydrogen molecule ion  
 first excited state of, 178  
 ground state of, 171–8
- hydrogen peroxide, internal rotation in,  
 192–4
- hydrogenation energies, 100, 101
- inner-shell binding energy shifts  
 correlation with atomic charges, 166–8  
 and Koopmans' theorem, 161–3  
 potential model of, 164–5
- in–out correlation, 186
- internal rotation  
 basis-dependence of barriers to, 189,  
 193  
 in ethane, 188–92  
 in hydrogen peroxide, 192–4
- interpair correlation, 65, 71
- intramolecular forces, 119–21
- intrapair correlation, 65, 71
- ionic bonding, 125–6, 182–5
- ionization energies, *see* electron binding energies
- irreducible representations, 19  
 eigenfunctions of Hamiltonian as basis for, 23
- isomorphic groups, 26
- Kekulé structures, 140
- Koopmans' theorem, 53–4  
 and inner-shell binding energy shifts,  
 161–3
- left–right correlation, 186
- linear combinations  
 of atomic orbitals (LCAO), 29, 85–6  
 method of, 6–9, 81
- lithium atom, 42
- lithium fluoride  
 bonding in, 126, 182–3  
 density-difference distribution for,  
 125  
 dipole moment of, 57, 182  
 population analysis for, 158–9
- lithium hydride, 50, 53  
 bonding in, 182, 183
- lithium molecule  
 density-difference distribution for,  
 123–5, 181  
 total charge-density distribution for,  
 122
- localization methods, 131–3
- localized orbitals, 129–47  
 in multiple bonds, 137–8  
 in  $\pi$  electron systems, 138–42  
 in water, 133–7, 143, 145  
 transferability of, 145–6
- localized pair functions, 146–7
- matrix representation  
 in group theory, 17–20  
 of Hartree–Fock theory, 80–3  
 of the Schrödinger equation, 8–9
- methane  
 electron correlation in, 73–4, 147  
 localized orbitals of, 129  
 orbital energies of, 54  
 population analysis for, 156
- methylene  
 geometry of, 102–5  
 singlet–triplet ( $^1A_1$ – $^3B_1$ ) separation of,  
 105–6
- minimal basis, 84, 95–8
- molecular geometry, 97–8, 102, 103–5,  
 108
- molecular orbitals (MO)  
 canonical, 133  
 Gaussian-type, 88–95  
 as linear combinations of atomic orbitals, 29, 85–6  
 Slater-type, 86–8
- molecular symmetry, 27–30
- Mulliken population analysis, *see* population analysis
- multiconfigurational self-consistent field method (MC–SCF), 67
- multiple bonds, localization in, 137–8
- naphthalene, localized  $\pi$  orbitals in,  
 141–2
- natural orbitals, 114–15
- net atomic population, 150
- NiF<sub>6</sub><sup>4–</sup>, population analysis for, 153–4
- nitrogen molecule  
 density-difference distribution for,  
 123–5, 181  
 orbital energies of, 54  
 total charge-density distribution for,  
 122
- non-empirical theory, 1
- one-electron density function, 111–17
- one-electron properties, 117–21  
 expectation values of, 119
- open-shell states, 51–3
- orbital angular momentum, 13, 30–4  
 operators for, 31  
 projection operators for, 32
- orbital configuration, 66
- orbital density, 111, 126–9

*Index*

- orbital energies
  - definition of, 44
  - of inner shells, 159–68
    - and Koopmans' theorem, 53–4, 161–3
- orbital net atomic population, 150
- orbital overlap population, 150
- orbital symmetry constraint, 47, 48
  - relaxation of, 61, 63
- orbitals, complete set of, 50
  - see also* atomic orbitals; molecular orbitals
- orthogonality, 3
- orthonormal functions, 3, 7
  - construction of, 40
- overlap densities, 148–9
- overlap populations, 149–50
  
- $\pi$  orbitals, localization of, 138–42
- pair-correlated wave functions, 70–3
- pair-correlation energies, 71–3, 146–7
- Pauli principle, 24–7, 115
  - and the chemical bond, 179–80
  - in the orbital approximation, 38
- Pauling wave function, 172
- permutation group, 24–7
  - antisymmetric representation of, 25–7
  - symmetric representation of, 26–7
- perturbation theory, 9–12, 56
  - and electron correlation, 67–73
- phenanthrene, localized  $\pi$  orbitals of, 141–2
- photoelectron spectroscopy, 53, 159–63
- polarization functions, 86
  - and population analysis, 157–8
- population analysis, 148–59
  - basis-dependence of, 152, 154–9
- primitive Gaussians, 94
- projected Hartree–Fock theory (PHF), 58
- projection operators
  - complete set of, 24
  - for construction of symmetry orbitals, 29
  - definition of, 23
  - for orbital angular momentum, 32
  - for spin, 35
- pyridine, 152
- pyrrole, 151, 152
  
- radial correlation, 63
- reducible representations, 19
- relativistic corrections, 2, 76–9
- relaxation
  - of double-occupancy constraint, 58, 61, 63
  - of electron distribution, 53, 54, 101
  - of orbital symmetry constraint, 61, 63
- representations, matrix of group, 17–20
  - basis for, 18
  - characters of, 20–1
  - dimensions of, 17
  - equivalent, 19
  - irreducible, 19
  - reducible, 19
- restricted Hartree–Fock theory (RHF), 48–53
  - for closed-shell states, 49–51
  - definition of, 51–2
  - matrix representation of, 80–3
  - for open-shell states, 51–3
- Schmidt orthogonalization, 40
- Schrödinger equation, 1–12
  - and group theory, 22–3
- secular determinant, 6, 81
- secular equations, 6, 8, 81
- self-consistent field equations, 82–3
- self-consistent field method (SCF), 45, 82–3
  - multiconfigurational, 67
- Slater determinants, 38
  - complete set of, 52
  - invariance to unitary transformation, 130
  - as spin-orbital configurations, 65
- Slater functions, *see* Slater-type orbitals
- Slater-type orbitals (STO), 83–5, 86–8
  - Gaussian representation of, 96–7
- spatial symmetry, 13, 27–34
- spin
  - angular momentum, 13, 34–6
  - coordinate, 25
  - eigenfunctions, 34–6
  - projection operators for, 35
- spin density, 58, 114
- spin-orbital configuration, 65
- spin-orbitals
  - antisymmetrized product of, 37–8
  - complete set of, 45
  - definition of, 37
  - orthogonality of, 39
- spin-unrestricted Hartree–Fock theory (SUHF), 58
- substituted (excited) configurations, 55–6
- symmetry
  - electron permutation, 13, 24–7
  - molecular, 27–30
  - spatial, 13, 27–34
  - spin, 13, 34–6
  - symmetry-adapted wave functions, 23
  - symmetry operations, 14, 27

Cambridge University Press

978-0-521-10567-5 - The Determination and Interpretation of Molecular Wave Functions

Erich Steiner

Index

[More information](#)*Index*

symmetry orbitals, 29–30  
symmetry point group, 27–30

unbalanced basis, 154  
unconstrained Hartree–Fock theory,  
44–5

unitary transformation, 130  
units, *see* atomic units

variation principle, 5–8  
and Hartree–Fock theory, 42–4, 80–2  
for second-order energy, 12, 72

and the virial theorem, 171  
virial theorem, 169–71, 186, 189  
virtual orbitals, 45, 50

water molecule  
bonding in, 127–9, 136  
calculations for, 93, 94  
hybrid orbitals of, 143, 145  
localization in, 133–7, 143, 145  
molecular orbitals of, 127–9

zeta-value, 83