

## Index

---

- Advanced X-ray Astrophysics Facility (AXAF) ix, 26, 224, 265
- Algol 21
- all-singing, all-dancing detector 34, 208
- all-sky monitor (ASM) 11
- aluminium 45, 154, 182
- American Science and Engineering (AS&E) vii, 2, 9, 84
- analogue position encoding 69
- Anger Camera 102
- anti-coincidence 61, 192, 201, 205
- Apollo–Soyuz 117
- argon
  - mean absorption depth in 45
  - X-ray interactions in 37, 43
- Ariel V, 11, 24, 240
- Ariel VI, 19
- Astronomical Netherlands Satellite (ANS) 11, 19
- atomic oxygen 155
- Auger electrons 36, 125
- avalanche localisation 44
- avalanche variance 44
- backgammon encoder 73, 83
- background rejection
  - in GSPCs 99
  - in microchannel plate detectors 152
  - in proportional counters 60, 94
  - in scintillation counters 238
  - in semiconductor detectors 191, 198, 220, 223
- balloons 7, 200
- Bell Laboratories 202, 208, 260
- beryllium 12, 46, 55, 58
- bismuth germanate (BGO) 205, 232
- Boyd, R. L. F. vii, 19
- Bragg's law 13
- broad-band filter spectrometer 170
- broad-band X-ray telescope (BBXRT) 197, 265
- Brookhaven National Laboratory 228
- burst length discrimination (BLD) 61, 99
- cadmium sulphide 204
- cadmium telluride 204
- calcium fluoride (Eu) 232
- calorimeter
  - applications of 267
  - on AXAF 28, 265
  - imaging 263
  - origins of 254
- Capella 170
- carbon fibre 48
- Cassiopeia A supernova remnant 26, 92, 98, 169
- cathode strip readout 83, 94, 107
- Centre d'Etudes Nucleaires, Saclay 192, 202
- CERN 107
- Channel electron multiplier (CEM) 19, 116
- charge coupled devices (CCDs)
  - applications of 228
  - on AXAF 28, 209, 224
  - back-illuminated 223
  - deep depleted 216
  - manufacturers 208
  - mosaics 225
  - operating temperature 189, 215
  - in optical astronomy 208, 210
  - optical sensitivity 155
  - origins of, 208
  - readout for microchannel plates 165
  - versus microchannel plates 155, 158, 224
  - virtual phase 214, 223
  - on XMM 29, 221, 224, 227
- charge division 69, 159
- charge sharing 73, 83
- charge transfer efficiency (CTE) 214, 223
- Cherenkov ring imaging 108
- CODACON 164
- coded aperture masks 11, 32, 69, 95
- collimator
  - active 11, 239
  - mechanical 4, 8
  - microchannel plate 55, 98, 135
  - modulation 9
  - rotation mocalation 9, 11
  - variable spacing 10
- Columbia University 15, 96, 104, 107
- composite hypothesis testing 271
- computation of centroid 83, 93, 107

***Index*****299**

- Copernicus (OAO-3) 11, 19, 117
- correlated double sampling 215
- cosmic X-ray background vii, 1, 148, 244
- CR* line 80
- Crab Nebula 2, 7, 8, 98, 200, 222, 230
- critical angle 18, 133, 141
- cryogenic cooling 189, 196, 202, 207, 225, 265
- crystal spectrometer
  - curved 15, 28, 73
  - flat 13
- Cygnus Loop supernova remnant 19, 23, 107
- Cygnus X-1 15, 205, 273
- Debye temperature 258
- delay line 82, 162
- depletion region 184, 191, 217
- differential non-linearity 83, 164
- diffraction studies of muscle 95, 115
- diffusion
  - charge in CCDs 221
  - differential, of gases 47, 86, 89
  - electrons in gases 37, 50, 110
- digital position encoding 69, 162
- effective area 7
- Einstein Observatory (HEAO-B) 24, 251, 269
- electron counting 42, 49, 96, 110
- Energetic X-ray Imaging Telescope Experiment (EXITE) 245
- energy resolution
  - calorimeter 256
  - crystal spectrometer 13
  - definition of 13
  - gas scintillation proportional counter 49
  - microchannel plate 147
  - proportional counter 13, 48
  - scintillation counter 237
  - semiconductor detector 187
- energy selection
  - in proportional counters 61, 99
  - in semiconductor detectors 191, 220
- escape peak 36
- event confusion 212, 222
- EXOSAT ix, 8, 29, 53, 88, 98, 269
- Extreme Ultraviolet Explorer (EUVE) 28, 154, 160
- Fano factor
  - definition of 37
  - in gases 37
  - in semiconductors 181, 204
- field effect transistor (FET) 189, 215
- filters 152, 154, 186, 224
- flash gate 224
- flow counter 46
- fluorescent photons 36, 114
- flux concentrator 18, 117, 207
- focal plane crystal spectrometer (FPCS) 25
- focusing optics 18
- four-quadrant anode 83, 108
- Friedman, H. vii, 2
- funneling 122, 145
- galactic centre 32, 88, 200
- gallium arsenide 204, 210, 251
- gas gain 42
- gas scintillation proportional counter (GSPC)
  - driftless 108
  - on EXOSAT 55, 98
  - imaging 102
  - non-imaging 96
  - origins of, 43, 95
  - on SAX 108
  - on XMM 29
- Gear's anode 80, 160
- Geiger counter 7, 42
- germanium detectors 7
  - Ge(Li) 186, 200, 202
  - high purity 186, 200, 202
- Giacconi, R. vii, 19, 22
- Ginga 30, 48, 53
- Giotto 225
- GK Persei 66
- Goddard Space Flight Center (GSFC) 11, 193, 197, 202, 238, 254
- graded density grids 84
- graphite 13, 207
- GX3+1 8
- GX5-1 8
- Hakucho 53
- Harvard-Smithsonian Center for Astrophysics 21, 24, 166, 170, 192, 249, 251, 260
- HEAO-A 24, 53, 242
- HEAO-C 202
- Her X-1 200, 244
- High Energy X-ray Experiment (HEXE) 244
- high resolution camera (HRC) 28, 122, 133, 148, 170
- high resolution imager (HRI) 24, 141, 166
- IC 443 supernova remnant 24
- Imperial College, London 11, 28, 240
- Institute of Space and Aeronautical Studies (ISAS) 59, 96
- intensified silicon detector 165
- interferometry 32
- ion feedback 116, 126
- Istituto di Fisica Cosmica, Milan 98
- Jet Propulsion Laboratory (JPL) 202, 209, 224
- Johns Hopkins University 209
- K gating 114
- Kirkpatrick-Baez optics 20
- krypton 43, 114
- Laboratoire de Physique Stellaire et Planetaire (LPSP) 261
- large area modular array of reflectors (LAMAR) 29
- large area proportional counter 52
  - on EXOSAT 52, 53, 55, 65
  - on Ginga 30, 53, 66
  - on Skylark SL723 53

## 300     *Index*

- large area proportional counter (*cont.*)
  - on sounding rockets 4
  - on Uhuru 11, 55
- Lawrence Livermore Laboratories 4
- lead glass 120, 125, 150
- Lexan 48, 86, 154
- lifetime
  - of microchannel plates 135
  - of proportional counters 64, 90
  - of Si(Li) diodes 199
- linear absorption coefficient 45
- lithium fluoride 13, 207
- Lockheed Research Laboratories 4, 202, 209
- lunar occultation 7, 55
- Lyman 158, 165, 224
- magnetic diverter 173, 192
- Massachusetts Institute of Technology (MIT)
  - vii, 2, 9, 22, 25, 80, 172, 205, 209, 224
- maximum entropy method 88, 272
- Max Planck Institut, Garching 53, 92, 203, 244
- medical imaging 95, 114, 147
- mercuric iodide 179, 186, 204
- microchannel plates (MCPs)
  - applications of 177
  - chevron 126
  - curved channel 128, 165
  - dark noise in 150
  - on the Einstein Observatory 24, 141, 148, 152, 158, 166
  - on EXOSAT 88, 106, 141, 148, 152, 154
  - for GSPC readout 102, 104
  - gain 126
  - high count rate operation 138
  - image readout for 69, 84, 159
  - magnetic field immunity 156
  - manufacturers 120
  - off-axis 117
  - origins of 116
  - polarisation sensitivity of 33, 157
  - resistance 122, 139
  - on ROSAT 27, 92, 122, 144, 154, 159, 170, 172
  - X-ray interactions with 125
  - Z-stack 128, 148
- Mir/Kvant 30, 69, 244
- modulation contrast 15
- Moiré fringing 164
- Mullard Space Science Laboratory (MSSL) 8, 11, 13, 19, 28, 88, 98, 112, 209, 261
- multi-anode microchannel array (MAMA) detectors 165
- multi-anode photomultiplier tube 102, 108
- multi-anode proportional counter 19, 76
- multilayers 32, 249
- multistep avalanche chamber 49, 92, 96, 111
- multi-wire array 57, 62
- multi-wire proportional counter (MWPC)
  - on the Einstein Observatory 25, 69, 84, 150
  - gain in 42
  - high pressure 95, 245
  - image readout for 74
- induced charges in 44
- origins of 35
- on ROSAT 27, 48, 69, 83, 92, 94
- mylar 47, 104
- Naval Research Laboratory (NRL) vii, 2, 7, 209
- negative electron affinity detectors (NEADs) 230, 251
- night vision 117, 121
- non-destructive evaluation 95
- North Polar Spur 192
- OAO-1 10
- objective grating spectrometer (OGS) 25, 170, 197
- Oda, M. 9
- on-chip binning 212, 221
- one-dimensional imaging system 19
- OSO-7 240
- OSO-8 15, 242
- parallel-plate avalanche chamber
  - on EXOSAT 48, 69, 80, 88
  - gain in 42
  - X-ray penetration in 50
  - for XUV astronomy 82
- parallel-plate electron multiplier 116
- partial events 187
- partition noise 52, 74, 160
- Parylene 47, 154
- Penn State University 209, 224
- Penning Gas Imager (PGI) 49, 83, 96, 112
- Penning gases 49, 65, 112
- Perseus Cluster 21, 242
- Phosphor X-ray Imager (PXI) 249
- phosphors 165, 223, 230, 246
- phoswich 233
- photocathode
  - caesium bromide 145, 155
  - caesium iodide 104, 141, 155
  - caesium telluride 106
  - low density 145
  - magnesium fluoride 141, 153
  - negative electron affinity 251
  - potassium bromide 145, 155
  - S20 235
- photoionisation chamber 102, 107
- photomultiplier tube 102, 110, 233
- ping quencher 91
- pinhole camera 11
- plutonium
  - detector contamination by 64, 99
  - monitoring 64
- point counter 42
- polarimetry 13, 33, 36, 158
- polypropylene 47, 86, 89, 154
- polysilicon 210
- potassium 150
- preselection logic 94
- progressive geometry encoding 73
- proton induced X-ray emission (PIXE) 196

***Index*****301**

- Puppis A supernova remnant 13, 24, 92
- P78-1 satellite 141, 154
- P43, P44, P45 phosphors 231, 246, 250
- quantum efficiency
  - of CsI photocathodes 106, 142
  - of microchannel plates 104, 141
  - of proportional counters 45
  - of scintillation counters 235
  - of semiconductor detectors 186
- quasi-periodic oscillations (QPO) 67
- Queen Mary College 261
- quench gas 43, 64
- radiation damage 192, 199, 200, 208, 226
- radiation environment 60, 152, 172, 244
- range, electrons in gases 36, 50
- RC line 71, 159
  - partitioned 82, 159, 169
- read noise 215
- reflection grating 29
- repeller grid 144
- resistive anodes 78, 88, 173
- rise-time discrimination (RTD) 61, 88, 89
- rise-time encoding 71, 88, 159
- Rontgen, W. vii
- Rontgensatellit (ROSAT) 27, 52, 159
- room temperature semiconductors 179, 204
- Rutherford Appleton Laboratory 28, 30
- SAS-C 11, 24
- scintillators
  - CsI 11, 230, 237, 240
  - imaging 245
  - manufacturers 232
  - NaI 7, 10, 35, 102, 205, 230, 237, 240
  - noble gas 43, 96
  - origins of 230
  - plastic 61, 152
- Sco X-1 vii, 8, 15, 67, 192
- sealed counter 46, 95
- semiconductor detectors
  - charge equilibrium in 181
  - dark noise in 191
  - dead layers in 187, 200, 207
  - manufacturers 189
  - origins of 179
  - X-ray interactions with 180
- sensitivity equations 1
- Si(Li) detectors 25, 186, 192, 259
  - segmented 198, 265
- silicon avalanche photodiodes 180
- silicon drift chambers 180, 228
- silicon photodiode arrays 180
- single-wire proportional counter (SWPC)
  - electric field in 37
  - gain in 42
  - origins of 35
  - position-sensitive 69, 71
- Sky Survey Instrument (SSI) 15, 53
- Skylab 22
- SN1006 supernova remnant 107
- sodium salicylate 246
- solid state spectrometer ( $S^3$ ) 25, 193, 194
- source confusion 2, 10, 16, 52
- Space Research Laboratory, Leiden 88, 106, 240
- Space Research Laboratory, Utrecht 25, 69, 88
- Space Science Department (SSD), ESTEC 96, 98, 106, 209
- Spacelab 32, 98
- sparks 65, 90
- spatial resolution
  - definition of 50
  - measurement techniques 52
  - in microchannel plate detectors 148
  - in proportional counters 50
- Spectrosat 28, 158
- Spectrum X 30, 225
- SS433 100
- Stanford University 165
- superconducting tunnel junctions 258
- Supernova 1987A 68, 92, 244
- surface barrier detectors 179
- temporal resolution
  - in CCDs 222
  - definition of 65
  - in microchannel plate detectors 155
  - in proportional counters 65
- Tenma 53, 98
- tetrakis (diethylamino) ethylene (TMAE) 107
- tetraphenyl butadiene (TPB) 231, 247
- Townsend coefficient, first 42, 112
- transmission grating 25, 28, 158, 170, 267
- triethylamine (TEA) 107
- Uhuru (SAS-A) 10, 55
- Uhuru catalogues 11
- University of Birmingham 11, 28
- University of Calgary 166
- University of California, Berkeley 28, 145, 160
- University of California, San Diego 202, 238
- University of Coimbra 95
- University of Colorado 164
- University of Hawaii 170
- University of Leicester 4, 8, 15, 22, 24, 28, 30, 53, 80, 106, 145, 166, 172, 209
- University of Nagoya 59
- University of Palermo 98
- University of Tübingen 53, 202, 244
- University of Windsor 157
- University of Wisconsin 199, 254
- vacuum test chambers 125
- Vela satellites 10
- vertex detectors 228
- Viking 166, 225
- Virgo Cluster 21
- wavelength shifters 98
- wedge-and-strip anode 83, 89, 160
- wide field camera (WFC) 27, 122, 144, 172
- Willmore, P. 19

## 302     *Index*

- window effect
  - in proportional counters 48
  - in semiconductor detectors 190, 207
- windows, UV exit 98, 104
- windows, X-ray entrance
  - beryllium 46, 55
  - plastic 46
- Wolter, H. 22
- Wolter type optics 22, 24, 28
- W49B supernova remnant 66
  
- Xenon
  - mean absorption depth in 45
  - X-ray interactions in 37, 43
  
- X-ray bursts 67
- X-ray large array 53
- X-ray microscopy 22
- X-ray multi-mirror (XMM) ix, 29, 52, 199, 250, 266
- X-ray Timing Explorer (XTE) 30, 53
- XUV astronomy 28, 120, 138, 172, 224
  
- ZEBRA 245
- zinc sulphide 230, 247
- Z-wound cathode plane 80, 86