
INDEX

- activation energy, 131
 adrenaline, 57, 60
 age
 changes in: blood vessels, 69; cells, 22; collagen, 64, 66, 91–2, 114, 115, 166; elastin, 67, 166; hair, 37, 38; mechanical properties, 91–2, 97, 98–9; sebaceous glands, 41; skin colour, 22, 37; skin thickness, 51; sweat glands, 47; transepidermal water loss, 27
 environmental effects, 145, 165
 genetic factors, 22, 37
 allergy, 59, 138
 aluminium, 147–8
 AMP, 57, 58, 151
 AMP/ADP ratio, 57
 α -amylase, 113
 amyldimethylaminobenzoate, 164
 androgen, 151
 area of body surface, 1–2
 arsenic, 147–8
 arteriovenous shunt, 33
 artificial materials as wound dressings
 infection associated with, 185, 186, 191
 water loss through, 190–1
 artificial skin, 189–92
 atrophy, 149, 150

 basement membrane (also basal lamina), 41, 48, 60, 61, 70
 blanching, 87, 94
 Blaschko lines, 18–19
 bleomycin, 33
 blistering, 155
 blood flow, 22–3, 24, 71, 125
 blood vessels, 48, 61, 69–72
 changes with: age, 69; temperature, 23, 24, 71
 nerves, control of, 71
 burns, 29, 152, 178–92
 water loss from, 178, 179

 cadmium, 147
 cancer, 66, 137, 144, 145, 159, 162, 164, 169
 capillaries, 69, 79, 81
 capillary loops, 62, 69
 carbon dioxide, 148–9
 cells and cell types, 48
 corneocytes, 13–14, 54–6, 119, 124
 death of, 143
 fat, 48, 69
 fibroblasts, 48, 64, 99
 growth, 52–8
 keratinocytes, 4, 9, 53, 54–6, 58
 Langerhans, 54, 58–60, 70
 mast, 169
 melanocytes, 21, 58
 proliferation of, 144
 sizes of, 13–14
 tension in, 172
 chalcones, 56–8, 59, 60
 chemical agents
 effects of: dyes, 22; gases, 148; metal ions, 23, 147–8; salt solutions, 123
 effects on: electrical properties, 130, 137; hair, 40; mechanical properties, 123–4; water permeability, 29
 chondroitinase, 60
 chromosomal abnormality, 19
 cinnabar (HgS), 148
 colcemid, 52
 collagen, 48, 117, 131, 192
 age, changes with, 64, 66, 91–2, 115, 166
 on Dacron mesh, 184
 Ehlers–Danlos syndrome, 100
 foam, 185
 mathematical modelling, 114–16
 mats and sponges, 184
 mechanical properties of, 113–16
 newborn, 115
 with polyvinyl chloride foil, 184
 preparation of, 113–14

220 Index

- collagen (contd)
 sex factors, 66
 staining properties, 114
 thermodynamics, 116
 Types I to IV, 62–3, 65, 99, 153
 water content, 65
 colour of skin, 21–3, 37, 70, 79, 87
 contact allergy, 59
 copper, 147–8
 corneocytes: effects of detergents, 13
 cosmetics, 26, 27
 effects on electrical properties, 138
 cutis laxa, 100
 cyanoacrylate, 5, 14, 97, 177
 cyclophosphamide, 33
- Dacron, 185, 188
 dermal papillae, 3, 32, 48, 50, 69, 78, 79
 dermatitis, 163, 165
 dermatoglyphics, 14–18
 dermis, 48, 62–82
 in wounds, 184–5
 dermo-epidermal junction, 60–2
 desmosomes, 58, 60, 79, 119
 detergents (surfactants), 145–7
 discomfort, as thermal response of skin, 152
 dishydrotic eczema, 137–8
 DMAEMA film, 190
 DNA, 144
 Down's syndrome, 15, 16
 drugs
 effects on: electrical properties, 138–40; hair, 40; mechanical properties, 94–5, 96; sweat glands, 43–4
 furocoumarins (*see also* psoralens), 22
 dyes, 22, 23, 60, 113, 148
- eczema, 19, 28, 60, 146, 147
 Ehlers–Danlos syndrome, 99, 100
 elastic fibres, 48, 61, 66–7, 117–19
 elastic modulus, 38, 118
 elastin, 66–70
 ageing, 166
 in cutis laxa, 100
 desmosine compounds, 67
 elastase, 67
 mechanical properties, 67, 117–18
 molecular weight, 66
 preparation of, 117–18
 in pseudo-xanthoma elasticum, 100
 temperature effects, 118–19
- thermodynamics, 117–18
 water content, 118–19
 elaunin fibres, 61
 electrical properties of skin
 capacitance, 135–7
 conductivity, 131
 effects of: cancer, 137; cosmetics, 138–40; dishydrotic eczema, 137–8; drugs, 138–40; scaly lesions, 29
 impedance, 132–7
 models of, 130–1, 133–7
 permittivity, 133–4
 potential, 131–2
 resistance, 128–130
 of stratum corneum, 128–40
 of sweat glands, 128–9, 130
 electrical terms, 141
 electrodes, 128–30
 embryonic growth of skin, 1–4, 14, 20, 21, 28, 34, 37, 42, 62, 72, 77
 emolliency, 145
 endocrine activity, 80
 environmental agents
 affecting ageing, 145
 affecting cell damage, 143–9
 enzymes, 60, 66, 67, 113–14, 117
 epidermal proliferative unit (EPU), 53–6
 epidermal thickness, 21
 epidermis
 desquamation, 54
 growth, 57
 mechanical stress, 52
 Mitotic Index (MI), 52
 regeneration time, 52, 54–6
 epidermolysis bullosa, 62, 83
 eponychium, 31
 erythral response, 23, 148, 159, 170
 evaporimeter, 179
- Fentichlor, 163
 films as wound dressings, 185–7
 finger prints, 15–16
 foams as wound dressings, 187–8
 foetal membrane as wound dressing, 181–3
 strength of, 182
 water loss from, 182
 friction, 26
 furocoumarins, 22, 162–4
- gas diffusion, 148
 glass–rubber transition of elastin, 117–19

- glycoprotein, 56
 glycosaminoglycans (proteoglycans), 67–8
 grafts, 172
 ground substance, 67–9, 113–14, 116
 growth
 epidermis, 57
 hair, 35–7
 nail, 33
- hair
 effects of: age, 37–8; drugs, 40; hormones, 40, 151; humidity, 38
 follicle, 9, 34
 growth, 35–7
 mechanical properties, 38
 racial variation, 38
 regional variation, 38
 trace elements, 40
 trichogram, 38
- heat loss (body), 180
- heterograft
 lyophilised pigskin, 183
 sterilisation, 184
- histamine, 79, 80
- hormones, 20, 23, 28, 57, 149–52, 172
 effects on: hair, 40, 151; mechanical properties of skin; 94–5; sebaceous glands, 41, 151–2; skin thickness, 149–51; sweat glands, 47
- humidity, 27, 38, 43, 138
- hyaluronidase, 60, 113
- hydroxyproline, 113
- hypodermis, 48, 69
- hyponychium, 31
- infra-red light, 125
- irritants, 146
- isoproterenol, 58
- keratin, 4, 38, 40, 113, 119, 120, 124, 131
- laminae, 188–9
- Langerhans cell, 54, 58–60, 70, 80
- Langer's lines, 13, 62, 90–1
- lasers, 166–8
 in treatment of: port wine lesions, 167; seborrhoeic keratosis, 168; tattoos, 167
- lipid, 28–9, 66, 119–22, 147
- lunule, 31
- lymphocytes, 58, 59
- mathematical modelling
 of collagen, 104, 114–16
 continuum mechanics, 110–11
 of elastin, 117–18
 electrical, 130–1, 133–7
 mechanical, 102–12, 114–18
 network analysis, 104–6
 strain energy functions, 106–10
- mathematical notation, 111, 125, 127, 142
- mechanical properties
 anisotropy, 83, 88–9, 90–1
 changes relating to: age, 91–2, 97, 98–9; cutis laxa, 100; drugs, 94–5, 96; Ehlers–Danlos syndrome, 99–100; lathyrism, 100; pseudo-xanthoma elasticum, 100; radiation, 92–3, 170; sex, 92; water content, 27, 84, 89
 of: cells, 113; collagen, 113–16; elastin, 117–19; foetal membrane, 182; hair, 38; nail, 33–4; stratum corneum, 28, 29–30, 119–24, 120–2
 regional variations, 91
 summary of formulae, 112
- mechanical tests
 creep, 95–6, 97
 diaphragm, 88–9
 friction, 26
 indentation, 26, 98–9
 movement, 93–4
 stress relaxation, 95–6, 97
 tensile: *in vitro*, 83–6; *in vivo*, 87–8
 torsion, 96–8
 volume compressibility, 89
- mechanoreceptors, 72–5
- Meissner's corpuscle, 68, 72, 77, 78
- Meirowsky lesions, 19
- melanin, 20, 22, 23, 159
 melanocytes, 21, 58
 melanosomes (pheomelanosomes), 21
- mercury, 147–8
- Merkel cells, 54, 58, 72, 78, 79, 80
- mesoderm, 58, 82, 182
- Methylene Blue, 60
- mitosis, 1, 22, 48, 52, 53, 54, 56–8, 150, 179
- modelling
 springs and dashpot, 100
 mathematical, 102–11
- Mongolian spots, 20–1
- mosaicism, 121
- mucopolysaccharides (*see also* ground substance), 116, 119

222 Index

- nails, 31–4
 avulsion, 31
 flexion strength, 34
 growth, 33
 tensile properties, 33–4
- natural membranes as wound dressings, 180–5
- nerve, 61, 72–80
 rapidly adapting fibres, 74
 slowly adapting fibres, 74
 stretch, effect of, 74
- nerve endings
 Dogiel's body, 77
 Golgi–Mazzoni organ, 72
Haarschieben, 78
 intra-epidermal, 72
 Krause end bulbs, 77
 mechanoreceptors, 72–5
 Meissner's corpuscle, 72, 77, 78
 Merkel cells, 72, 78, 79, 80
 mucocutaneous end organs, 77
 petrichial endings, 79
 Ruffini endings, 72, 78
 sensory endings, 71, 79
 Vater–Pacini corpuscles, 75–7
- neurocrine activity, 80
- nickel, 147
- nylon 6, 185
- occlusive dressings, 179
- Opsite, 185
- optical absorption, 126
- orthopaedic wool, 186
- oxygen absorption, 148
- pain
 reduction of, 183
 sensation, 79, 156, 157
 temperature discrimination, 156
 threshold, 153–4
- para*-aminobenzoic acid, 164
- paracrine activity, 80
- pericytes, 70, 160
- periderm, 3
- PHEMA-PEG film, 188
- pheomelanosomes, 21–2
- pigmentation, 20, 21, 161, 170
- polycaprolactone, 185
- polyethylene, 186
- polylactic acid, 185
- polypropylene, 187
- polytetrafluorethylene (PTFE), 187
- polyurethane, 185
- polyvinyl chloride (PVC), 180, 186, 191
- port wine lesion (stain), 71, 167
- pregnancy, 33, 40, 91, 182
- progesterone (*see also* steroids), 152
- prostaglandin, 59
- proteoglycans (glycosaminoglycans), 67–8
- psoralens, 162–4
- PUVA, 162–3
- race, skin differences, 20, 22, 42, 45
 dermatoglyphics, 16, 21, 22
 hair, 38
- radiation, 22, 169–71
 effect on: mast cells, 169–70;
 mechanical properties, 92–3, 170;
 structure, 93
- rayon, 185, 188
- regeneration, 29, 52, 54–6, 58
- regional morphology (summary), 80–2
- regional variations, in
 blood vessels, 69, 70
 cells, 13–14
 hair, 38
 mechanical properties, 91
 mechanoreceptors, 72, 75, 77, 78
 sebaceous glands, 41
 surface patterns, 7–14
 sweat glands, 42, 43, 44, 45
 thickness, 50, 51
 transepidermal water loss, 28, 30
- relative humidity, 27–8
- replication for studying skin
 topography
 methods, 4
 silicone, 5
 xantopren, 5
 cyanoacrylate, 5, 14
 for SEM, 5
- ridge formation, 1, 3
- ridge patterns, 9–12, 14
 by SEM, 13
- Saran wrap, 188
- scanning electron microscopy, 4, 5, 13, 40, 64, 85
- sebaceous glands, 41, 151–2
- semipermeable dressing, 179
- smooth muscle, 48, 69, 70, 79
- softness of skin, 25
 surfactants on, 29
 water on, 26, 27

- solar radiation
 absorption, 20, 22, 158, 159
 ageing, 165–6
 cell damage, 144, 159, 160–1, 162–4
 delayed reactions, 161
 effect on melanocytes, 21–2
 minimum erythemic dose (MED), 160
 minimum tanning dose (MTD), 161
 penetration, 20
 protection against, 164
 reflection of, 20
 skin protection factor (SPF), 165
 sunburn cells, 161
- Solenhorn*, 31
- Southwood's correction, 50
- sphincters (vascular), 70
- stains (histological), 113, 117
- steroids, 149–52
 on ageing, 28
 on hair, 40
 on lipids, 28
 affecting mechanical properties, 94
 on sebaceous glands, 41
- storage of skin specimens, 84
- stratum corneum
 electrical properties, 128–40
 humidity effects, 122
 mechanical properties, 119–24
 morphology, 48–9, 119–20
 permeability to water, 29
 preparation of, 120
- stratum granulosum, 49
- stratum lucidum, 49
- striae (stretch marks), 20
- sunburn cells, 161
- surface area of body, 1–2
- surface patterns, 1–14
- surfactants, 145
- sutures, 173–6
- sweat ducts, 3, 15, 46
- sweat glands
 effects of: age, 47; drugs, 43, 44;
 temperature, 43, 45–6
 electrical properties, 128–9, 130
 emotional responses, 43–4
 innervation, 43
 number and distribution, 43–5
 recording from, 44
 secretion, 42
 secretory mechanism, 43
 water loss, 42
- synthetic membranes, 185–92
 water vapour transmission, 191
- tape (Scotch, microporous), 176
- tattoos, 23, 148, 167
- temperature
 causing pain, 152–4, 155
 control of, 23–4
 discrimination, 156
 effect of: cold, 157; freezing, 157;
 heat, 157
 effect on: blistering, 155; blood
 vessels, 23–4, 126; blood flow, 24,
 71; growth, 24, 157; nails, 33;
 stratum corneum, 122–3; sweat
 glands, 43, 45–6
 with exercise, 25
- thermal capacity, 125
- thermal conductivity, 125–7, 154, 162
- thermodynamics, 116, 117–18
- thermography, 24
- thermometry, 162
- thickness, 87–8, 92, 93
 effects of: age, 51; mechanical stress,
 52; steroids, 149–51
 of epidermis, 50–2, 57
 regional variations, 50, 51
 sclerodermal, 83
 of stratum corneum, 28, 120, 128
 of whole skin, 28, 50, 51
- tropocollagen, 61
- trypsin, 60
- ultraviolet light (UV), 21, 22, 144,
 158–9, 160; *see also* solar radiation
 effects of age, 165
- vasculature
 arteries, 69
 capillary loops, 68, 69
 plexus, 69–70, 71, 162
- vitamin A deficiency, 60
- Voigt lines, 19, 20–1
- water
 effect of hormones on, 151
 effect on: electrical properties, 128,
 129–30; mechanical properties, 27,
 28, 29–30, 84, 118–19, 120–22;
 softness, 26, 27, 145
 in collagen, 65
 in elastin, 117, 118–19
 in stratum corneum, 27–30, 120–3, 130
 in whole skin, 146

224 *Index*

- water loss
 - related to: age, 27; pathological conditions, 28; surfactants, 29
 - through: artificial membranes, 185–9, 190–1; burns, 28, 178–80; natural membranes, 180–5; sweat glands, 42
- water permeability, 27, 28, 29–30, 147, 149
- wounds
 - blood vessels in, 172
 - collagen in, 172, 173, 174
 - graft, 172
 - infection, 172, 173, 176, 177
 - strength, 173, 176
- X-rays, 22
 - carcinogenic dose, 169
 - diffraction, 123
 - effect on: collagen, 120; mechanical properties, 170
 - penetration, 170
 - ¹³³Xe-clearance, 71