

Index

Bold type indicates where a topic is given special consideration: **GL** indicates mention in the Glossary.

Text figures are indicated by a page number and asterisk: the figure numbers are not given. *Passim* signifies 'scattered throughout'. Photographs are referred to at the end of each entry by their individual plate numbers: thus Pls. 21, 32 . . .

English plant names have usually been given their Latin equivalents in brackets: indexed Latin names, however, are not accompanied by their English equivalents. Both Latin and English name entries carry the same page references. In general plant names in the text figures, legends and tables have not been included.

The positions of all the more important sites and waterways are shewn in the text figures cited in the index; grid-references, however, are given for many of the less familiar localities referred to, especially those in the Somerset Levels.

- Abbot's track, 163*
- Abery, W., 106*f, 138
- Acer campestre*, 14, 173
- acidic fen, 5
- adder, 35
- Alces alces* (elk), 209
- alder (*Alnus glutinosus*), 4, 27, 48*f, 120, 146, 150, 156, 162, 169, 171, 173, 188, 201, 203, Pls. 2, 7
- Allium vineale*, 73
- Alnus glutinosus*, *see* alder
- altitudinal range, 182, 203
- Amberley Wild Brooks, Sussex (TQ 0213), 192
- Andromeda polifolia*, 7, 75, 98*-100, 101f, 107, Pls. 40, 41
- angelica (*Angelica sylvestris*), 5
- aquatic *Sphagnum* peat, 20ff, 66, 75, 79 *et passim*
- arable indicators, 180
- 'argument from design', 91
- Artemisia vulgaris*, 169, 172*, 180
- ash (*Fraxinus excelsior*), 4, 114, 173, 178
- Ashcott Heath, Somerset (ST 4437), 158ff
- Atlantic climatic period, 15, 137, 198f
- arctic birch (*Betula nana*), 211, Pl. 70
- autogenic succession, 21, 57, 201, **GL**
- Axe, River, 141f
- axe cuts on timber, 112-15**, 117f, 120, 127, 154ff, Pl. 44
- Ballykilleen, nr Endenderry, 23, Pl. 11
- barley (*Hordeum* spp.), 169
- Barway, Cambs. (TL 5375), 125
- beads, 128, 130*, Pl. 48
- beaked sedge (*Rhynchospora* spp.), 7, 20f, 54, 62, 72-5*, 86, Pls. 28, 31
- beaver, 147
- becket, 64, Pl. 25
- beech (*Fagus sylvatica*), 114, 126, 173, 212
- Belderg, Co. Mayo, 197
- bell heather (*Erica* spp.), *see* *Erica*
- Betula*
- spp., *see* birch
- nana*, 210, Pl. 70
- pubescens*, 4, 33, 203
- bilberry (*Vaccinium myrtillus*), 7, 93, 95, 98
- birch (*Betula* spp.), 27, 48*f, 56f, 60, 88, 111*f, 126, 135, 150, 155f, 162, 169, 173, 188, 194, Pls. 7, 21
- Birks, H. H., 202
- black bog rush (*Schoenus nigricans*), 54f, 79-80, 86, 94, Pl. 32
- Black Death, 179
- blackberry (*Rubus fruticosus*), 24
- Blackburn, K. B., 29

Index

224

- Blackstone Edge (SD 962167: SD 974171), 197
- Blakeway Farm trackway, 114, 153^f^f, 212, Pl. 52
- blanket bog, 8f, 11*, 52–65*, 196–206, Pls. 19–25, 63, 64, 66, 67
- Blytt and Sernander climatic periods, 14f, 126, 202
- bog
 - andromeda (*Andromeda polifolia*), 75, 98*–100, 101f, 107, Pls. 40, 41
 - aspodel (*Narthecium ossifragum*), 7, 20f, 26, 54, 62, 75–7*, 107, Pls. 15, 29
 - bean (*Menyanthes trifoliata*), 19, 30, 54, 107, 156
 - burial, 207f, Pl. 68
 - bursts, 58^fff, 204, Pl. 22
 - erosion, 60, 204ff, Pls. 24, 63, 66, 67
 - initiation, 196–200
 - myrtle (*Myrica gale*), 24, 88, 111
 - regeneration, 63, Pl. 24
- Boreal period, 15, 46, 137
- Borth Bog, Cardigans. (SN 6089), 37, 47–51***, 137, 188, Pl. 60
- Boundary Horizon, 42*, 50, 57, 107, 193
- bows, Neolithic, 158^ff, 209, Pl. 55
- bracken (*Pteridium aquilinum*), 23f, 167f
- Breckland, 167f^f
- Bronze Age, 130*, 197 *et passim*
 - amber beads, 128, 130*, Pl. 48
 - axes, 113f*, 127, 130*
 - axe-markings, 112–15**, 117f, 120, 127, 130*, Pl. 44
 - platforms, 120, Pls. 45, 46
 - spears, 113, 126*, 128, 130*, Pl. 47
 - tracks, 105, 123–9, 130*, 134*, Pl. 44
- Brue, River, 114, 142^f, 145
- bulbils, 72*
- Bulleid, A., 40, 105, 123, 139, 142, 144**ff, 210
- Bulleid's track (Meare Heath) (ST 4440), 105f, 123, 127
- bulrush (*Scirpus lacustris*), 4, 72
- buried forests, 10, 27, 60, 196, 200–4, Pls. 59, 65
- Burnham-on-Sea (ST 3149), 148
- burning of vegetation, 93, 205
- butterwort (*Pinguicula vulgaris*), 54, 210, Pl. 69
- Calamagrostis* sp., 107
- Calluna vulgaris*, 90–3* *et passim*, Pls. 10, 37
- Cardiganshire, economy, 180f
- Carex* sp., 26f, 30, 42
- arenaria*, 167
- chordorrhiza*, 79
- limosa*, 79
- panicea*, 87*f
- carnation sedge (*Carex panicea*), 87*f
- Carpinus betulus*, 126, 175
- Carrowkeel, Co. Sligo, 9f, 187, Pls. 5, 6
- Carse Clays, 191
- Catcott Burtle, Somerset (ST 3944), 110, 162
- Cater's Beam, Dartmoor (SX 6269), 62
- celtic bean (*Vicia faba*), 147
- Centaurea cyanus*, 180
- cereals, 169–72, 179
- Chenopodiaceae, 169, 172, 180
- Cirsium palustre*, 5
- Cladium mariscus*, 4, 26f, 42, 88, 102, 105–21**** *passim*, 125*, 150, 156
- Cladio-molinietum*, 88
- Cladonia* spp., 34*, 62
- Clapham, A. R., 105, 111, 138, 154, 163, 192
- Clark, J. G. D., 159f
- Clifford, M. H., 38
- climatic climax, 14, 57, 204
- climatic control, 31, 57, 90, 93ff, 97, 100, 102, 130, 178f, 182f, 193–206, 214
- climatic periods, 14f, 26, 202
- cloudberry (*Rubus chamaemorus*), 7, 93, 95, 96*–8, 101, 205, Pl. 39
- Coles, J. M., 105, 123, 164
- Compositae, 172, 180
- conservation, 216f
- Conway, V. M., 35, 196, 198, 205f
- coppicing, 154f, 175
- cornflower (*Centaurea cyanus*), 180
- Cors Fochno, Cardigans. (SN 6089), 47–51***
- Corylus avellana*, 102, 114f, 153^f^f, 169, 175, 203, Pl. 52
- cotton-grass (*Eriophorum* spp.), 7f, 19, 27, 34*, 53, 62, 81–4, 91, 101f, 107, 150, 194, 204, Pls. 33–5
- cowberry (*Vaccinium vitis-idaea*), 102
- cranberry (*Vaccinium oxycoccus*), 7, 38, 71, 107, 192
- crane, 147
- crannog, 40, 146, 214
- Crataegus* sp., 24
- cross-leaved heath (*Erica tetralix*), 7, 20f, 54, 62f, 75, 86, 91*, 93f, Pl. 38
- crow garlic (*Allium vineale*), 73
- crowberry (*Empetrum nigrum*), 7, 91*, 93, 94f, 98, 204f*, Pl. 66
- Crymlyn Bog, Glam. (SS 7094), 46
- cupola (of raised bog), 8
- Cyperaceae, 72

Index

225

- Dartmoor, 61, Pls. 23–5
 Davis, G. H., 115f*
 deciduous forest, 167
 Decoy Pool Drove, Shapwick Heath
 (st 437396), 106*f, 127
 Decoy Pool Wood, Shapwick Heath
 (st 4240), 108*f, 115, 127, 135, 171ff
 deer grass (*Scirpus caespitosus*), 7, 21f, 33*f*,
 54, 60, 62f, 84–6*, 94, Pl. 36
 Dewar, H. S. L., 113ff, 118, 121
 disforestation, 44, 93, 167–81, 199, Pls. 56,
 57
 docks (*Rumex spp.*), 160, 172, 175, 180
 Draved, Jutland, 170, Pls. 56, 57
Drosera
 anglica, 8, 75
 intermedia, 8
 rotundifolia, 8, 21, 75, Pl. 26
 dug-out boat, 109f, 125*, 130*, 135, 148*,
 209
 dydal, 209
 Dymond, C. W., 163
- Edenderry, Co. Offaly, 23, Pl. 12
Eleocharis spp., 72
 elk (*Alces alces*), 209
 elm (*Ulmus spp.*), 152, Pl. 7
 decline, 44, 152, 160, 169, 174, 176–9
Empetrum
 hermafroditum, 95
 nigrum, 7, 91*, 93, 94f, 98, 204f, Pl. 66
Equisetum sp., 27
Erica
 cinerea, 7, 34*
 tetralix, 7, 20f, 54, 62f, 75, 86, 91*, 93f,
 Pl. 38
Eriophorum
 sp., 22, 30, 57, 62, 86, 91
 angustifolium, 8, 19ff, 26, 63, 75f, 81–2, 89,
 Pl. 33
 vaginatum, 7, 22, 26f, 34*, 53, 76, 82–4,
 204, Pls. 34, 35
 erosion of peat, 60, 204ff, Pls. 63, 66, 67
 Erosion Complex, 58, 123
 estuarine clay, 44, 46, 49, 137 *et passim*
Eupatorium cannabinum, 5
 eustatic change, 46, 49, 137, 139f, 143,
 187–92, GL
 eutrophic mires, 5
 eutrophication, 5, 9, 55, 66f, GL
- Fagus sylvatica*, 114, 126, 173, 212
 Fallahogy, Co. Londonderry, 174*f, 214
 fen, 4ff, 26*, 102, 105, 107
- fen-woods (fen-carr), 4ff, 26*f, 33, 188 *et passim*, Pls. 1, 2
 Fenland, East Anglia, 1, 12, 137–41*
 Fenland Research Committee, 1, 52, 124
Festuca ovina, 63
Firbas, F., Pls. 72, 74
 Flanders Moss, Stirlingshire (NS 5595), 181,
 191
 Flandrian period, 14*f
 flooding episodes, 106*–21, 125, Pl. 43
 first, 115, 117f*, 135, 150, 171f*f*, Pl. 47
 second, 117f*, 135, 171f*f*, Pls. 42, 49
 flushing, 77, 88
 Foraminifera, 44, 49, 137, 142
 forest clearance, 44, 93, 167–81, 199, Pls. 56,
 57
 forest periods, 14*–16
 Foster's track (Shapwick Heath) (st 437
 396), 106f
 Foulshaw Moss, Westmorland (SD 4682),
 189
Fraxinus excelsior, 4, 114, 173, 178
- geology of Levels, 137–49
 giant water dock (*Rumex hydrolapathum*),
 105
 Glastonbury Lake Village (st 4940), 84,
 138*, 141–7***, 173
 Glencullin, Co. Mayo, 58
 Godney, Somerset (st 4843), 103, 142*
 Godwin, E. J., 128
 Graig Llywd axe, 157f, Pl. 54
 grasses (Gramineae), 160, 168f, 175, 180
 Granlund, E., 194
 great plantain (*Plantago major*), 169ff, Pl. 57
Grenzhorizont, 41f*–4, 50, 57, 107, 193, Pl. 17
 grouse, 93, 97
 guelder rose (*Viburnum opulus*), 114
 gully erosion, 60f, 63, 204ff, Pls. 63, 66
- hairy birch (*Betula pubescens*), 4, 33
 Hamshaw Thomas, H., 61
 hard water error, 177
 Hawks Tor kaolin pit (sx 1474), 62
 hazel (*Corylus avellana*), 102, 114f, 153f*f*,
 169, 175, 203, Pl. 52
 heath, 39, 86, 90, 95, 167, 170
Hedera helix, 171f*
 hedge maple (*Acer campestre*), 114, 173
 Helsington Moss, Westmorland (SD 4689),
 189
 Helton Tarn, Westmorland (SD 4184), 190
 hemp agrimony (*Eupatorium cannabinum*), 5
 Hiller peat sampler, 24f, 27

Index

226

- Hockham Mere, Norfolk (TL 9393), 16*, 167ff
Ilex aquifolium, 172*f
 Holme Fen, Hunts. (TL 2289), 178
 Holme Moss, S. Pennines, Pl. 63
 Honeycat track (ST 437 396), 162
 Honeygore track (ST 437 396), 155
 hornbeam (*Carpinus betulus*), 126, 175
 Horsey, Norfolk, 191
 Hultén, E., Pls. 72, 74
 humification grade, 29
 hummock, 19–22*, 66 *et passim*, Pls. 8–10
 hunting effects, 199
 Huntspill Cut, Somerset (ST 3643), 138f*
 Hyde, H. A., 29f
Hydrocotyle vulgaris, 87, 109
 hydrosere, 3ff, 15, 26*, 57, GL

Ilex aquifolium, 172*f
 industrial pollution, 205
 'intake', 170
 Iron Age, 93
 boat, 109f, 125*, 130*, 135, 209
 crannog, 40, 146
 fibula, 126f, 130*, 135, Pl. 49
 lake-village, 39f, 84, 110, 141–7***, 173,
 209
 scabbard, 130
 isostatic change of level, 190, GL
 Iversen, J., 169ff, 208, Pls. 57, 72
 ivy (*Hedera helix*), 171f*

 Jennings, J. N., 115, 120, 155
 Jessen, K., 28f, 52f, 55, 57, 183, Pls. 72, 73
Juncus
 effusus, 19, 23
 maritimus, 50*
 obtusiflorus, 87*
 squarrosus, 63
 sylvaticus, 89

 Komosse, 18, 23

 lagg, 7*, 9, 11*, 23, 33, 102, Pl. 4
 Lambert, J., 192
 land- and sea-level changes, 15, 44–50,
 137–43, 187–92 *et passim*
Landnam, 169f, 174ff
 Lappland, 96f
 leaf fodder, 174f
Ledum palustre, 101
 Libby, W. F., 130f, 135
 lichens, 21, 34*, Pl. 10
 lime (linden) (*Tilia* sp.), 126, 152, 174
 linden decline, 152, 174–9

 ling (*Calluna vulgaris*), 90–3*, *et passim*,
 Pls. 10, 37
 liverworts, 8, 21
 long-bow, 158ff, Pl. 55
 'Lower Forestian' period, 202
 Lüdi, W., Pl. 72
Lysimachia vulgaris, 5
 Lytheat's Drove, Somerset (ST 4241), 128
Lythrum salicaria, 5

 'mabs', 83
 Macfadyen, W. A., 142
 many-headed cotton-grass (*Eriophorum angustifolium*), 9, 19ff, 26, 63, 75f, 81–2,
 89, Pl. 33
 marine transgression, 44, 46–50**, 57, 126,
 137–43, 148f, 187–92
 marsh
 fern (*Thelypteris palustris*), 104, 150
 pennywort (*Hydrocotyle vulgaris*), 88, 109
 thistle (*Cirsium palustre*), 5
 valerian (*Valeriana dioica*), 88
 Mayo, Co., 52, 58*f, Pl. 22
 Meare Heath, Somerset (ST 4541), 39*, 44
 103
 bows, 151*, 158ff, Pl. 55
 scabbard, 130*
 sherd, 44, 151*
 track, 105f, 123, 127
 Meare Lake Village (ST 4442), 39*f, 110, 144
 Meare Pool, Somerset (ST 4442), 40, 138*,
 141f*–5
Meesia
 longiseta, 212
 tristicha, 212
Menyanthes trifoliata, 19, 30, 42, 54, 107, 156
 Mesolithic, 197–200**, Pl. 64
 mesotrophic communities, 102, GL
 microliths, 197–200**
 milk parsley (*Peucedanum palustre*), 5, 105
 Mitchell, G. F., 29, 52f, 57, 78, 111, 197, 199,
 Pl. 74
Molinia caerulea, 7, 24, 35, 53, 55, 57, 62f,
 86–9**, 94, 107
Molinietta, 35*, 88
 monocotyledons, 72–89
 monoxylous boat, 109f, 125*, 130*, 135,
 148*, 209
 Moor House, Westmorland, 205, Pl. 19
 Morecambe Bay, Lancs., 189
 moss (acid mire), 6–12, 180–206 *passim*
 Moss, C. E., 39
 Mullins, P., 41
 mycorrhiza, 92
Myrica gale, 24, 88, 100–2*, 104, 106, 111

Index

227

- Narthecium ossifragum*, 8, 20f, 26, 54, 62, 75–7*, 107, Pl. 29
 Negri, C., Pl. 72
 Neolithic period, 130*, 134*, 150–65, 169–78
 axes, 130*, 151*, 156ff, 171*, Pl. 54
 bows, 130*, 151*, Pl. 55
 coppicing, 154f
 pottery, 44, 130*, 151*f
 trackways, 130*, 134, 151*
 nettle (*Urtica* sp.), 175
 Newlands Rhyne, Somerset (st 360 433), 139*f
 Nicholls Moss, Westmorland (sd 4282), 189f
 Nidons track, Shapwick Heath (st 4340), 118f, 123f, 135, Pl. 44
 nitrogen fixation (*Myrica*), 102
 ‘Noah’s forests’, 189
 Nordhagen, R., Pl. 72
 North, A. G., 29
 North Sea, 47, 192
Nuphar lutea, 30
 oak (*Quercus* sp.), 4, 48*f, 117, 201, 203, Pls. 7, 59
 Okement Hill, Dartmoor (sx 6087), 63
 Oldfield, F., 175
 oligotrophic mire (community), 6, GL
 ombrogenous mire, 6, 11* *et passim*, Pls. 5, 6, GL
 ombrotrophic mire (community), 6 *passim*, GL
Osmunda regalis, 24, 104
 Osvald, H., 8, 18–27, 35, 38, 52–61 *passim*, 85, 204, 216, Pls. 21, 72
 Overbeck, F., 179
 oxylophytes, 7, GL
 Palling, Norfolk, 191
 paludification, 202
 Panborough, Somerset (st 4845), 141
 Parrett, River, 141
 pastoralism, 147, 180*f
 peat
 burning, 35
 compression, 187
 cutting, 35, 63, 103, 206, Pls. 16, 24, 25, 45
 erosion, 60, 204ff, Pls. 63, 66, 67
 growth rate, 186f
 haggling, 60, 204, Pls. 63, 66, 67
 twofold stratification, 30*f, 42*f, 49*f, 105–30 *passim*, 193, Pls. 17, 42, 47, 62, 63
 types, 16*, 21, 26*, 30*ff, 109*
Pedicularis palustris, 54
 pelican, 147
 Pennines, 83, 196–206, Pls. 19, 63, 64, 66, 67
 Peterborough ware, 151*f
Peucedanum palustre, 5, 105
Phalaris sp., 107
Phragmites communis, 4, 26f, 30, 42, 49, 57, 87*, 137, 150, 156, 188
 pile-dwellings, 40
 pine (*Pinus sylvestris*), 26*, 48*f, 50f, 60, 194, 202, Pls. 21, 65
Pinguicula vulgaris, 54, 210, Pl. 69
Plantago lanceolata, 160, 168*ff, 172*, 175, 180
 major, 169ff, Pl. 57
 podsolisation, 93, 199
 Polden Hills, Somerset, 103, 126, 137
 pollen analysis, 12–17**, 179f, 213, Pl. 7
 pollen zonation, 15f, 31*, 213
 pondweed (*Potamogeton* spp.), 4
 pools, 22, 75f, 81f, Pl. 8
 pool-and-hummock complex, 18–23, 33*f, Pls. 8, 15
 Praeger, R. Lloyd, 52
 Pre-boreal period, 15, 32
 ptarmigan, 98
Pteridium aquilinum, 23f, 167
 purple loosestrife (*Lythrum salicaria*), 5
 purple moor grass (*Molinia caerulea*), 7, 24, 35, 53f, 62f, 86–9**, 94, 107
 Quaternary Epoch, 1
 Quaternary Research, 1ff, 215f
 Sub-department of, 2, 183, 215
Quercus sp., 4, 117, 201, 203, Pls. 7, 59
 radiocarbon dating, 2, 129–36 *passim*, 174–87 *passim*
 errors, 133, 161f, 177f, 214
 principles, 131ff
 techniques, 131ff, 184, Pls. 50, 51
 rainfall, 6, 9
 raised beaches, 190f, Pl. 61
 raised bog, 7*–11*, 18–37 *et passim*, 177, Pls. 3, 8–11
 rand, 7*f, 11*, 23, 36*, Pls. 4, 11
 recurrence-surface, 81, 84, 91, 99, 193–6, Pls. 62, 63
 ‘red bogs’, 66
 Red Moss, Lancs. (sd 6310), 186*f, 193
 red rattle (*Pedicularis palustris*), 54
 reeds, *see Phragmites, Phalaris, Calamagrostis*
 reed mace (*Typha* sp.), Pl. 1
 reed-swamp, 26*f
 refugia, 210ff
 regeneration cycle (complex), 19–23, 34*, 37, 53, 62, 86, 112, Pls. 8, 9, 10, 17, 42

Index

228

- 'retardation layer', 31
- Rhamnus lanuginosum*, 54, 60
- Rhynchospora*
 - alba*, 7, 20f, 54, 62, 72–5*, 86, Pls. 28, 31
 - fusca*, 7
- ribwort plantain (*Plantago lanceolata*), 160, 168*f, 175, 180
- roddons, 140
- Romano-British hoards, 40–5**, 115, 130*, Pl. 18
- Romano-British lake-village, 40, 110
- Romano-British marine incursion, 139*f
- Roundstone, Co. Galway, 53, 55ff
- rowan (*Sorbus aucuparia*), 203
- royal fern (*Osmunda regalis*), 24, 104
- Rubus chamaemorus*, 7, 93, 95, 96*–8, 101, 205, Pl. 39
- Rumex*
 - sp., 160, 175, 180
 - hydrolapathum*, 105
- St George Gray, H., 40, 146
- Salix cinerea* (sallow), 4, 33, 146, 150, 188
- sand sedge (*Carex arenaria*), 167
- Sandford's track, 111–14***
- scabbard, Iron Age, 130*
- Scaleby Moss, Cumberland (NY 4363), 183–6*, Pl. 58
- Scheuchzeria palustris*, 77–9, 101, 111, 128, 210, Pls. 30, 31, 34
- Schoenus nigricans*, 54f, 79–80, 86, 94, Pl. 32
- Scirpus*
 - caespitosus*, 7, 21f, 34*f, 54, 60, 62f, 84–6*, 94, Pl. 36
 - lacustris*, 4, 72
 - Scirpetum*, 35*, 86
- scraw bog, 145
- sea rush (*Juncus maritimus*), 50*
- sea spray, 55, 77, 79
- sedges, *see* *Carex*, Cyperaceae
- sedge-fen, 188
- seed dispersal, 74, 77, 92, 95, 97f
- sere (seral), 4, 21, 57, GL
- Sernander, R., 19
- Shapwick Heath, Somerset (ST 4339), 39*f*, 42*, 45*, 103–21 *passim*, 178
- axe, 157f, Pl. 54
- fibula, 128f, Pl. 49
- hoards, 40–5**, Pl. 18
- platforms, 120
- section, 41f, 106*, Pl. 47
- spear-head, 126*
- tracks, 106f, 122, 127, 212
- Shapwick Station, Somerset (ST 4241), 109ff, 125*f, 135, 209
- Sligo, Co., 9, Pls. 5, 6
- sloe (*Prunus spinosa*), 147
- Smith, A. G., 175f, 189f, 214
- soaks, 11*, 19, 54
- soft rush (*Juncus effusus*), 19, 23
- solifluction, 62
- soligenous bog, 55f, GL
- Solway Firth, 191
- Sphagnum*
 - genus, 7, 38, 53f, 60, 66–71**, 150, 201
 - compactum*, 67, 69
 - cuspidatum*, 20, 26, 34, 54, 62, 66
 - fuscum*, 51, 66
 - imbricatum*, 37, 67, 69, 206
 - magellanicum*, 20, 38, 67, 69, Pl. 8
 - palustre*, 70
 - papillosum*, 26, 34, 62, 67, 69, 75
 - plumulosum*, 20, 33, 67, 70
 - pulchrum*, 33f
 - rubellum*, 20, 26f, 33, 62, 67
 - squarrosum*, 67
 - sect. *sub-secundum*, 54f, 66
 - tenellum*, 67
- Sphagnum*–*Calluna*–*Eriophorum* peat, 40–4, 49, 60, 105–21, 150–66 *passim*, 176, 192
- spike rush (*Eleocharis* sp.), 72
- spruce (*Picea abies*), 15
- Stillstand complex, 35, 58, 91, 123, 194
- stone axe (Neolithic), 157f, 171*, Pls. 54, 56
- Strata Florida, Cardigans., 181
- stratigraphy of mires, 30*, 42*, 49*, 105*, 125*, 130*, 165*
- stringers, 116*f, 123, 163
- Stump Cross, nr Grassington (SE 0864), 198*f*, Pl. 64
- Sub-atlantic period, 15, 93, 106, 126
- Sub-boreal period, 15, 106, 126
- Sub-boreal/Sub-atlantic transition, 32, 126f
- Sub-department of Quaternary Research, 2, 183, 215
- submerged forest, 48*, 188f, Pl. 59
- sundew (*Drosera* spp.), 8, 21, 38, 54, 62, 71
- swallow-hole, 24, 55, Pl. 12
- swamping surfaces, 91, 99, 102, 106
- Swansea Bay, 46*f, 137, 188
- sweet gale (*Myrica gale*), 38, 100–2*, 104, 106
- Switsur, V. R., 187*, 202
- sword sedge (*Cladium mariscus*), 4, 26f, 102, 105–21**** *passim*, 150, 156
- Tallentire, P. A., 115
- Tallis, J. H., 196, 206
- Tansley, A. G., 9, 18, 52–61 *passim*, 204
- Taxus baccata*, 158*f
- Tealham Moor, 148

Index

229

- Teifi, River, 28*f
- thermal maximum, 182
- Thorne Waste, Yorks. (SE 7214), 178
- Thrang Moss, Lancs. (SD 4976), 175
- Tilia cordata*, 126, 152, 174
- Toll Gate House track, 114f, 122, 127, 155
- Tollund man, 207ff*, Pl. 68
- topogenous mire, 4f, 55, GL
- trackways
 - age and correlated events, 104*, 125–9, 134*, 162ff
 - climatic connotation, 124ff
 - preservation, 124
 - principles of construction, 111, 117, 122–5
 - purposes, 124, 173
- Tratman, E. K., 147*f*
- tree layers, 56f, 60, 200–4, Pls. 21, 59, 65
- tree line, 203
- Tregaron Bog, Cardigans. (SN 6861),
 - 27–37******, 86, 88, 180*, 194f, Pls. 14, 15
- Trichophorum caespitosum*, *see Scirpus caespitosus*
- Triticum*
 - dicoccum*, 171
 - monococcum*, 171
- Troels-Smith, J., 170f, 174, 208, Pl. 56
- Trundle Mere, Hunts. (TL 2090), 38
- Tully's track, 121
- turions (bulbils), 72f*
- Turner, Judith, 174, 178–81
- Turner, J. S., 41
- Tüxen, R., Pl. 72
- 'twenty-five foot' beach, 190, Pl. 61
- Übergangsmoor, 49
- Ugg Mere, Hunts. (TL 2486), 38
- Ulmus* sp., 152, Pl. 7
- 'Upper Forestian' period, 202
- Upper Teesdale, 205, 210, Pl. 19
- Urtica* sp., 175
- Vaccinium*
 - myrtillus*, 7, 93, 95, 98
 - oxyccoccus*, 7, 71, 107, 192
- Valentine, D. H., 37, 47
- Valeriana dioica*, 88
- varves, 130, 186
- vegetational succession, 3ff, 21, 26*, 49, 57, 150, 201, 204
- Viburnum opulus*, 114
- Vicia faba*, 147
- Viper's platform, Shapwick Heath (ST 4340), 120, Pls. 45, 46
- Viper's track, Shapwick Heath (ST 4340), 115–19**, 123f, 127
- von Post, L., 12, 55, 182, 207, 216
- votive offering, 207
- Walker, D., 2, 183, 198f*
- Warcock Hill, Yorks. (SE 0411), 197f
- Webb, D. A., Pl. 74
- Weber, C. A., 193
- Wedmore Ridge, Somerset, 103, 137, 141
- West, R. G., 2, 187*
- Westhay, Somerset (ST 4342), 40, 103f*, 110, 114, 127, 143
- Westhay track (ST 4341), 111–14***, 123, 128
- wheat (*Triticum* spp.), 169
- Whixall Moss, Shrops. (SJ 4936), 178
- Wichey Bridge, Somerset (ST 368 431), 138
- Wicken Fen, Cambs. (TL 5570), 3f*, 102, 105, Pl. 1
- Wicklow Mountains, 60
- Widdibank Fell, Durham (NY 8230), 210
- Willis, E. H., 2, 134, 176, 183, 214
- Winster Valley, N. Lancs., 190
- wood layers, wood peat, 42, 48*f, 56, 60, 125*, 156, 189, 196, 200–4, Pls. 21, 59, 65
- wooden artefacts, 47, 208f
- Woodhead, T. W., 197
- Woodwalton Fen, Hunts. (TL 2384), 38
- wormwood (*Artemisia vulgaris*), 169, 172*, 180
- xeromorphic characters, 91f
- Yapp, R. H., 67
- yellow loosestrife (*Lysimachia vulgaris*), 5
- yellow water-lily (*Nuphar lutea*), 30
- yew (*Taxus baccata*), 158f*f
- Ynyslas, Cardigans. (SN 6089), 47f*, 188, Pl. 59
- zone boundaries (pollen), 182–7*** et *passim*, Pl. 58