

## INDEX

*Italicised page numbers refer to tables*

- abalone  
 black (*Haliotis cracherodii*), 70  
*Notohaliotis ruber*, 2, 44, 49, 67  
 red (*Haliotis refuscens*), 70, 73  
 Aborigines, Tasmania, 4, 42, 45, 47, 49  
*Acanthopaerus*, 86  
*Accipiter evlesi*, 99  
 acorns (see also plant food), 67, 74, 75, 76  
 Advik, Varangerfjord, 109, 112  
 agave, 67, 70  
 Alaska, United States, 53  
 Aleutian Islands, 53  
 Ipiutak, 103  
 population, 103  
 sedentism, 103  
 Wales, 103  
 albatross, 50, 95  
*Alca impennis*, 60  
*Alces alces*, 57  
 Aleutian Islands, Alaska, 53  
 alewife (*Pomolobus pseudo-harengus*), 60  
 Algonkian culture, North America, 57  
*Allium dregeanum*, 36  
 altithermal, Santa Barbara Channel, 70  
 Anacapa Island, Santa Barbara Channel, 64  
*Anadara granosa*, 90  
*Anas crecca*, 110  
 Anbara, 6, 90  
 anchoveta (*engraulis ringens*), 125, 126  
 affected by El Niño, 133–4  
 distribution, 128, 129  
 fishing, 127  
 food values, 127–8  
 Andean Civilization, Maritime Foundation hypothesis (MFAC), 125, 126  
 Andean Cordillera, 126  
 Andes, 132  
 andesite, 67  
 Androscoggin River, Casco Bay, 61  
 Angsnes, Varangerfjord, 109  
*Anguilla*, 95  
*Anguillina*, 86  
*Ankis*, 86  
*Antechinus minimus*, 43, 50  
*Antidorcas marsupialis*, 35  
*Aponogeton distyachos*, 36  
*Aptornis otidiformis*, 99  
*Arca barbata*, 17  
*Arca noae*, 17  
 archaeological evidence, 4, 5–6  
*Arctocephalus forsteri*, 95  
*Arctocephalus pusillus*, 36  
 Argolid, Greece, 117, 119  
*Argyrosomus hololepidotus*, 30  
 ark shell (*Anadara granosa*), 90  
*Artemesia*, 72  
 Aspero, Peru, 130  
 Aspoort, South Africa, 39  
 auk, exploitation, 112–14  
*Aulacomya ater*, 24, 36  
 Australia  
 Anbara, 6, 90  
 Kangaroo Island, 47  
 sedentism, 8  
 shell middens, 3  
 awls (see also tools, stone), 87  
 baboon (*Papio ursinus*), 35  
 Baboon Point, South Africa, 23–4, 30  
*Balistina*, 86  
 bandicoot (*Isoodon obesulus*), 43, 50  
 Bangs Island, Casco Bay, 57  
 barnacle goose (*Branta leucopsis*), 110  
 Barnes Island, Casco Bay, 57  
 basin metates (milling stones), 67  
 bass, striped (*Roccus saxatilis*), 60  
 Bass Strait, Tasmania, 47  
 bat-eared fox (*Otocyon megalotis*), 35  
 Bates Island, Casco Bay, 57  
*Bathyergus siullus*, 29, 35  
 bay flounder, 60  
 bay scallops (*Pecten irradians*), 56  
 beach profiles, Elands Bay, 31  
 bear, 57  
 beaver (*Castor canadensis*), 58  
 beech, southern (*Nothofagus cunninghamii*), 48  
 Benguela Current, South Africa, 24  
 black abalone (*Haliotis cracherodii*), 70  
 black cod (*Notothenia microlepidota*), 100  
 black mussel (*Choromytilus meridionalis*), 6, 24, 33, 36  
 black snapper (*Acanthopagrus*), 86  
 blue cod (*Parapercis colias*), 95  
 blue-tongue lizard, 50  
 boar (*Sus*), 92  
 boats, totora reed (see also watercraft), 129–30  
 bone collagen analysis, 34–8  
 bone points (see also tools, bone), 62  
 bone tools *see* tools, bone  
 bonito (*Katsuwonus*), 79, 85, 86  
 Boontjieskloof, South Africa, 39  
 Bowman Island, Casco Bay, 58  
 bracken fern (*Pteridium esculentum*), 93, 95  
*Branta*, 60  
*Branta bernicula*, 110  
*Branta leucopsis*, 110  
 brants (*Branta*), 60  
 brent goose (*Branta bernicula*), 110  
 buffalo, 29  
 Bugoyfjord, Varangerfjord, 109

## Index

- burials (see also cemeteries)  
 Casco Bay, 60  
 red ochre, 56  
 Santa Barbara Channel, 67  
*Burnupena*, 36  
 Burry Inlet, Wales, 6  
 Bustins Island, Casco Bay, 58
- Calendar Islands, Casco Bay, 55  
*Calidris minuta*, 110  
 California, United States, 7, 8, 9  
 Clear Lake, 73  
 Oak Grove culture, 65, 67, 68  
 San Diego, 77  
 San Dieguito Complex, 76–7  
 San Luis Obispo, 76  
 Santa Barbara Channel, 64–77  
 sedentism, 10  
 Callao, Peru, 129  
 Canada  
 Labrador, 103, 104  
 Maritime Archaic culture, 57  
 Candelaro River, Italy, 119, 120, 121, 122  
 Canterbury, New Zealand, 95  
 Cape, South Africa (see also South Africa, Verlorenvlei), 7, 8  
 coastal settlement  
 Holocene, 28–32  
 Pleistocene, 27–8  
 Cape Barren Islands, Tasmania, 47  
 Cape fur seal, 7  
*Caralluma mammillaris*, 36  
 Carangidae, 86  
*Carassius*, 86, 86  
 carbon isotope studies, 34–8  
 marine animals, 36  
 plants, 36  
 carp  
 (Cyprinidae), 86, 87  
 silver (*Carassius*), 86, 86  
*Carpobrotus*, 36  
 Casco Bay, United States, 53–63  
 Androscoggin River, 61  
 Bangs Island, 57  
 Barnes Island, 57  
 Bates Island, 57  
 biogeographical variation, 57–62  
 Bowman Island, 58  
 burials, 60  
 Bustins Island, 58  
 Calendar Islands, 55  
 Clapboard Island, 58  
 Cousins River, 58, 62  
 diet, 57–8  
 Dry Mills, 55  
 Eagle Island, 58  
 ecology, 57  
 environment, 55–6  
 fishing equipment, 56, 60–2  
 French Island, 57, 58  
 Great Chebeague Island, 58  
 Great Diamond Island, 56, 57, 58, 60  
 Harraseeket River, 58, 62  
 Haskell Island, 57, 58  
 Horse Island, 57  
 housing styles, 57  
 island size, 57–8  
 Lanes Island, 58  
 Little Birch Island, 57, 57  
 Little French Island, 57  
 Little Iron Island, 57  
 Little Moshier Island, 57, 58  
 Lower Goose Island, 57, 58  
 Ministerial Island, 57  
 Moorehead Phase, 56–7  
 Moshier Island, 56, 57, 58, 59, 60, 61, 62, 63  
 occupation, 56–7, 60, 62–3  
 Outer Green Islands, 58  
 Pettinghill Island, 57  
 population, 62–3  
 pottery, 56  
 radiocarbon dates, 54  
 Ram Island, 57, 58  
 Red Paint Culture, 56–7  
 Royal River, 58, 63  
 salmon runs, 62  
 Scrag Island, 57  
 seal, 58  
 seasonal occupation, 60  
 sequence of island occupation, 62–3  
 Shelter Island, 57  
 Sows and Pigs Island, 57, 57  
 Stave Island, 57  
 Stockman Island, 57  
 tools, bone, 60–2  
 Upper Flag Island, 57  
 Upper Goose Island, 57  
 Whaleboat Island, 57, 58  
 White Island, 57, 58  
 Williams Island, 57  
*Castor canadensis*, 58  
 catamarans (see also watercraft), 45, 48  
 Cave Bay Cave, Hunter Island, 45–6, 47, 49, 50  
*Cellana*, 49  
*Cellana solida*, 24, 33, 49  
 cemeteries (see also burials)  
 Santa Rosa Island, 68  
 Ceramic period, North America, 56, 58  
*Cerastoderma*, 18  
*Cerastoderma edule*, 2, 6  
*Cerastoderma glaucum*, 20–1, 21, 117  
 carbon isotope analysis, 120–1  
 habitat, 17, 120  
*Cercartetus nanus*, 43  
*Cerithium*, 18  
*Cerithium vulgatum*, 17, 19, 21, 117  
*Cervus*, 57–8, 75, 92  
 chalcedony, 21, 39  
*Chersina angulata*, 35  
 chert, 27, 47, 51  
 Chimote, Peru, 129, 131  
 Chimú Phase, Peru, 133  
 Chincha Island, Peru, 129  
*Chione stutchburyi*, 95  
*Chlamys varia*, 17  
 Chondrichthyes, 86  
*Choromytilus meridionalis*, 6, 24, 33, 36  
*Chrysophrys major*, 85  
 clam, soft-shell (*Mya arenaria*), 56, 57, 62, 63  
 Clapboard Island, Casco Bay, 58  
 Clear Lake, California, 73  
 climate (see also environment, rainfall)  
 Gulf of Maine, 55–6  
 Hunter Islands, 42  
 Ocean-Atmosphere connection, 127  
 seasonal, 3  
 Varangerfjord, 105  
 Clupeina, 86  
*Cnemidornis calcitrans*, 99  
 coalfish (*Pollachius virens*), 107, 109  
 coastal sage (*Artemisia*), 72  
 coastlines (see also sea-levels, shorelines)  
 comparability, 4–5  
 Elands Bay, 23–4  
 coasts  
 evidence, 2  
 New Zealand, 95–8  
 resources, 2–4  
 cockle  
 (*Cerastoderma edule*), 2, 6  
 (*Chione stutchburyi*), 95  
 cod, 60  
 black (*Notothenia microlepidota*), 100  
 blue (*Parapercis colias*), 95  
 (*Gadus callarius*), 58  
 (*Gadus morhua*), 107, 109  
 red (*Physiculus bacchus*), 94  
*Colpoon compressum*, 36  
*Columbella*, 18  
*Columbella rustia*, 17  
 common snipe (*Gallinago gallinago*), 111–12  
 conner, 60  
 coot (*Nesophalaris chathamensis*), 99  
 coprolites, 130  
*Cordyline australis*, 95  
 cormorant (*Phalacrocorax*), 50, 60, 62  
 costs of food gathering, 6–7, 19, 75  
 Cousins River, Casco Bay, 58, 62  
*Crassostrae gigas*, 90  
*Crassostrae virginiana*, 56  
 crayfish (*Jasus lalandii*), 24, 36, 44, 49, 50  
 crow (*Phalacrocorax moriorum*), 99  
 cunner (*Tautogolabrus adspersus*), 58  
 cusk, 60  
*Cyanella hyacinthoides*, 36  
*Cyanoramphus*, 95  
 Cyclope, 18  
*Cyclope neritae*, 17, 18–20, 21  
*Cygnus sumnerensis*, 99  
*Cyphia digitata*, 36  
 Cyprinidae, 86, 87  
 dassie (*Procapra capensis*) (see also hyrax), 24, 29, 35  
 deer  
 (*Cervus*), 57–8, 75, 92  
 white-tailed (*Odocoileus virginiana*), 57  
 deforestation, New Zealand, 100  
 demography (see also population), 8  
 Casco Bay, 62–3  
 Denmark, sedentism, 10  
 Diepkloof, South Africa, 31, 32  
 diet (see also food, plant-food, wild food), 1  
 Casco Bay, 57–8  
 importance of molluscs, 4, 6  
 importance of shellfish, 20, 49, 58  
 Jomone, 90  
 marine/terrestrial balance, 32, 33, 37–8, 96  
 muttonbird, 51  
 pelican, 51  
 'perceived edibility', 20, 50  
 Peru, 130  
 petrel, 51  
 Santa Barbara Channel, 67, 75–6  
 seal, 7, 28, 34, 50, 51  
 Stockyard Site, 51  
 Tasmanian aborigine, 47, 49–50  
 Verlorenvlei, 36–8  
 digging-stick weights, 67  
*Dinornis maximus*, 95  
 Dinornithidae, 95  
*Diomedea meleanophris*, 36  
*Dioscorea elephantipes*, 36  
*Diplodus sargus*, 30  
 dolerite, 28, 39  
 dolphins, 68, 85  
 domed scrapers, 67  
*Donacilla*, 18  
*Donacilla cornea*, 17, 20–1, 21  
*Donax*, 18  
*Donax serra*, 24, 36  
*Donax trunculus*, 17, 20–1, 21  
 Dry Mills, Casco Bay, 55  
 duck  
 eider (*Somateria*), 60  
 (*Eurynas finschi*), 50, 95, 99  
 dune mole rat (*Bathyergus suillus*), 29, 35  
*Durvillea antarctica*, 24, 75, 99  
 eagle (*Harpagornis moorei*), 99  
 Eagle Island, Casco Bay, 58  
 ecology, Casco Bay, 57  
 ecotone, 1  
 Ecuador, La Plata Island, 129  
 eel (*anguilla*), 95  
 eel-grass (*Zostera capensis*), 30  
 eggs, exploitation, 112–14  
 eider duck (*Somateria*), 60  
 El Niño, 126, 127, 133–4  
 eland, 24, 29  
 Elands Bay, South Africa, 23–4, 30  
 beach profiles, 31  
 seal mandible measurement, 34  
 shell midden composition, 25  
 shellfish communities, 24  
 site locations, 26  
 Elands Bay Cave, South Africa, 25–7, 30  
 dating, 26  
 faunal remains, 29  
 hyrax analysis, 34  
 Pleistocene, 28  
 raw materials, 27  
 seal analysis, 34  
 stone tools, 39

## Index

## 150

- Elands Bay South, South Africa  
 dating, 26  
 shell middens, 25, 27  
 elephant, 24  
 elephant seal (*Mirounga leonina*), 95, 98  
*Engaulis japonica*, 86  
*Engraulis ringens* 125–9, 133–4  
*ensis ensis*, 17  
 environment (see also climate, rainfall)  
 Casco Bay, 55–6  
 Holocene, 7–8  
 Japan, 79, 79, 88–9  
 Jomon, 88–9  
 Peruvian desert coast, 132–4  
 Santa Barbara Channel, 69–76, 74  
 Verlorenvlei, 22–4  
 Eskimo, 9  
*Euryanas finschi*, 50, 95, 99  
*Euryapteryx gravis*, 95
- farming, Peruvian desert coast, 130–1  
 Finnmark, Norway, 104  
 Fiordland, New Zealand, 95, 96, 97, 98  
 fire, to control forest, 48–9, 100  
 fish-hooks (see also fishing equipment), 67, 81, 81, 130  
 fishing equipment, 49  
 Casco Bay, 56, 60–2  
 discriminant analysis, 80–4  
 fish-hooks, 67, 81, 81, 130  
 gorges, 67  
 harpoons, 56, 62, 62, 68, 81, 85–6  
 Jomon, 81, 81, 85–6  
 Santa Barbara Channel, 56, 62, 62, 68  
 Jomon, 79–84, 87–8  
 Nets, 68, 130  
 netsinkers, 56  
 Peru, 129–30  
 plummets, 56  
 prybar, 67  
 sinkers, 81, 81, 86, 87  
 Varangerfjord, 107–9  
 fishing methods  
 Jomon, 84–8  
 Santa Barbara Channel, 75  
 flamingoes, 24  
 flax (*Phormium tenax*), 98  
 flightless goose (*Cnemiornis calcitrans*), 99  
 Flinders Island, Tasmania, 47  
 flounder, winter (*Pseudopleuronectes americanus*), 58  
*Fockea comaru*, 36  
 Fontanarosa, Italy, 119, 121, 121, 122  
 food (see also diet, plant-food, wild food)  
 costs, 6–7, 19, 75  
 Jomon, 90–1  
 marine/terrestrial balance, 32, 33, 37–8, 96, 96  
 New Zealand, 94–5  
 over-exploitation, 100  
 seasonal, 7  
 storage, 9, 60, 98, 99, 103–4, 114
- food sources, 7  
 food values  
 anchoveta, 127–8  
 molluscs, 6  
 New Zealand, 97  
 foraging, 116–17, 123  
 Foveaux Strait, New Zealand, 95, 96, 97, 98–9  
 Franchthi Cave, Greece, 11–21  
 glacial/interglacial, 12  
 location, 12  
 molluscs, 16–19, 18, 21  
 sea level, 12–16, 13–15  
 shell analysis, 17–19  
 shellfish gathering, 19–21  
 shoreline reconstructions, 11–16, 118  
*Fratercula*, 60  
 French Island, Casco Bay, 57, 58  
 frostfish (*Lepidotus caudatus*), 98  
 fur seal, 95, 98  
 Fuyuki, Japan, 86, 86, 87  
 fynbos, 22
- Gadus callarius*, 58  
*Gadus morhua*, 107, 109  
*Gallinago gallinago*, 111–12  
*Gallirallus australis*, 95  
*Gallirallus minor*, 99  
 geophyte corms, 33  
 Georges Banks, Gulf of Maine, 55  
*Geotria australis*, 95, 98  
 Ghanzi, 39  
 giant rail (*Aptornis otidiformis*), 99  
*Gibbula*, 18, 19, 21  
*Gibbula divaricata*, 17  
*Gibbula rarilineata*, 17  
 glacial/interglacial cycles, 5  
 Franchthi Cave, 12  
*Glycimeris bimaculata*, 17  
*Glycimeris glycimeris*, 17  
 Goleta Slough, Santa Barbara Channel, 66  
 goose  
 Brent (*Branta bernicula*), 110  
 flightless (*Cnemiornis calcitrans*), 99  
 gorges (see also fishing equipment), 67  
 goshawk, (*Accipeter eylesi*), 99  
 grape hyacinth, 117  
 Great Auk (*Alca impennis*), 60  
 Great Chebeague Island, Casco Bay, 58  
 Great Diamond Island, Casco Bay, 56, 57, 58, 60  
 Greece  
 Argolid, 117, 119  
 Franchthi Cave, 11–21, 117–19  
 Gulf of Argos, 16, 18, 20  
 Koiladha Bay, 12, 16  
 Lakonian Gulf, 18  
 Methana, 116–17, 123  
 Gressbakken, Varangerfjord, 109  
*Grielum humifusum*, 36  
 grouse, 107  
 grysbok, 29  
 Guanape Island, Peru, 129  
 Gulf of Argos, Greece, 16, 18, 20  
 Gulf of Maine, United States, 53–63
- climate, 55–6  
 Georges Banks, 55  
 isostatic changes, 55  
 Labrador current, 55–6  
 Merrimack River, 55  
 Merrymeeting Bay, 61  
 Monhegan Island, 55  
 Presumpscot River, 61  
 sea-level, 55  
 Sebago Lake, 61  
 gulls, exploitation, 112–14  
 gypsum, 29
- haddock (*Melanogrammus aeglefinus*), 60, 109  
 hake, 60  
*Halichoerus grypus*, 58  
*Haliotis*, 95, 96  
*Haliotis cracherodii*, 70  
*Haliotis midae*, 36  
*Haliotis rufescens*, 70, 73  
 Hampden, New Zealand, 97  
 hand-stones (see also tools, stone), 67  
*hapuku* (*Polyprionum oxygeneois*), 94  
 hare (*Lepus capensis*), 29, 35  
 harp seal (*Phoca groenlandica*), 109  
*Harpagornis moorei*, 99  
 harpoons (see also fishing equipment), 56, 62, 68, 81, 81  
 closed socket, 85  
 composite, 62  
 multiple barbed, 62  
 open socket, 85  
 single barbed, 62  
 toggle, 85–6  
 Harraseeket River, Casco Bay, 58, 62  
 hartebeest, 24, 29  
 Haskell Island, Casco Bay, 57, 58  
 hawk, 50  
 hedgehog, 29  
*Hemibarbus*, 86  
*Hemiphaga novaeseelandiae*, 95  
 Hexagrammidae, 85, 86  
 Hinahina, New Zealand, 95  
 hippopotamus, 24, 29  
 Hokkaido, Japan, 81  
 Holocene  
 coastal evidence, 2  
 environmental changes, 7–8  
 Jomon Transgression, 81, 84, 86  
 transition, 5–7  
*Hoodia*, 36  
 Horinouchi pottery, 86, 90  
 hornfels, 28, 39  
 horse, 29  
 Horse Island, Casco Bay, 57  
*horta*, 117, 118  
 houses, Casco Bay, 57  
 Hoybukt, Varangerfjord, 109  
 Hunter Islands, Tasmania, 42–52  
 archaeology, 45–6  
 Cave Bay Cave, 45–6, 47, 49, 50  
 climate, 43  
 contacts with Tasmania, 51–2  
 diet, 51  
 ethnohistory, 44–5  
 geology, 43
- Little Duck Bay, 45, 50, 51–2  
 Muttonbird Midden, 45, 50  
 occupation, 44–5, 47–9  
 Penguin Islet, 51  
 Rookery Rockshelter, 45, 46  
 seasonal occupation, 48, 51–2  
 site locations, 43, 44  
 site occupation chronologies, 46  
 Stockyard Site, 45, 49, 50–1  
 tools, boen, 48  
 tools, stone, 48  
 vegetation, 42  
 Huriawa, New Zealand, 97  
*Hydnora africana*, 36  
*Hydromys chrysogaster*, 43  
*Hydrurga leptonyx*, 95, 98  
*Hypertelis salsoides*, 36  
 hyrax (see also dassie), 24, 34
- intertidal zones, Verlorenvlei, 24  
 Ipiutak, Alaska, 103  
*Imomoea batatas*, 93  
 irrigation, Peruvian desert coast, 131, 132  
 Isarago, Japan, 90  
 island size, Casco Bay, 57–8  
*Isodon obesulus*, 43, 50  
 isostatic changes, 3  
 Gulf of Maine, 55  
 Italy  
 Candelaro River, 119, 120, 121, 122  
 Fontanarosa, 119, 121, 121, 122  
 Lago Salso, 119, 121–2  
 Masseria Valente, 119, 121, 121, 122, 122
- jackal, 29  
 Japan  
 cultural periods, 79  
 environment, 79, 79, 88–9  
 Fuyuki, 86, 87  
 Hokkaido, 81  
 Isarago, 90  
 Kanto, 78, 88–9, 92  
 Kuroshio current, 79, 84  
 Kuwagaishimo, 86–7, 86, 88  
 Miyano, 84–6, 85, 86  
 Oyashio current, 79, 84  
 seal, 85  
 site distribution, 80, 83, 84  
 Tohoku, 78, 81, 89  
 tokai, 78  
 Yura River, 86  
*Jasus lalandii*, 24, 36, 44, 49, 50  
 Jomon, 78–92  
 diet, 90  
 discriminant analysis, 80–2  
 environmental change, 88–9  
 fishing equipment, 79–84, 87–8  
 fishing methods, 84–5  
 food sources, 91  
 Holocene transgression, 81, 84, 86  
 population, 92  
 pottery, 79, 89  
 shellfish consumption, 90  
 terrestrial resources, 90–1
- kaka* (Nestor), 99  
 Kangaroo Island, Australia, 47  
 Kanto, Japan, 78, 88–9, 91–2  
 Katsuwonus, 79, 85, 86

## Index

- kauru*, 95, 98  
 kelp (*Durvillea antarctica*), 24, 75, 99  
 Khoi, 31  
 King Island, Tasmania, 47  
 Kjelmoy, Norway, 112  
 Klasies River Mouth, South Africa, 6, 7  
 Klipfonteinrand, South Africa, 39  
 Koiladha Bay, Greece, 12, 16  
 Komsa culture, 107  
*kumera* (*Ipomoea batatas*), 93  
 Kuroshio current, Japan, 79, 84  
 Kuwagaishimo, Japan, 86–7, 86, 88
- La Paloma, Peru, 130  
 La Plata Island, Ecuador, 129  
 Labrador, Canada, 103, 104  
 Labrador Current, Gulf of Maine, 55–6  
 Lago Salso, Italy, 119, 121–2  
 Lakonian Gulf, Greece, 18  
 Lambayeque, Peru, 131, 133  
 lamprey (*Geotria australis*), 95, 98  
 Lanes Island, Casco Bay, 58  
 Langebaan, South Africa, 30  
 L'anse Amour, Labrador, 104  
*Lateolabrax*, 86, 86  
 Lee Island, New Zealand, 96, 97, 98  
 leopard seal (*Hydrurga leptonyx*), 95, 98  
*Lepidotus caudatus*, 98  
*Leptospermum lanigerum*, 43  
*Lepus capensis*, 29, 35  
 Lille Ekkeroy, Norway, 114  
 limpet (*Cellana solida*), 24, 33, 49  
*Lithognathus lithognathus*, 30, 36  
 Little Birch Island, Casco Bay, 57, 57  
 Little Duck Bay, Hunter Island, 45, 50, 51–2  
 Little French Island, Casco Bay, 57  
 Little Iron Island, Casco Bay, 57  
 Little Moshier Island, Casco Bay, 57, 58  
 Little Papanui, New Zealand, 95  
 little snipe (*Calidris minuta*), 110  
 Little Swanport, Tasmania, 49  
*Liza ramada*, 36  
*Liza richardsonii*, 30  
 lizard, blue-tongue, 50  
 lobster, spiny (*Jasus lalandii*), 24, 36, 44, 49, 50  
 Long Beach, New Zealand, 95, 96, 97, 98  
 Lossoa's Hus, Varangerfjord, 109  
 Louisa Bay, Tasmania, 47  
 Lower Goose Island, Casco Bay, 57, 58
- Maatsuyker Island, Tasmania, 47  
 Macabi Island, Peru, 129  
 mackerel (*Scomber*), 79, 85, 86  
*Mactra corallina*, 17, 20  
 maize, 130  
 manos (hard-stones) (see also tools, stone), 67  
 Maori, exchange network, 99  
 Mapoutahi, New Zealand, 97
- marine animals, carbon isotope values, 36  
 Maritime Archaic culture, Canada, 57  
 marsupial mouse (*Antechinus minimus*), 43, 50  
 Martins Bay, New Zealand, 97  
 Masseria Valente, Italy, 119, 121, 121, 122, 122  
*Mastacomys fuscus*, 43  
*Megalapteryx*, 95  
*Melaleuca ericifolia*, 43  
*Melanitta*, 60  
*Melanogrammus aeglefinus*, 109  
*Mercenaria*, 58  
*Mercenaria mercenaria*, 56, 57  
 mergansers (*Mergus*), 60  
*Mergus*, 60  
 Merrimack River, Gulf of Maine, 55  
 Merrymeeting Bay, Gulf of Maine, 61  
 Methana, Greece, 116–17, 123  
 methodology, 2–5  
   bone collagen analysis, 34–8  
   carbon isotope studies, 34–8  
   discriminant analysis, 80–2  
   *mya* growth line analysis, 60  
   pollen analysis, 71–2  
   shell carbonate analysis, 117–18  
   shell midden analysis, 4, 17–19, 51  
   varve analysis, 71  
 MFAC Maritime Foundations of Andean Civilization hypothesis, 125, 126  
 middens (see also shell middens)  
   Cave Bay, 47  
   Rocky Cape South, 47  
 milling stones, 67  
 Millingstone Horizon, 70  
 Ministerial Island, Casco Bay, 57  
*Mirounga leonina*, 95, 98  
 Miyano, Japan, 84–6, 85, 86  
*moa*, 8  
   (*Dinornis maximus*), 95  
   (dinornithidae), 95  
   disappearance of, 96, 99–100  
   (*Euryapteryx gravis*), 95  
   (*Megalapteryx*), 95  
*Modiolus barbatus*, 17  
 molluscs, 6  
   analysis, 2–3, 17–19  
   food yields, 6  
   Franchthi Cave, 16–19, 18, 21  
   habitat, 17–19  
   importance in diet, 4, 6  
   Mediterranean habitats, 17  
   population fluctuation, 20–1  
 Monhegan Island, Gulf of Maine, 55  
*Monodonta*, 18, 19, 21  
*Monodonta articulata*, 17  
*Monodonta turbinata*, 17, 117  
 Moorehead Phase, Casco Bay, 56–7  
 moose (*Alces alces*), 57  
*Moraea fugax*, 36  
 mortars, 67  
 Morton, Scotland, 3  
*Morus capensis*, 36  
 Moshier Island, Casco Bay, 56, 57, 58, 60
- fish remains, 60  
 location, 59  
 seasonal fish exploitation, 61  
 shell analysis, 63  
 tools, bone 62  
*Mugil cephalus*, 30  
 Mugilidae, 86  
 Murdering Beach, New Zealand, 95  
*Murex*, 18  
*Murex trunculus*, 17  
 mushrooms, 117  
 mussel  
   black (*Choromytilus meridionalis*), 6, 24, 33, 36  
   (*Mytilus*), 58, 98  
   toxicity, 33  
   ribbed (*Aulacomya ater*), 24, 36  
   dand (*Donax serra*), 24, 36  
 Mussel Point, South Africa, 23–4, 30  
*Mustela macrodon*, 58, 62  
 muttonbird, 45, 48  
   in diet, 51  
   (*Puffinus griseus*), 50, 95, 98  
   (*Puffinus tenuirostris*), 43–4  
 Muttonbird Midden, Hunter Island, 45, 50  
*Mya*, 58, 60  
*Mya arenaria*, 56, 57, 62, 63  
*Myoxocephalus*, 58, 60  
*Mytilus galloprovincialis*, 17  
*Mytilus*, 33, 58  
*Mytilus edulis*, 98
- Neiden River, Norway, 114  
 Nepena Valley, Peru, 131  
*Nesophalaris chathamensis*, 99  
*Nestor*, 99  
*Nestor meridionalis*, 95  
 netsinkers (see also fishing equipment), 56  
 netting (see also fishing equipment), 68, 130  
 New Guinea, shorelines, 6  
 New Zealand  
   Canterbury, 95  
   coastal resources, 95–8  
   deforestation, 100  
   faunal data, 96–8  
   faunal food values, 97  
   Fiordland, 95, 96, 97, 98  
   food resources, 94–5, 99–100  
   food storage, 9  
   Foveaux Strait, 95, 96, 97, 98–9  
   Hampden, 97  
   Hinahina, 95  
   Huriawa, 97  
   Lee Island, 96, 97, 98  
   Little Papanui, 95  
   Long Beach, 95, 96, 97, 98  
   Mapoutahi, 97  
   marine/terrestrial food values, 96  
   Martins Bay, 97  
   *moa* hunting, 8, 95, 96, 99–100  
   Murdering Beach, 95  
   occupation, 8  
   Otago, 95, 96, 98–9  
   Ototara, 95, 97  
   Papatowai, 95, 97, 98, 99, 100  
   Parangiaio, 95, 97, 98  
   plant food, 98
- Pleasant River, 95, 97, 98  
 Pounaweia, 95, 97, 98  
 Purakanui, 95, 96, 97  
 Rakaia Mouth, 95–6, 97  
 Riverton, 97, 98  
 Ruapuke Island, 99  
 seal, 95, 96  
 sedentism, 8  
 settlement patterns, 93, 98–9  
 Shag Mouth, 95  
 shell middens, 2–3  
 site locations, 94  
 Southport, 97, 98  
 Taiaroa Head, 97  
 Tia Rua, 96, 97  
 Tiwai Point, 96, 97, 98, 99, 100  
 Waikouaiti, 99  
 Waikaki Mouth, 95–6  
 Wakaputu, 97, 98  
 New Zealand fur seal (*Arctocephalus forsteri*), 95  
 North America (see also United States)  
   food storage, 9  
   sedentism, 10  
 Norway  
   Finnmark, 104  
   Kjelmoy, 112  
   Lille Ekkeroy, 114  
   Neiden River, 114  
   Pasvik River, 114  
   rock-paintings, 109  
   sedentism, 102–3, 104  
   Tana River, 114  
   Varangerfjord, 104–14  
*Nothofagus cunninghamii*, 48  
*Notohaliotis ruber*, 2, 44, 49, 67  
*Notothenia microlepidota*, 100  
 Nulliak Cove, Labrador, 103  
 Nunamiut Eskimo, 9  
 nuts (see also plant food), 67  
 Nyelv Nedre Vest, Varangerfjord, 109, 110  
   faunal material analysis, 111  
   hearths, 112  
   radiocarbon dates, 112  
   seasonal occupation, 112  
   site plan, 111, 113  
 Nyelv Ovve, Varangerfjord, 110  
*Nylandtia spinosa*, 36
- Oak Grove People, California, 65, 67, 68  
 occupation (see also sedentism, settlement)  
   Hunter Islands, 48, 51–2  
   New Zealand, 8, 98  
   Nyelv Nedre Vest, 112  
   Santa Cruz Island, 68  
   seasonal, 32–4  
   Varangerfjord, 109–10  
 Ocean-Atmosphere connection (see also climate), 127  
*Odobenus rosmarus*, 107  
*Odocoileus virginiana*, 57  
*Ostrae edulis*, 17  
 Otago, New Zealand, 95, 96, 98–9  
*Otocyon megalotis*, 35  
 Ototara, New Zealand, 95, 97  
 Outer Green Islands, Casco Bay, 58  
*Oxalis*, 36

## Index

- Oyashio current, Japan, 79, 84  
 oyster, 58  
   (*Crassostrea gigas*), 90  
   (*Crassostrea virginiana*), 56
- Pachymetaopon blochii*, 30, 36  
 Pacific rat (*Rattus exulans*), 93  
 Pacific sardine, 68  
 pademelon (*Thylogale billardieri*), 43, 50, 51  
 Papatowai, New Zealand, 95, 97, 98, 99, 100  
*Papio ursinus*, 35  
 paralytic shellfish poisoning, 33  
 Parangiaio, New Zealand, 95, 97, 98  
*Parapercis colias*, 95  
 parrot  
   (*Cyanoramphus*), 95  
   (*Nestor meridionalis*), 95  
 Pasvik River, Norway, 114  
*Patella*, 18, 19, 21, 24  
*Patella argenvillei*, 24, 36  
*Patella aspera*, 17  
*Patella caerulea*, 17  
*Patella cochlear*, 36  
*Patella granatina*, 24, 36  
*Patella granulata*, 24, 36  
*Patella lusitanica*, 17  
*paua* (*Haliotis*), 95, 96  
*Pecten irridians*, 56  
 pelagic barracouta (*Thyrstites atun*), 94  
 pelican, 24, 51  
 penguin, 7, 50, 95  
 Penguin Island, Tasmania, 45  
 Penguin Islet, Hunter's Island, 51  
 'perceived edibility', 20, 50  
 periwinkle, 2  
 Peru  
   agriculture, 130–1  
   Aspero, 130  
   Callao, 129  
   Chimbote, 129, 131  
   Chimu Phase, 133  
   Chincha Island, 129  
   desert coast  
     environment, 132–4  
     irrigation, 131, 132  
   diet, 130  
   fishing equipment, 129–30  
   Guanape Island, 129  
   La Paloma, 130  
   Lambayeque, 131, 133  
   Macabi Island, 129  
   Nepena Valley, 131  
   Pacific coast site locations, 128  
   Rio Moche, 133  
   Santa Valley, 131  
   sedentism, 10  
   Trujillo, 133  
   pestles, 67  
   petrel, 50, 51, 95  
   Pettingill Island, Casco Bay, 57  
   *Phalacrocorax*, 50, 60, 62  
   *Phalacrocorax moriorum*, 99  
   *Phalacrocorax capensis*, 36  
   *Phoca groenlandica*, 109  
   *Phoca vitulina*, 55, 58  
   *Phocarctos hookeri*, 75, 85, 95, 98  
   *Phormium tenax*, 98  
   *Physiculus bacchus*, 94  
   phytoplankton, 33
- pig, 29  
 pidgeon (*Hemiphaga novaeseelandica*), 95  
*Pinna nobilis*, 17  
 plant-food (see also diet, food)  
   acorns, 67, 74, 75, 76  
   New Zealand, 98  
   nuts, 67  
   Santa Barbara Channel, 67  
   seeds, 67  
   Verlorenvlei, 33  
 plants, carbon isotope values, 36  
*Platycephalus indicus*, 86  
 Pleasant River, New Zealand, 95, 97, 98  
*Plecoglossus altevelis*, 86  
*Plecoglossus altivelis*, 87  
 plummets (see also fishing equipment), 56  
*Pollachius virens*, 107, 109  
 pollen analysis, Santa Barbara Channel, 71–2  
 pollock, 60  
*Polyprionum oxygeneois*, 94  
*Pomatopus saltatrix*, 30  
*Pomolobus pseudoharengus*, 60  
 population (see also demography), 8  
   Alaska, 103  
   Casco Bay, 62–3  
   Jomon, 92–3  
   Peru, 127  
   Santa Barbara Channel, 68–9, 73–4  
   Verlorenvlei, 31, 32  
 possum (*Cercartetus nanus*), 43  
 potato, white, 98–9  
 potoroo (*Potoroia apicalis*), 43, 50  
*Potorous apicalis*, 43, 50  
 pottery  
   Casco Bay, 56  
   Ceramic period, 56, 58  
   Horinouchi, 86, 90  
   Jomon period, 79, 89  
   Pounaweia, New Zealand, 95, 97, 98  
   Presumpscot Formation, 55  
   Presumpscot River, Gulf of Maine, 61  
*Prionium serratum*, 36  
*Procapia capensis*, 24, 29, 35  
*Prothemadera novaeseelandica*, 95  
 prybar (see also fishing equipment), 67  
*Psammobates tentorius verroxii*, 35  
 pseudo-metate, 67  
*Pseudolabrus*, 95  
*Pseudomys higginsii*, 43  
*Pseudopleuronectes americanus*, 58  
 PSP paralytic shellfish poisoning, 33  
*Pteridium esculentum*, 93, 95  
 puffin (*Fratercula*), 60  
*Puffinus griseus*, 50, 95, 98  
*Puffinus tenuirostris*, 43–4  
 Purakanui, New Zealand, 95, 96, 97
- quahog (*Mercenaria mercenaria*), 56, 57
- quail, 95  
 quartz, 27, 28, 39, 51  
 quartzite, 27, 47, 51, 67
- radio carbon dating  
   Casco Bay, 54  
   Nyelv Nedre Vest, 112  
   Verlorenvlei, 26  
 rafts, balsa-log (see also watercraft), 129  
 rail, 95  
   giant (*Aptornis otidiformis*), 99  
 rainfall (see also climate, environment)  
   Santa Barbara Channel, 72  
   Verlorenvlei, 22–3, 28–9  
 rainforest, Tasmania, 7, 8, 48–9, 100  
 Rakaia Mouth, New Zealand, 95–6, 97  
 Ram Island, Casco Bay, 57, 58  
*Rangifer tarandus*, 107  
*Raphicerus campestris*, 29, 35  
 rat  
   Pacific (*Rattus exulans*), 93  
   water (*Hydromys chrysogaster*), 43  
 rat kangaroo (*Potorous apicalis*), 43, 50  
*Rattus exulans*, 93  
*Rattus lutreolus*, 43  
 raven, 50  
 razor shell (*Solen capensis*), 30, 123  
 red abalone (*Haliotis rufescens*), 70, 73  
 red cod (*Physiculus bacchus*), 94  
 red ochre burials, 56  
 Red Paint culture, Casco Bay, 56–7  
 red snapper (*Chrysophrys major*), 85  
 red tides, 33  
 red water, 33  
 reindeer (*Rangifer tarandus*), 107  
*Rhabdosargus globiceps*, 30  
 rhinoceros, 29  
 ribbed mussel (*Aulacomya ater*), 24, 36  
 Rincon Point, Santa Barbara Channel, 66, 68  
 Rio Moche, Peru, 133  
 Riverton, New Zealand, 97, 98  
 Robbins Island, Tasmania, 42, 45  
*Roccus saxatilis*, 60  
 rock-paintings, 32  
   Norway, 109  
   Sandveld, 39  
   and stress, 39  
   Verlorenvlei, 23, 39  
 rock-trout (Hexagrammidae), 85, 86  
 Rocky Cape, Tasmania, 46–7, 48, 49  
 Rookery Rockshelter, Hunter Island, 45, 46  
 Royal River, Casco Bay, 58, 63  
 Ruapuke Island, New Zealand, 99
- sage (*Salvia*), 67, 74  
 salmon rivers, Varangerfjord, 108  
 salmon runs, Casco Bay, 62
- salmon (Salmonidae), 79, 109, 114  
 Salmonidae, 79, 109, 114  
*Salvia*, 67, 74  
 San Diego, California, 77  
 San Dieguito Complex, California, 76–7  
 San Luis Obispo, California, 76  
 San Miguel Island, Santa Barbara Channel, 64, 75  
 sand mussel (*Donax serra*), 24, 36  
 Sandveld, South Africa, 22, 30, 39  
 Santa Barbara Channel, California, 64–77  
   altithermal, 70  
   Anacapa Island, 64  
   burials, 67  
   chronology, 64–6  
   cultural change, 73–6, 74  
   diet, 67, 75–6  
   environment, 69–75, 74  
   fishing methods, 75  
   geography, 64  
   Goleta Slough, 66  
   location, 65  
   plant-food, 67  
   pollen analysis, 71–2  
   population, 68–9, 73–4  
   rainfall, 72  
   Rincon Point, 66, 68  
   San Miguel Island, 64, 75  
   Santa Cruz Island, 64, 66, 68  
   Santa Rosa Island, 64, 66, 68, 70, 73  
   sea-mammal hunting, 74–5  
   sea-surface temperature/  
     archaeological phases, 71  
   seal, 75  
   settlement patterns, 68  
   Tanner Basin, 71  
   Vandenberg Air Force Base, 66, 76  
   varve analysis, 71  
   wave erosion, 68  
 Santa Cruz Island, Santa Barbara Channel, 64, 66, 68  
 Santa Rosa Island, Santa Barbara Channel, 64, 66, 68, 70, 73  
 Santa Valley, Peru, 131  
 sardine, Pacific, 68  
 scallops, 2  
   bay (*Pecten irridians*), 56  
 Scandinavia (see also Norway)  
   food storage, 9  
   sedentism, 10  
   *Scomber*, 79, 85, 86  
 Scorpenidae, 86, 86  
 scorpionfish (Scorpenidae), 85, 86  
 scoters (*Melanitta*), 60  
 Scotland, 3  
 Scrag Island, Casco Bay, 57  
 scrapers (see also tools, stone)  
   flake, 87  
   stemmed, 87  
 sculpin (*Myoxocephalus*), 58, 60  
 sea bass (*Lateolabrax*), 86, 86  
 Sea Crow Island, Tasmania, 45  
 sea-levels (see also coastlines, shorelines), 5  
   Franchthi Cave, 12–16, 13–15

## Index

- Gulf of Maine, 55  
 Verlorenvlei, 30  
 sea-lion (*Phocartos hookeri*), 75, 85, 95, 98  
 sea-mink (*Mustels macrondon*), 58, 62  
 sea-urchin (*Strongylocentrotus*), 58  
 seal  
 Cape fur seal, 7  
 Casco Bay, 58  
 in diet, 7, 28, 34, 50, 51  
 elands Bay, 34  
 elephant (*Mirounga leonina*), 95, 98  
 European exploitation, 45  
 fur, 98  
*Halichoerus grypus*, 58  
 harp (*Phoca greonlandica*), 109  
 Hunter Island, 45, 50  
 Japan, 85  
 leopard (*Hydrurga leptonyx*), 95, 98  
 New Zealand, 95, 96  
 New Zealand fur (*Arctocephalus forsteri*), 95  
*Phoca vitulina*, 55, 58  
 Santa Barbara Channel, 75  
 Tasmania, 43  
 Varangerfjord, 107  
 Verlorenvlei, 24, 28, 34  
 sealing, 61  
 Sebago Lake, Gulf of Maine, 61  
 sedentism (see also occupation, settlement), 8–10  
 Alaska, 103  
 Australia, 8  
 California, 10  
 circumstances for, 10  
 consequences of, 10  
 Denmark, 10  
 Labrador, 103  
 New Zealand, 8  
 North America, 10  
 Norway, 102–3, 104  
 Peru, 10  
 Scandinavia, 10  
 seeds (see also plant-food), 67  
 seine nets (see also fishing equipment), 68  
 settlement, 123  
 settlement (see also occupation, sedentism)  
 Cape, 27–32  
 Casco Bay, 56–7, 60, 62–3  
 Hunter Islands, 44–5, 46, 47–9, 51–2  
 New Zealand, 93, 98–9  
 Oak Grove People, 68  
 Santa Barbara Channel, 68  
 South Africa, 7, 8, 27–32  
 Varangerfjord, 107  
 Verlorenvlei, 26–7  
 Shag Mouth, New Zealand, 95  
 shale, 27  
 shark, 67, 75  
 sheareater, short-tailed (*Puffinus tenuirostris*), 43–4  
 shearwater, 95  
 sooty (*Puffinus griseus*), 50, 95, 98  
 sheep, 29  
 shell analysis, 60, 63, 117–18  
 shell middens  
 analysis, 4, 17–19, 51  
 Australia, 3  
 Cave Bay Cave, 46  
 Elands Bay, 25, 25, 27  
 Franchthi Cave, 17–19  
 Hunter Islands, 51  
 Isarago, 90  
 Kanto, 79  
 New Zealand, 2–3  
 rate of accumulation, 27  
 Scotland, 3  
 south Africa, 2  
 Tohoku, 79  
 Varangerfjord, 110  
 Verlorenvlei, 25  
 shellfish  
 gathering, 3, 19–21, 122–3  
 population, 24–5  
 resources, 24, 62  
 seasonal dating, 90  
 selectivity, 25  
 Shelter Island, Casco Bay, 57  
 shorelines (see also coastlines, sea-levels)  
 Elands Bay, 31  
 environmental changes, 3  
 Franchthi Cave, 11–16, 118  
 New Guinea, 6  
 short-tailed sheareaters (*Puffinus tenuirostris*), 43–4  
 silcrete, 27, 28, 29  
 silver carp (*Carassius*), 86, 86  
 sinkers (see also fishing equipment), 81, 81  
 notched stone, 87  
 re-used potsherd, 86  
 Sisters' Creek, Tasmania, 49  
 small-stemmed point culture, North America, 56  
 snapper  
 black (*Acanthopagrus*), 86  
 red (*Chrysophrys major*), 85  
 snipe  
 common (*Gallinago gallinago*), 111–12  
 little (*Calidris minuta*), 110  
 Soaqua, 31  
 soft-shell clam (*Mya arenaria*), 56, 57, 62, 63  
*Solen capensis*, 30, 123  
*Solen marginatus*, 120, 121  
*Solen vagina*, 17  
*Somateria*, 60  
 Sonqua, 31  
 sooty shearwater (*Puffinus griseus*), 50, 95, 98  
 South Africa  
 Aspoort, 39  
 Baboon Point, 23–4, 30  
 Benguela Current, 24  
 Boontjieskloof, 39  
 Cape coast, 7, 8, 27–32  
 Diepkloof, 31, 32  
 Elands Bay, 23–4, 25, 26, 30, 31, 34  
 Elands Bay Cave, 25–7, 29, 30, 34  
 Klasies River Mouth, 6, 7  
 Klipfonteinrand, 39  
 Langebaan, 30  
 Mussel Point, 23–4, 30  
 Sandveld, 22, 30, 39  
 settlement, 7, 8, 27–32  
 shell middens, 2  
 spring Cave, 25, 26  
 stone sources in the western Cape, 38  
 Strandveld, 22  
 Tortoise Cave, 25, 26, 27, 30, 32  
 Verlorenvlei, 22–41  
 southern beech (*Nothofagus cunninghamii*), 48  
 Southport, New Zealand, 97, 98  
 Sows and Pigs Island, Casco Bay, 57, 57  
 Spain, 7  
 Sparidae, 86  
 spears, 62  
*Spheniscus demersus*, 36  
 spiny lobster (*Jasus lalandii*), 24, 36, 44, 49, 50  
*Spondylus gaederopus*, 17  
 spongolite, 47, 49, 51  
 Spring Cave, South Africa, 25, 26  
 springbok (*Antidorcas marsupialis*), 35  
 Stack Island, Tasmania, 45  
 Stave Island, Casco Bay, 57  
 steenbok (*Raphicerus campestris*), 29, 35  
 Steep Heads Island, Tasmania, 45  
 Stockman Island, Casco Bay, 57  
 Stockyard Site, Hunter Island, 45, 49, 50–1  
 stone-tools see tools, stone  
 storage pits (see also food storage), Casco Bay, 60  
 strandloping, 32  
 Strandveld, South Africa, 22  
 stress, and rock-painting, 39  
 striped bass (*Roccus saxatilis*), 60  
*Strongylocentrotus*, 58  
 sturgeon, 58, 60  
*Subnina undulata*, 44, 49  
 sugar cane, 130  
 sunflowers, 74  
*Sus*, 92  
 Susquehanna broadpoint culture, North America, 56, 57  
 swan (*Cygnus sumnerensis*), 99  
 sweet manioc, 130  
 sweet potato (*Ipomoea batatas*), 93  
 sweetfish (*Plecoglossus altivelis*), 87  
 swellfish (*Takifugu rubripes*), 86, 86  
 swordfish, 60, 67, 75  
*Tachysurus feliceps*, 30  
 Taiaroa Head, New Zealand, 97  
*Takifugu rubripes*, 86, 86  
 Tana River, Norway, 114  
 Tanner Basin, Santa Barbara Channel, 71  
*Tapes*, 18  
*Tapes decussatus*, 17, 21  
 Tareumiut, 102–3, 112  
 Tasmania, 7  
 Aborigines, 4, 42, 45, 49  
 Bass Strait, 47  
 Cape Barren Islands, 47  
 catamarans, 45, 48  
 Flinders Island, 47  
 Hunter Islands, 42–52  
 King Island, 47  
 Little Swanport, 49  
 Louisa Bay, 47  
 Maatsuyker Island, 47  
 Penguin Island, 45  
 rainforest, 7, 8, 48–9  
 Robbins Island, 42, 45  
 Rocky Cape, 46–7, 48, 49  
 Sea Crow Island, 45  
 seal, 43  
 Sisters' Creek, 49  
 Stack Island, 45  
 Steep Heads Island, 45  
 Three Hummock Island, 42, 45  
 tools, bone, 49–50  
 tools, stone, 47  
 Trefoil Island, 45  
 West Point, 47, 49, 97, 98  
*Tautogolabrus adspersus*, 58  
 tea tree  
 (*Leptospermum lenigerum*), 43  
 (*Melaleuca ericifolia*), 43  
 teal (*Anas crecca*), 110  
 tectonic changes, 3  
 teleosts, 67  
 Terminal Archiac period, North America, 56, 58  
 Tetraodontidae, 86  
 Three Hummock Island, Tasmania, 42, 45  
*Thunnus*, 79, 85, 86  
*Thylogale billardieri*, 43, 50, 51  
*Thyrsites atun*, 94  
*ii* (*Cordyline australis*), 95  
*ti* pits, 98  
 Tia Rua, New Zealand, 96, 97  
 Tiwai Point, New Zealand, 96, 97, 98, 99, 100  
 Tohoku, Japan, 78, 79, 81, 89  
 Tokai, Japan, 78  
 Tom cod, 60  
 tools, bone, 48  
 Casco Bay, 60–2  
 points, 62  
 Tasmania, 48–50  
 tools, stone  
 awls, 87  
 Cape, 28  
 Casco Bay, 56  
 digging-stick weights, 67  
 domed scrapers, 67  
 Elands Bay, 39  
 hand stones, 67  
 Hunter Islands, 48  
 manos, 67  
 Norway, 107  
 Santa Barbara Channel, 67  
 scrapers, 87  
 Tasmania, 47  
 Tortoise Cave, 30  
 Verlorenvlei, 38–9  
 tortoise, 24  
 (*Chersina angulata*), 35  
 (*Psammobates tentorius verroxi*), 35  
 Tortoise Cave, South Africa, 25, 26, 27, 32  
 dating, 26  
 fish faunal sequence, 30  
 Trefoil Island, Tasmania, 45  
 Trujillo, Peru, 133

## Index

- tui* (*Prothemadera novaeseelandiae*), 95  
 tuna (*Thunnus*), 79, 85, 86
- uintjies, 33  
*umealiq*, 103  
 United States  
   Alaska, 53, 103  
   California, 7, 8, 9, 64–77  
   Casco Bay, 53–63  
   Gulf of Maine, 53–63  
   Santa Barbara Channel, 64–77  
 Upper Flag Island, Casco Bay, 57  
 Upper Goose Island, Casco Bay, 57
- Vandenberg Air Force Base,  
   Santa Barbara Channel, 66, 76  
 Varangerfjord, Norway, 104–14  
   Advik, 109, 112  
   Angsnes, 109  
   Bugoyfjord, 109  
   climate, 105  
   early occupation, 107  
   faunal evidence, 109  
   fishing equipment, 107–9  
   Gressbakken, 109  
   Hoybukt, 109
- location, 105  
 Lossoa's Hus, 109  
 Nyelv Nedre Vest, 109, 110, 111, 112, 112, 113  
 Nyelv Ovre, 110  
 salmon rivers, 108  
 seal, 107  
 seasonal occupation, 109–10  
 seasonal resources, 106  
 shell middens, 110  
 site locations, 110  
 trade, 109  
 vegetation, 105–6  
 varve analysis, Santa Barbara Channel, 71  
*Venerupis aureus*, 17  
*Venus verrucosa*, 17  
 Verlorenvlei, South Africa, 22–41  
   carbon isotope studies, 34–8  
   diet, 36–8  
   environment, 22–4  
   intertidal zones, 24  
   location, 23  
   palaeogeography, 29–30  
   plant-food, 33  
   population movements, 31, 32  
   radiocarbon dates, 26  
   rainfall, 22–3, 28–9  
   rock-paintings, 23, 39
- sea-level, 30  
 seal, 24, 28, 34  
 shellfish population, 24–5  
 site distribution, 25–6, 31, 32  
 site occupation, 26–7  
 Verlorenvlei, South Africa,  
   shell middens, 25
- Waikouaiti, New Zealand, 99  
 Waitaki Mouth, New Zealand,  
   95–6  
 Wakapatu, New Zealand, 97, 98  
 Wales, Alaska, 103  
 Wales, Burry Inlet, 6  
 wallaby (*Thylogale billardierii*),  
   43, 50, 51  
 walrus (*Odobenus rosmarus*),  
   107  
 warrener (*subnina undulata*),  
   44, 49  
 water rat (*Hydromys chrysogaster*), 43  
 watercraft, 104  
   boats, 129–30  
   catamarans, 45, 48  
   rafts, 129  
*Watsonia pyramidata*, 36  
 wave erosion, Santa Barbara Channel, 68
- weka* (*Gallirallus australis*), 95  
*weka* (*Gallirallus minor*), 99  
 West Point, Tasmania, 47, 49, 97, 98  
 whale, 24, 85, 107  
 Whaleboat Island, Casco Bay, 57, 58  
 wheelk, 24  
 White Island, Casco Bay, 57, 58  
 white-tailed deer (*Odocoileus virginiana*), 57  
 wild boar (*Sus*), 92  
 wild food (see also diet, food, plant-food), 116–17  
 wildebeest, 29  
 Williams Island, Casco Bay, 57  
 winter flounder (*Pseudopleuronectes americanus*), 58  
 wolf-fish, 60  
 Woodland period, North America, 56
- Xerothermic, 70
- yucca, 67  
 Yura River, Japan, 86
- Zostera capensis*, 30