

SUBJECT INDEX

Bold-face numbers denote the major entry

- aggradation, 347–52
- alluvial fans, 347, 350–2
- alluviation, 347–52
- altiplanation, 336–7
- angle, effective, 75: of internal friction, **66–73** 79, 85, **92–6**, 114–16, 122–4, 142–5, 149–68, 178–86, 229–30, 268–9, 318, 346
- angle, of maximum slope, 74
- of plane friction, 67
- of repose, **73–4**, 142–5, 346 (*see also* slope; profiles, straight; talus)
- of stable slope, for clays, 149–52, **178–81** in the humid tropics, 357
- for residual soils, 181–5
- for rock, 120–4
- for thick soils, 149–52, **178–81** (*see also* threshold slopes)
- area drained per unit contour length, 394–5, 398–9
- arid areas, 355 (*see also* semi-arid areas)
- asymmetric valleys, 384–9, 418
- in periglacial areas, 327–32
- Atterberg Limits, 82
- activity ratio, 82
- Liquid Limit, 169–71
- avalanches, 331, 334
- basal removal, impeded, 139–47, 176–7
- unimpeded, 108–9, 139–47, 177–8, 343
- base level, 12, 29
- bearing capacity, 90
- bedding, relation to shear strength, 78–9
- boulder controlled slopes, 342–6
- braided channels, 191–2, 346–9
- break in slope, 221, 229–30, 338, **346–9** (*see also* slopes; lower concavities)
- buttes, 340, 352–4, 366 (*see also* inselbergs)
- cambering, 283, 309–10
- capillary action, 33
- capillary cohesion, 33–4
- catenas, 266, 362 (*see also* soils)
- caves, 232, 239
- channel extension and infilling, 420–1
- channel geometry, 4, 5
- channels, types of, 191–4 (*see also* rills; braided channels; gullies)
- characteristic forms, 108–9, 383, 395–6, 408–9, 414–15, **433–6**, 438–9
- definition, 109
- for soil creep, 298
- for wash, 225–6
- chemical equilibrium, **239–42**, 251
- chemical removal, *see* solution
- clays *see also* Atterberg Limits; quick clays
- angle of internal friction in, 84 (*see also* angle)
- cohesion in, 79–86, 274
- deep slips in, 159–68
- earthflows in, 168–73
- erodibility of, 214–15
- extra-sensitive, 168–73
- ion adsorption on, 81–2
- progressive failure in, 156
- slope forms in 314–15, **379–82**
- stability analysis for, 149–51 (*see also* stability analysis)
- clay minerals, 80–2, 249–50
- clay skins, 233
- cleavage in relation to shear strength, 78–9
- cliffs, in humid temperate areas, 302–3, 319
- obliteration by talus, 142–6, 303
- in periglacial areas, 331
- processes of erosion on, 114–47
- retreat, 137, 303, 342
- in semi-arid areas, 340, 352–4, 392–4
- climate, *see also* humid temperate areas; periglacial areas; semi-arid areas; tropical areas
- effect on rates of solution, 250–61
- effect on rates of wash, 215–19
- effect on valley asymmetry, 385–9
- clinographic curve, 401
- cohesion, capillary, 33–4
- in clays, 79–86

Index

- cohesion (*cont.*)
 effective, 122–3, 129
 in intact rock, 76–9
 colloids, 233–4 (*see also* solution)
 colluvium, **90–6**, 328–9
 competence, 38,
 concave contours, *see* hollows
 concave slopes, *see* slopes
 concentration, of debris on stream bed, 38,
 41
 of particles on slope surface, 188
 of particles in water flow, 39
 of solutes, *see* solution
 congeliturbation, *see* solifluction
 continuity equation, in process–response
 models, 107–9: for hillslope debris
 transport, 107–9, 229 (with curved con-
 tours, 392); for soil thickness, 107
 for surface water flow, 47
 for throughflow, 52
 contour curvature, *see also* spurs; hollows
 effect on slope profiles, 390–7
 relation to profile curvature, 410–13
 variation along slope profiles, 397–400
 contributing area, 410
 convex contours, *see* spurs
 convex slopes, *see* slopes
 Coriolis force and valley asymmetry, 385–6
 creep as a material property, 87, **272**, 277,
 289–91, 310 (*see also* soil creep)
 cut and fill, 347–52
 cycle of erosion, 11–12, 370–1
 in periglacial areas, 326
 cyclic time, **5–7**, 315–17
- Davis' model, 8, 11, **369–72**
 Davis' system, **11–13**, 17, 25
 debris transport, **5**, 6
 dominant rate of, 103
 and grain size, 39–40, 201–4, 228–30, 313
 and magnitude and frequency of mass
 movement, 103–4
 in overland flow, 223–5, 228
 rates of: in rainsplash, 201–7; in soil
 creep, 288–91; in solifluction, 291–4;
 in wash, 207–15
 through the soil in water flow, 46, 231–3
 in solution, 233–71
 in streams: as total load, 38–42; as sus-
 pended load, 38–42, 223–4; as bed load,
 40, 223, 228
 techniques for measuring, **195–8**, 278–82
 depression storage, 46, 48
 desert varnish, 343
 diffusion equation, 59–61
 for flow through soil, 42–3
 for soil creep, 297–8
- diffusion processes, 39, 44–6, **59–61**, 275–6
 diffusivity in, 60
 drift velocity in, 60
 in rainsplash, 188–9, 199–200
 random walk model for, 60
 in soil creep, 295–6
 discharge, 6, 35–6, 42–4, 50–1, 391 (*see also*
 debris transport)
 and drainage density, 422–3
 and solute concentration, 256–7
 and wash 222–9
 dispersive grain stress, 38, 41
 dissolved load, 238, 240–2
 divides, convexity of, 297–300, **306–10**,
 340–1, 438
 lateral migration of 7, 299, **396–7**
 dominant event, 104
 drainage area and erosion rates, 21, 416–17
 drainage basins, 7, **390–424**
 drainage density, 6, 402–3, **418–24**
 and graded/steady time spans, 420–2
 and link frequency, 402–3
 and slope profiles, 314–15
 variations of: in semi-arid areas, 349–50,
 423–4; over time, 418–20
 dunes, 355
 duricrusts, 359–60, 363–6
 dynamic equilibrium, **3–4**, 6–7, 8, 16 (*see*
 also equilibrium)
- earthflows, 168–73, 332
 effective cohesion, 74–6
 effective stress, 74–6 (*see also* stress)
 effective stress analysis, 33–4, 74–6, **151**
 efficiency of forces, 27–8
 elevation, 29
 and erosion rates, 414–18
 eluviation, 232–3
 energy, 3, 27
 of rainstorm, 213
 entropy, 3
 in the landscape, 4
 equilibrium, chemical, 239–42, 252
 for desert cliffs, **352–4**, 392–4
 for drainage density, 420–3
 dynamic, **3–4**, 6–7, 8, 16
 between mechanical and chemical re-
 moval, 262–70
 for pediments, 350–2
 for soil thickness, 262–70
 static, 2, 27
 erodibility of soil, 213–15
 erosion, belt of no, 193–4, 207, **226–8**
 cycle of, 11–12, 326, 370–1
 of slopes, *see* slopes; debris transport
 of soil, 209–15, (*see also* surface wash)
 by streams, 12, 14–16, 414–18

Index

- erosion rates, as dissolved load in streams, 238, 240–2, 256–7
 equilibrium of, between mechanical and chemical processes, 262–70
 overall, 21–5: influence of climate on, 362–3, 416; influence of drainage area on, 21, 416–17; influence of elevation on, 414–18; influence of relief ratio on, 23, 416–17
 for rainsplash, 201–7
 on rockwalls, 131–9
 in solution from the soil or slopes, 246–56
 for surface wash, 207–19
 in tropical areas, 362–3
 erosion surfaces in Africa, 18–20
 exfoliation, 120
 expansion forces, *see* forces
- failure, in rock, 114–47
 in soil, 148–87
 surfaces: in rock, 120–3; in soil, 30, 152–3, 160–4
- feedback, negative, 3
- field capacity, 45
- flow, *see* landslides; water
 regimes, 36–8 (*see also* laminar flow; sub-divided flow; turbulent flow)
- forces, 27–61 (*see also* stress)
 diffusion, 59–61, 275–6
 efficiency of, 27–8
 expansion: frost, 57–9, 126, 129, 276 (*see also* frost); moisture, 56, 275, 285–6, 294–5; salt crystallization, 59, 342; thermal, 56, 125–6, 129, 278
 gravity, 28–31, 62, 347
 hydraulic lift, 38–9
 raindrop impact, 55–9, 219–20
 and resistance, 8
 tractive, 38–41, 46, 223–4, 229–30
 water flow, 35–46, 63
 water pressure and tension, 31–4
 hydraulic, 36, 38, 221–4, 227
 solid, 66–76
- friction, factor, 36
- frost, daily and annual cycles, 58
 and granular disintegration, 129–31
 and patterned ground, 293–4, 322
 and permafrost, 327
 shattering, 136–8, 326–34, 337, 342
- frost heaving, 57–9
 in ice lenses, 58, 276–8, 297
 and rill destruction, 192–3
 and soil creep, 274–5, 289, 370
 susceptibility of soils to, 293
- Froude number, 37–8
- geneigten flächen*, 374–6
- general systems theory, 4–5
 geology, *see* clays; igneous rocks; limestone; lithology; sandstone; tectonics
 grade, 3, 12, 313, 396
 graded slopes, 370, 375
 graded time, 5–7, 315–17: and drainage density, 421–2
 gradients, *see also* slope gradients
 hydraulic, 42
 grain release, 128–31
 grain size, discontinuities, 347
 and sediment transport, 39–40, 201–4, 228–30, 313
 and shear strength, 72, 94–5
 granular disintegration, 128–31
 gravity forces, 28–31, 62, 347
 gullies, 193–4, 207, 226–8, 388
- haldenhang*, 373–6
 head, 21–3
- hollows, (contour concavities), conditions for growth of, 394–5
 defined, 390
 water flow in, 390–2
- Horton model, for gully initiation, 193–4, 226–8
 for overland flow production, 63, 64
- humid temperate areas, 301–23
 and paleoclimatic conditions, 321–3
 and surface water erosion, 189
- hydraulic conductivity, 42
 hydraulic diffusivity, 44
 hydraulic geometry, 6
 hydraulic gradient, 42
 hydraulic lift, 38–9
 hydraulic radius, 36, 222–8
 hydraulic roughness, 36, 38, 221–4, 227
 and grain size, 224
 and vegetation, 222–3
- hydrologic depth, 63–4
- hydrology of hillslopes, 46–54 (*see also* infiltration; overland flow; throughflow)
 depression storage, 46, 48
 interception, 45, 47, 206, 210–12
 stemflow, 45, 48
- hydrostatic stress, 31–4
- hypsothetic curve, 400–1
- ice lenses, 58, 276–8, 297
- igneous rocks, 252–5, 347
- illuviation, 232–3 (*see also* re-deposition)
- infiltration capacity, 45, 63
 effect of soil on, 49
 effect of soil structure on, 48–9
 effect of vegetation cover on, 49, 210–2
- inselbergs, 366–7 (*see also* buttes)
- instability processes, in rock, 111–47

Index

- instability processes (*cont.*)
 in soil, 148–87
 interception, 45, 47, 206, 210–12
 interflow, *see* throughflow
 interlocking, 70–4, 120–4 (*see also* angle of internal friction)
 internal friction, *see under* angle
 ion adsorption, 81–2 (*see also* clays)
 ionic solution, *see* solution
 isostasy, 17–20
- joints, and angle of shearing resistance, 123–5
 effective area of, 122
 and slides, 119
 valley, 119
 and weathering, 90, 262, 342
- laminar flow, 42, 222
 landslides, *see also* stability analysis
 and contour curvature, 394
 in humid temperature areas, 319–20
 mechanics of, 148–68, 425–32
 in periglacial areas, 332
 process–response model for, 178–84
 and tension cracks, 117
 in tropical areas, 361
 and weathering rates, 268–9
 laterite, 359–60, 361, 363–6
 Le Châtelier's principle, 3, 357
 limestone solution, 96–7, 239, 250, 254–6
 Liquid Limit, 169–71 (*see also* clays; Atterberg Limits)
 lithology, effect on erosion rates, 414–16
 effect on instability processes, 117–18, 120–2, 125–9, 154–8, 159–60, 174–6, 181–2, 268–9
 effect on shear strength, 76–86
 effect on slope profiles 182–7, 310, 320, 347, 352–4, 365, 367, 379–82
 effect on soil strength 79–86, 90–8
 effect on solution rates 246–50, 252–6
 loess, erosion of, 415–16
 slab failure in, 115
 lower concavities, *see also* slopes, concave
 in humid temperate areas, 310–15
 in semi-arid areas, 346–9, 354–5
 and solution, 257–61, 314, 320, 377
 in tropical areas, 361–2
 and wash, 224–6, 311–14, 320, 346–9, 377
- magnitude and frequency, of dominant event, 104
 of mass movements, 102–4
 for rainsplash, 204–6
 for solute concentration, 256–7
 for surface wash, 216–17
 of threshold stress, 132
 main slopes, 377–82, 384, 388 (*see also* straight segments; slope profiles, straight)
 Manning's *n*, *see* hydraulic roughness
 mass movements, 99–101 (*see also* separate process headings)
 magnitude and frequency of, 102–4
 maximum angle of slope, 74
 maximum valley side slope angle, 402
 meanders, 4, 348
 measurement methods, *see* techniques
 mineralogy and shear strength, 72
 minimum entropy production, 4
 minimum variance, 4
 minimum work, 4
 mobility in solution, 245–50
 effects of organic material on, 246, 250
 effect of pH on, 250
 models, *see also* process–response models
 causal, 8
 of W.M. Davis, 8, 11, 369–72
 deductive and inductive, 7, 10, 377
 force–resistance, 8
 of L.C. King, 11, 376–7, 384
 of W. Penck, 13–17, 372–7
 for rainsplash, 219–21
 for diffusion (random walk), 59–61
 of slopes in basins, 405–18
 for soil creep, 294–7
 for surface wash, 221–30
 moisture, expansion, 56, 275, 285–6, 294–5
 in soil, *see* soil moisture
 morphoclimatic regions, for solution, 252–6
 for surface wash, 215–19
 mudflows (with levées), 194, 332
- negative feedback, 3
 nivation hollows, 337
 noses, *see* spurs
- open and closed systems, 2–4
 orientation, of slopes, *see* asymmetric valleys
 of streams, 403–4
 overland flow, 35–42, 50–1, 63, 64
 distance of, 413–14 (*see also* drainage density; slope length)
 Horton, 50
 Horton model of, 63, 64
 hydrograph of, 50
 and mass movement, 102–3
 saturation, 50
 and surface wash, 215–19, 221–3
- packing, 73, 318 (*see also* soil porosity; void ratio)
 and normal stress in clays, 84–5

Index

- paleoclimates, and desert plains, **349–52**, 355
 and humid temperate slopes, 321–3
 and tropical areas, 385–60, 363–6
 parallel retreat, 14, 145–6, **305–6**, 313–14,
 347, 370–7 (*see also* slopes, straight;
 straight segments)
 particle movement, 101, 188–94, **201–30**
 patterned ground, 293–4, 322
 pediments, 209, **346–52**
 regrading of, 354–5
 pediplains and pediplanation, 17–20, **370–7**
 Penck's model, 13–17, **372–7**
 Penck's system, 13–16
 peneplains and peneplanation, 18, 25, **370–2**,
 376–7, 417
 periglacial areas, **324–37**
 compared with semi-arid areas, 339
 in the Pleistocene, 321–3
 and solifluction, 276–8
 permafrost, 327
 piping, 232–3, 413
 Plasticity Index, 82
 Plastic Limit, 82
 Pleistocene, influence: on humid temperate
 slopes, 321–3; in semi-arid areas, **349–**
 52, 355; in tropical areas, 358
 pore pressure, **75–6**, 166
 porosity, 32, 42, 46, 49, 232, 262
 pressure, overburden, **28–31**, 62, 347
 water, 31–4
 principal stresses, 161
 process, *see mainly separate process head-*
 ings
 role of studies of, 10
 transport-limited, **104–6**, 190, 309, 311–20,
 354, 433–6
 types of geomorphic, 99–104
 weathering-limited, **104–6** 111–47, 190,
 303, 311–14, 341, 354
 process-response models, 10
 and the continuity equation, 107–10
 for gully initiation, 226–8
 for landslides, **178–84**, 267–9
 for rainsplash, 221, 225
 for rockfall, 145–7
 for soil creep and solifluction, 297–300,
 307
 for solution, 257–71
 for surface wash, 224–30
 for terracettes, **184–7**, 269–70
 profiles, *see also* slope profiles
 soil, 51, 242–3, **261–7**, 362
 stream long, 4, 12, 347, **396**

 quick clays, 168–73

 rain forest areas, *see* tropical areas
 raindrop, impact forces, **55–9**, 219–20
 momentum, 189, 219–20
 size and rainfall intensity, **201**, 205, 212–13
 rainfall, distribution and surface wash rates,
 215–19
 influence on solution rates, 250–61
 intensity: and drainage density, 350; and
 drop size, **201**, 205, 212–13
 and splash erosion, **204–6**, 219–21
 variation and runoff with climate, 251
 rainsplash, 55, **188–90**, 308–9
 effect of vegetation on, 64–5, 189, 210
 for large stones, 220
 measurement of, 195–200
 mechanism of, 219–20
 process–response model for, 221, 225
 rate of, 201–7
 trajectories, 189, **220**
 random walk model for diffusion, 59–61
 rates, *see* debris transport; erosion rates
 rating function, **35**, 221–2
 repose, angle of, 142–5 (definition of, 74)
 residual hills, 365–7
 residual soils, 152–8, **181–7**, 323, 379–82
 resistance, 62–98
 change during weathering, 90–8
 cohesive, 76–86
 frictional, 66–76
 Reynolds' number, 36–7
 re-deposition of solutes in soil, **251–5**,
 359–60
 rills, 191, **192–4**, 207, 209, 388
 destruction of, 192–3
 master, 193–4
 rivers, *see* streams
 rockfall, 125–8, 135–8
 in periglacial areas, 333, 334
 rates and measurements of, 135–8
 in semi-arid areas, 341–2
 rock avalanches, 120–5, 135 (*see also* rock-
 fall; rock slides)
 rock disintegration, rate of, 96–8
 and rock type, 90–6
 rock slides, 119 (*see also* rockfall; rock aval-
 anches; slab failure)
 rotational slips, 160–73
 roughness, *see* hydraulic roughness
 runoff and rainfall, variation with climate,
 251 (*see also* overland flow; rainfall;
 streams)

 safety factor, for deep-seated slides, 166–8,
 429–31
 for shallow slides, 153, 431–2
 for slope processes in general, 102
 salt weathering, 59, 342

Index

- sampling, 9, 279
 sandstone, 128–31, 183–4, 250, 347, 353, 379–82
 savanna, *see* tropical areas
 scarp retreat, 136–9, 145
 sediment discharge, *see* debris transport
 sediment yield, *see also* erosion rates
 and vegetation cover, 65
 semi-arid areas, 338–55
 breaks in slope in, 221, 229–30, 346–9
 compared to tropical areas, 358–9
 pediments in, 209, 228, 346–52
 rainsplash rates in, 206
 slope profiles in, 305, 339–49
 surface water erosion in, 189, 208–9, 217–18, 229–30, 343–52
 shear strength, 62, 66–98
 apparent, 70–1, 273–4
 definition, 66
 direct shear apparatus for measuring, 70–1
 and grain size, 72, 94–5
 and gully initiation, 227
 and interlocking, 70–4
 measurement of, 86–90
 and mineralogy, 72
 peak, 71–4, 156–7
 in plane friction, 67–70
 residual, 71–4, 156–7
 at shear surface, 74–5, 156–7
 and soil instability, 148–87
 and weathering, 90–8
 slab failure, 112–20, 132–4, 341–2
 and undercutting, 127–8
 slip surfaces, *see also* landslides
 in soils, 30, 152–3, 160–4
 in rock, 120–3
 slope gradients, 29
 effect of: on slope profiles, 108–9; on soil creep, 294–7, 307; on surface wash, 290–10, 224–30
 maximum valley side, 402
 measures of mean, 402
 stable straight: for rock, 120–4; for residual soils, 181–5; for thick soils, 149–58, 178–81
 slope length, effect on slope profiles, 108–9, 413–14
 effect on soil creep, 307
 effect on solution, 257–61, 265–6
 effect on surface wash, 209–10, 224–6
 slope profiles, *see also* cliffs; lithology;
 lower concavities; parallel retreat;
 straight segments; upper convexities
 concave, 14, 16, 224–6, 229–30, 331, 370–1, 374, 388, 394–5, 410–13, 421, 437–9
 (*see also* breaks in slope)
 and contour curvature, 390–400
 convex, 14, 16, 221, 225, 297–300, 370–1, 375, 437–9
 decline, 179–80, 317–19, 370–2
 development models, 107–10, 379–82; by
 landslides, 178–84; by rainsplash, 221, 225; by rockfalls, 145–7; by soil creep/solifluction, 297–300; by solution, 257–61, 267–70; by surface wash, 224–30, 304–5; by terracettes, 184–7
 generalization, 400–4, 406–10
 in humid temperate areas, 301–15
 in semi-arid areas, 305–6
 straight, 15, 16, 142–6, 301, 319, 370, 372
 (*see also* main slopes)
 in tropical areas, 362–3
 and valley asymmetry, 387
 waxing and waning development of, 14–16, 305, 372
 slope replacement, 379
 slope wash, sub-surface, 231–3, 236–7, 314
 surface, *see* surface wash
 snow, *see also* avalanches
 in periglacial areas, 331
 and plant curvature, 283
 and rockfall, 127
 soil, *see also* creep
 A-horizon in, 51
 analysis ‘by substance’, 143–5
 catenas, 266, 362
 development models, 242–3, 261–7
 equilibrium, 262–70
 erodibility, 213–15
 erosion, 209–15 (*see also* surface wash)
 formation by weathering, 242–50
 instability processes, 148–87
 moisture, 33–4, 43–50, 52–4, 64, 193, 216–17, 275, 386, 391,
 porosity, 32, 42, 46, 262: non-capillary, 49, 232
 residual, 152–8, 181–7, 323, 379–82
 role of vegetation in conservation of, 65
 shrinkage, 34
 stone layers in, 273, 284
 structure and raindrop impact, 210–12
 susceptibility to frost heaving, etc., 293–4
 thickness and weathering, 105–6, 177
 wash, 188–230 (*see also* surface wash)
 soil creep, 272–300, 370
 continuous, 272–4, 289–91
 and convexity of divides, 298–300, 306–7, 438
 and divide migration, 396–7
 measurement of, 272–82
 qualitative evidence for, 282–5

Index

- soil creep (*cont.*)
 rates of, 285–91: from plants and animals, 289–90
 seasonal, **274–6**, 285–8
 in semi-arid areas, 278, 288
 in tropical areas, **357–8**, 362–3
 velocity profiles, 285–9
- solifluction, 276–8, **291–4**, 296–7, 299
 areal pattern of, 293
 deposits, 321–3
 lobes, 158, **292–3**, 332–3,
 rates of, 291–4
 susceptibility of soils to, 293–4
 velocity profiles for, 291
- solubility, 245–50
 effect of organic material on, 246, 250
 effect of pH on, 250
- solution, **233–71**
 final, 26, 368
 of igneous rocks, 243, 246, **252–6**
 ionic, 233
 and landslides, 264–6
 of limestone, 96–7, 239, 250, **254–6**
 rates of, 238, 240–2, **246–57**, 356–7
 of silica, 241–2
 and soil wash, 229
 in tropical areas, 356–65
- space scales, 5–7
- space–time substitution, 9, 316–17, 405–6
- splash, *see* rainsplash
- spurs (contour convexities), 390, 392–4, **398–9**
- stability analysis, 425–32
 for deep-seated slides, 163–7, 425–31
 for shallow slides, 152–6, 431–2
 short-term, 148–51
- stable slope angle, *see under* angle
- static equilibrium, 2, 27
- statistical methods, 9
- steady state, 2, 6
- steady time, 6–7
 and drainage density, 420–2
- stemflow, 45, 48
- stone layers in soils, 273, 284
- stone sorting, 293–4
- storage equation, 47, 52 (*see also* continuity equation)
- straight segments, 15, 16, 142–6, 301, 319, 370, 372, **377–82**
 in humid temperate areas, **303–6**, 319–20
 and landslides, **178–87**, 320
 in lowlands and highlands, 303
 in semi-arid areas, 342–6
 and talus, 305, 319, 333
- streams, *see also* channel geometry; grade
 dissolved load in, 238, 240–2
 downcutting, 12
 effect of stage on dissolved load concentration, 256–7
 erosion, 12, 14–16, 414–18 (*see also* debris transport)
 heads, 420–2
 lateral migration of, 348–9
 links, 402–3
 long profiles, 4, 12, 347, **396**
 meanders, 4, 348
 orientation, 403–4
 strength, *see* shear strength
 stress, *see also* force
 dispersive grain, 38, 41
 effective, 33–4, **74–6**
 gravity, 30: in soil creep, 272–5, **294–7**
 hydrostatic, 31–4
 principal, 161
 and soil instability, 149–87
 subdivided flow, 38, 211, **222–3**
 substance, analysis by, 143–5
 sub-surface flow, *see* throughflow
 wash, 231–3, 236–7, 314: and particle movement, 101
 surface tension, 33
 surface wash, **188–230** (*see also* rainsplash)
 concentrated, 191–4
 in humid temperate areas, 311–15
 and lower concavities, 224–30, 311–15, 333
 magnitude and frequency of, 216–17
 measurement of, 195–200
 mechanism of, 221–4
 in periglacial areas, 332–3
 process–response models for, 224–30
 rates of, 207–19
 in semi-arid areas, 343
 and slope gradient/length, 209–10
 in tropical areas, 357–8, 361–3
 unconcentrated, **190–1**, 308–9, 370, 386
- systems, 2–5
 analogy with non-geomorphic systems, 4
 definition of, 2
 of W. M. Davis, **11–13**, 17, 25
 general, 4–5
 hillslope, 7–10
 open and closed, 2–4
 of W. Penck, 13–16
 variables, 5–6
- talus, and basal removal, 140–7, 343
 concavity, 333–5
 in periglacial areas, 332
 rock cores, 142–5
 in semi-arid areas, 342–6
 slope development models for, 181–4
 and soil creep/solifluction, 274, 278
 and straight slopes, 305, **342–4**, 373
 weathering ratio, 353, 393

Cambridge University Press
 978-0-521-10911-6 - Hillslope Form and Process
 M. A. Carson and M. J. Kirkby
 Index
[More information](#)

Index

- talus (*cont.*)
 weathering and shear strength, 91–4, 96
 taluvium, 91–4
 in periglacial areas, 331–2
 and slope development models, 181–2
 techniques for measuring:
 rainsplash and surface wash, 195–200
 removal in solution, 197–8, 235–6
 rock instability processes, 133, 136
 shear strength, 86–90
 soil creep and solifluction, 278–82
 sub-surface wash, 196, 197–8, 234–5
 surface and sub-surface flow, 196–7
 tectonics, 13, 15–16
 tension 33–4 (*see also* soil moisture)
 tension cracks, 114–17, 133–4, 427–9
 terracettes, 173–6, 269–70, 273
 Tertiary, 20, 359–60, 363–6
 thermal expansion, 56, 125–6, 129, 278
 threshold slopes, for slides, 14, **178–84**,
 267–70, 346, 374, **379–82**
 for streams, 12,
 for wash, 313
 throughflow, 42–5, **51–5**, 63–4, 191, 413
 throughflow hydrograph, 54
 time scales/spans, **5–7**, 315–17, 421–2
 tracers for measurement, 197–8
 tractive force/stress, **38–41**, 46, 223–4, **229–**
 30
 tropical areas, 356–67
 and surface water erosion, 206, 218–19
 tropical weathering, 250–6, 262, **358–67**
 and shear strength, 91, 95
 turbulent flow, **37–9**, 222

 unconfined compressive strength, 88, **121–2**
 uplift, 13–25
 effect on drainage density, 418
 rates of, 23–5
 upper convexities, *see also* slopes, convex
 and Gilbert's argument, 298–300, 306–7,
 340, 438
 in humid temperate areas, 306–10

 and rainsplash/wash, 221, **307–9**, 320,
 377
 and soil creep, **306–7**, 298–300, 319, 320,
 361–2, 377
 and solution, 377
 valley asymmetry, *see* asymmetric valleys
 valley joints, 119
 vegetation, 64–6
 breaks in cover, 189, 191
 curvature and soil creep, 283
 effect of roots, 66, 126, 211
 hydraulic roughness of, 200
 and infiltration, 49, **210–12**
 influence on wash rates, 208–12
 mounds, 189–90
 in periglacial areas, 328
 and rainfall interception, **64–5**, 189
 and rainsplash, 189, 205
 and rock detachment, 131
 in semi-arid areas, 338–9, 349–50, 355
 and surface wash, 207–12
 and valley asymmetry, 387
 velocity profiles, for solifluction, 291
 for soil creep, 285–9
 void ratio, *see also* soil porosity
 and angle of internal friction, 73
 and cohesion, 85

 wash, *see* surface wash; sub-surface wash
 water, *see also* hydraulic roughness;
 soil moisture
 flow forces, **35–46**, 222–5, 229–30 (*see*
 also overland flow; throughflow)
 pore pressure, 32
 pressure and tension forces, 31–4
 weathering, **242–50**, 370
 deep, 262, 358–60, 363–7
 and jointing, 90, 342
 model of, 242–3, 261–7
 near breaks in slope, 348
 rate in soil, 105–6, **262–8**
 and salt crystallization, 59, 342
 wind transport, 355