

Index

- A, the vector potential, 82
 acceptor property, 511
 d'Alembertian operator, \square , 257
 aminoamine ligand, 557
 Ampere's law, 76
 amperian currents, 96
 angle-flip method, 194
 angular δ function, 505
 angular overlap model, AOM
 additivity principle, 490
 as a ligand-field model, 382, 497
 assumptions, 29, 30
 definitions, 25, 485
 functional group, 387
 overview, 566
 parameters, 27, 31, 483;
 static contribution to, 504, 509;
 dynamic contribution to, 510
 parameter transfer, 399
 parametrization scheme, 497
 parametrization philosophy, 391
 rotation matrices, 385
 transformations for f orbitals, 580
 anthracene, 203
 antilinear operators, 279
 antisymmetric tensor, 173
 antiunitarity, 279
 apparatus, 174
 approximate symmetry, 525
 axial fields, 8
 vectors, 170
 back-bonding, 6
 bases, 436, 447, 456, 533
 basis-set truncation, 439
 'best' orbitals, 482
 binary products, transformation of, 145
 Biot-Savart law, 86
 bipolar harmonics, 344, 502
 biquinoline, 523
 Bohr atom, 99
 Bohr magneton, β_e , 253
 Bohr's susceptibility theorem, 135
 Boltzmann distribution, 132, 288
 bound currents, 108
 Breit equation, 277
 Brillouin's theorem, 459
 CAMMAG, 404, 574
 canonical momenta, 128
 carbonyl group, 547
 cellular projection, 506
 central-field covalency, 461
 chain representations, 435, 467
 charge-transfer tails, 432, 473
 chemical equivalence, 395, 408
 chromium compounds
 CrN₂X₄ systems, 526
 [Cr(NH₃)₄X₂]⁺, 526
 [Cr(py)₄X₂]⁺, 526
 circulation, 50
 Clebsch–Gordan coefficients, 326, 503
 Clebsch–Gordan series, 331
 cobalt compounds
 Co(dabco⁺)Cl₃, 551
 Co(dabco⁺)Br₃, 551
 Co(dapsc) complexes, 544
 [Co(H₂O)₆]²⁺, 18
 Co(mesitylene)₂(PPhEt₂)₂, 15, 434
 CoSO₄·(NH₄)₂SO₄·12H₂O, 18, 201
 Co(PPh₃)₂Cl₂, 532
 Co(PPh₃)₂Br₂, 532
 Co(py)₄(NCS)₂, 19, 523
 [Co(quinoline)Br₃]⁻, 434, 528
 Cs₃CoCl₅, 203
 coefficients of fractional parentage, cfp, 363

- cogredience, 339
 commutators, 255, 336
 complex conjugation, 280
 compound operators, 339, 358
 computer input, 412, 413
 computing, 403
 Condon–Shortley parameters, 312, 370,
 461, 472, 479, 518, 536
 configuration, 444, 471
 configuration interaction, CI, 458, 468, 476
 conservative fields, 55
 contact transformation, 133
 contragredience, 339
 copper compounds
 $[\text{CuCl}_4]^{2-}$, 11
 Cu(dapsc) complex, 548
 $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$, 192, 204, 222
 Cs_2CuCl_4 , 11
 Coulomb gauge, 83, 252
 Coulomb interaction matrix elements, 369
 Coulomb's law, 39
 Coulomb operator, 456
 Coulomb operator, screened, 466, 474, 501
 Coulomb potential in central field, 273
 coupling of two angular momenta, 324
 coupling of three angular momenta, 349
 coupling of four angular momenta, 355
 covalency factor, 10
Cp, 21
 critical torque method, 194
 crystal-field potential, 500, 518
 crystal-field goniometer, 200
 crystal-field orientation, 198, 212
 cubic crystals, 151, 167
 Curie's law, 96, 135, 292
 curl, definition of, 54
 current density, 106
 current loop, 86

 dabconium ligand, 557
 Darwin correction, 276, 454
 Debye–Langevin susceptibility equation,
 34, 132
 decoupled operators, 362
 del, ∇ , 46
 ∇^2 , 85
 δ interaction in AOM, 393
 Δ_{OCT} , 5, 32, 313, 517
 density functional theorem, 478
 diamagnetism, 103, 135, 295
 difference ellipsoid, 428
 diimine ligand, 557
 dipolar fields, 91, 124
 Dirac equation, 258
 Dirac vectors, 263
 direction cosines, 143, 386, 573, 575
 distortions, 8

 divergence (div), definition of, 46
 donor property, 511
Dq, 7, 21, 313, 430, 434, 517
Ds, 21, 430, 434
d-s mixing, 513, 563
Dσ, 21, 430, 434
Dτ, 21, 430, 434
Dτ, 21, 430, 434
 dynamic matrix elements, 495, 510

 effective operator, 449, 471
 Egyptian blue, 564
 electric charge invariance, 60
 electric field, representations of, 41
 electric potential, 55
 electromotive force, 78
 electron delocalization factor, 10
 electron spin resonance (esr) *g* values, 305,
 417, 421, 445, 563
 of $\text{Co}(\text{mesitylene})_2(\text{PPhEt}_2)_2$, 15, 434
 of $[\text{Co}(\text{quinoline})\text{Br}_3]^-$, 529, 533
 electrostatics, equations of, 80
 electrostatic matrix elements, 410
 empty cells, 402, 513, 565
 $e_{\sigma\sigma}$, 401
 Euler angles, 315, 386, 575
 exchange correlation, 481
 exchange operators, 456
 extended Hückel model, 479, 489

f orbitals, 580
 Fano's X-coefficients, 356
 Faraday balance, 183
 Faraday's law, 77, 80, 83
 Faraday's method, 179
 Fe, *see* iron compounds
 Fermi contact term, 565
 fictitious magnetic sources, 113
 field gradient, 55
 fitting spectra, 431
 flux, definition of, 43
 Foner balance, 207
 fractional parentage, 363
 fragment basis functions, 481, 492
 Franck–Condon principle, 542
 free currents, 108
 functional determinant, 133
 functional group, 387, 445

g values, *see* esr
 g^2 tensor, 306, 421, 428
 gauge, 83, 251, 296
 Gaunt coefficients, 503
 Gauss' theorem, 46
 Gauss' law, 49
 Gaussian functions, 477
 generalized coordinates, 126

- generalized momenta, 128, 130, 250
 generalized susceptibility equation, 297, 418
 geometry calculations, 573
 Gillespie, 191, 564
 global frame, 389, 445
 Gouy method, 176
 gradient, grad, 58
 group product functions, 452
- Ham effect, 554
 Hamilton's equations of motion, 128
 Hamilton's function, 128
 Hamiltonian operators
 Dirac, 259, 260
 ligand-field, 310, 404
 Pauli–Schrödinger, 253
 spinless Schrödinger, 250
 spin-orbit coupling, 272
 Hartree method, 477
 Hartree–Fock theory, 453, 476, 477, 480
 hermitian adjoint, 339
 hexagonal crystals, 151, 167
 holohedral symmetry, 396
 HOMO, 559
 Hückel model, 448, 475, 512
 hybrid orbitals, 4
- imine-type ligands, 556
 induction, law of, 77, 80
 induction susceptibility methods, 206
 inhomogeneous magnetic field, 77, 93
 iron compounds:
 $[\text{Fe}(\text{CN})_6]^{3-}$, 3
 Fe(dapsc) complex, 544
 $[\text{Fe}(\text{H}_2\text{O})_6]^{2+}$, 14
 Fe(II) phthalocyanine, 238, 246
 Fe(py)₄(NCS)₂, 523
 FeSiF₆·6H₂O, 14
 FeSO₄·(NH₄)₂SO₄·12H₂O, 14
 irreducible spherical tensor, 335
 irreducible tensors, 334
- J*-blocking, 438
j-*j* coupling scheme, 356
 Jacobi form, 468
 Jahn–Teller coupling, 556
 Josephson effect, 209
- ketone groups, 547
 Klein–Gordon equation, 256
 Kramers' degeneracy, 278, 284, 421
 Kramers' doublets, 285, 305, 421
 Krishnan's critical-torque method, 194
- L*-blocking, 441
 Lagrangian equations, 128
 Lagrangian function, 127
 Langevin's susceptibility equation, 34, 132
- Laplacian, 84
 Laporte's rule, 448
 Larmor frequency, 102
 Larmor precession, 99
 least-squares analysis, 423
 Lenz's law, 101
 Levinson diagrams, 354
 Liénard–Wiechert potentials, 277
 ligand field
 ab initio statement of, 460
 bases, 456
 formalism, 3
 matrices, 408
 orbitals, LFO, 475, 481
 overview, 566
 parameter renormalization, 462
 parameters and ground states, 540
 parametrization, 458
 potential, 404, 448, 461, 474, 516, 582;
 matrix elements, 370, 543
 regime, 309, 448, 452, 470
 strength, 437
 linear operators, 279
 lines of force, 41
 LINK, 427, 533
 local frame 388, 445
 local operator, 495
 local orbital theory, 497
 localized potentials, 382
 lone pairs, 560
 longitudinal-field susceptibility
 measurements, 229
 Lorenz force, 60, 84, 129
 Lorenz transformation, 62, 257
 Löwdin's partitioning procedure, 449, 483, 488.
 LUMO, 559
- magnetic dilution, 162
 magnetic ellipsoid, 154, 157
 magnetic fields
 approximate relationships between, 126
 B, 73
 H, 109
 boundary conditions, 115
 inside sphere, 123
 internal, 111
 local, 125
 macroscopic, 113
 microscopic, 112
 magnetic hyperboloid, 154
 magnetic induction, 77, 116
 magnetic moment, 92, 132:
 operator matrix elements, 372;
 orbital, 253;
 spin, 254
 magnetic monopoles, 113

- magnetic permeability, definition of, 119
 magnetic scalar potential, ϕ_m , 116
 magnetic susceptibility, definition of, 118
 magnetic susceptibility, mass, 119
 magnetic susceptibility, molar, 119
 magnetic susceptibility, volume, 119
 magnetic vector potential, A 82
 magnetostatics, equations of, 80
 magnetization, M 104, 304
 magnitude ellipsoid, 157
 manganese, compounds
 $[\text{MnF}_6]^{k-}$, 480
 $[\text{MnF}_6 \cdot \text{Cl}]^{k-}$, 480
 $\text{MnSO}_4 \cdot (\text{NH}_4)_2\text{SO}_4 \cdot 12\text{H}_2\text{O}$, 187
 mapping, 424
 marker plots, 433
 Maxwell's equations, 80
 mesitylene, 15, 434
 metric in space-time, 257, 260
 microreversibility, 285
 modified spherical harmonics, 343, 502
 molecular orbitals, 3
 molecular susceptibilities, 161, 169
 monoclinic crystals, 149, 164, 233
 monoclinic ϕ angle, 234, 237
 multipole expansion, 377
 inverse of, 379
 net π -bonding, 559
 nephelauxetic ratios, 447, 472, 537
 Neumann expansion, 344
 Neumann's principle, 149
 Newton's laws, 126
 nickel compounds
 Ni(aminoamine) complex, 531
 Ni(biquinoline) Br_2 , 531
 Ni(dabco⁺) Cl_3 , 531, 551
 Ni(dabco⁺) Br_3 , 531, 551
 Ni(dapsc) complexes, 544
 Ni(diimine) complex, 531
 $[\text{NiF}_6]^{4-}$, 487
 Ni macrocycle complex, 549
 Ni(PPh_3) $_2\text{Cl}_2$, 531
 Ni(PPh_3) $_2\text{Br}_2$, 531
 $[\text{Ni}(\text{PPh}_3)\text{Br}_3]^-$, 531
 $[\text{Ni}(\text{PPh}_3)\text{I}_3]^-$, 531
 Ni($\text{Ph}_2\text{P}(\text{CH}_2)_2\text{O}(\text{CH}_2)_2\text{PPh}_2$) Cl_2 , 531
 Ni($\text{Ph}_2\text{P}(\text{CH}_2)_2\text{O}(\text{CH}_2)_2\text{PPh}_2$) I_2 , 538
 Ni(py) $_4\text{X}_2$, 526
 $[\text{Ni}(\text{quinoline})\text{Br}_3]^-$, 230, 528
 Ni Schiff base complex, 531
 Ni tetrahedral complexes, magnetism of, 553
 non-diagonal local potentials, 400, 562
 non-local potentials, 377
 normalized spherical harmonics, NSH, 435
 null-deflection method, 198
 one-electron theory, 477
 operator equivalents, 347
 orbital reduction factor, 9, 14, 349, 419, 446, 468, 473
 orthogonalized unit cell, 573
 orthorhombic crystals, 150, 166, 219
 parametrization philosophy, 391
 parametrization schemes, 434
 partition function, 133
 partition projection, 449, 483, 488, 493
 Pauli spin matrices, 255, 282
 π -bonding definition, 28
 π -electron theory, 448
 phenanthroline, 550
 phosphine complexes, 534
 planar coordination, 563
 point-charge model, 21, 506
 Poisson's equation, 85
 polar vectors, 170
 positrons, 262
 principal axes, 147, 524, 526
 projection operators, 415, 450
 pseudopotential theory, 497
 pyridine, 523
 quantum electrodynamics, 258, 270
 quantum theory, *ab initio*, 309
 quinoline, 523
 Racah's definition of irreducible tensor operators, 337
 Racah parameters, *see* Condon–Shortley parameters
 Racah's *W* function, 351
 real ligand-field potentials, 582
 real tensorial sets, 312
 recoupling coefficients, 350, 353
 reduced matrix elements, RME, 347, 358, 365, 409
 relativity, special theory of, 62, 259
 renormalization, 462
 representation quadric, 153
 residuals – R-factors, 424, 586
 resolvent, 464, 493
 rest energy, 268
 rhombicity, 240
 rotation matrices, 321
 rotation operators, 315, 384
 RUN, 413
 Russell–Saunders coupling scheme, 356
 saturation, 146, 303
 scalar field, 57
 scalar operators, 335, 341

- scalar potential, 55, 265
 Schiff base complexes, 557, 560
 Schmidt orthogonalization, 457
 screening, *see* Coulomb operator, screened search tactics, 429
 SETUP, 405
 shape anisotropy, 204
 similarity transformation, 144, 465
 Slater–Condon–Shortley parameters, 461, 472, 479, 518
 Slater determinants, 364
 Slater's rules, 466
 Slater-type orbitals, 477
 spectrochemical series, 5, 470
 spherical harmonic addition theorem, 342
 spin angular momentum, 260
 spin matrices, 255
 spinor, 265
 spin-orbit coupling, 9, 270
 spin-orbit coefficient, ζ , 273, 461, 470, 554
 spin-orbit matrix elements, 374
 spin polarization, 565
 SQUID, 209
 static matrix elements, 494, 500
 strong orthogonality, 453
 Stevens' orbital reduction factor, 349, 419, 446, 468, 473
 Stokes' theorem, 54
 summation convention, 142, 260, 299
 susceptibilities, calculation of, 303, 417
 susceptibility tensor, symmetry of, 148
 susceptibility tensor, with respect to crystal symmetry, 149
 superconductivity, 210
 superposition principle, 39

 temperature dependence, of monoclinic ϕ angle, 237
 temperature dependence, of susceptibilities, 147
 temperature independent paramagnetism, TIP, 292
 tensor operators, 335
 tensors, cartesian, 141
 tensors, g^2 , 306
 tensors, rank 145, 159
 tensors, transformation law, 145
 tetragonal crystals, 151, 166
 tetrahedral copper(II), 11
 Thomas–Fermi screening length, 466
 time inversion (reversal), 278
 torque, 92, 103
 torsion fibres, 202
trans effect, 394

 transverse-field susceptibility measurements, 183, 223
 triangle rule, 262
 triclinic crystals, 24, 149, 164, 221, 528
 trigonal crystals, 151, 166
 triphenylbenzene, 203
 Tutton salts
 cobalt(II), 18, 201
 iron(II), 14
 manganese(II), 187

 uniaxial crystals, 151, 166, 218
 uniform magnetic field, 131, 251
 units, definitions of
 Bohr magneton, β_e , 253
 charge (coulomb, esu), 40
 current, 74
 magnetic field, \mathbf{B} , 73, 110;
 H, 110
 magnetic moment, 110
 magnetic susceptibility, 119
 magnetization, \mathbf{M} , 110
 permeability, μ_0 , 40, 59
 permittivity, ϵ_0 , 40
 units, relationships between CGS, MKS and SI, 111
 unit tensor operators, 367
 unitary transformation, 383

 van Leeuwen's theorem, 135
 van Vleck's susceptibility equation, 34, 292
 van Vleck's theorem, 24, 297
 vanishing classical magnetism, 135
 vector operators, 335
 vector potential, \mathbf{A} , 82, 265
 vectors, transformation law, 135
 vector, triangle rule, 332, 377
 vibrating-sample magnetometer, 207
 V_{oct} , 20, 379
 VSIPs, 489

 Walsh diagrams, 475
 Wigner–Eckart theorem, 345
 Wigner 3- j symbol, 328, 577
 Wigner 6- j symbol, 351, 577
 Wigner 9- j symbol, 356
 Wigner rotation matrices, 322
 Wolfsberg–Helmholz method, 24, 475
 work, 55, 131

 X α method, 477
 X-coefficient, 356

 Zeeman effect, first order, 290, 419
 Zeeman effect, second order, 293, 419