

# Contents

---

|   |           |
|---|-----------|
| <i>Preface</i>  | xi        |
| <b>Part I CHEMICAL AIMS IN LIGAND-FIELD STUDIES</b>                                 | <b>1</b>  |
| <b>1 Decline and recovery</b>   | <b>3</b>  |
| 1.1 The promise   | 3         |
| 1.1.1 <i>Magnetic properties of ions with formal, orbital triplet ground states</i> | 7         |
| 1.2 Larger bases  | 10        |
| 1.3 The axial-field symmetry  | 14        |
| 1.4 Rhombic symmetry  | 15        |
| 1.5 Low-symmetry fields   | 17        |
| 1.6 Symmetry-based, ligand-field parameters   | 19        |
| 1.7 The point-charge model  | 21        |
| 1.8 A nadir in magnetochemistry   | 22        |
| 1.9 The angular overlap model   | 24        |
| 1.10 The chemical appeal of the AOM   | 29        |
| 1.11 The AOM as a perturbation model  | 30        |
| 1.12 The magnitudes of AOM parameters   | 31        |
| 1.13 Spectroscopy and magnetism together  | 32        |
| <i>References</i>   | 35        |
| <b>Part II MAGNETISM</b>  | <b>37</b> |
| <b>2 Electric and magnetic fields</b>   | <b>39</b> |
| 2.1 Coulomb's law, the principle of superposition and electric fields               | 39        |
| 2.2 Flux and divergence   | 42        |
| 2.3 Circulation and curl  | 50        |
| 2.4 The field gradient, potentials and curl-free fields                             | 55        |
| 2.5 Some basic phenomena of magnetostatics  | 58        |
| 2.6 Electric charge invariance  | 60        |

|          |   |     |
|----------|---|-----|
| 2.7      | Electric fields measured in different reference frames                  | 62  |
| 2.8      | The force on a moving charge in an electric field                       | 67  |
| 2.9      | The magnetic force  | 69  |
| 2.10     | The magnetic field  | 73  |
| 2.11     | Properties of magnetic fields   | 74  |
| 2.12     | Induction   | 77  |
| 2.13     | Maxwell's equations   | 80  |
|          | <i>References</i>   | 81  |
| <b>3</b> | <b>The interaction of magnetic fields and matter</b>                    | 82  |
| 3.1      | The magnetic vector potential   | 82  |
| 3.2      | The Biot-Savart law   | 84  |
| 3.3      | Current loops and magnetic dipoles                                      | 86  |
| 3.4      | A current loop in a uniform external magnetic field                     | 92  |
| 3.5      | A current loop in an inhomogeneous external magnetic field              | 93  |
| 3.6      | The phenomenological interaction of magnetic fields and matter          | 96  |
| 3.7      | Magnetic moments and electronic angular momenta                         | 97  |
| 3.8      | Diamagnetism and the Larmor precession                                  | 99  |
| 3.9      | Magnetization   | 104 |
| 3.10     | Free and bound currents: the field <b>H</b>                             | 108 |
| 3.11     | Units, dimensions and nomenclature                                      | 110 |
| 3.12     | The macroscopic mean field inside a magnetized sample                   | 111 |
| 3.13     | Fictitious magnetic sources and the field <b>H</b>                      | 113 |
| 3.14     | Definitions of magnetic susceptibility and permeability                 | 118 |
| 3.15     | A magnetizable sphere in a uniform field                                | 119 |
| 3.16     | The shape of a magnetizable sample                                      | 124 |
| 3.17     | The local field   | 125 |
| 3.18     | Generalized coordinates: the Lagrangian and Hamiltonian functions       | 126 |
| 3.19     | The classical dynamics of molecular electrons in external fields        | 129 |
| 3.20     | Elements of Langevin's susceptibility formula                           | 132 |
| 3.21     | Vanishing classical magnetism   | 135 |
|          | <i>References</i>   | 140 |
| <b>4</b> | <b>The susceptibility tensor</b>  | 141 |
| 4.1      | The tensor property   | 142 |
| 4.2      | Transformation of the susceptibility tensor                             | 143 |
| 4.3      | Summary of transformation laws  | 144 |
| 4.4      | Tensor rank and the physical relationship between <b>M</b> and <b>H</b> | 145 |
| 4.5      | Principal axes  | 147 |
| 4.6      | Crystal symmetry and special forms of the susceptibility tensor         | 149 |
| 4.7      | Précis  | 152 |
| 4.8      | The representation quadric  | 153 |
| 4.9      | The magnitude of the susceptibility and the length of the radius vector | 155 |

| <i>Contents</i>  | vii        |
|--|------------|
| 4.10 The radius-normal property  | 156        |
| 4.11 The magnitude ellipsoid   | 157        |
| 4.12 An heuristic example  | 158        |
| 4.13 Molecular susceptibilities  | 161        |
| 4.14 The calculation of molecular susceptibilities from crystal measurements | 168        |
| 4.15 Polar and axial vectors   | 170        |
| <i>References</i>  | 173        |
| <b>5 Experimental arrangements</b>   | <b>174</b> |
| 5.1 The force on a sample in an inhomogeneous field                          | 176        |
| 5.2 The Gouy method  | 176        |
| 5.3 The Faraday method   | 179        |
| 5.4 A transverse field Faraday balance                                       | 183        |
| 5.4.1 <i>Operation and calibration</i>                                       | 186        |
| 5.4.2 <i>Comments</i>  | 189        |
| 5.5 The couple on an anisotropic crystal in a magnetic field                 | 193        |
| 5.6 The critical-torque method   | 194        |
| 5.7 The null-deflection method   | 198        |
| 5.8 Crystal mounting and orientation   | 198        |
| 5.9 Calibration, sensitivity and accuracy                                    | 202        |
| 5.10 Induction methods   | 206        |
| 5.10.1 <i>Vibrating-sample magnetometers</i>                                 | 207        |
| 5.10.2 <i>The superconducting, quantum-interference device (SQUID)</i>       | 209        |
| 5.11 Crystal selection and orientation                                       | 212        |
| 5.12 Well-measurable quantities  | 214        |
| <i>References</i>  | 216        |
| <b>6 The measurement of crystal susceptibilities</b>                         | <b>218</b> |
| 6.1 Uniaxial crystals  | 218        |
| 6.2 Orthorhombic crystals  | 219        |
| 6.3 Triclinic crystals   | 221        |
| 6.3.1 <i>Transverse magnetic field</i>                                       | 223        |
| 6.3.2 <i>Checks, simplifications and limitations</i>                         | 225        |
| 6.3.3 <i>The completed procedure</i>   | 226        |
| 6.3.4 <i>Longitudinal magnetic field</i>                                     | 229        |
| 6.3.5 <i>An example</i>  | 230        |
| 6.4 Monoclinic crystals  | 233        |
| 6.5 Variation of the monoclinic $\phi$ angle with temperature                | 237        |
| <i>References</i>  | 249        |
| <b>7 Quantum theory and magnetic susceptibilities</b>                        | <b>250</b> |
| 7.1 The spinless Schrödinger equation  | 250        |
| 7.2 The Pauli–Schrödinger equation   | 253        |
| 7.3 Pauli spin matrices  | 255        |
| 7.4 A review of spin theory  | 256        |
| 7.4.1 <i>The Klein–Gordon equation</i>                                       | 256        |
| 7.4.2 <i>The Dirac equation</i>  | 258        |

|          |  |     |
|----------|--|-----|
| 7.4.3    | <i>The emergence of spin</i>   | 260 |
| 7.4.4    | <i>Electrons and positrons</i>   | 262 |
| 7.4.5    | <i>An electron in an external electromagnetic field</i>                | 265 |
| 7.4.6    | <i>The non-relativistic approximation and the spin magnetic moment</i> | 269 |
| 7.4.7    | <i>Relativistic corrections and spin-orbit coupling</i>                | 270 |
| 7.4.8    | <i>Spin-orbit coupling matrix elements</i>                             | 273 |
| 7.4.9    | <i>The Darwin term</i>   | 276 |
| 7.4.10   | <i>Many electrons</i>  | 276 |
| 7.5      | <i>Time-reversal symmetry and Kramers' degeneracy</i>                  | 278 |
| 7.5.1    | <i>Time inversion in classical mechanics</i>                           | 278 |
| 7.5.2    | <i>The antiunitary quantum operator</i>                                | 279 |
| 7.5.3    | <i>Complex conjugation</i>   | 280 |
| 7.5.4    | <i>The square of the operator</i>                                      | 281 |
| 7.5.5    | <i>The relevance of spin</i>   | 283 |
| 7.5.6    | <i>Degeneracy</i>  | 284 |
| 7.5.7    | <i>Microreversibility and magnetic fields</i>                          | 285 |
| 7.5.8    | <i>Some properties of time-conjugate vectors</i>                       | 286 |
| 7.6      | <i>Susceptibilities</i>  | 287 |
| 7.6.1    | <i>Van Vleck's diagonal susceptibility equation</i>                    | 287 |
| 7.6.2    | <i>Curie's law and TIP</i>   | 292 |
| 7.6.3    | <i>Diamagnetism</i>  | 295 |
| 7.6.4    | <i>A generalized off-diagonal susceptibility equation</i>              | 297 |
| 7.6.5    | <i>Saturation</i>  | 303 |
| 7.7      | <i>Esr <math>g</math> values for Kramers' doublets</i>                 | 305 |
|          | <i>References</i>  | 306 |
| Part III | <b>LIGAND-FIELD THEORY</b>   | 309 |
|          | <i>References</i>  | 313 |
|          | <b>8 Tensor-operator theory</b>  | 314 |
| 8.1      | <i>Rotation operators</i>  | 315 |
| 8.2      | <i>Rotation matrices</i>   | 321 |
| 8.3      | <i>Coupling of two angular momenta</i>                                 | 324 |
| 8.3.1    | <i>Evaluation of Clebsch–Gordan coefficients</i>                       | 327 |
| 8.3.2    | <i>The 3-<math>j</math> symbol</i>                                     | 328 |
| 8.4      | <i>The Clebsch–Gordan series</i>                                       | 331 |
| 8.4.1    | <i>An important integral</i>   | 333 |
| 8.5      | <i>Functions and operators</i>   | 333 |
| 8.5.1    | <i>Scalar, vector and tensor operators</i>                             | 335 |
| 8.6      | <i>Tensor-operator commutators</i>                                     | 336 |
| 8.7      | <i>Compound irreducible tensor operators</i>                           | 339 |
| 8.7.1    | <i>Scalar operators</i>  | 341 |
| 8.7.2    | <i>Product tensors from spherical harmonics</i>                        | 342 |
| 8.8      | <i>The Wigner–Eckart theorem</i>                                       | 345 |
| 8.8.1    | <i>Proof</i>   | 345 |
| 8.8.2    | <i>Discussion</i>  | 348 |
| 8.9      | <i>Coupling of three angular momenta</i>                               | 349 |
| 8.9.1    | <i>Properties of the recoupling coefficients</i>                       | 353 |

| <i>Contents</i>  | ix  |
|--|-----|
| 8.10 Coupling of four angular momenta  | 355 |
| 8.11 Reduced matrix elements of compound irreducible tensor operators        | 358 |
| 8.11.1 <i>Scalar compound operators</i>                                      | 360 |
| 8.11.2 <i>Single-variable operators acting on coupled states</i>             | 361 |
| 8.12 Decoupled operators   | 362 |
| 8.13 Coefficients of fractional parentage                                    | 363 |
| 8.14 Reduced matrix elements in many-electron systems                        | 365 |
| 8.15 Unit tensor operators   | 367 |
| 8.16 MASTER EQUATIONS  | 369 |
| 8.16.1 <i>The Coulomb interaction: (M.1)</i>                                 | 369 |
| 8.16.2 <i>The ligand-field potential: (M.2) and (M.3)</i>                    | 370 |
| 8.16.3 <i>The magnetic moment operator: (M.4)</i>                            | 372 |
| 8.16.4 <i>Spin-orbit coupling: (M.5)</i>                                     | 374 |
| <i>References</i>  | 375 |
| <b>9 The ligand field</b>  | 376 |
| 9.1 Multipole expansions   | 376 |
| 9.2 Inversions of the multipole expansion                                    | 379 |
| 9.3 Localized potentials: the AOM as a ligand-field model                    | 382 |
| 9.4 AOM rotation matrices  | 385 |
| 9.5 The relationship between the cellular and multipole expansions           | 386 |
| 9.6 The relationship within the local frame                                  | 388 |
| 9.7 The choice of method   | 389 |
| 9.8 The degree of parametrization within the AOM                             | 391 |
| 9.9 Non-diagonal local potentials  | 400 |
| 9.10 Empty cells   | 402 |
| <i>References</i>  | 402 |
| <b>10 Techniques for parametric models</b>                                   | 403 |
| 10.1 Aims  | 403 |
| 10.2 Calculation of ligand-field properties                                  | 404 |
| 10.2.1 SETUP   | 405 |
| 10.2.2 SETUP input   | 411 |
| 10.2.3 RUN   | 413 |
| 10.2.4 <i>Susceptibilities and g values</i>                                  | 417 |
| 10.3 Comparison with experiment  | 423 |
| 10.3.1 <i>A mapping technique</i>  | 424 |
| 10.3.2 <i>Search tactics</i>   | 429 |
| 10.3.3 <i>Fitting spectra</i>  | 431 |
| 10.4 Alternative parametrization schemes                                     | 434 |
| 10.5 Alternative bases   | 436 |
| <i>References</i>  | 443 |
| <b>11 The nature of ligand-field theory and of the angular overlap model</b> | 444 |
| 11.1 Introduction  | 444 |
| 11.2 Effective Hamiltonians  | 448 |

|         |   |     |
|---------|---|-----|
| x       | <i>Contents</i>   |     |
|         | 11.3 Group product functions  | 452 |
|         | 11.4 The basis orbitals   | 456 |
|         | 11.5 A primitive ligand-field parametrization   | 458 |
|         | 11.6 Parameter renormalization  | 462 |
|         | 11.7 The orbital reduction factor   | 468 |
|         | 11.8 The ligand-field formalism   | 470 |
|         | 11.9 Ligand-field orbitals  | 475 |
|         | 11.10 AOM parameters  | 483 |
|         | 11.11 The ligand-field potential  | 487 |
|         | 11.12 The additivity principle  | 490 |
|         | 11.13 The static contribution to AOM parameters   | 500 |
|         | 11.14 The dynamic contribution to AOM parameters  | 510 |
|         | 11.15 The potential in empty cells  | 513 |
|         | 11.16 $\Delta_{\text{oct}}$ and $10Dq$  | 517 |
|         | <i>References</i>   | 519 |
| Part IV | THE SYNTHESIS   | 521 |
|         | <b>12 Ligand-field analyses</b>   | 523 |
|         | 12.1 Pyridine, quinoline and biquinoline complexes  | 523 |
|         | 12.1.1 <i>Orientation of the principal molecular susceptibilities in</i><br><i><math>M(\text{py})_4(\text{NCS})_2</math>; <math>M = \text{Co(II)}</math> and <math>\text{Fe(II)}</math></i> | 526 |
|         | 12.1.2 <i>Enlargement of the basis in the analysis of</i><br><i><math>[\text{Co}(\text{quinoline})\text{Br}_3]^-</math></i>   | 533 |
|         | 12.2 Phosphine complexes  | 534 |
|         | 12.2.1 <i>Ligand-field parameters as properties of ground states</i>  | 540 |
|         | 12.3 Seven-coordinate complexes   | 544 |
|         | 12.4 Further examples of metal–ligand complementarity   | 550 |
|         | 12.4.1 <i>The magnetism of tetrahedrally coordinated nickel(II)</i><br><i>complexes</i>   | 553 |
|         | 12.5 Imine-type ligands   | 556 |
|         | 12.6 Ligand fields from lone pairs  | 560 |
|         | 12.7 Planar molecules – the anomalous energy of the $d_{z^2}$ orbital   | 563 |
|         | 12.8 Conclusions  | 566 |
|         | <i>References</i>   | 569 |
|         | Appendix A Molecular geometry in the crystal  | 573 |
|         | Appendix B Euler angles and direction cosines   | 575 |
|         | Appendix C $3-j$ and $6-j$ symbols  | 577 |
|         | Appendix D AOM transformations and $f$ electrons  | 580 |
|         | Appendix E Real ligand-field potentials   | 582 |
|         | Appendix F Frame-independent discrepancy index  | 586 |
|         | Index   | 588 |