

INDEX

NOTE. For names beginning with El (Ed, En, etc.) or Wadi, see under next name.

Thus for El Hania, Wadi Haula, Wadi en Naga see Hania, El;
Haula, Wadi; Naga, Wadi en.

- Abou Halka, 216–17
 Abri Clariond, 181
 Acheulean: hand-axes referable to, 172–4; dates at Kharga and Mount Carmel and in Nile Valley, 173; date of final stage in Libya, 233; summary of Libyan occurrences, 270; date in Morocco, *see* Neuville and Ruhmann
 Adzes: flaked, 245, 256, Pls. 11, 12; pressure-flaked, 258; *see also* Planes
 Agedabia, 43, 85, 86
 Agheila, El, 89, 90, 95, 96
 Ahlmann, H. W., 17, 304
 Ain bu Mansur, 101–5 *passim*, 114, 119, Fig. 8
 Ain Derna, 101, 119, Fig. 8
 Ain el Bled, *see* Ain Derna
 Ain Mara: deposits, 120–3, 128, 129; cores, 157; primary flaking, 157, Fig. 15; retouched specimens, 159
 Ain Metherchem, 215
 Ain Zeiana, 43
 Air photographs, 27–8, 37, 39, 45
 Akhdar, Gebel, *see* Gebel Akhdar
 Algiers, 66–7
 Alluvial deposits, 21, 44, 135; nature, 74–5; mode of occurrence, 75–6; fauna, 77; chronology, 77–8; conditions of deposition, 78–83; *see also* Younger Gravels
 Alluvial fans, 44, 75–6, 77, 78, 79, 130, 135, Pl. 1a
 Almagro Basch, M., 243 n., 304
 Alps, correlations with, 63, 134, 136
 Amato, A., 48 n.
Ammotragus, 108, 239, 284; *see also* Hagfet ed Dabba; Hagfet et Tera; Hajj Creiem
 Amratian, 216
 Angil, Wadi el, 87
 Antelat, 9, 41, 46, 57, 60
Antilope, 276, 286
Apodemus, 279
 Apollonia, 19, 20, 95; marine terraces and shorelines near, 23, 25, 30–1, 35, 37, 60, 291; fossil dunes, 86, 88–9, 97, 99; *see also* Haula, Wadi Arambourg, C., 174, 275, 278, 279, 290, 304; *see also* Beni Segoual
 Arkell, A. J., 210, 304
 Arkell, W. J., 66, 307
 Armant, pre-dynastic industry at, 216
 Arouia, Cave of, 239
 Aterian: Cyrenaican, 170, 175, Fig. 18; bifacial tools, 174, 180; Siwan, 220; geographical distribution, 233; final stage, 240; Tripolitanian, *see* Gan, Wadi
 Atrun, El, 19, 20, 31; tufaceous deposits, 123–8, Figs. 11a and 11b; industry of tufaceous deposits, 159; industry of 6 m. shoreline deposits, 162
 Atrun, Wadi el, 123, 124, 127, 128, Fig. 11a
 Augila, 7, 9, 262
 Badarian culture, 246, 247, 249; origin of, 250
 Barber, F., 143 n.
 Bardia, 95
 Barnes, A. S., 230, 234, 304
 Bat, insectivorous, 278
 Bate, D. M. A., xi, 108, 115, 176, 274–91, 305
 Bates, O., 10, 304
 Baulig, H., 65–6, 70 n., 304
 Baumgartel, E., 241, 246, 304
 Beduin Microlithic, *see* Kharga Oasis
 Bean, W. J., 115 n., 116 n., 304
 Bei el Kebir, Wadi, 224–5
 Ben Gebara, Wadi, 87
 Benghazi, 42, 46, 57–60 *passim*, 71, 92, 98, 292; geology, 47–56, 68, Fig. 5; fossil dunes near, 85, 92, 94, 95, 292
 Benima, 41, 46; ‘step’, 40, 45–6, 47, 51, 57
 Beni Segoual, 181, 187, 304
 Bent, Wadi, 100
 Berka, 52, Fig. 5
 Bersis, 42
 Bifaces, 188, 229, 258, 266; *see also* Acheulean; Aterian; Neolithic-of-Capsian-tradition
 Bir Dufan, 223–4
 Bird remains; Hagfet ed Dabba, 210–11; absence at Hajj Creiem, 155
 Blackwelder, E., 75, 80, 81, 82, 304
 Blade manufacture, as criterion of date in Egypt, 234, 250–1
 Blanc, A. C., 42, 43, 70 n., 131–2, 136, 291–2, 304
 Blanc, G. A., 132, 276, 304

INDEX

- Blanckenhorn, M., 66, 304
 Blyth, E., 285, 290
 Bomba, Gulf of, 9
 Bordes, F., 233, 304
Bos, 239–40, 276, 284
 Bourcart, J., 173, 304
 Bouyssonie, J., 183
 Branner, J. C., 117, 304
 Brunton, G., 246, 304
 Bu Msafer, Wadi, 32, 87, 92, 163, Fig. 7; industries in Younger Gravels near, *see* Derna West
 Bu Rueis, Wadi, 107
 Bury, H. P. R., 289
 Bu Sahela, Wadi, 86
 Bu Sheefa Rock, 89, 90
 Bwdi, 11
 Calabrian stage, 66–7, 69
Capra, 276–7
 Capsian: *Pointes scalènes*, 184; distribution, 187, 214; type of backed blades, 200, 206; relations to Hagfet ed Dabba, 214, 219; classification, 214; composition, 215, 230; radiocarbon date, 235
 Carbon 14, *see* Radiocarbon
 Carmel, Mount, 131 n., 147; *see also* Skhul; Tabun
 Caton-Thompson, G., 172, 228, 229, 242, 243, 261, 304
Cervus, 276
 Chandler, M. E. J., 294
 Chapman, A., 285, 290
 Châtelperron, backed blades of Hagfet ed Dabba compared to, 200
 Chatwin, C. P., *see* Dines *et al.*
 Chersa, 32, 35, 37, 87, 93, 110
 Childe, V. G., 241 n., 242 n., 305
 Clactonian, 223
 Clark, J. D., 279, 290
 Coastal plain, western, of Cyrenaica, 9; topography, 40–1, 44–5; solid geology, 41; origin, 45–7, 56–7, 60–1, 68
 Coefia, 42, 57, 59, 292
Compresseurs, bone, 154, Pl. 6
 Concavo-convex flakes at Siwa, 256
 Continental deposits, Pleistocene, 72, 130–7; *see also* Alluvial deposits; Dune-deposits, consolidated; Tufaceous deposits
 Cook, T., 279, 290
 Coon, C. S., 241, 305
 Cornwall, I. W., 295
Crocidura, 278
 Crowfoot, J., 248 n., 305
 Cuf, Wadi, *see* Hagfet ed Dabba
 De Lamothe, L., 66, 69–71, 305
 Denizot, G., 63, 305
 Depéret, C., 69–71, 305
 Derna, 19, 20, 68, 78, 82–3, 100, 107, 110, 111, Figs. 6 and 8; marine terraces and shorelines near, 32–3, 35, 37–9; fossil dunes near, 86–7, 89, 91, 92, 97, 110, 292, Fig. 6
 Derna brickworks, industry, 170
 Derna East, industry in Younger Gravels, 166–7, 169
 Derna, Wadi, 32–3, 35, 76, 77, 87, 122, 127, Figs. 6 and 8; description, 100–1; lower terrace, 102–3, 110; higher terrace, morphology, 103–4, Fig. 9; higher terrace, deposits, 102–19, Fig. 10, Pl. 4; Pleistocene faunas, 108–9, 275–6, 282–6, 287, 292–3; Pleistocene flora, 109–10, 129, 136, 293–5, Pls. 15, 16
 Derna West, industry in Younger Gravels, 163–6, 169, Fig. 17, Pl. 3b
 Desio, A., 10, 17, 30, 41, 43, 45, 46, 47, 53, 81, 84, 88, 89, 90, 95, 305
 De Stefani, T., 137 n., 305
 Dietrich, W. O., 279, 290
 Dines, H. G., Edmunds, F. H., and Chatwin, C. P., 67, 305
 Domestic animals and plants, origin in Egypt, 251
 Double-backed blades, 254
 Driana, 42, 46, 85, 89, 92
 Driana, Secche di, 89, 95–6
 Dune-deposits, consolidated, 30, 31, 33, 42, 43, 44, 127, 130, 135, Figs. 6 and 7; lithology, 23; mode of occurrence, 84–90; faunas, 84, 292; chronology, 91–4; ‘Younger’, definition of, 91; conditions of deposition, 94–8; *see also* Dunes, fossil
 Dunes, fossil; mode of occurrence, 84–90; submerged, 87–90, 95–6, 98–9, 135, 136; conditions of deposition, 94–8; *see also* Dune-deposits, consolidated
 Dunes, modern coastal, 96
 Egypt, 66–7, 81–82, 137; earlier food-producing societies in, 241–51; *see also* Acheulean; Kharga Oasis; Natufian; Qara; Siwa
 Elfie Rock, 89
Eliomys, 280
 Emig, W. H., 117, 118, 305
Equus asinus hydruntinus, 276–7
Equus caballus, 276–7
 Escarpment, lower, 9; solid geology, 19, 41; topography, 19, 21, 22, 37, 39, 40–1, 44–5; origin, 21–5, 46–7, 57, 60–1, 68; partial submergence, 37–9
 Escarpment, upper, 10

INDEX

- Esh Shaheinab, 279, 290
 Eurasian species, immigration into North Africa, 274; *see also Microtus cyrenae, Panthera leo*
 Evans-Pritchard, E., 10–12, 305
 Fayum; neolithic cultures, 242–5; microlithic cultures, 243; correlation of cultures with Upper Egypt, 248–50; neolithic cultures, origin, 250; double-backed blades at, 254
Fiorita, see Atrun, El
 Flake-blades, 164, 166, 167, 168, 225, Fig. 32 (nos. 11–12); cores for, 164, 225, Fig. 32 (nos. 7 and 10)
Fléchettes, see Hagfet et Tera
 Flint, R. F., 63, 305
 Fossil plants, 52, 120, 121, 124–5, 129, 135; of Wadi Derna, 102, 106, 107, 109–10, 115–16, 129, 136, 293–5; charcoal, 109, 303
 Fossils, Pleistocene fresh-water, 102, 108–9, 117 n., 121–2, 136
 Fossils, Pleistocene marine, 22, 39, 43, 47, 51, 52, 291–2
 Fossils, Pleistocene terrestrial molluscan, 77, 78, 84, 95, 102, 108–9, 121–2, 126, 135, 136, 292–3
 Fossils, Pleistocene vertebrate, 108, 136, 274–91
 Fritsch, F. E., 117 n.
 Frost-shattering, 82–3
 Gabès, Oued, 117 n.
 Gahham, Wadi, 103, 104, 106, 109, 113, 117, 118, 293; tufaceous deposits of, 107; faunas, 108; *see also Hajj Creiem*
 Gaillard, C., 285, 290
 Gambetta, L., 95, 108 n., 122 n., 292, 305
 Gan, Wadi: Aterian site, 225–9, Figs. 32 and 33; Intergetulo-neolithic site, 229–32, Fig. 34
 Garah Island, 89
 Garian, *see Gan, Wadi*
 Garrod, D. A. E., 146, 152 n., 305
 Garstang, J., 305
 Gattara, Wadi, 55, 56, 58, 68
 Gautier, E. F., 6, 305
 Gazala, 95; *see also Tmirmi, Wadi et*
Gazella, 277, 284, 286
 Gebel Akhdar: climate, 5; topography, 5, 8–10, Fig. 2; geology, 10
 Gebel Ksour, 262
 Gebel Tarhuna, 262–3; *see also Gan, Wadi*
 Gefara, plain of, 262–3
 Geology, pre-Pleistocene, of Cyrenaica, 10
Gerbillus, 279
 Gerza, 245, 246
 Ghemines, 43
Giarabub, see Jaghbub
Giargiarummach, Wadi, 39, 59, 86, 97
 Gignoux, M., 66–7, 70 n., 137 n., 305
Glaa, Wadi el, 93, 100
 Gobert, E., 215, 232, 256, 259 n., 305
 Gravettian, backed blades of Hagfet ed Dabba compared to, 206
 Green, J. F. N., 63, 305
 Gregory, J. W., 47, 102–3, 305
 Gsell, S., 6
Gyps, 287
 Hadur, 11
Hagfet ed Dabba: character of site, 191; stratigraphy, 193–8; excavation methods, 193–4; industry, lithic, 198–210; industry, bone, 210 Pl. 10, nos. 1–3; marine shells, 211; economic data, 211; charcoal, 303, Pls. 8, 9
Hagfet et Tera; character of site, 176; first excavation, industry, 179–81; first excavation, fauna, 179, 276–7; possibility of cultural transition from Middle to Upper Palaeolithic, 179–81, 189; Levalloiso-Mousterian, 180; re-investigation, 182–8; burins at, 186–8; economic data, 189
 Hajj Creiem; vertebrate fauna, 108, 275–7; invertebrate fauna, 108–9; character of site, 142–3, Pl. 7; excavation methods used, 142–3; industry, lithic, 144–54; industry, bone, 154
 Haller, J., 216, 305
Hammamat, Wadi, 249
Hamshaw Thomas, H., xii, 109
Hania, El, 86
Harageh, 245
Harug, 81
Hartebeeste, 211 n.
Haua Fteah, 218 n., 272, 273
Haula, Wadi, 162, 167, Pls. 1a, 2
Hayman, R. W., 289
Heim de Balsac, H., 279, 290
Helwan, 250
Hericha Rock, 89
Hey, R. W., 20 n., 111 n., 275, 306
Hilzheimer, M., 24; *see also Baumgartel*
Hinton, M. A. C., 280, 290
Hippopotamus, 275
Hippotigris, 108, 277, 286
Hoggar-Tibesti ridge, 261, 272
Homoioceras, 108, 276, 282–3, 288
Homotherium, 279
Hopwood, A.T., 211, 279, 281, 289, 290, 291
Howe, B., 229, 278, 305
Hume, W. F., 81, 305
Huzayyin, S. A., 102, 216, 246, 248, 305

INDEX

- Ibero-Maurusian, *see* Oranian
 Interchange, biological, between North Africa and Palestine, 175, 217, 274, 282
 Intergetulo-Neolithic, *see* Gan, Wadi
 Ivory, 210
 Jaghbub, 9, 262; *see also* Siwa
 Johnson, D. W., 24, 70 n., 305
 Johnston, H., 279, 290
 Joleaud, L., 274, 285, 290
 Junker, H., 246, 305
 Keith, A., *see* McCowan and Keith
 Kelley, H., 7, 305
 Kenyon, K. M., xi, 300–2
 Kharga Oasis: transition from Acheulean to Levalloisian, 173; comparison with Bir Dufan, 224, 233; beduin Microlithic, 254; trapezes, 261
 Khartoum, Mesolithic, 210, 261; *see also* Arkell, A. J.
 Knowles, F., 258, 306
 Kom Ombo, *see* Vignard, A. E.
 Krige, A. V., 63, 306
 Ksar Akil, climatic evidence, 175 n.
 Kuf, Wadi, *see* Hagfet ed Dabba
 Kulp, J. L., 306
 Lagaaïj, R., 67, 306
 La Quina, bone tools at, 154
 Lala, 232
Lames à chanfrein, *see* Transverse burins
Laurus canariensis, 109–10, 115, 124, 136, 137, 294
 Leaf-shaped bifacial points, 173, 181
 Levalloisian: European variety compared with European Mousterian, 146; European variety compared with Hajj Creiem, 147; North African variety, typology, 170, Fig. 18 (nos. 1–4); North African variety, date, 173; North African variety, distribution, 173–4; Tunisian variant, 174
 Levalloiso-Mousterian; date of in Cyrenaica, 141, 270–1; distribution, 156 n.; origin of term, 146; Upper, of Palestine, 271; *see also* Ain Mara; Atrun, El; Bei el Kebir, Wadi; Hagfet et Tera; Hajj Creiem; Naga, Wadi en Loret et Gaillard, 285, 290
 Lower Palaeolithic, *see* Acheulean
 Maadi, industry, 245, 246
 Maalagh, Wadi, 72–3
 Maaten Gerem, 119, 120
 Maces, 259
 Manley, G., 82
 Maps of Cyrenaica: topographical, 8 n.; geological, 10
 Marada, 9
 Marble Arch Aerodrome, industry, 220–2
 Marchetti, M., 10, 43, 46, 48–50, 55, 73 n., 99, 121, 306
 Marine deposits, Pleistocene: lithology, 22; distribution on north coast of Cyrenaica, 22–3; distribution in western coastal plain, 42–4; in Benghazi area, 47–56, 60; implements in, *see* Haula, Wadi; Ras Aamer; Atrun, El
 Marinelli, O., 17, 57, 102, 306
 Marls, fresh-water, 105, 106, 107, 112, 114, 120, 121, 125, 126, 135; origin, 112–13, 116–17
 Marmarica, 9, 10, 57, 81; pre-Neolithic cultures, 219–20
 Marsa Belaghish, 37
 Marsa el Hillal, 31, 93
 Martin, Henri, 154, 306
 McBurney, C. B. M., 20 n., 111 n., 156, 218, 275, 306
 McCowan and Keith, 155 n., 306
 Meghiunes, 39
 Merdum, Wadi, *see* Bir Dufan
 Merghes, Wadi, 31
 Merimde Beni Salame, 244, 246, 249; origin of culture, 250
 Merneptah, 12
 Mersa Brega, 43, 86, 89, 90
 Metcalfe, C. R., xi, 109, 303
 Microburins: Hagfet et Tera, 186–8, fig. 20 (nos. 47–8); Marble Arch, 221–2; Siwa, 254, Fig. 35 (no. 5)
 Microliths, geometric, absence at Hagfet et Tera, 187; absence at Hagfet ed Dabba, 215–17; presence around Gulf of Sirte, 220–2; rarity at Wadi Gan, 232; geographical distribution, 232 n., 260
Microtus cyrenae, 280–2, Fig. 38a
Microtus spp., 280–2.
 Middle Palaeolithic, *see* Aterian; Levalloisian; Levalloiso-Mousterian; Mousterian
 Mitchell, G. F., 65 n.
 Mizda, 262
 Moeris, Lake, 242
 Mond, R. and Myers, O. H., 246, 306
 Mountford, C. P., 13, 306
 Mousterian, European: contrast with Levalloisian, 146; comparison with Levalloiso-Mousterian, 147–9
 Movius, H., 229, 278, 305
 Mud-flows, Pleistocene, 75, 80, 83, 130, Pl. 2
 Mughara, Wadi el, 275
 Mugharet el Aliya, 229, 239, 240
 Murray, G. W., 137, 306
 Museum, Tripoli, xii, *see also* Hagfet et Tera

INDEX

- Naga Wadi en, 76, 87, 163; tufaceous deposits, 119–20, 122, 128–9; industries in tufaceous deposits, 156–7; industries in Younger Gravels near, *see* Derna West
- Nag Hammadi: angle burins, 215; transverse burins, 215–16, Fig. 28; general composition of industry, 215–16
- Nakada, I and II, 246–8
- Natufian, 211, 235 n., 254; in Egypt, 250
- Neolithic-of-Capsian-tradition; bifaces in, 188; origins, 238–41; Tripolitanian version, 268–9
- Neolithic of eastern Libya, 268, 272; possible prototype of adzes, 206, Fig. 31 (nos. 1, 3 and 5); *see also* Siwa
- Neolithic of Tripolitania, 262–9
- Neuville, R. and Ruhlmann, A., 173–4, 306
- Newton, R. B., 47, 102, 109, 306
- Nigeria, 272
- Nile: Plio-Pleistocene deposits of, 66–7; industries in terraces of, 173
- Nmelaia, Wadi en, 93
- North Lamesk Reef, 89
- Oakley, K. P., 98, 306
- Oranian: compared to Hagfet et Tera, 184, 186–7, 189; relation to Mousterian at Hagfet et Tera, 217–18, 272
- Ostrich-egg shell, 220, 230–1; engraving of, 222
- Ouchtata, 215
- Ounanian shanked point, 254
- Palermo, Late Pleistocene deposit near, 137
- Pampanini, R., 110 n., 294 n., 295 n., 306
- Panthera leo*, 278–9
- Pericot, L., 306
- Petrie, F., 245, 246
- Petrocchi, C., xii, 306; *see also* Hagfet et Tera
- Pfalz, R., 77, 306
- Phosphatic cave-earths, classical exploitation of, 178, 194
- Pilgrim, G. E., 279, 290
- Pinushaleensis*, 109–10, 115–16, 119, 129, 295, 303
- Planes, 244, 247, Pls. 11, 12; *see also* Adzes, flaked
- Plant remains, *see* Fossil plants
- Plaster of Paris, use of, at Hajj Creiem, 143
- Polyvinyl acetate, use of, at Hajj Creiem, 143
- Pomel, A., 274, 285, 290, 291
- Pontine Marshes, 64, 131, 132, 134
- Population estimates, 12–13
- Pottery, Saharan decorated, 259–60, Pl. 10, no. 5; late, 300–2
- Qara, 253
- Qasr Qarun, 245, 247
- Querns, 259
- Radiocarbon, 217, 218; date of Hagfet ed Dabba industry, 234; date of Capsian, 235
- Ramses III, 12
- Ras Aamer, 20, 37, 39, 86, 97; marine terraces and shorelines near, 25, 30, 35; industry of 15–25 m. shoreline deposits, 160, Fig. 16 (no. 4); industry of 6 m. shoreline deposits, 162
- Ras ben Gebara, 25, 31, 35, 37, 123; fossil dunes near, 86, 87, 93, 97
- Ras bu Azza, 87, 89, 292, Fig. 6
- Ras bu Meddad, 87
- Ras el Aslab, 86; 97
- Ras el Hillal, 19, 20, 86, 93, 123, 126; marine terraces and shorelines near, 25, 30, 31, 35
- Ras et Tin, 9, 19, 38, 86, 96, 97
- Reck, H., 285, 291
- Redeyef, 256
- Reisner, G. A., 184, 246, 306
- Rhilane, 215
- Rhinoceros, 275–6, 278, 287
- Richards, H. G., 64, 306
- Riss-Würm (Last) Interglacial, 64–5, 69, 78, 130, 131, 132, 136, 137
- Riviera, 63, 131, 134
- Rixon, A. E., 280
- Robinson, K. S. R., xii, 225, 229
- Rock art, 237
- Romanelli, Grotta, 64, 131–6 *passim*, 276
- Romer, A. S., 286, 291
- Round-based points: at Sirte, 220; at Marble Arch, 221; at Siwa, 254
- Ruhlmann, A., 173, 306
- Sabakh*, 85, 86
- Sabun, Sultan of Wadai, 8
- Sahel* of Cyrenaica: solid geology, 19; topography, 19, 21, 22, 40; industries, 160–75
- Sandford, K. S., xii, 66, 137, 306
- Sandison, P., xii, 262
- Sand Sea, Libyan, 6; finds on fringe of, 262, 272
- Scersciara, Wadi, 117 n.
- Scott, N. L., 172–4
- Sebilian, 261
- Seghi, Wadi es, 123, 127, 129, Fig. 11a
- Semainian, 246
- Shells as ornaments, at Hagfet ed Dabba, 211
- Shiyata, 259
- Shoreline: 6 m., industry in deposits, *see* Haula, Wadi; Atrun, El; Ras Aamer; 15–25 m., industry in deposits, *see* Ras Aamer
- Shorelines, Pleistocene: nature of evidence for, 21–4; method of investigation, 25–8; detailed survey (Ras Aamer-Derna), 28–37, Fig. 3; correlations, 34, 59–61; original levels, 36, 57–8, 68, 70–1; warping, 37; on west coast, 40–58

INDEX

- Shorelines (*cont.*):
passim; without erosional features, 47, 51, 52, 57; chronology, 61–9; relations to alluvial deposits, 77–8; relations to consolidated dune-deposits, 91–2; relations to tufaceous deposits, 110–11, 116, 126, 127, 128–9; industries in, *see* Haula, Wadi; Atrun, El; Ras Aamer
- Shott el Jerid, 214
- Shehaymah, 8 n.
- Sicilian stage, 67, 69
- Sicily, correlations with caves in, 133–4, 137
- Sidi Magrun, 43
- Silvestri, A., 50, 307
- Sirte, industry, 222
- Sirte, Gulf of, 10, 60, 72; fossil dunes around, 85, 94, 96, 98; fossil dunes submerged in, 89–90, 95, 98
- Sirtica, *see* Marble Arch Aerodrome; Sirte
- Sirtican Microlithic culture, 264; *see also* Marble Arch Aerodrome; Sirte
- Siwa Oasis: traces of Palaeolithic in, 220; traces of Neolithic, 151–62; double-backed blades at, 254; Pls. 10–13
- Skhul, cave of, 175
- Sleib, Wadi, 78; industries, 167, 169
- Smith, G., 289
- Soergel, W., 155, 307
- Sofeggin, Wadi, 262; *see also* Bir Dufan
- Soluch, 43
- Spratt, T. A. B., 102, 108, 307
- Springs, perennial, of Gebel Akhdar, 73, 101, 119, 120, 123, 128–9
- Squamious flakes, 264; *see also* Hagfet ed Dabba
- Stefanini, G., 17, 42, 102, 307
- Stelfox, A. W., 122
- Still Bay, 183
- Stone-Age, end of, 239
- Suess, H. E., 218, 307
- Susa, Wadi, 30
- Swinton, W. E., 289
- Sylphium*, 11
- Sylvester-Bradley, P. C., 53, 122
- Tabelbalat point, 228
- Tabun, cave of: industry, 152; human remains, 156 n.
- Tallentire, P., 121
- Taorga, 223
- Tarhuna, 117 n.
- Tasian culture, 246, 250
- Tebessa, 214
- Terraces, fluvial, 76–9 *passim*, 130, 135; Wadi Derna, 102–19; Wadi en Naga, 120; Ain Mara, 121; El Atrun, 123–5
- Terraces, marine, 21–2, 36, 44–7; origin, 23–5, 68
- Terra rossa, 22, 74, 79–80, 103
- Testudo*, 108, 287
- Thomas, P., 274
- Thomson, D. F., 13, 307
- Tilimun, 43
- Tmimi, Wadi et, 220
- Tobruk, 95
- Tocra, 41, 45, 57, 59; Pleistocene marine deposits near, 42, 291; ‘step’, 44, 45, 47, 58; fossil dunes near, 85, 89, 91, 92, 93–4, 97; surface finds near, 172–4; *see also* Sleib, Wadi
- Tolmeita, 9, 19, 40, 41, 44, 46; marine terraces and shorelines near, 39, 59, 61; fossil dunes near, 85, 86, 89, 97
- Tongiorgi, G., 109, 307
- Transverse burins: Hagfet ed Dabba, 200, 202–3, Fig. 27 (nos. 10–25); Nag Hammadi, 216, Fig. 28; Abu Halka, 217
- Transversely sharpened axes, 216
- Trapezes: Gulf of Sirte, 220–1; absence in Fayyum, 243; general distribution, 260–1; Tripolitanian Neolithic, 266, 267; *see also* Microoliths, geometric
- Tre Scoglie, 89
- Trevor, J. C., 156, 218, 306
- Trihedral rods, 243, 258, 261
- Tripolitania, pre-Neolithic cultures of, 219, 270
- Tufa, 100, 120, 121–3, 124–9, 130, 135; Wadi Derna, 105–7, 109, 112–14, 117–19; Pls. 4, 5; formation of in rapids, 117–18
- Tufaceous deposits, 100, 128–9, 134, 135–6; industries in, 141–59; *see also* Atrun, El; Ain Mara; Derna, Wadi; Naga, Wadi en
- Uadi, *see* Wadi
- Valori, B., 307
- Vaufrey, R., 132, 133–4, 214–15, 237, 266, 307
- Versilia, Lower, 131, 134, 136
- Vignard, A. E., 215, 261, 307
- Vulpes*, 279
- Wadi, *see* Note at head of Index
- Wadis, Cyrenaican, general description, 72–3
- Watson, W., xi, 307
- Weimar-Ehringsdorf, 155 n.
- Wells, L. H., 156, 218, 306
- Willett-Cunnington, C., xii, 220, 251, 256
- Wilton, 266
- Winkler, H. A., 285, 291
- Wood, possible use of, 155
- Woodall, D., 289
- Wooldridge, S. W. and Linton, D. L., 67, 307
- Wright, H. E., 271, 307; *see also* Ksar Akil
- Wright, W. B., 63–4, 307

Cambridge University Press

978-0-521-10956-7 - Prehistory and Pleistocene Geology in Cyrenaican Libya

C. B. M. McBurney and R. W. Hey

Index

[More information](#)

INDEX

- Wulsin, F. R., 137, 239 n., 307
Würm (Last) Glaciation, 64–5, 131–7 *passim* Derna East; Derna West; Haula, Wadi; Sleib, Wadi; *see also* Alluvial deposits
- Xerophila chadiana darnensis*, 108–9, 122, 126, 137, 292–3 Zahra, *see* Atrun, El
- Younger Gravels, 109, 134–7 *passim*; origin of name, 78; conditions of deposition, 78–83; relations to fossil dunes, 92–4; relations to tufaceous deposits, 110, 120, 122, 126–7, 129; industries on surface of, 173; industries in, *see* Zaigh, Wadi, 123, 127
- Zavattari, E., 78 n., 108 n., 122 n., 279, 291, 307
- Zemalia, Wadi, 30, 160
- Zeuner, F. E., xi, 64, 131, 132, 134, 186, 195, 217, 295 *et seq.*, 307
- Zuetina, 89, 90
- Zuiana, Wadi, 39