

AUTHOR INDEX

(Note: Figures in bold type indicate pages on which references are listed)

- Aass, B., 159, **174**
 Adams, K. F., **231**
 Allison, J., 171, **174**, 233, **252**
 Amann, J., 160, **174**
 Amor, J. M., **20**
 Andersen, B. G., 37, **37**
 Andersen, S. T., 6, **10**, 14, 16, 17, **20**, **230**, **231**, 233, 239, 244, 245, 248, **252**, **253**
 Andrew, R., 13, 14
 Andrew, R., 230, **230**
 Arbey, F., 14, 17, **21**
 Arthurton, R. S., 44
 Atherton, N. M., 73, **78**
- Barghoorn, E. S., 247, **252**
 Bartley, D. D., **78**, 87, 91, **93**, 127, 128, 129, **137**, 141, **157**
 Bassett, I. J., **230**
 Beijerinck, W., 236, 241, **252**
 Benda, L., 246, 247, **252**
 Berggren, G., 238, **252**
 Berglund, B. E., **230**
 Bertsch, A., **230**
 Bertsch, K., 236, 241, **252**
 Beug, H.-J., **230**
 Bharucha, F. R., 118, **138**
 Bialobrzeska, M., 236, **252**
 Biebl, R., 166, **174**
 Billings, W. D., 160, **175**
 Birks, H. J. B., 45, **78**, 91, **93**, 102, 105, **115**, 129, **137**, 228, **230**
 Blackburn, K. B., 26, 27, **38**
 Blundell, D. J., 27, **39**
 Böcher, T. W., 166, **174**
 Borrill, M., 240, **252**
 Boughey, A. S., 89, **93**
 Braidwood, R. J., 82, **93**
 Brazier, J. D., 247, **252**
 Brellie, G. von der, 18, **20**
 Brockmann-Jerosch, H., 159, **174**
 Brothwell, D., 240, 247, **253**, **254**
 Brown, E. H., 99, **115**
 Burgess, J. J., 165, **174**
 Buttery, B. R., 118, **138**
- Campo, M. van, **231**
 Candolle, A. de, 159, **174**
 Carlisle, A., 85, **95**
 Chambers, T. C., **230**
 Chanda, S., 46, **78**, **230**
 Chandler, M. E. J., 249, **252**
 Chandler, T. J., 99, **115**
 Chapman, S. B., 141, **157**
 Chapman, V. J., 119, **138**
 Charlesworth, J. K., 33, **37**
 Chavannes, E., 83, **93**
 Childe, V. G., 102, **115**
 Churchill, D. M., 26, 29, 32, 35, **37**, 89, **93**, 230, **230**
 Clapham, A. R., 128, 130, **138**, **174**, 203, 236, 237, 238, 241, 243, 244, 246, 248, **252**
 Clapham, B. N., 128, **138**
 Clark, J. G. D., 82, 84, 92, **93**
 Clements, F. E., 117, **138**
- Clifford, M. H., 84, **93**, **94**, 136, **138**, 233, 247, **252**
 Coffey, G., 24, **37**
 Colhoun, E., 18
 Collingwood, R. G., 72, **78**
 Collingwood, W. G., 152, **157**
 Conolly, A. P., 14, **20**, 86, 89, **93**, 159, 161, 165, 166, **174**, 233, 234, 236, 241, 243, 250, **252**
 Conway, V. M., 87, **93**
 Cook, C. D. K., 242, 243, **252**
 Cookson, I. C., 230, **230**
 Coope, G. R., 235, **252**
 Corstorphine, M., 165, **174**
 Corstorphine, R. H., 165, **174**
 Cowper, H. S., 152, **157**
 Cranwell, P. A., 73, **78**
 Crowder, A., 89, 91
 Cullingford, R. A., 33, 34, 35, **37**, **39**
 Cushing, E. J., 235, **252**
- Dahl, E., 159, 160, 161, 162, 163, 164, 165, 167, 169, 173, **174**, 203
 Dallimore, W., 245, **252**
 Dandy, J. E., 226, **230**
 Dansereau, P., 159, **174**
 Darbyshire, R. B., 41, 69, **78**
 Davies, E. W., 239, **252**
 Davies, J., 88, **93**
 Davies, M. B., 45, 58, **78**
 Deevey, E. S., 45, 58, **78**
 Degerbøl, M., 89, **93**
 De la Pryme, A., 81–2, **93**
 Dengler, A., 159, **174**
 Depape, G., 13, **20**
 Dewar, H. S. L., 92, **93**, 98, 102, **115**
 Dickson, C. A., 14
 Dickson, J. H., 14, **176**, 243, 245, 249, 251, **252**
 Dijkstra, S. J., 249, **252**
 Dimbleby, G. W., 81, 83, 88, **93**, **94**, **95**, 97, **252**
 Dixon, E. E. L., 43, **78**
 Dixon, H. N., 249, **252**
 Donner, J. J., 23, 26, 33, 35, **37**, **38**, 87, 88, **94**, 127, 128, **138**
 Duigan, S. L., 236, **252**
 Durand, S., 13, 14, 15, **20**
 Durno, S. E., 23, 26, **38**, 85, 87, 90, **94**
 Dylík, J., 17, **20**
- Earp, J. R., 34, **38**
 Eastwood, T., 43, **78**
 Egede Larssen, K., 88, **94**
 Einarsson, T., 37, **38**, **39**
 Elhai, H., 13, 14, 15, 17, **20**, 88, **94**
 Elliott, R. J., 143, 144, 152, 153, 155, **157**
 Engstrand, L. G., 27, **38**
 Enquist, F., 159, **174**
 Erdtman, G., 23, **38**, 85, **94**, **230**
 Evans, G. H., 149, **157**
 Evens, E. D., 71, **78**
- Faegri, K., 36, **38**, 58, **78**, 225, 229, **230**
- Farrington, A., 14, 16, **20**, **231**, 233, 239, 244, 245, 248, **253**
 Fell, C. I., 71, **78**
 Ferré, Y. de, 245, **252**
 Firbas, F., 46, **78**
 Flett, J. S., 15, **20**
 Florin, R., 245, **252**
 Florin, S., 88, **94**
 Florschütz, F., 13, **20**, 248, **254**
 Floyd, A. J., 73, **78**
 Forbes, E., 1, 9, **10**
 Francis, E. H., 34, **38**
 Franklin, G. L., 247, **252**
 Franks, J. W., 14, 44, 53, **78**, 237, 246, **252**
 Fraser, G. K., 23, **38**
 Freneix, S., 13, **21**
 Frenzel, F., 84, 90, **94**
 Froment, P., 250, **252**
 Funnell, B. M., 16
- Gams, H., 160, **174**, 249, **252**
 Gates, D. M., 167, **174**
 Geikie, J., 32, 34, 35, **38**
 Gillham, M. E., 119, **138**
 Godwin, H., 4, 10, **10**, 14, 16, 20, **20**, **21**, 23, 24, 25, 26, 27, 32, 33, **38**, 41, 44, 45, 49, 51, 53, 56, 58, 60, **78**, 82, 84, 85, 86, 87, 89, 90, 92, **93**, **94**, **95**, **96**, 97, 98, 99, 100, 102, 103, 105, 106, 107, **115**, 118, 119, 127, 128, 129, 130, 135, 136, 137, **138**, **139**, 141, **157**, 160, 164, 171, 172, **174**, 203, 230, **230**, 233, 234, 235, 236, 240, 241, 242, 243, 247, 249, 251, **252**, **253**
 Göksu, Y., 27, **39**
 Gorham, E., 117, **138**
 Gough, J., 117, **138**
 Grangeon, P., 13, **20**
 Green, P. S., 237, 252
 Greenwood, C., 152, **157**
 Gregory, M., 246, **253**
 Greguss, P., 247, **253**
 Grinsell, L. V., 71, **78**
 Grohne, U., 229, **230**
 Grosse-Brauckmann, G., 246, **253**
 Groves, J., 250, **253**
 Guillien, Y., 13, **20**
 Guinet, P., **253**
- Hafsten, U., 36, **38**, 88, 89, **94**
 Hagem, O., 159, **174**
 Hagerström, O., 246, **253**
 Hagström, J. O., 246, **253**
 Hammen, T. van der, 18, **20**, 43, 46, **79**
 Hardy, E. M., 127, 128, 129, **138**
 Harley, J. K., 119, **138**
 Harmer, F. W., 15, **20**
 Harper, J. L., 88, **95**
 Harrison, J. W. H., 26, 27, **38**
 Hartz, N., 43, **78**, 233, **238**
 Haslam, S. M., 119, **138**
 Haworth, R. D., 73, **78**
 Hedberg, O., **230**
 Heer, O., **253**
 Hegi, G., 163, **174**

AUTHOR INDEX

- Helback, H., 240, 242, **253**
Hewetson, V., 172
Higgs, E., 240, 247, **253**, **254**
Hintikka, V., 159, **174**
Hjelmquist, H., 239, **253**
Holdgate, M. W., 118, **138**
Hollingworth, S. E., 43, **78**
Holmboe, J., 159, **174**
Hoppe, G., 27, 31, **38**
Horn af Rantzien, H., 249, 250, **253**
Hubbard, C. E., 236, 240, **253**
Hultén, E., 162, 163, 169, **174**, 203, 237, **253**
Hutchinson, T. C., 172, **175**
Hyde, H. A., **231**, 248, **253**
- Iversen, J., 17, **20**, 46, 50, 58, 60, 62, 67, 72, **78**, 81, 82, 86, 87, 90, 91, **94**, 98, **115**, 159, 160, 164, 168, **175**, 225, 229, **230**, **231**
- Jackson, A. B., 245, **252**
Jalas, J., 237, **253**
Jamieson, T. F., 24, 32, **38**
Jane, F. W., 247, **253**
Jardine, W. G., 26, 30, **38**
Jelgersma, S., 23, 24, **38**
Jennings, J. N., 118, **138**, 153, **157**
Jermy, A. C., 239, **253**
Jessen, K., 14, 16, 18, 19, 20, **20**, 44, **78**, 82, 85, 87, 89, **94**, 136, **138**, 159, **175**, **231**, 233, 239, 240, 241, 244, 245, 246, 248, **253**
Jewell, P., 89, **94**
Johannessen, T. W., 161, **175**
Jørgensen, S., 83, **94**
- Kaland, P. E., 164, **175**
Katz, N. J., 236, 239, 241, 242, 243, 245, 246, **253**
Katz, S. V., 236, 239, 241, 242, 243, 245, 246, **253**
Keef, P. A. M., 81, **94**
Kelly, M., 246, **253**
Kelly, M. R., 14, **20**, **175**, 246, **253**
Kendal, J. D., 41, **78**
Kerfourn, M.-T., 14, 16, 17, **20**
Kerney, M. P., 99, **115**
Kinahan, G. H., 16, **20**
King, C. A. M., 33, 35, **39**
King, W., 117, **138**
Kipiani, M. G., 236, 239, 241, 242, 243, 245, 246, **253**
Kirk, W., 14, **20**, 33, 35, **39**, 45, 51, **78**, 251, **253**
Kjartansson, G., 37, **39**
Klimaszewski, M., 236, **253**
Kneblová, V., 245, **253**
Knox, E. M., **231**
Koelbloed, K. K., **231**
Körber-Grohne, U., 234, 240, **253**
Kotilainen, M. J., 160, **175**
Kremp, G., 231
Kroeze, J. M., **231**
Kummel, B., 251, **253**
Kuprianova, L. A., **231**
- Lacaille, A. D., 33, **39**
Lamb, H. H., 173, **175**
Lambert, C. A., 105, **116**, 234, 237, 238, 249, **253**, **254**
Lambert, J. M., 118, 119, **138**, 153, **157**
Lang, G., **231**
Lange, O. L., 166, 167, **175**
Lange, R., 166, **175**
Lee, C. H., 57, **79**
- Leroi-Gourhan, A., 88, **95**
Lewis, F. J., 173, **175**, 203
Lewis, R. P. W., **175**, 181
Lind, E. M., 119, **138**
Löve, A., 167, **175**
Lundquist, J., 37, **39**
Lye, K. A., 160, **175**
- Maarleveld, G. C., 17, 18, **20**, 43, 46, **79**
McAndrews, J. H., 89, **94**
McAulay, I. R., 91, 92, **94**
McCann, S. B., 35, **39**
Mackereth, F. J. H., 43, 53, 61, 63, 67, **78**, 92, **94**
McMillan, N. F., 15, **20**
McVean, D. N., 23, **38**, 82, 85, **94**, 143, **157**, 163, 165, **175**
Maher, L. J., 57, **78**
Manley, G., 44, 53, 56, 58, **78**, 173, **175**
Manum, S., 230, **230**
Marr, J. E., 41, 44, **78**
Marsden-Jones, E. M., 237, **253**
Marthinussen, M., 36, 37, **39**
Martonne, E. de, 160, **175**
Matthews, J. R., 9, **10**, 118, **138**, 160, **175**
Mayr, H., 159, **175**
Megaw, E. M., 14, **20**, 86, 89, **93**, 233, 236, **252**
Mellars, P., 81, **95**
Metcalf, C. R., 246, **253**
Mitchell, G. F., 13, 14, 15, 17, 18, 19, **21**, 26, **39**, 43, 44, **78**, 84, 85, 90, 91, 92, **94**, 102, 105, **115**, 127, 129, 130, **138**, **175**, 201, 202
Moar, N. T., 14, 16, 17, 100, **116**, **176**
Mooney, H. A., 160, **175**
Moore, D., 241, **253**
Moore, J. W., 82, **94**
Moore, P. D., **176**
Mork, E., 160, 166, **174**
Morrison, M. E. S., 14, **21**, 32, 34, **39**, 91, **94**, 102, **116**, 130, **138**
Mortimer, C. H., 44
Movius, H. L., 33, **39**, 89, **94**
Muller, H., 46, **78**
Müller, I., 88, **94**
Munnich, K. O., 46, **78**
Murley, M. M., 238, 253
- Nathorst, A. G., 253, **253**
Newey, W. W., 26, **39**
Nichols, H., 127, **138**
Nilsson, O., 239, **253**
Nilsson, T., 83, 84, 90, 92, **94**
Nyholm, E., 249, **253**
- Oldfield, F., 13, 14, 16, 17, 18, **21**, 41, 46, 49, 57, 58, 62, 67, 72, 73, 74, 77, **78**, 83, 84, 86, 87, 88, 89, 90, 91, **95**, 102, 105, **116**, 127, 128, 129, **139**, **231**
Olsson, I. U., 27, **39**
Orme, A. R., **175**, 202
Osborne, P. J., 246, **253**
- Pallis, M., 118, **139**
Paquereau, M.-M., 13, 14, **21**
Paulssen, L. M., 248, **253**
Pearsall, W. H., 72, 73, **78**, 118, **139**, 143, **157**
Pearson, M. C., 87, **95**, 127, 129, **139**, 141, **157**
Pearson, R. G., 234, **253**
Pennington, W., 41, 44, 49, 53, 57, 58, 68, 71, 72, 74, 76, **78**, **79**, 84, 90, 92, **95**, 102, 105, **116**, 128, 129, **139**, 141, 148, 149, **157**, 237, 244, 245, 246, **252**, **254**
- Perring, F. H., 18, **21**, 160, 161, 168, 169, **175**, **231**, 237, **254**
Pettersson, V., 246, **253**
Pettersson, B., 164, **175**
Péwé, T., 17, **21**
Phillips, E. W. J., 247, **254**
Piggott, S., 69, 71, **79**, 105, **116**
Pigott, C. D., 86, **95**, 102, 105, **116**, 129, **139**, 160, 163, **175**
Pigott, M. E., 86, **95**, 102, 105, **116**, 129, **139**
Pike, K., 16, **21**
Pilcher, J. R., 85, **93**
Pinot, J.-P., 14, 16, **21**
Poore, M. E. D., 119, **139**
Porsild, A. E., 163, **175**
Post, L. von, 251, **254**
Praeger, R. L., 24, **37**, **39**, 165, **175**
Pragłowski, J., **230**
Prenant, A., 13, **20**
Proctor, M. C. F., 249, **254**
- Rabien, I., 244, **254**
Radley, J., 81, **95**
Rankin, Munn, 41
Rankine, W. F., 81, **95**
Rankine, W. M., 81, **95**
Ratcliffe, D. A., 143, **157**, 163, 165, **175**
Raunkiaer, C., 246, **254**
Raup, D., 251, **253**
Rawitscher, F., 83, **95**
Read, W. A., 34, **38**
Reid, C., 1, 4, **11**, 172, **175**, 233, 236, **254**
Reid, E. M., 1, 4, **11**, 233, 236, 242, **254**
Rein, U., 18, **20**
Reitsma, T., **231**
Report of Director, Inst. Geol. Sci., London, 14, **21**
Rey, R., 13, **20**
Rice, R. J., 35, **39**
Richardson, F., 244, 247, **254**
Ritchie, W., 27, **39**
Rivière, A., 14, 17, **21**
Rivière, M., 14, 17, **21**
Robak, H., 166, **175**
Roger, J., 13, **21**
Ross-Craig, S., 238, 242, **254**
Roux, I., 88, **95**
Rudolph, K., **231**
Ryvarden, L., 164, **175**
- Sagar, G. R., 88, **95**
Samuelson, G., 160, **175**
Sarjeant, W. S., 230, **230**
Sarkar, P., 167, **175**
Scannell, M., 13
Schmitz, H., 83, **95**
Schneekloth, H., 246, 247, **252**
Schoeller, M., 13, 14, **21**
Schumacker, R., 246, **254**
Sculthorpe, C. D., 119, **139**
Seagrief, S. C., 87, **95**, 127, 128, **139**, 251, **254**
Sealy, J. R., 19, **21**
Seddon, B., 14, 21, 92, **95**, 128, 129, **139**
Sell, P. D., 237, **253**, **254**
Shotton, F. W., 27, **39**, 234, **252**
Simmons, I. G., 84, 89, **95**, 102, 105, **116**
Simpson, I. M., 5, **11**, 239, **254**
Simpson, J. B., 33, **39**
Singh, G., 87, **95**
Sissons, J. B., 26, 31, 33, 34, 35, **39**

AUTHOR INDEX

- Smith, A. G., 24, **39**, 41, 57, 67, 72, 76, 77, **79**, 84, 85, 86, 87, 89, 90, 92, **95**, 102, 105, **116**, 127, 129, 130, **139**, 225
- Smith, B., 43, **78**
- Smith, D. E., 33, 34, 35, **37**, **39**
- Smith, J. S., 35, **39**
- Sorsa, P., **231**
- Sparks, B. W., 14, 18, **21**, 105, **116**, 234, 237, 238, 249, 251, **253**, **254**
- Spence, D. H. N., 118, 137, **139**
- Spoel-Walvius, M. R. van der, **231**
- Stace, C. A., 244, **254**
- Statham, D. C., 73, **78**, 90, **95**, 102, 105, **116**, 127, 128, **139**
- Stearn, W., 250–1, **254**
- Stenberg, A., 27, **39**
- Stephens, N., 21, **21**, 29, 32, 34, 35, **39**
- Steven, H. M., 85, **95**
- Stillman, C. J., 18, **21**
- Strachan, I., 234, **252**
- Styles, B. T., 241, **254**
- Suggate, R. P., 23, 24, **38**
- Switsur, V. R., 26, 27, **38**, 100, **115**
- Synge, F. M., 29, 33, 34, 35, **39**, 43
- Szafer, W., 236, **253**
- Szafran, B., 236, **253**
- Tallantire, P. A., 84, **94**, 127, 130, **138**
- Tallis, J. H., 88, **95**
- Tansley, A. G., 41, **79**, 117, 118, 119, **139**
- Tauber, H., 58, **79**, 88, 90, **95**, 107, 110–11, **116**
- Terasmäe, J., 45, 48, **79**, **230**
- Ters, M., 14, 17, **21**
- Thiergart, F., **231**
- Thomas, K. W., 102, **116**, 127, 130, **139**
- Thorarinsson, S., 37, **39**
- Timson, J., 241, **254**
- Trail, J. W. H., 165, **175**
- Tralau, H., 246, **254**
- Troels-Smith, J., 71, 90, 91, **95**, 98, **116**
- Trotman, D. M., **176**
- Truchanowiczówna, J., 236, **252**
- Turner, C., 2, **11**, 16
- Turner, J., 23, 26, **39**, 72, **79**, 91, 92, **95**, **96**, 100, 101, 102, 104, 105, **116**, 128, 129, **139**
- Turner, J. S., 118, 137, **138**
- Turrill, W. B., 237, **253**
- Tutin, T. G., 120, **139**, 236, 237, 238, 241, 243, 244, 246, 248, **252**, **254**
- Urbanski, J., 236, **253**
- Vernher, S., 14, 17, **21**
- Vlerk, I. M. van der, 248, 249, **254**
- Vogel, J. C., 18, **20**, 43, 46, **79**
- Vokes, E., 19
- Wade, A. E., 248, **253**
- Wainwright, G. J., 86, **96**
- Walker, D., 14, 16, **21**, 23, **38**, **39**, 41, 43, 44, 45, 46, 48, 53, 54, 56, 57, 58, 60, 62–3, 67, 68, 69, 71, 72, 73, 76, 77, **78**, **79**, 82, 86, 88, 90, 91, 92, **96**, 100, 102, 105, 106, **116**, 119, 127, 128, 129, 130, **139**, 228, **231**
- Wallis, F. S., 71, **78**
- Walters, S. M., 160, 161, 164, 168, 169, **174**, **175**, **231**, 241, **254**
- Warburg, E. F., 236, 237, 238, 241, 243, 244, 246, 248, **252**
- Warren, S. H., 171, **174**, 233, 249, **252**, **254**
- Watson, E. V., 249, **254**
- Watt, A. S., 141, **157**
- Watts, W. A., 10, **11**, 13, 14, 17, 18, 19, **21**, 91, 92, **94**, **96**, **231**, 235, 239, 240, 248, 250, 251, **254**
- Webb, D. A., 19, **21**, 242, 245, **254**
- Welten, M., 87, **96**, **231**
- West, R. G., 2, 4, 5, **11**, 13, 14, 17, 18, **21**, 23, **39**, 230, **231**, 233, 237, 239, 241, 245, 249, 251, **254**
- West, T., 152, **157**
- Western, A. C., 247, 248, **254**
- Wheeler, P. T., 33, 35, **39**
- White, J. M., 118, **139**
- Whitehouse, H. L. K., 230, **231**
- Williams, R. E. G., 27, **39**
- Williams, W. T., 118, **138**
- Willis, E. H., 23, 25, 26, 32, 33, **38**, 45, 56, 58, **78**, 84, 90, 91, 92, **95**, 100, 102, 105, **115**, **116**, 130
- Wilson, A., 165, **175**
- Wilson, D. G., 5, **11**, **21**
- Winter, T. C., 235, 250, 251, **254**
- Wodehouse, P. P., **231**
- Woldstedt, P., 13, **21**
- Woodell, S. R. J., 19, **21**
- Woodroffe, A., 173, **175**
- Wray Castle Estate Records, 152, **157**
- Wright, H. E., 173, **175**, 235, **252**
- Wright, W. B., 24, 30, 32, 33, 34, 35, **39**
- Wymer, J. J., 81, 89, **93**, **94**
- Yemm, E. W., 119, **138**
- Zagwijn, W. H., 13, 18, **21**, 43, 46, **79**, **231**, 246, **254**
- Zeist, W. van, 88, **96**
- Zoller, H., **231**

SUBJECT INDEX

- Aamosen, Denmark, 83
 Abbot Moss, Cumberland, 46, 53, 56, 218;
 rate of deposit accumulation at, 128, 130;
 vegetation stages at, 127
 Aberaeron/Aberarth, Cardiganshire, 218
 Abernethy, Inverness-shire, 218
Abies, fossils of, 15, 16, 244; in temperate
 stages of Pleistocene, 3, 4, 5, 6, 7, 8, 9, 13
A. alba, 245
 Aby Grange, Lincs., 218
Acer, 5, 150
Achillaea millefolium, 238
A. ptarmica, 143, 238
Aconitum septentrionale, 164, 166, 217
Acrocladium, 249
 Addington, Kent, 81
Adoxa moschatellina, 229
 Ageröd bog complex, Scania, 83
 Agher, co. Meath, 127, 130
Agropyron donianum, 215
Agrostemma, 106
 Airth Colliery, Stirlingshire, 25, 29
 Alaska, ice-wedges in, 17
Alchemilla alpina, 165, 215
 alder carr, 62–3
 algae, 43, 49
Alisma, 64
A. plantago-aquatica, 229
 Alleröd interstadial (late-Weichselian), 26,
 44, 50–6; dating of, 45, 76
Allium, 229
 Allt na Feithe Smelich, Inverness-shire, 219
Alnus, at Bloak Moss, 101, 109; in develop-
 ment of hydroseres, 121, 136; fossils of,
 228, 246; at Mesolithic sites, 83–4, 85, 86;
 in N.W. England, 46, 47, 59, 60, 61, 65,
 66, 68, 69, 70, 72, 73, 74, 75 (Blelham Bog),
 147, 148, 149, 153, 154, 155; post-glacial
 rise of, 19, 87, 88, 91; in post-temperate
 zones of Pleistocene, 5; at Tregaron Bog,
 104
Alopecurus alpinus, 215
Ambrosia, 229
Andromeda polifolia, 228
Anemone nemorosa, 143
 Angel Road, Lea Valley, 220
Angelica sylvestris, 143
 Angle Tarn, Lake District, 71
 Anglian glacial stage of Pleistocene, 3, 5
 Anglo-Saxon immigrants, 73, 107
Anthoceros, 230
Anthoxanthum odoratum, 239
Anthremus, 230
 Antian temperate stage of Pleistocene, 3, 15;
 flora of, 4, 7, 8, 16
 Apethorpe, Northants, 105, 218, 219
Arabis alpina, 217
 arable farming, 72, 77, 103, 105, 106, 107
Arbutus, 16
A. unedo, 17, 19
 arctic-alpine element in present flora, 1, 9
 arctic-montane species, maximum summer
 temperature and distribution of, 159–223
Arctium type pollen, 229
Arctostaphylos uva-ursi, 18, 228; limiting iso-
 therms for, 203, 204–8, 309–10, 211, 212,
 215; map of distribution of, 195
 Arcto-Tertiary flora, 3, 4, 9
Arctous alpina, 215
 Ardavan, co. Wexford, 18, 218
Arenaria ciliata, 237
A. gothica (norvegica), 212, 217
A. serpyllifolia, 237
Armeria, 63, 106
A. maritima, 5, 7, 228
 Aros Moss, Argyll, vegetation stages at, 127,
 129
Arrhenatherum tuberosum, 247
Artemisia, in N.W. England, 46, 47, 48, 49,
 50, 51, 54, 56, 62, 70, 75, 76, 151; in Nor-
 way, 88; period of dominance by, 57;
 showing forest clearance, 67, 68, 84, 99,
 102, 104, 106
A. norvegica, 229; limiting isotherms for, 164,
 172, 204–8, 217
Asplenium viride, 163, 164, 215
Astragalus frigidus, 164
Athyrium alpestre, 165, 215
 Atlantic element in present flora, 9
 Atlantic period, 81, 86–7, 109; transition
 from Boreal to, 66, 77, 83–6, 87
Atriplex hastata, 2, 237–8
A. patula, 237–8
 Austerfield Low Common, Yorks., 14
Avena, 240
 axes, factories for, 69, 71, 77; iron, 103;
 Maglemosian flint, 81; polished stone, 81
 Ayrshire, coast of, 33; forest clearance in,
 105, 107–9
Azolla, 230
A. filiculoides, 4, 249
A. tegeliensis, 249
 Bacton, Norfolk, 220
 Baggotstown, co. Limerick, 14, 17
 Bagmere, Cheshire, 129, 218, 219
 Ballaugh, Isle of Man, 218, 219
 Ballybetagh, co. Dublin, 14, 218
 Ballycronneenian stage of Pleistocene (Ire-
 land), 15
 Ballykearogemore, co. Wexford, 14
 Ballynagilly, co. Tyrone, 85
 Ballynakill, Ireland, 130
 Ballyre, Isle of Man, 218
 Ballyscullion Bog, co. Antrim, 89, 90, 91, 219
 Baltic Sea, land/sea level changes in, 36, 37
 Bann Valley, co. Antrim, 85, 89
 Baremosse, Sweden, 84
 Barfield Tarn, Cumberland, 67–8, 69; pollen
 diagram from, 68
 Barnscar, Cumberland, 219
 Barnwell, Cambs, 220, 233
 Barrowell Green, Lea Valley, 220
Bartsia alpina, 163, 164, 211, 215
 Baventian stage of Pleistocene, 3, 15; flora of,
 4, 5, 9, 16
 Beeston, Norfolk, 220
 Beestonian stage of Pleistocene, 3, 15, 16;
 distribution of arctic-montane species
 during, 181, 188, 189; flora of, 4, 5, 9;
 temperature during, 214, 222
 Beinn Eighe, nature reserve, Wester Ross, 85
 Belfast, Ormeau Bridge, 218
Berula erecta, 243
 Bettisfield, Flintshire, 127, 129
Betula, at Bloak Moss, 101, 109; curves of
 Corylus and of, 82, 83, 85, 86, 87; in develop-
 ment of hydroseres, 119, 121, 135, 136;
 fossils of, 234, 244; in N.W. England (late-
 glacial), 47, 48, 49, 50, 54, 56 (early
 post-glacial), 58, 59, 60, 65, 66, (later post-
 glacial), 68, 69, 70, 73, 74, 75, 76, (Blel-
 ham Bog), 147, 148, 149, 150, 152, 153,
 154, 155, 156; pollen classed as, may be
 mainly *B. nana*, 44, 45, 46; in post-temper-
 ate zones of Pleistocene, 3, 5, 18, 19; at
 Tregaron Bog, 104
B. carpatica, 236
B. humilis, 236
B. nana, distribution of, 162, 164, 166, 169,
 172, (maps), 185, 186; fossils of, 46, 233,
 237, 246; limiting isotherms for, 204–8,
 209–10, 211, 212, 213, 214, 215; in N.W.
 England, 43, 44, 45, 46, 53, 76
B. pendula, 44, 53, 76
B. pubescens, 236, 237, 246; in N.W. England,
 44, 46, 49, 53, 76
B. tortuosa, 236
B. verrucosa, 236, 237
 Betulaceae, fossil, 236–7
 Bidart, Basses Pyrenées, 13, 14, 15, 16
Bidens tripartita, 229
 Bigholm Burn, Dumfriesshire, 218, 219
 biotypes, possible changes in, 7, 8, 9
 birch woodland, 45, 53, 58, 60
 Blacklane, Dartmoor, 84
 blanket bog, 19, 86, 118
 blanket peat, 62, 71, 76, 77, 82, 87, 88
 Blea Tarn, Westmorland, 46, 51, 56, 74, 76,
 120; pollen diagrams from, 50–52, 65, 69;
 rate of deposit accumulation at, 128
 Blelham Bog, Lancs., 49, 56; datings for, 43,
 46, 76; ecological history of, 141–57; pol-
 len diagrams from, 48, 150–1
 Blelham Tarn, 74, 152, 156
 Blelham Tarn Moss, 219
 Bloak Moss, Ayrshire, 100, 106, 108–15,
 (map), 108; pollen diagrams from, 101,
 (three-dimensional), 110, 112, 113, 114;
 rate of deposit accumulation at, 128
Blasmus rufus, 160
 Bobbitshole, Suffolk, 220, 233
 bogs, blanket, 19, 86, 118; development of,
 118, 121, 123, 124–6, 133, 135, 136, 137;
 flushed, 143, 148; raised, 41, 67, 72, 76,
 108, 118, (at Blelham Bog), 143, 148, 154;
 replacement of forest by, 72
 Bölling deposits, 46, 51
 Bölling-Alleröd recession, 44, 53, 76
 Bømlo, Norway, 36
 Boreal (post-glacial) period, 82–3
 Boreal/Atlantic transition, 66, 77, 83–6, 87
 Borth Bog, Cardiganshire, 219
 Borve, The Uists, Outer Hebrides, 27, 31
 Bosq d'Antigny, Manche, 13, 14, 15, 16
Botrychium, 49, 51, 248
Botryococcus, 230
 Boulder Clay, 43–4
 Bovéy Tracy, Devon, 218, 233
 Bowness Common, Cumberland, 127, 130,
 219

SUBJECT INDEX

- bracken, *see* *Pteridium*
Brachypodium sylvaticum, 143
 Bradford Kaims, Northumberland, 87, 218
 Brant Rake Moss, Cumberland, pollen diagram from, 65
Brasenia, 230
Brassica, 238
 Breckland, forest clearance in, 98, 100
 Bridlington, Yorks, 218
 Brigantian occupation level, 72, 77, 105, 106; dating of, 74
 Brittany, 16, 88
 Bronze Age, forest clearance during, 98–103; in N.W. England, 72, 73, 77
 Broombarns, Perthshire, 24–5, 29
 Broome Heath, Norfolk, 220
 Brørup interstadial flora, 5
 Broxbourne, Herts, 220
 Bruges, Gironde, 14, 15
 Bryophytes, 47, 51, 55, 57, 249
 bud scales, fossil, 243–4
 Bure Valley Broads, 153
 Burn of Benholm, Kincardineshire, 218
 Burnmoor Tarn, Cumberland, 52, 54, 56, 72; pollen diagrams from, 66, 74
 Burren region, co. Clare, 18
Butomus umbellatus, 229
Buxus, 150
B. sempervirens, 9
- calcium in lake sediments, 43, 53; curves of, 53, 55, 57; indicating erosion, 57
Calluna, at Bloak Moss, 109; carbonized twigs of, 86; in N.W. England, 50, 61, 65, 66, 68, 69, 70, (Blelham Bog), 146, 147, 150, 153; showing forest clearance, 71, 72, 74, 75, 106; in temperate stages of Pleistocene, 16, 17, 18, 19
C. vulgaris, 228, 239
Calypogeia trichomanis, 144
Calystegia, 228
 Cambridge, Histon Road, 220; Sidgwick Avenue, 220, 233
Campanula, 62, 106
C. uniflora, 216
 Campanulaceae, 51
Campothecium, 249
Campyllum, 249
C. stellatum, 144
Cannabis, 97, 106, 228
Cannabis/Humulus-type pollen, 72, 77
 Cannon's Lough, co. Londonderry, 90, 92, 103, 218
 carbon in lake sediments, 53, 71; curves of, 52, 55, 57, 70; indicating accumulation of humus, 52
Cardamine pratensis, 238
Cardaminopsis petraea, 165, 204–8, 215
Carduus, 238
Carex, 134, 239; at Blelham Bog, 143, 146, 147, 148, 149, 156
C. acuta/elata, 148
C. acutiformis, 118, 120
C. aquatilis, 204–8, 209–10, 211, 212, 214, 215, 239
C. atrata, 165, 211, 215
C. atrofusca, 165, 167, 179, 211, 215
C. bigelowii, 215
C. capillaris, 164, 211, 215
C. capitata, 211, 216
C. demissa, 144
C. flava, 121
- C. lachenalii*, 165, 211, 212, 215
C. limosa, 246
C. mariscus, 118
C. nigra, 121
C. norvegica, 165, 204–8, 215
C. otrubae, 239
C. panicea, 144
C. rariflora, 165, 215
C. rostrata, 118, 120, 144, 239
C. saxatilis, 165, 215
C. vaginata, 165, 215
C. vulpina, 239
Carpinus, 228, 244; in late-temperate zones of Pleistocene, 3, 4, 5, 6, 7, 8, 9; in N.W. England, 74, 76, 150
Carpinus betulus, 9
 carr, origin of, 117, 118, 123, 153
 Carrowreagh, co. Roscommon, 136, 218, 219
 Carse Clays, Scotland, 24, 25, 26; dating of, 34
Carya, 3
 Caryophyllaceae, fossils of, 234, 237; in N.W. England, 47, 48, 49, 50, 54, 56; showing forest clearance, 67, 68, 75, 99, 106
Cassiope hypnoides, 164
 catkin scales, fossil, 243–4
 cattle, 69
Caytonanthus, 230
Centaurea, 49, 106
C. cyanus, 229
C. nigra, 229
C. scabiosa, 229
Centaureum, 106
Cerastium, 237
C. alpinum, 204–8, 214, 215, 237
C. arcticum, 163, 164, 215, 237
C. cerastoides, 204–8, 215
C. fontanum, 237
C. holosteoides, 237
Ceratophyllum, 230, 246
 cereals, 99, 106, 229; in Bronze Age, 77, 103; in Iron Age, 105; in Neolithic period, 68, 70, 98, 100, 102; in Romano-British period, 72, 74, 77
 Chabigüe, Basses Pyrénées, 14, 15, 18
 chalklands, clearance of forest from, 98–100, 115
Chamaenerion, 48, 50, 54, 56
Chamaepericlymenum suecicum, 163, 164; limiting isotherms for, 204–8, 211, 215
Chara, 250
 Characeae, 249–50
 charcoal, identification of source of, 247–8; at Mesolithic sites, 82, 83, 84–5; at Neolithic sites, 71; for smelting, 103, 152
 Chat Moss (Cheshire), 218, 219, (Lancashire), 102, 129
 Château de Vie, Vendée, 14
 Chelford, Cheshire, 220
 Chelford interstadial flora, 5
 chemical analyses, of lake sediments, 44, 53, 52, 53, 54, 55, 57
 Chenopodiaceae, fossils of, 237–8; in N.W. England, 47, 48, 49, 54, 56, 62, 68; in Norway, 88; showing forest clearance, 69, 70, 89, 99, 104, 106, 107
Chenopodium, 151, 237
Cherleria sedoides, 165, 211, 215
Chrysosplenium, 242
Cicuta virosa, 9
- Cinclidium*, 249
Cirsium, 229, 238
C. heterophyllum, distribution of, 162, 171, (map), 197; limiting isotherms for, 204–8, 209–11, 211, 214, 215
C. palustre, 143
 Cistercians, as sheep farmers, 74
 Clacton, Essex, 17, 220
Cladietum, 118
Cladium mariscus, 229, 239, 246; at Blelham Bog, 146, 147, 148, 151, 153; in development of hydrosere, 135, 136
 Cladocera, 43
Classopollis, 230
 climate, and development of hydrosere, 118; forest clearance by man or by change of, 92, 97–8; inferences about, from vegetation records, 6, 160; plants tolerant to changes of, 137
 coastal marshes, development of hydrosere in, 120, 124
 Colney Heath, Herts., 220, 234
Comarum palustre, 121
 Compositae, fossils of, 238; in N.W. England, 45, 47, 48, 50, 51, 54, 56, 63; showing forest clearance, 68, 69, 70, 99, 104, 106, 107
 conifers, 6, 16, 17
Conium maculatum, 243
 Connemara, glacial refuge in, 18, 20
 continental elements in present flora, 9
 continentality of climate, as factor in plant distribution, 159, 165
Convolvulus, 106
C. arvensis, 228
 Cooran Lane, Kircudbrightshire, 218
 Cornwall, 15, 233
 Corstorphine, Edinburgh, 218
 Coryloid pollen, 46, 47, 72, 104, 150
Corylus, 228; at Bloak Moss, 101, 109; Boreal maximum of, 82–3, 88; Boreal/Atlantic transition secondary maximum of, 86, 87; coppicing of, 98, 102; decline of, 84, 85; in early-temperate zones of Pleistocene, 3, 5, 7–8, 9; in forest clearings, 92; fossils of, 147, 247; in N.W. England, 46, 50, 55, 57, 58, 59, 60, 65, 66, 68, 69, 70, 74, 75; not included in trees, 73, 109, 153; resistant to fire, 83, 85; stems of, in trackways, 92, 103
 Cothill, Berks., 128
 Coulgens, Charente, 13, 15
 Cranes Moor, Hants., 127, 128, 219
Crataegus monogyna, 143
Crepis mollis, 214, 215
C. paludosa, 204–8, 215
 Criannlarich, Perthshire, 218
 Cromer Forest Bed, 16, 233
 Cromerian temperate stage of Pleistocene, 3, 15; distribution of arctic-montane species during, 187, 188, 191; flora of, 4, 5, 7, 8, 9, 16
 Cross Fell, Cumberland, 219
Cryptogramma, 51
C. crispa, limiting isotherms for, 161, 163, 204–8, 209–10, 213, 215; map of distribution of, 196
 Culhorn Mains, Wigtonshire, 218
 Cumberland Lowlands, 14; forest clearance in, 68, 100, 102, 105–6; glaciers in, 44
 Cumbrian interstadial, 46
Cupressus, 13

SUBJECT INDEX

- Cuscuta*, 49, 106, 228
 Cwm Idwal, Caernarvonshire, 127, 128, 219
Cynoglossum, 228
 Cyperaceae, association of curves for Gramineae and, 86, 106; fossils of, 236, 238–9, 246; in N.W. England (late glacial), 43, 47, 48, 49, 50, 54, 56, (early post-glacial), 62, 65, 66, (later post-glacial), 68, 69, 70, 74, 75, 151; pollen from, as local, 109
- Daboecia*, 16, 17, 19
D. cantabrica, 9, 10, 17, 239
Dactylorhiza purpurella, 215
Damasonium alisma, 9
 Dartmoor, forest clearance on, 102, 105
 data retrieval system, for plant records, 10
 Denmark, 45, 46; *landnam* phases in, 67, 91, 98; Neolithic man in, 98
 deposits, compaction of, 121–2, 130, 131; rates of accumulation of, 128–30
Deschampsia alpina, 215
D. atropurpurea, 164
 Devoke Water, Cumberland, 53, 56, 58; forest clearance round, 72, 102; pollen diagram from, 54–5; rate of deposit accumulation at, 129
 Devil's Kneadingtrough, Sussex, 99
Dianthus, 237
Diapensia lapponica, 228
 diatoms, 53, 230
Digitalis purpurea, 166
 Dinnet readvance, Aberdeenshire, 33
Diplotaxis, 238
 Dipsaceae, 51
Dipsacus, 229
 Dogger Bank, 219
 Dorchester, Oxon., 220
 Dozemare Pool, Dartmoor, 86
Draba incana, 4, 162; limiting isotherms for, 163, 164, 165, 171, 204–8, 211, 212, 213, 125
D. norvegica, 215
Drepanocladus, 249
 Dronachy, Fife, 218
Drosera, 151
D. rotundifolia, 143, 144
 Drumurcher, co. Monaghan, 218
Dryas octopetala, 4, 162, 236; limiting isotherms for, 163, 204–8, 211, 215; maps of distribution of, 192, 193
 Duartbeg, Sutherland, 100, 219
 Dunshaughlin, co. Meath, 218
- Earith, Hunts, 220
 East Anglia, *Corylus* in, 7, 8; forest clearance in Fenland of, 103; former temperatures in, 171, 221, 223; isotherms and species distribution in 170, 173, 208, 210, 211, 212, 213, 214; Mesolithic sites in Fenland of, 84, 85; Pleistocene flora in, 3–5
 East Anglian Crags, 15
 Eastfield of Dunbarney, Bridge of Earn, 24, 29
 Ecclerigg, Windermere, 129
 Eemian stage of Pleistocene (continent), 5, 6, 7, 15, 251
 Ehen-side Tarn, Cumberland, 41, 69, 219; pollen diagram from, 73; rate of deposit accumulation at, 128, 130
 Elan Valley, Cardiganshire/Montgomeryshire, 218, 219
Eleocharis multicaulis, 144
E. palustris, 121, 238
E. uniglumis, 238
 Ellerside Moss, Lancs., 105; vegetation stages at, 127
 Elm Decline, *see under Ulmus*
 Elstead, Surrey, 87, 219; rate of deposit accumulation at, 128
Empetrum, 16, 106; in N.W. England, 47, 48, 49, 50, 54, 56, 57, 59, 62, 65, 66, 76
E. hermaphroditum, 228; limiting isotherms for, 209–10, 214, 215
E. nigrum, 16, 18, 19, 228
Empetrum-type Ericales, in cool stages of Pleistocene, 4, 15
Endymion non-scriptus, 229
 England, central and southern, isotherms and species distribution in, 215–17
 England, midland, former temperatures in, 221, 223; isotherms and species distribution in, 207, 210, 211, 212, 213
 England, north-east, former temperatures in, 221, 223; isotherms and species distribution in, 207, 210
 England, north-west, former temperatures in, 221, 223; isotherms and species distribution in, 205, 209; vegetation history in, 41–79, (map), 42
 England, northern (and Southern Scotland), isotherms and species distribution in, 215–17
 England, south-east, former temperatures in, 221, 223; isotherms and species distribution in, 208, 210, 212
 England, south-west, former temperatures in, 221, 223; isotherms and species distribution in, 206
 English Channel, during Pleistocene, 6, 8
Ephedra, 106, 230
Epilobium, 47, 49
E. alsinifolium, 164, 204–8, 215
E. anagallidifolium, 165, 215
E. hornemannii, 164
E. lactiflorum, 164
E. nerterioides, 215
Equisetum, 119, 151, 248
E. limosum, 143, 147, 149
E. variegatum, 215
Erica, 70, 228, 239
E. arborea, 17
E. australis, 17
E. ciliaris, 13, 17, 19, 239
E. cinerea, 17, 19, 246
E. hibernica, 17, 19
E. lusitanica, 17
E. mackaiana, 9, 10, 13, 17, 19, 20, 239, 246
E. mediterranea, 160
E. scoparia, 13, 16, 17, 239
E. terminalis, 13, 16, 17, 228
E. tetralix, 13, 16, 17, 18, 19, 239, 246; acid-tolerant, 121; at Blelham Bog, 143, 144, 147, 148, 149, 150; in bog formation, 134
E. umbellata, 17
E. vagans, 13, 16, 17, 18, 19
 Ericaceae, fossils of, 239, 246; in Ireland during Quaternary Epoch, 13–21; in N.W. England, 47, 63; at Mesolithic sites, 86
 Ericales, at Pliocene/Pleistocene boundary, 13; in post-temperate zones of Pleistocene, 3, 4, 5, 6, 15, 16
Erigeron borealis, 215
Eriocaulon septangulare, 9
Eriophorum, 65, 119, 121
E. angustifolium, 135, 144, 147, 148, 149, 246
E. vaginatum, 246
 Eskmeals, Cumberland, pollen diagrams from, 70
 Esthwaite, Lancs., 218, 219
 Esthwaite North Fen, 142
 Esthwaite Water, 76
Eupatorium cannabinum, 135, 238
Euphrasia, 228
 European flora, compared with British, 3, 4, 9
Fagopyrum esculentum, 228
Fagus, 228; in N.W. England, 73, 74, 76, (Blelham Bog), 143, 149, 150, 152, 154; at Tregaron Bog, 104
 Fallahogy, Ireland, 90, 91, 103
 Farnham, Surrey, 220
 Faskine, Airdrie, 218
 Featherbed Moss, Derbyshire, 219
 fen, origin of, 118, 120, 123, 125, 134, 137; at Blelham Bog, 153
 fen carr, 121, 125, 135, 136
 Fennoscandia, sea-level in, 23, 24, 37
Festuca altissima, 162, 215; map of distribution of, 198
F. ovina, 236
F. vivipara, 165, 215
 Filicales, 248; in N.W. England, 47, 48, 49, 51, 55, 57, 64, 68, 69, 74, 75, (Blelham Bog), 151, 154
Filipendula, 47, 48, 51, 54, 56, 63, 151
F. ulmaria, 121, 135, 143
 fire, Mesolithic man and, 81–2, 85, 93; Neolithic man and, 69, 71; resistance of *Corylus* to, 83, 85
 Flanders Moss, Perthshire, 25–6, 105, 128
 Flandrian temperate stage of Pleistocene, 3, 15; dating of, 23, 24, 37; flora of, 5, 6, 7, 8, 9, 10; land/sea level changes in Scotland during, 27–32; raised beaches of, 33, 34–5
 Flixton, Yorks., 82, 129, 218, 219
 floating vegetation, 119, 133, 134
 flowers, fossil, 236
 foraminifera, 16
 forest clearance, in Bronze Age, 98–103; in France, 88–9; by herbivores, 89; in Iron Age and later, 103–7; local and regional, 109–14; by man or by change of climate, 92, 97–8
 forests, Boreal, 2, 3, 6, 76; coniferous, 17, 62; continuous, in N.W. England, 58, 67, 76; oak, 3, 4, 6, 72, 84; pollen rain in, 111; temperate deciduous, 2, 6, 62; transition from tundra to, 49, 58
 Forth Valley, forest clearance in, 105; shorelines in, 33, 34
 Foulshaw, Morecambe Bay, 41, 127, 130
 France, forest clearance in, 88–9; Pleistocene flora in, 16, 17; Pliocene flora in, 13; shore platform in, 15
Frangula alnus, at Blelham Bog, 147, 150, 153; in fen carr, 121, 135
Fraxinus, 228; in early temperate zones of Pleistocene, 3; in fen carr, 121, 136; as fodder? 91; fossils of, 246, 247; in Ireland, 19, 91; at Mesolithic sites, 84, 86, 87; in N.W. England, 60, 65, 66, 68, 69, 70, 73, 74, 75, (Blelham Bog), 143, 150; in second

SUBJECT INDEX

- Fraxinus* (*cont.*)
 dary forest after clearance, 67, 91, 100, 101, 104
 Frogholt, Folkestone, pollen diagram from, 99
 fruits and seeds, fossil, 236
 Fugla Ness, Shetland, 14
 full-glacial floras, 4–5, 9, 10, 43
 fungal hyphae, 49
- Galium*-type pollen, 48, 49, 54, 56, 63
G. boreale, 215
G. palustre, 143
 Garral Hill, Keith, Banffshire, 218
 Garscadden Mains, Glasgow, 14, 26, 29, 32, 218
 Gatehouse of Fleet, Kirkcudbrightshire, 26, 30
Gentiana nivalis, 165, 215
G. pneumonanthe, 151
G. purpurea, 164
G. verna, 163, 228
Geranium, 106
 Germanic element in present flora, 9
 Germany, 45, 88
 Gippingian cold stage of Pleistocene, 15;
 distribution of arctic-montane species in,
 186, 188, 189, 191, 193; flora of, 16, 17;
 temperatures during, 173, 212, 222, 223
 Girvan, Ayrshire, 26, 30
 glacial element in present flora, 1, 9
 glacial refuges, 2, 4, 6, 7, 9, 17–18
 glacial stages of Pleistocene, flora of, 4–5, 9,
 10, 43
 glaciers, in Highland sea-lochs, 32; in Lake
 District, 41, 43, 44, 56, 58
 Glastonbury Lake Village, 103, 130
Glyceria, 240
Gnaphalium norvegicum, 215
G. supinum, 165, 216
 Gort, co. Galway, 14, 15, 16, 17, 220, 233
 Gortian (Hoxnian) temperate stage of Plei-
 stocene (Ireland), 10, 15, 239
 Gramineae, 229; fossils of, 234, 236, 239–40,
 246; in Ireland, 18; in N.W. England
 (late-glacial), 43, 45, 47, 48, 49, 50, 54,
 56, 76, (early post-glacial), 58, 59, 62, 65,
 66, (Blelham Bog), 151, 154; pollen of, as
 percentage of tree pollen (Bloak Moss),
 110, 112, 113, 114; showing clearance of
 forests, 67, 68, 69, 70, 86, 89, 97, 99, 100,
 101, 102, 104, 106, 109, 111
 Great Langdale, axe-factory at, 69, 71
 Greenock, Garvel Park and New Dry Dock,
 218
 Gurp, near mouth of Gironde, 13, 14, 15
- Hailes, Edinburgh, 218
 Happisburgh, Norfolk, 220
 Hatfield, Yorks., 130
 Hatfield Chase, Lincs., 82
 Haweswater, Westmorland, 46, 56, 57, 72,
 120, 218; rate of deposit accumulation at,
 129
 Hawk's Tor, Bodmin, 14, 89, 218
 Heathershot, Bridge of Allan, 26, 29
 heathland, acidification of soil and, 6, 8, 17,
 87; *Empetrum*-dominated, 19; replacement
 of hazel scrub by, 81
 Hebrides, Outer, land/sea level changes in,
 30
Hedera, 168; in N.W. England, 65, 66, 67,
 69, 70, (Blelham Bog), 150
- Hedge Lane, Lea Valley, 220
Helianthemum, dry-land plant, 106; in N.W.
 England, 47, 48, 49, 51, 54, 56, 58, 63
H. canum, 9
H. oelandicum, 164
Helodium, 249
 Helsington Moss, Westmorland, 105, 127,
 130
 Helton Tarn, Westmorland, 57, 129, 218
 herbivores, forest clearance by, 89
 herbs, aquatic, 47, dry-land, 106; dry-land
 and damp-land, 45
Herniaria, 237
Hippophaë, 5, 230, 245; in N.W. England, 48,
 49, 50, 51, 54, 56
 Hockham Mere, Norfolk, 60, 84, 97, 98, 218;
 rate of deposit accumulation at, 130;
 vegetation stages at, 127
 Hohen Viecheln, Mecklenburg, 83
 Holcroft Moss, Cheshire, 102, 105
 Holland, 13, 45, 46
 Holmpton, Yorks., 218
 Holozän stage of Pleistocene (continent),
 15
 Holsteinian interglacial stage (continent), 6,
 15
Hordeum, 97, 240
 Hoxne, Suffolk, 16, 220
 Hoxnian temperate stage of Pleistocene, 3,
 16; in Europe, 6, 15; flora of, 4, 5, 6, 7, 8,
 9, 196, 233; in Ireland, 10, 15, 239; tem-
 peratures during, 213, 222, 223
 Humber region, forest clearance in, 103
Humulus lupulus, 228
Hydrocharis morsus-ranae, 229
Hydrocotyle vulgaris, 143, 147, 151
 hydroseres, 45, 117–39, 153
 Hymenophyllaceae, 248
Hypnum cupressiforme, 143, 144
H. revolvens, 144
Hypnum peat, 249
- ice-cap, in Kerry, 18; in Lake District,
 41
 Iceland, land/sea level changes in, 37
 ice-wedge casts, 14, 16, 17
Ilex, 67, 69, 70, 150, 168
I. aquifolium, 159, 166
 Ilford, Essex, 220
 interglacial periods, 2; floras of, 4, 5–6
 interstadial periods, 2; floras of, 5
 iodine in lake sediments, 50, 71; curves of, 52,
 55, 57, 65, 66, 70; as index of precipitation,
 44, 55, 61, 71 n.
 Iping Common, Sussex, 81
 Ipswich, 18
 Ipswichian temperate stage of Pleistocene, 3,
 18; on continent, 5, 6, 7, 15; distribution
 of arctic-montane species in, 186, 191;
 flora of, 5, 6, 7, 8, 9, 195, 233; tempera-
 tures during, 212, 222, 223
 Ireland, Ericaceae in, during Quaternary,
 13–21; forest clearance in, 103, 105; former
 temperatures in, 221; isotherms and spe-
 cies distribution in, 162, 163, 164, 165, 166,
 167, 172, 204, 209, 213, 215–17; *landnam*
 phases in, 86, 90, 91, 103; land/sea level
 changes in, 31–2, 34; macrofossils in, 251;
 Pleistocene flora in, 10, 233
Iris pseudacorus, 143, 229
 Irish Sea, 15, 16; raised beaches round, 34;
 Scottish ice-sheet in, 43
- iron in lake sediments, 53, 54; curves of, 52,
 55, 57
 Iron Age, forest clearance in, 103–7, 115
 Irvine, Ayrshire, 26
 Isle of Calvay, South Uist, 27, 31
 Isle of Man, 15; former temperatures in, 171,
 221, 223; isotherms and species distribu-
 tion in, 205, 209
Isoëtes, 64, 75, 248
Isolepis, 239
 isotherms, maps of, 160–1, 170, 177–8; maxi-
 mum summit, and distribution of arctic-
 montane species, 161–4; regional equi-
 valents for, 170
- Jaeren, Norway, 36
Jasione, 106
J. montana, 229
 Jenkinstown, co. Louth, 219
 Johnstown, co. Wicklow, 218
 Joursac, Cantal, 13, 15
Juglans, 150, 228
 Juncaceae, 240–1
Juncus, 119, 146, 147, 149, 152, 155, 230, 240
J. acutiflorus, 143, 144, 240
J. acutus, 241
J. alpino-articulatus, 163, 216
J. articulatus, 240
J. biglumis, 165, 216
J. bufonius, 240
J. castaneus, 180, (map), 216
J. compressus, 240
J. effusus, 143, 148, 153
J. gerardi, 240, 241
J. kochii, 144
J. maritimus, 241
J. mutabilis, 240
J. subnodulosus, 240
J. trifidus, 165, 184, (map), 216
J. triglumis, 216
Juniperus, fossils of, 244, 245; in N.W. Eng-
 land, 46, 47, 48, 49, 50, 51, 54, 56, 59, 61,
 74, 76, (Blelham Bog), 150; phases domi-
 nated by, 49, 50, 53, 58; in post-glacial
 Ireland, 18, 19
- Kentmere, Westmorland, 41, 57, 129, 218,
 219
 Kerry, ice-cap in, 18
 Keskadale, Cumberland, 74
 Kilbeg, co. Waterford, 14, 17, 18, 220
 Kildromin, co. Limerick, 14
 Killarney, co. Kerry, 14, 19
 Killincarrig, co. Wexford, 15
 Kilmacoe, co. Wexford, 14
 Kinahan, co. Galway, 16
 Kinder, Derbyshire, 219
 Kintyre, Scotland, 15
 Kippen, Stirlingshire, 26, 29
 Kirkmichael, Isle of Man, 14, 218
 Kirmington, Lancs, 14
Knautia, 106
K. arvensis, 229
 Knockacran, co. Monaghan, 218
Kobresia simpliciuscula, 163, 164, 216; map of
 distribution of, 182
Koenigia, 55, 76
K. islandica, 58, 228, 241; limiting isotherms
 for, 167, 169, 171, 172, 204–8, 209–10, 217
- La Londe, Normandy, 13, 15
 La Sennetière, Loire Atlantique, 14

SUBJECT INDEX

- Labiatae, 49, 51, 54, 56, 106
 Lake of Menteith, Perthshire, 33
 Lake District, glaciers in, 41, 43, 44, 56, 58;
see also N.W. England
Lamium, 228
Lamprothamnium, 250
landnam phases, 92, 103, 115; in Denmark,
 67, 91, 98; in Ireland, 86, 90, 91, 103; in
 N.W. England, 77
 Langdale Combe, Westmorland, 41, 57, 76,
 219; charcoal at, 71; pollen diagrams from,
 60–4; rate of deposit accumulation at, 128;
 vegetation stages at, 127
Larix, 150, 152, 245
 Last Cold Period, 18
 late-glacial stage of Pleistocene, 23; corre-
 lation table for, 76; vegetation during, in
 N.W. England, 44–58; *see also* late-
 Weichselian
 late-Weichselian stage of Pleistocene, 10;
 datings of, 23, 33; distribution of arctic-
 montane species during, 169, 171–2, 173,
 (maps), 181, 183, 185–99; land/sea level
 changes in Scotland during, 24, 27–32, 37;
 raised beaches of, 32–4; temperatures
 during, 173
 Le Moura, Basses Pyrenées, 14, 15, 18
 Lea Valley, 220, 233
 leaves, fossil, 244–6, 248
 Leguminosae, 68
Lemma, 64, 229
 lichens, 43, 49
 limnoserres, 120
 Lindow Moss, Cheshire, 102, 105
Linnaea borealis, 160, 229
Linum, 97, 106, 107
L. usitatissimum, 72, 77
 Linwood Moss, Paisley, 27, 29
Liquidambar, 13, 230
 Lisnolan, co. Mayo, 87
Listera cordata, 216
 Little Lochans, Wigtownshire, 218, 219
 Littleton Bog, co. Tipperary, 91, 103, 127,
 130, 218
 Littleward, Kippen, 27, 29
Littorella, 47, 64
L. uniflora, 120, 229
 livestock, raising of, 88, 103
 Llanllwch, Carmarthenshire, 102, 127, 130
 Llyn Dwythwch, Caenarvonshire, 120, 218,
 219; rate of deposit accumulation at, 128
 Llyn Garnon, Cardiganshire, 219
 Loch Creagh, Perthshire, 87, 127, 128
 Loch Droma, Ross and Cromarty, 14, 33, 45,
 218
 Loch Etive, Argyll, 33
 Loch Fada, Skye, 218
 Loch Lomond Readvance moraine, 33, 34,
 35, 36
 Loch Mahaik, Perthshire, 128, 218
 Loch Mealt, Skye, 218
 Loch Mòr, Soay, 15, 30
 Loch Tarff, Inverness-shire, 218
 Lochan-nan-cat, Perthshire, 219
 Lochar Moss, Dumfriesshire, 26, 30
Loiseleuria procumbens, 165; limiting isotherms
 for, 204–8, 216; map of distribution of, 183
 London, Admiralty Office, 220; Trafalgar
 Square, 14
 Longlee Moor, Northumberland, 218
Lonicera, 63, 67, 70, 167
L. periclymenum, 143, 229
 Lonsdale, 41, 51, 74
 Loons, The, Orkney, 219
 Lopham Little Fen, Diss, 218
Lophocolea bidentata, 144
Lotus uliginosus, 143
 Lough Gur, co. Limerick, 218
 Low Tarn, pollen diagram from, 65
 Low Wray Bay, Windermere, 56, 218; pollen
 diagram from, 49; rate of deposit accumu-
 lation at, 129
 Lowestoft, 5
 Lowestoft–Corton, 220
 Lowestoftian cold stage of Pleistocene, 15,
 16; distribution of arctic-montane species
 during, 187, 188, 191; temperatures
 during, 214, 222
 Ludham, Norfolk, 13
 Ludhamian temperate stage of Pleistocene,
 3, 15; flora of, 4, 7, 8, 13
 Lunds, Yorks., 218
 Lusitanian fauna, 7
 Lusitanian element in present flora, 9
Luzula arcuata, 165, 216
L. parviflora, 164, 166
L. spicata, limiting isotherms for, 204–8, 211,
 214, 216; map of distribution of, 187
Lychnis, 237
Lycopodium, 49, 248
L. alpinum, 161
L. clavatum, 64
L. inundatum, 151
L. selago, 51, 54, 55, 56, 64, 76; limiting
 isotherms for, 204–8, 209–10, 213, 214, 216
Lycopus europaeus, 228
Lysimachia, 151, 228
L. nemorum, 143
Lythrum salicaria, 151
 magnesium in lake sediments, 53; curve of,
 52
 Malham Tarn, Yorks., 218, 219; man at,
 (Mesolithic), 86, 87, 89, (Neolithic), 102;
 (Iron Age), 105, rate of deposit accumula-
 tion at, 129
 man, correlation of vegetational changes
 with presence of, 85, 90; interference with
 primary vegetation by (N.W. England),
 67–74, 77; Mesolithic, 81–90; Neolithic,
 69, 90–3, 100, 107; post-Neolithic, 97–116;
 recent activities of, at Belham Bog, 156–7
 manganese in lake sediments, 53, 54; curves
 of, 52, 55, 57
 Mapastown, co. Louth, 218
 Marbella, Basses Pyrenées, 14, 15
 marine sediments, alternating with beds of
 peat, 24, 25, 26, 28, 31, 35, with freshwater
 sediments, 23; of Antian and Baventian
 stages of Pleistocene, 4
 Market Deeping, Lincs., 220
 Marks Tey, Essex, 16, 220
 Marlow, Bucks., 220
 marsh, 121
 Martindale, Westmorland, 74
Matricaria type pollen, 67, 75, 229
 Meare Heath Trackway, Somerset, 130
 Meare Lake Village, 103
 Meare Pool, 135–6
Meesia, 249
Melampyrum, 228
M. sylvaticum, 216
Mentha, 143, 228
Menyanthes trifoliata, 135, 143, 147, 151, 228
 Mesolithic man, 71, 81–90
Meum athamanticum, 216
 Mickleden, Westmorland, 127, 128, 129
 microlithic industries, Pennines, 88
 Microthyriaceae, 230
 Mildenhall, Suffolk, 5
Minuartia rubella, 211, 216
M. stricta, 163, 164; limiting isotherms for,
 204–8, 212, 217
Moehringia, 237
Molinia, 72, 118; at Belham Bog, 142, 143,
 144, 147, 148, 149, 154, 156
M. caerulea, 121, 135, 136; fossils of, 247
 molluscs, in Eemian and Hoxnian, 6–7; in-
 dicating forest clearance and regrowth, 99
 monasteries, 74, 107
Montia fontana, 241
 Moorthwaite Moss, Cumberland, 46, 53,
 56, 76, 219; pollen diagrams from, 47;
 vegetation stages at, 127
 moraines, in Scotland, 32–3
 Morecambe Bay, bogs of, 41, 67, 72; forest
 clearance round, 68; settlements round, 73
 Moss Lake, Liverpool, 127, 219
 Mossbymossen, Sweden, 88
 mosses, 230
 Mouligna-cliff, Basses Pyrenées, 14, 15, 16
 Muckle Moss, Northumberland, 87, 127, 129
 Mundesley, Norfolk, 220
Myosotis alpestris, 163
M. silvatica, 164
Myrica, in development of hydroseres, 118,
 121; in N.W. England, 65, 66, 72, 74, 75,
 (Belham Bog), 142, 143, 144, 147, 148,
 149, 150, 153, 154, 155
M. gale, 135, 228
Myriophyllum, 120, 147
M. alterniflorum, 47, 151, 153, 236
M. spicatum, 245
 Naddle Forest, Westmorland, 74
Naias flexilis, 9
Najas, 246
N. minor, 251
 Nant Ffrancon, Caernarvonshire, 14, 129,
 218, 219
Narthecium, 151, 154
N. ossifragum, 143, 144, 166, 229; fossils of,
 246
 Nazeing, Essex, 171, 218, 219
 Neasham, co. Durham, 218, 219
 Nechells, Warwickshire, 14, 220
 Neolithic man, 69, 71, 90–3, 100, 107
 Netherly Moss, Kincardineshire, 87
 Newferry, co. Londonderry, 89
 Newton, co. Waterford, 14
 Newton Stewart, Wigtownshire, 26, 30
 Newtonbabe, co. Louth, 218, 219
 Newtown, co. Waterford, 220
 Nichol's Moss, 127, 130
 Nick of Curleywee, Kirkcudbrightshire, 218,
 219
Nitella, 250
Nitellopsis, 250
 Norfolk Broads, 118
 Norman invasion, 107
 Normandy, 13, 15
 North American element in present flora, 9
 Norse immigrants, 73–4, 77, 107
 Norway, Bølling deposits in, 46; climate and
 species distribution in, 160; land/sea level
 changes in, 24, 33, 36–7; *Plantago* in, 88

SUBJECT INDEX

- Noirmoutier Island, W. France, 16
 Nucella transgression, Iceland, 37
Nymphaea, 47, 151
N. alba, 120, 135, 147, 148, 153
Nyssa, 3, 15, 230
- oak forest, on Dartmoor, 84; in N.W. England, 72, 74; succeeding carr, 118; in temperate zones of Pleistocene, 3, 4, 5, 6, 7; see also *Quercus*
- Oakhanger, Hants., 81
 Oakley horizon of Waltonian, 15
 Oban, rate of deposit accumulation at, 128
 oceanic element of present flora, 9
 oceanicity, as factor in plant distribution, 160, 165, 166, 167
 Old Buckenham Mere, Norfolk, 105; pollen diagram from, 106
 Old Decoy, Fenland, 85
Ophioglossum, 47, 49, 248
 orchid, 106
 Orkney, 15
Osmunda, 16
O. regalis, 64, 151, 248
 Osmundaceae, 248
 Ostend, Norfolk, 220
 Oulton, Cumberland, 58
 Oulton Moor, 218
 Oulton Moss, vegetation stages at, 127
 Overwater, Cumberland, 218
Oxalis acetosella, 143
 oxidation, of plant remains, 121, 132, 134, 135, 147
Oxycoccus quadripetalus, 121, 134
Oxyria digyna, 165; limiting isotherms for, 204–8, 209–10, 211, 212, 213, 214; map of distribution of, 188
- Pakefield, Suffolk, 220
Paludella, 249
Papaver, 241
 Papaveraceae, 241
 Parkmore, co. Antrim, 103, 130
Pastinaca, 62
P. sativa, 151
 Paston, Norfolk, 220
 Pastonian temperate stage of Pleistocene, 3, 15; distribution of arctic-montane species during, 188, 189; flora of, 4, 5, 7, 8, 16; temperatures during, 214, 222
 pasture, forest clearance for, 69, 72, 89, 105
 Pays Basque, 18
 peat, blanket, 62, 71, 76, 77, 82, 87, 88; in borings at Blelham Bog, 145–6; cutting of, at Blelham Bog, 152, 154, 156; formation of, at Bloak Moss, 109; rate of accumulation of, 131–2
Pediastrum, 230
Pedicularis, 228
P. lapponica, 164
 Penerf, Ile et Vilaine, 14
 periglacial environments, 1, 6, 10
 Pennines, peats on, 88
 permafrost, 1, 3, 17
 Perth Readvance moraine, 32–3
Phleum alpinum, 216
Phragmites, 85; in Blelham Bog, 143, 144, 146, 147, 148, 149, 153; in development of hydroseres, 118, 119, 120, 133, 135, 136
Phyteuma tenerum, 160
Picea, 244; in N.W. England, 46, 150, 152; in post-temperate zones of Pleistocene, 3, 5, 6, 7, 8, 9
P. abies, 5, 166, 245
P. omoricoides, 5
Pilularia globulifera, 248–9
Pinguicula, 228
Pinus, decline of (with clearance activity), 91, 101, 104, (with rise of *Corylus*), 87; distribution controlled by nature of soil? 58, 76; at Mesolithic sites, 83, 84, 85, 86; in N.W. England (late-glacial), 46, 47, 48, 49, 50, 54, 56, (early post-glacial), 58, 59, 60, 61, 65, 66, 67, (later post-glacial), 68, 69, 70, 73, 74, 75, 76, (Blelham Bog), 150, 153; in pre- and post-temperate zones of Pleistocene, 3, 5; proportion of pollen of, to total pollen, 44–5, 46, 57
P. sylvestris, 19, 166, 245, 251
P. sylvestris-type pollen, 13
 plant macrofossils, 1, 5, 147; in British Quaternary deposits, 233–54; collection and treatment of samples of, 234–5
Plantago coronopus, 229
P. lanceolata, 229; decrease of, with arable farming, 107; at Mesolithic sites, 84, 86; in N.W. England (late-glacial), 47, 48, 49, 51, 54, 55, 56, (early post-glacial), 62, 65, 66, (later post-glacial), 69, (Blelham Bog), 149, 151, 152; in pre-Neolithic deposits, 88–9; showing forest clearance, 67, 68, 70, 71, 77, 90, 92, 97, (Bronze Age), 99, 100, 101, 102, (Iron Age and later), 104, 106, 109
P. major, 67, 151, 229
P. maritima, 5, 229
P. media, 67, 229
P. spp., 75
 Pleistocene, British flora in, 1–11; Pliocene boundary with, 13; Lower Middle, distribution of arctic-montane species during, 197, 214; temperatures during, 214, 223
 Pliocene, flora in, 1, 3, 9, 13, 15; Pleistocene boundary with, 13
 Pliozän period (continent), 15
 ploughing, with ox-teams, 107
 Plynlimon, Cardiganshire, 219
Poa alpina, 164, 165, 216
P. flexuosa, 165, 216
P. glauca, 216
Polemonium, 50, 106
P. caeruleum, 228
 pollen diagrams, absolute, 45, 91; interpretation of, 122; radiocarbon dating of, 23, 24, 98, 122–3; secondary pollen in, 46, 54, three-dimensional, 107, 110, 112, 113, 114
 Pollen Reference Collection, Cambridge, 225–31
 Polygonaceae, 241
Polygonum, 47, 51, 70, 89
P. amphibium, 228
P. arenastrum, 241
P. aviculare, 5, 99, 106, 228, 241
P. bistorta, 228
P. boreale, 241
P. convolvulus, 228
P. persicaria, 106, 228, 241
P. viviparum, 228, 241, 245; limiting isotherms for, 204–8, 209–10, 211, 212, 213, 216
 Polypodiaceae, 248
Polypodium, 49, 64, 68, 151
Polystichum lonchitis, 216
Polytrichum, 147, 249
P. norvegicum, 251
 Ponders End, Lea Valley, 220
Populus, 44, 228, 244
 Portulacaceae, 241
 post-glacial period, distribution of arctic-montane species during, 172, 173, 209–10, (maps), 186, 188, 191, 192, 194, 196, 197; temperatures during, 173, 221, 223; vegetation in N.W. England during (early part of period), 44, 58–67, (later part of period), 67–76, 77; see also Flandrian
Potamogeton, 64, 120, 147, 229, 241; fossils of, 234, 246
P. berchtoldii, 241
P. crispus, 5
P. densus, 5
P. natans, 120
P. pectinatus, 241
P. polygonifolius, 144
P. praelongus, 9
P. pusillus, 241
 Potamogetonaceae, 236, 241
 potassium in lake sediments, 53; curve of, 52
Potentilla, 49, 69, 74, 75, 106, 151
P. anserina, 5
P. crantzii, 163, 164; limiting isotherms for, 204–8, 209–10, 211, 212, 213, 214, 216
P. erecta, 143, 144, 147, 148, 149, 153
P. palustris, 143, 147
Poterium, 49, 106
 pre-Ludhamian cold stage of Pleistocene, 13, 15
 pre-Tiglian cold stage of Pleistocene (continent), 4
 pre-Weichselian stage of Pleistocene, distribution of arctic-montane species during, 169, (maps), 186–9, 191, 202; temperatures during, 173, 222
Primula farinosa, 163
Prunella vulgaris, 143
Prunus/*Sorbus*-type pollen, 84
Pteridium, on Dartmoor, 84; fossils of, 248; in N.W. England, 64, 70, 74, 75, 151, 152; showing forest clearance, 67, 68, 69, 98, 100, 101, 102, 104, 109
P. aquilinum, 99, 109
 Pteridophyta, 47, 248–9
Pterocarya, 5
 Quaternary, plant macrofossils in, 233–54
 Quemperven, Côtes du Nord, 14, 15, 16
Quercus, 228; at Bloak Moss, 101, 109; and fen carr, 118, 135; fossils of, 244, 247; at Mesolithic sites, 84, 85; Neolithic peoples and, 91; in N.W. England, 47, 58, 59, 60, 63, 65, 66, 67, 68, 69, 70, 72, 73, 74, 75, (Blelham Bog), 149, 150, 153; in temperate zones of Pleistocene, 3, 4, 5, 6, 7; at Tregaron Bog, 104
Q. ilex, 228
Q. petraea, 152, 153, 154, 156
 Ra moraine, Norway, 36, 37
 Racks Moss, vegetation stages at, 127
 radiocarbon dating, of pollen diagrams, 23, 24, 98, 122–3
 Radnorshire, 91
 raised beaches, 15, 32–5
 Ralaghan, co. Cavan, 218

SUBJECT INDEX

- Ranunculaceae, 242; decrease of, with arable farming, 107; in N.W. England, 47, 50, 63, 75; in Tregaron Bog, 104
- Ranunculus*, 49, 106, 242
- R. acris*, 242
- R. baudotii*, 242
- R. bulbosus*, 242
- R. circinatus*, 242
- R. flammula*, 242
- R. hyperboreus*, 242
- R. lingua*, 9, 242
- R. parviflorus*, 9
- R. platanifolius*, 164
- R. repens*, 5, 242
- R. sceleratus*, 5, 242
- Ratoath, co. Meath, 218
- Red Tarn, Langdale, Westmorland, 58, 128, 219
- Red Tarn Moss, 71
- Redkirk Point, Dumfriesshire, 26, 30
- reed swamp, at Blelham Bog, 142, 156; in development of hydroseres, 118, 119, 120, 123, 124, 125, 133–4, 136
- refugees, glacial, 2, 4, 6, 7, 9, 17–18
- Reuverian lignites, Holland, 13
- rhizomes, fossil, 246
- rhizopods, 230
- Rhododendron*, 16
- R. ferrugineum*, 17
- R. ponticum*, 17, 228
- Rhosgoch, Radnorshire, 127, 129, 130
- Rhus*, 230
- Rhynospora alba*, 109, 134, 144, 229
- Riss stage of Pleistocene (continent), 15
- Robert Hill, Dumfries, 218
- Rodbaston, Staffs., 219
- Roddans Port, co. Down, 14, 31–2, 218
- Rogers Lake, Connecticut, 45
- Romaldkirk, Teesdale, 215
- Romano-British period, 72
- Rorippa*, 238
- Rosaceae, 47, 51, 63
- Roundstone, co. Galway, 14, 15, 19, 20, 87, 218, 219
- Royan, Charente Maritime, 14
- Rubiaceae, 229; in N.W. England, 47, 48, 49, 51, 69, 75; showing forest clearance, 99, 106
- Rubus chamaemorus*, 206; limiting isotherms for, 204–8, 209–10, 216
- R. crispus*, 203
- R. fruticosus*, 143, 149
- R. saxatilis*, 167; limiting isotherms for, 204–8, 209–10, 216
- Rumex*, decrease of, with arable farming, 107; fossils of, 241; at Mesolithic sites, 86; in N.W. England, 43, 46, 47, 49, 50, 54, 55, 56, 62, 69, 70, (Blelham Bog), 151; in Norway, 88; showing forest clearance, 67, 68, 74, 75, 99, 102, 104, 106
- R. acetosa/acetosella*-type pollen, 49, 50
- R. acetosella*, 71, 228, 241
- R. aquaticus*, 236
- R. hydrolapathum*, 228
- R. tenuifolius*, 241
- Rusland Moss, Lancs., 142
- Rydal Water, Westmorland, 72
- Sagina intermedia*, 216
- S. normaniana*, 216
- Sagittaria sagittifolia*, 229
- St Bees, Cumberland, 41, 43, 218
- St Côme de Fresné, Calvados, 14
- St Erth, Cornwall, 14, 15, 16, 17
- St-Jean-la-Poterie, Ile et Vilaine, 13, 14, 15
- Ste-Reine, Cantal, 13, 15
- Salix*, 228; fossils of, 233, 244, 246; at Mesolithic sites, 85, 86; in N.W. England (late glacial), 47, 48, 49, 49, 50, 54, 56, (early post-glacial), 59, 61, 65, 66, (later post-glacial), 68, 69, 70, 74, (Blelham Bog), 143, 147, 148, 150, 153, 155
- S. arbuscula*, 211, 216
- S. atrocinerea*, 118, 121, 135
- S. herbacea*, 4, 58, 76, 228; fossils of, 246; limiting isotherms for, 167, 169, 171, 172, 203, 204–8, 209–10, 212, 213, 214, 216; maps of distribution of, 190, 191
- S. lanata*, 216
- S. lapponum*, 211, 216
- S. myrsinites*, 213, 216
- S. nigricans*, 216
- S. phylicifolia*, limiting isotherms for, 204–8, 209–10, 211, 216
- S. polaris*, fossils of, 233; limiting isotherms for, 172, 204–8, 211, 212, 213, 217
- S. reticulata*, fossils of, 246; limiting isotherms for, 162, 165, 204–8, 211, 214, 216; map of distribution of, 181
- salt marsh, 119, 123
- Salvinia*, 230
- S. natans*, 4, 249
- Sambucus*, 229
- Sanguisorba*, 106, 151
- Saussurea alpina*, 164, 229; limiting isotherms for, 204–8, 209–10, 216
- Saxifraga aizoides*, 165, 245; limiting isotherms for, 203, 204–8, 209–10, 216
- S. caespitosa*, 242
- S. cernua*, 216
- S. cotyledon*, 164
- S. hartii*, 242
- S. hirculus*, 242
- S. hypnoides*, 242; limiting isotherms for, 171, 203, 204–8, 209–10, 212, 216
- S. nivalis*, 165, 204–8, 216
- S. oppositifolia*, 4, 245; limiting isotherms for, 165, 203, 204–8, 209–10, 211, 212, 214, 216
- S. rivularis*, 165, 204–8, 216
- S. rosacea*, 242
- S. stellaris*, limiting isotherms for, 163, 165, 172, 204–8, 209–10, 216; map of distribution of, 194
- Saxifragaceae, 242
- Scabiosa*, 49
- S. columbaria*, 229
- Scaleby Moss, Cumberland, 57, 120, 218, 219; datings for, 41, 56, 69, 73, 76; rate of deposit accumulation at, 129; vegetation stages at, 127
- scales of buds and catkins, fossil, 243–4
- Scandinavia, isotherms and species distribution in, 162, 163–4, 165, 166, 167, 169, 170, 172, 215–17
- Scheuchzeria palustris*, 229, 246
- Schizaceae, 230
- Schoenoplectus*, 239
- S. lacustris*, 118, 120, 133
- Sciadopitys*, 15
- Scirpus*, 239
- S. lacustris*, 143
- S. maritimus*, 119
- Scleranthus*, 237
- Scorpidium*, 249
- S. scorpidioides*, 144
- Scotland, former temperatures in, 221, 223; isotherms and species distribution in Highlands of, 162, 164, 165, 166, 167, 170, 172, 173, 204, 209, 215–17; land/sea level changes in, 23–39; lowland hydroseres in, 118
- Scottish Readvance, boulder clay of, 43, 46
- sea-level, changes of (Irish Sea), 15, (Scotland), 23–39; isotherm maps reduced to, 177; maximum summer temperature at, 165
- Seamer, Yorks., 127, 129, 218
- Seathwaite Tarn, Lancs., 51, 72, 76, 218; pollen diagram from, 56–7; rate of deposit accumulation at, 129
- Secale*, 97, 106, 229, 240
- sedge tussock, 120
- Sedum rosea*, limiting isotherms for, 163, 165, 204–8, 209–10, 216
- S. villosum*, 163, 164, 216
- Selaginella*, 48, 49, 51, 55
- S. helvetica*, 248
- S. selaginoides*, 64, 248
- Selsey, Sussex, 14, 15, 18
- Senecio*-type pollen, 229
- Senèze, Haute-Loire, 13, 15
- Sequoia*, 3
- Sesleria albicans*, 163
- Shapwick, Somerset, 130
- Shapwick Heath Trackway, 130
- sheep, 75, 107, 153
- Shetland, 14, 15, 17, 239; land/sea level changes in, 30, 31
- Shippea Hill, Cambs., 84
- shore-platform, round Irish Sea, 15
- Shropshire, forest clearance in, 103
- shrub-tundra, 43; transition to woodland from, 49
- Sibbaldia procumbens*, limiting isotherms for, 165, 166, 204–8, 211, 216
- Silene*, 237
- S. acaulis*, limiting isotherms for, 165, 167, 204–8, 211, 216
- S. maritima*, 237
- S. vulgaris*, 237
- Skelsmergh Tarn, Westmorland, 44, 57, 218, 219; rate of deposit accumulation at, 138; vegetation stages at, 127
- Sluggan Bog, co. Antrim, 85
- Small Water, Westmorland, 76; pollen diagram from, 59
- Snake Pass, Derbyshire, 219
- sodium in lake sediments, 43; curves of, 52, 55, 57; indicating erosion, 44, 53, 57
- soils, acidification of, 6, 8, 17, 81, 87; erosion of, 53, 57, 67, 71, 73, 102; leaching of, 17, 44, 67, 71–2, 73, 102; naturally occurring degradation of, 6, 92; paludification of, 73; podsolization of, 8, 54, 61, 73, 77; species with distribution controlled by nature of, 58, 76
- Solanum dulcamara*, 228
- S. nigrum*, 228
- solifluction, 6, 46, 56, 58
- Somerset, forest clearance in, 91, 102, 103
- Spa, Kerry, 14, 15, 17
- Spain, Ericaceae in, 19
- Sparganiaceae, 242–3
- Sparganium*, 47, 151
- S. angustifolium*, 243

SUBJECT INDEX

- S. emersum*, 243
S. erectum, 229, 242
S. minimum, 229, 243
Spergula, 106
Spergularia, 237
 Sperrin Mountains, N. Ireland, 82
Sphagnum, 230, 249; in Bloak Moss, 109; in development of hydrosere, 118, 119, 123, 126, 133, 134–5, 136, (aquatic spp. of), 121, 123, 124, 125, 134, 137; in N.W. England (late glacial), 47, (early post-glacial), 61, 64, 65, 66, (later post-glacial), 68, 70, 74, 75, (Blelham Bog), 142, 146, 147, 151, 152, 154, 156
S. auriculatum, 144, 148
S. cuspidatum, 134
S. cymbifolium, 121, 134
S. imbricatum, 121
S. palustre, 121
S. papillosum, 134, 135, 143, 144, 149
S. recurvum, 135, 144
S. squarrosum, 135
S. subsecundum, 121
Sphagnum peat, 19, 25, 26, 66, 85
Sphagnum/Eriophorum peat, 65
 Stannon, Bodmin, 218, 219
 Star Carr, Yorks., 82
Stellaria, 70, 237
S. nemorum, 237
 Stone, Hants., 14, 18
Stratiotes aloides, 9, 160, 229, 246
S. intermedius, 246
 Stump Cross, Grassington, Yorks., 86, 87, 88
Subularia aquatica, 172, 204–8, 216
Succisa, in N.W. England, 47, 48, 50, 54, 56, 63, 69, 70, 75, (Blelham Bog), 151; at Old Buckenham Mere, 106
S. pratensis, 143, 229
Sueda maritima, 5
 summer temperature, maximum, and distribution of arctic-montane species, 159–223
 Sunbiggin Tarn, Westmorland, 118
 Sutherland, beaches in, 33
 swamp carr, 121, 123, 124, 133, 134
 Sweden, decline of *Ulmus* in, 90
 Switzerland, secondary *Corylus* maximum in, 87
 Symbister, Whalsay, Shetland, 27, 31
Symphytum, 63
S. officinale, 228
 Tadcaster, Yorks., 127, 128, 218
Tamus communis, 229
 Tapes transgression, Denmark, 34; Norway, 36, 37
Taraxacum, 70, 75
 Taw Marsh, Dartmoor, 84
 Taxodiaceae, 13
Taxodium, 15
Taxus, 5; fossils of, 244, 245, 247; at Mesolithic sites, 86, 87, 89; in N.W. England, 69, 150
 Teesdale, 163, 164, 167, 172, 218, 219
 Tegelen, Holland, 13
 temperate stages of Pleistocene, 2–3, 5–9; zones in, 3, 6–7, 10
 temperature, gradient of, on Irish coast during glaciations, 18; lapse rate of, with altitude, 161; lethal, for plants, 166–7; mean annual maximum, and species distribution, 159–223, (maps), 177, 178; mean annual minimum, and species distribution, 166; mean difference of, between cold and temperate stages of Pleistocene, 2
 Temple Mills, Lea Valley, 220
Tetraploa, 230
Thalictrum, 47, 48, 49, 50, 54, 56, 63
T. alpinum, limiting isotherms for, 165, 171, 204–8, 211, 212, 213, 214, 216; map of distribution of, 189
Thelypteris palustris, 121, 135, 143, 154, 216
T. phegopteris, 216
 Thirlmere, 72, 74; pollen diagram from, 75
 Thornton Mire, Yorks., 119
 Thrang Moss, Westmorland, 87; pollen diagram from, 67
 Thrapston, Northants., 220
 Thurnian cold stage of Pleistocene, 3, 15; flora of, 4, 15–16
 Tiglian stage of Pleistocene (continent), 4
Tilia, decline of, associated with clearance, 91, 103; in Fenland, 84; fossils of, 246; in N.W. England, 58, 59, 60, 65, 66, 69, 70, 73, 74, 75, 76, 77, (Blelham Bog), 150; in temperate stages of Pleistocene, 5, 7, 9
Tilletia sphagni, 230
 timberline, mean July temperature and, 159
 Tipperarian stage of Pleistocene (Ireland), 15
Tofieldia pusilla, 163, 164, 216, 229
Tolypella, 250
 Toome Bay, co. Wexford, 85
 trackways, hazel stems in, 92, 103
Trapa natans, 4
 Treanscrabbagh, co. Sligo, 14, 127, 130, 218
 tree pollen, calculation of, 44–5; as percentage of total pollen (Bloak Moss), 109, 110, 112, 113, 114, (Frogholt), 99, (N.W. England), 45, 47, 49, 58, 73, (showing temperate/cold stage boundaries), 3, 4, 13
 Tregaron Bog, Cardiganshire, 103, 105, 120; pollen diagram from, 104; rate of deposit accumulation at, 129; vegetation stages at, 127
 Trez Rouz, Finistère, 14, 15
Trifolium, 49, 106
Triglochin, 229
Triticum, 97, 106, 229, 240
Trollius europaeus, 209–10, 216
 Trundle Mere, Fenland, 136
Tsuga, 15, 16, 245; at Pliocene/Pleistocene boundary, 13; in temperate stages of Pleistocene, 3, 4, 5, 7, 8–9
 Tubuliflorae, 51, 70, 75
 tundra, 1, 17, 43, 44; transition to forest from, 49, 58
 Tynagh, Galway, 13
Typha angustifolia, 118, 229
T. latifolia, 143, 151, 229
 Ugg Mere, Fenland, 136
Ulmaria, 50
Ulmus, 228; decline of, 67, 77, 84, 86, 88, 90–1, 101, 102, 109; in early temperate zones of Pleistocene, 5, 7, 9; as fodder, 68, 71, 90–1; fossils of, 244, 247; in N.W. England, (late glacial), 47, (early post-glacial), 58, 59, 60, 63, 65, 66, (later post-glacial), 68, 69, 70, 73, 74, 75, (Blelham Bog), 149, 150, 153
 Umbelliferae, 243; in N.W. England, 47, 48, 49, 50, 54, 56, 63, 69, 75; in other districts, 99, 106
 Upton Warren, Worcs., 219, 234
 Urswick Tarn, Lancs., 128
Urtica, 62, 68, 106, 151; at Mesolithic, 86, 89
U. dioica, 228
U. urens, 228
Ustilago, 230
Utricularia, 228
U. vulgaris, 144
Vaccinium, 16, 228
V. microcarpum, 216
V. myrtillus, 150
V. uliginosum, limiting isotherms for, 163, 164, 204–8, 211, 216
 Vale of Pickering, 82, 83
Valeriana, 47, 48, 49, 51
V. dioica, 121, 229
V. officinalis, 143, 151, 229
Valerianella, 229
 varves, of Lake District lakes, 43, 44, 76
 vegetation stages in development of hydrosere, durations of, 127, 137; transitions between, 124, 125, 126, 133
Veronica, 228
V. alpina, 216
V. fruticans, 216
Viburnum lantana, 229
V. opulus, 150, 229
Vicia-type pollen, 70
 Villafranchian stage of Pleistocene (continent), 13
Viola biflora, 164
V. hirta, 243
V. lutea, 204–8, 211, 213, 217
V. odorata, 243
V. palustris, 243
V. reichenbachiana, 243
V. riviniana, 243
 Violaceae, 243
 Vipers A site, Somerset, 103
Viscum, 168
 Waen Ddù, Breconshire, 218
 Wales, former temperatures in, 221, 223; isotherms and species distribution in, 165, 172, 173, 206, 210, 215–17
 Waltham Cross, Essex, 220
 Waltonian cold stage of Pleistocene, 3, 15
 Weevil Lake, Gosport, 219
 Weeze, lower Rhine, 18
 Weichselian glacial stage of Pleistocene, 3, 15; distribution of arctic-montane species during, 169, 173, 211, (maps), 179, 181, 186–9, 191–3, 195, 197, 201; flora of, 5, 9; Lake District glaciers during, 41, 43; temperatures during, 173; see also pre-Weichselian, late-Weichselian
 West Flanders Moss, Stirlingshire, 26, 29
 West Runton, Norfolk, 220
 Wester Fulwood, Paisley, 27
 Westhay Trackway, Somerset, 130
 Westward Ho, Devon, 89
 Wexford, 15
 Whattall Moss, 120, 128
 Whiddy Island, co. Cork, 14, 18
 White Gill, Yorks., 83
 White Moss Lough, 118
 Whitrig Bog, Berwickshire, 218
 Whixall, Salop., 129
 Wicken Fen, Cambs., 118
 Widdybank, Teesdale, 219
 willow-birch carr, 61, 62

Cambridge University Press

978-0-521-11201-7 - Studies in the Vegetational History of the British Isles: Essays in Honour of Harry Godwin

Edited by D. Walker and R. G. West

Index

[More information](#)

SUBJECT INDEX

- Windermere, 44, 49, 56, 76, 120, 218; pollen diagram from, 49; rate of deposit accumulation in, 129
- Wingham, Kent, 99
- winter temperatures, and species distribution, 166
- Witherslack, Westmorland, 57, 129, 218
- Wood Fen, Ely, 136
- Wolstonian glacial stage of Pleistocene, 3; flora of, 5, 9
- Wolvercote, Oxon, 220
- wood, fossil, 13, 247; datings of, 26, 27, 69, 71; at Mesolithic sites, 85
- Woodgrange, co. Down, 87
- Woodsia alpina*, 217
- Wretton, Norfolk, 220
- Würm stage of Pleistocene (continent), 15
- Wybunbury Moss, Cheshire, 119
- Yesnaby, Orkney, 14, 218, 219
- zones, in temperate stages of Pleistocene, 3, 6-7, 10
- zooplankton, 43