

Index

Note: page numbers in *italics* refer to figures and tables. Pl indicates plate.

- adrenergic receptors 57
- affective disorders 172
- brain density 177
 - cerebral blood flow 178–9
 - cortical atrophy 176
 - differentiation by neuroimaging 182–3
 - elderly people 179–80
 - functional imaging 178–9
 - late onset 179
 - severity 180–2
 - structural imaging 176–7
 - subcortical abnormalities 177
 - ventricular size 176
 - see also* depression
- affective incontinence in vascular dementia 129
- aging, neuropathology 80
- aging, Alzheimer's disease 101
- aging, normal 77
- brain changes 80–9
 - functional 89–95
 - brain size 80–1
 - EEG 92–4
 - gender 83
 - MEG 92–3, 94
 - neuroreceptor systems 91
 - PET 89–92
 - SPET 89–92
 - agraphia, aphasic 132
 - albumin, CSF:serum ratio in Binswanger's disease 138
 - alcohol abuse 150–1
 - alcohol withdrawal 168
 - Alzheimer's disease 100
 - brain imaging 100–1, 102–3, 104, 105, 106, 107, 108–9
 - cerebral blood flow 181–2
 - cerebral hemisphere 108–9
 - clinical diagnosis 101, 103
 - coexisting Parkinson's disease 146
 - cognitive impairment 109, 110
 - coherence measurement of dementia 64
 - corpus callosum 108–9
 - cortical glucose metabolism 110
 - cortical oxygen consumption 110
 - CSF space 106, 107
 - CT diagnosis 21
 - detection rate 222
 - diagnosis 221
 - diagnostic criteria 100
 - distinguishing features 124
 - early-onset disease 110
 - EEG 113, 114
 - entorhinal cortex 106
 - frontal hypometabolism 110
 - functional neuroimaging 109–10, 111–12, 113, 114–15
 - hippocampal atrophy 106, 108
 - intracranial CSF volume 104
 - late paranoid psychosis 192
 - mediotemporal lobe 106, 108–9
 - morphological changes 100–1, 102–3, 104, 105, 106, 107, 108–9
 - MRI 36, 39
 - diagnosis 21, 33
 - neuropathological confirmation rate 101, 102
 - neuropsychological testing 101
 - occipital activity 113
 - parahippocampal atrophy 106, 108
 - PET 110, 112, 113
 - prevalence 145
 - SPET 109–10, 111
 - temporoparietal blood flow 109
 - ventricular : brain ratio 106
 - visual ratings 101, 104
 - white matter 108–9
 - amines, labeled 56
 - ammonia, ¹³N-labeled 56

- amnesia, vascular dementia 123
 amyloid angiopathy 135
 aneurysm clip 33–4
 angiography 15–16
 magnetic resonance 34–5
 angular syndrome 132–3
 apallic syndrome 135
 aphasia
 angular syndrome 132
 progressive 147, 148
 vascular dementia 123, 127
 apraxia
 constructional 132
 vascular dementia 127
 arachnoid cyst 8, 11
 arteriolar disease 143
 arteriosclerotic dementia 122
 see also vascular dementia
 association centers 90
 atrial fibrillation, nonvalvular 138
 auditory cortex MEG 95
 auditory evoked potential (AEP) 65, 66

 basal ganglia, normal aging 82
 benzodiazepine radioligand 57
 bicaudate ratio 17
 bifrontal ratio 17
 Binswanger type encephalopathy
 129–30, 131
 Binswanger's disease 83–4, 122
 arteriolar sclerosis in cerebral
 parenchyma 138
 dementia 129–30
 hemorrhagic foci in brain 138
 hypertension 137–8
 blood brain barrier 9
 neuroimaging of breakdown 212
 blood oxygenation level-dependent
 (BOLD) technique 92
 blood transit time 9

 bony structures, CT imaging 22
 brain
 atrophy in normal aging 80
 CT 8, 12–13
 functional changes in normal aging
 89–95
 size in normal aging 80–1
 brain activation, MRI 42
 brain activity, synchronized 63
 brain area electrical mapping *see*
 quantitative
 electroencephalography (QEEG)
 brain atrophy
 visual ratings 101, 104
 white matter hyperintensities 88
 brain density
 depression 177
 manic disorder 184
 brain glucose metabolism
 manic disorder 185
 see also cerebral glucose metabolic
 rate
 brain stem infarction,
 neurotransmitters 140
 brain volume
 Alzheimer's disease 101
 paraphrenia 195–6

 calcification, CT 22, 212
 cardiac disease
 cerebral embolism 127
 vascular dementia risk 137
 cardiovascular risk factors in
 depressive disorders 177
 carfentanil, ¹¹C-labeled 56
 carotid bifurcation, CT angiography 16
 caudate nucleus, density in depression
 177
 cerebellum
 hemispheres 82
 normal aging 82
 tonsils, position 82
 vermis 82
 cerebral angiography, usage 217
 cerebral arteriosclerosis, thrombosis
 127
 cerebral artery infarct 36, 41
 cerebral atrophy
 CT scan 19
 quantification 89
 cerebral blood flow 89
 cognitive impairment 183
 CT 9–10
 delirium 162–3, 167
 depression 178–9, 183
 severity 181
 treatment 184
 early-onset schizophrenia 196–7
 frontotemporal dementia 148
 Parkinson's disease 147
 pernicious anemia 151
 radiopharmaceuticals 56, 57
 SPET determination 142
 vascular dementia 139
 cerebral cortex, partial deafferentation
 of pyramidal cells 63
 cerebral disease localization 167–8
 cerebral embolism
 nonvalvular atrial fibrillation 138
 vascular dementia 127
 cerebral function, emission
 tomography 89, 90
 cerebral glucose metabolic rate
 emission tomography 89, 90
 pernicious anemia 151
 PET 141–2
 see also brain glucose metabolism;
 cortical glucose metabolism
 cerebral hemisphere, Alzheimer's
 disease 108–9

- cerebral hemorrhage, hypertensive
133, 134, 135
- cerebral hypoperfusion 143
- cerebral infarct 8, 10
CT scan 11, 21
paraphrenia 193
vascular dementia 123
- cerebral ischemia, neurotransmitters
139–40
- cerebral ischemic scores, Hachinski's
125, 153
- cerebral lesions, localized 136–7
- cerebral scintigraphy, technetium-99m
46
- cerebral stroke
causative diseases 126
neurotransmitters 140
risk factors 126
vascular dementia 123, 140
see also stroke
- cerebral thrombosis in vascular
dementia 127
- cerebral veins 14
- cerebrospinal fluid (CSF)
aging 80, 81
Alzheimer's disease
imaging of space 106, 107
intracranial volume 104
CT 7, 8
MRI axial image 30
volume in schizophrenia 195
- cerebrovascular disease
depression 177
leukoaraiosis 109
- cerebrovascular risk factors, white
matter hyperintensities 88
- choroid plexus 9, 14
- circle of Willis
CT angiography 16
MR angiogram 34
- claustrophobia 34
- cochlear implants 33
- cognition
frontal area beta activity 94
white matter hyperintensity
correlation 86–8, 89
- cognitive disturbance, vascular
dementia 123
- cognitive impairment
Alzheimer's disease 109, 110
cerebral blood flow 183
cortical atrophy 183
depression 183
elderly depressed patients 182
- cognitive loss
evaluation of new-onset 207–8
functional imaging 215
- cognitive potentials 65
- coherence
QEEG 62, 63–4
spectral 94
- coherence ratio 64
- collimator 48, 49
- colloid cyst 8, 13
- communicating hydrocephalus 149–50
imaging 19, 21–2
- computed tomography (CT) 3
abnormal tissue 8
advantages 212–13
adverse reactions 19–20
affective disorders 173
Alzheimer's disease 100–1, 102–3,
104, 105, 106, 107, 108–9
angiography 15–16
axial scan 14, 15
Binswanger's disease 84
blood transit time 9
cerebral blood flow 9–10
contrast enhancement 8–9, 14
contrast medium 20
- costs 219
- Creutzfeldt–Jakob disease 151
- data 5–6
- definitive scans 219–20
- delirium 162
- dementia 220–2
of depression 153
- fixed ring detectors 4, 5
- frontotemporal dementia 148
- gamma variate curve 9
- helical scanning 4–5
- Huntington's disease 220
- hydrocephalus 211
- impact 217
- inappropriate scans 222–4
- indications 207–9, 210, 211–13
- informative scans 220–2
- intravenous contrast medium 9
- linear measurements and ratios
16–18, 19
- meningioma 216
- MRI comparison 20–2
- normal aging 80
- normal pressure hydrocephalus 150
- ordering tests 215
- paranoid psychosis 192
- physics 5–8
- physiological studies 9–10, 15
- radiation dose 19–20
- regions of interest 9, 15
- research 78
- risks 19–20
- rotate–rotate 4, 5
- scanners 3–5
- schizophrenia 191–3
- sedation 20
- space-occupying lesion diagnosis
218, 220
- temporal lobe orientated 222, 223
- translate–rotate 3, 4

- computed tomography (cont.)
 transverse axial reconstruction 6
 vascular dementia 140, 143
 ventricle size 218
 voxel density 6–7
 white matter hyperintensities 85
 confusional state, acute 168
 consciousness, prolonged disturbance
 135
 contrast enhancement 8–9, 14
 MRI 33
 contrast medium, intravenous 9
 cordance map 64, 1.47 (PI)
 corpus callosum
 Alzheimer's disease 108–9
 depression 179
 cortical atrophy
 dementia 182–3
 depression 176
 late-onset depressive disorders 180
 manic disorder 185
 posterior 147
 schizophrenia 191
 cortical glucose metabolism
 Alzheimer's disease 110
 see also cerebral glucose metabolic
 rate
 cortical infarction in vascular
 dementia 123
 cortical oxygen consumption in
 Alzheimer's disease 110
 Creutzfeldt–Jakob disease 100, 151

 deafferentation, QEEG 63
 degenerative dementia, primary 60
 delirium 159–60
 alcohol withdrawal 164
 case definition 165–6
 cause 163
 cerebral blood flow 167
 clinical diagnosis 159
 clinical subtypes 167
 control groups for research 167
 electroencephalography 60
 ethical constraints in research 167
 evoked potentials 66
 hypoactivity 160
 intractable complex partial seizures
 163
 investigating elderly patients 164–5
 neuroimaging 160–5
 occipital dementia 131
 patient numbers in research 166
 posterior cerebral artery obstruction
 127
 presentation 159
 QEEG 63, 168
 recognition 160
 recurrence 164
 research 165–8
 risk 167–8
 sedation of patients 165
 seizures 163
 selection artefacts 166
 syndromes 166
 tremens 167
 dementia
 alcohol abuse 150–1
 Alzheimer's disease 100
 coherence 64
 cortical atrophy 182–3
 with cortical Lewy bodies 145, 146,
 147
 Creutzfeldt–Jakob disease 151
 CT diagnosis 21–2
 depression 145, 152–4
 differentiation by neuroimaging
 182–3
 evoked potentials 64, 1.47 (PI)
 latency 65–6
 frontal lobe type 145
 frontotemporal 147–8
 Huntington's disease 148–9
 informative scans 220–2
 multisystem atrophy 149
 neuropsychiatric systemic lupus
 erythematosus 145, 151–2
 normal pressure hydrocephalus
 149–50
 occipital 131
 prevalence 145
 progressive supranuclear palsy 149
 QEEG 62–3
 thalamic 131, 132
 vascular 36, 38
 ventricle size 182
 vitamin B₁₂ deficiency 151
 see also vascular dementia
 demyelination 8, 10
 MRI 37
 neuroimaging 212
 decyglucose, ¹⁸F-labeled (FDG) 55,
 141–2
 depression
 cerebral blood flow 178–9, 183
 cognitive impairment 183
 continuum with dementia 152–3
 CT 173
 dementia 152–4
 differentiation by neuroimaging
 182–3
 EEG 60
 elderly people 179–80
 functional imaging 213–14
 late-life 153, 5.1 (PI)
 MRI 174
 psychomotor speed 183
 QEEG 63
 recovery phase 183–4
 severity 180–2

- SPET 175
 subcortical vascular disease 154
 treatment 183–4
 vascular dementia 123
 ventricle size 182
 white matter hyperintensities 180, 183
see also affective disorders
 diabetes mellitus, vascular dementia risk 137
 di-beta-(morpholinoethyl)-selenide (MOSE) 56
 di-beta-(piperidinoethyl)-selenide (PIPSE) 56
 diencephalon, normal aging 82
 disconnection syndrome 88
 disorganization 198
 DOPAC 139
 dopamine 139
 β -hydroxylase activity 140
 hypothesis of schizophrenia 198–9
 receptors 56, 57
 dopamine D₂ receptor 57, 91, 148, 149
 density in schizophrenia 198, 199
 DSM-III-R criteria 165
 DSM-IV criteria 165
 dynamic susceptibility contrast (DSC) 92
 echo planar imaging 31, 34
 electroencephalography (EEG) 58, 67–8, 92–4
 Alzheimer's disease 113, 114
 clinical applications 59–61
 delirium cause 163
 functional imaging 214
 mapping 93–4
 emission CT *see* positron emission tomography (PET); single photon emission tomography (SPET)
 emotional lability, cerebral blood flow 181
 endogenous potentials 65
 entorhinal cortex in Alzheimer's disease 106
 EP *see* evoked potentials
 ependymoma 8, 11
 epilepsy
 electroencephalography 60–1
 MRI 36, 40, 41
 temporal lobe 33
 ERP *see* event-related potential
 état criblé 141, 143
 Evans' ratio 17, 146, 176
 event-related potentials (ERPs) 58
 evoked potentials (EPs) 58, 64–6
 latency 94
 long-latency 65
 normal aging 93, 94
 short-latency 65
 extravascular fluid, CT 8, 10–11
 [¹⁸F]-labeled deoxyglucose (FDG) *see* deoxyglucose
 falx, contrast enhancement 9, 14
 fast spoiled grass images 32
 FDG *see* deoxyglucose
 foreign body, metallic 33
 Fourier theorem 50
 Fourier transform 29
 QEEG 61
 SPET 50
 frontal area beta activity, cognitive performance 94
 frontal dementia
 diagnosis 220–1
 SPET 222
 frontal lobe
 abnormalities in
 obsessive–compulsive disorder 179
 deficit with white matter hyperintensities 88
 hypometabolism in Alzheimer's disease 110
 hypoperfusion
 functional imaging 213
 schizophrenia 199
 normal aging 81
 see also hypofrontality
 frontotemporal dementia 145, 147–8
 gadolinium 33
 DTPA 41
 gamma camera 43, 44, 45
 gender, aging 83
 Gerstmann's syndrome 127
 angular syndrome 132
 glial cytoplasmic inclusions 149
 gliosis 8, 11
 gradient echo scans 31
 granulovacuolar degeneration, normal aging 80
 gray matter
 blood flow in vascular dementia 139
 CT 8
 decrease with aging 80, 81
 density in depression 177
 heterotopia 36, 41
 gray-to-white matter ratio 81
 Hachinski's cerebral ischemic scale 125, 153
 haloperidol, ¹⁸F-labeled 56
 head trauma, imaging 21

- helium, liquid 27–8
- hematoma imaging 21–2
- hemianopia in occipital dementia 131
- hemiplegia in vascular dementia 129
- hemorrhage 8, 13
 amyloid angiopathy 135
 subarachnoid 13, 19, 21
- hemorrhagic infarct, CT 212
- hepatic encephalopathy 66
- heteromodal association cortex 90
 functional decline 91
 normal aging 90–1
- hexamethylpropyleneamine (HMPAO)
 41, 57, 178–9
- hippocampus
 amygdaloid complex in normal
 aging 82
 atrophy 106, 108
 inversion recovery image 31
 MRI 40
 size in normal pressure
 hydrocephalus 150
 volume in vascular dementia 141
- histamine H₁ receptors 91
- HMPAO *see*
 hexamethylpropyleneamine
- homovanillic acid 139, 140
- Huntington's disease 145
 CT 220
 imaging 21–2
 prevalence 148
- hydrocephalus
 communicating 19, 149–50
 CT scan 19
 neuroimaging 211
 normal pressure 149–50, 191
 shunt operation outcome 150
- hyperlipidemia, vascular dementia risk
 137
- hypertension
- Binswanger's disease 137–8
- depressive disorders 177
- during sleep 138
- vascular dementia 123, 140
 risk 137–8
- hypobulia, anterior cerebral artery
 obstruction 127
- hypofrontality 197, 198
 see also frontal lobe
- ICD-10 criteria 165
- immunoglobulin G 138
- IMP, ¹²³I-labeled 57, 142
- implants, MRI contraindications 33,
 34, 212
- information processing, ventricle :
 brain ratio 183
- inversion recovery image 32
- iodobenzamide, ¹²³I-labeled 57, 148,
 149
- m*-iodobenzylguanidine, ¹²³I-labeled
 57
- p*-iododexetimide, ¹²³I-labeled 57
- iomazenil 57
- N*-isopropyl-*p*-iodoamphetamine
 (IMP) 57
- Larmor frequency 23, 25
- leukoaraiosis 85, 129–30, 137
 cerebrovascular disease 109
 detection 109
 diagnosis 208
- Lewy body
 cortical 145, 146, 147
 dementia 221
- lymphoma 8, 13
- magnet, MRI 25–8, 78
- magnetic field 23, 24
- magnetic resonance
- angiography 34–5
- diffusion 38
- perfusion 41
- spectroscopy 42
- magnetic resonance imaging (MRI) 23
 acquisition parameters 79
 advantages 209, 211–12
 affective disorders 174
 alcohol withdrawal 168
 Alzheimer's disease 100–1, 102–3,
 104, 105, 106, 107, 108–9
 applications 35–6, 37, 38, 39–41
 axial image 30
 Binswanger's disease 84
 brain activation 42
 cerebral hemorrhage 133, 134
 clinical potential 35–6, 37, 38, 39–41
 contraindications 22, 33–4, 212
 contrast enhancement 33
 coronal 106
 cortical atrophy 176
 costs 219
 Creutzfeldt–Jakob disease 151
 CT comparison 20–2
 delirium 162
 dementia 220–2
 echo planar imaging 31
 equipment accessibility 213
 fast imaging techniques 31, 32
 fast spoiled grass images 32
 field strength 27
 functional imaging 92, 116
 gradient echo scans 31
 gradient system 28, 29
 Huntington's disease 148
 hydrocephalus 211
 image
 analysis 79
 contrast 29–30
 formation 29–30

- inappropriate scans 222–4
 indications 207–9, 211–13
 informative scans 220–2
 inversion recovery
 image 32
 sequences 30, 31
 K space 29
 late-life depression 153
 late-life psychosis 194–5
 magnet 25–8
 size 78
 mediotemporal lobe 106, 109
 multisystem atrophy 149
 negative reactions 213
 neuropsychiatric systemic lupus
 erythematosus 152
 normal aging 81
 normal pressure hydrocephalus 150
 ordering tests 215
 parkinsonism 146
 physics 23–4, 25, 26
 proton
 density image 37
 relaxation rates 24, 26
 quantification 79
 quench 28
 radiofrequency system 28
 research 78–9
 safety 33–4
 schizophrenia 193–6
 seizures 209
 signal-to-noise ratio 28
 statistical analysis 79
 subcortical abnormalities 177
 subcortical high signal intensity
 areas 143
 superconducting wires 27–8
 system 25–8
 T₁- and T₂-weighted image 29–30
 temporal lobe orientated 222, 224
 vascular dementia 141
 volumetric 33, 195–6
 white matter hyperintensities 85–6,
 193–5
 magnetoencephalography (MEG)
 58–9, 66–7, 68, 92–3, 94
 clinical utility 95
 manic disorder 184–5
 marginal dementia 131–2
 maximal pixel intensity algorithm 15
 mediotemporal lobe in Alzheimer's
 disease 106, 108–9
 memory
 age-related impairment 91
 vascular dementia 123
 meningioma 8, 12
 CT scan 208, 209, 216
 mesial temporal sclerosis 36, 40
 metastases 8, 12
 planar cerebral imaging 46, 47
 scanning 224
 methylido-lysergic acid diethylamide
 (LSD), ¹²³I-labeled 57
 3-*N*-methyl spiperone, ¹¹C-labeled 56
 MMSE (Mini-Mental State
 Examination) 104, 105
 delirium 168
 normal pressure hydrocephalus
 150
 power data correlation 113, 115
 MOSE *see* di-beta-(morpholinoethyl)-
 selenide
 multisystem atrophy 145, 149
 multiinfarct dementia 122, 137
 cortical artery infarction 128
 depression 153–4
 hypertension 137–8
 paranoid state 123
 see also vascular dementia
 multiple sclerosis 35, 37
 multiple system atrophy *see*
 multisystem atrophy
 muscarinic cholinergic receptors 57
 normal aging 91
 mutism, akinetic 135
 neuritic plaques 80
 neurofibrillary tangles 80
 neuroimaging
 affective disorders 172
 costs 166
 delirium 160–5
 selection artefacts in research 166
 functional 213–15
 Alzheimer's disease 109–10,
 111–12, 113, 114–15
 early-onset schizophrenia 196–9
 indications 207–9, 210, 211–16
 normal elderly 77
 ordering tests 215
 patient management 224, 225
 research 78–9, 166
 techniques 78
 treatable structural lesion 208
 neuron decrease with aging 80
 neuropsychiatric systemic lupus
 erythematosus 151–2
 neuropsychological testing,
 Alzheimer's disease 101
 neuroreceptor
 binding rate constant (B_{max}) 91
 schizophrenia 199
 physiology 91–2
 system age-related changes 89
 neurostimulators 33
 neurotransmitters
 age-related changes 89
 vascular dementia 139–40
 Newcastle score, ventricle size 181
 nigrostriatal dopaminergic system 91

- NINCDS/ADRDA criteria for
Alzheimer's disease 100
- normal elderly, neuroimaging 77
- Nyquist frequency, QEEG 62
- obsessive-compulsive disorder 179
- occipital activity in Alzheimer's disease
113
- occipital dementia 131
- olivopontocerebellar atrophy 149
- opiate receptors 56
- oxygen removal, PET in vascular
dementia 141
- oxygen-15 56
- pacemakers 33
- pachygyria 36
- parahippocampus atrophy 106, 108
- paranoid disorders 190-1
- paranoid psychosis, CT scans 192
- paranoid state, vascular dementia
123
- paraphrenia
brain volume 195-6
cerebral infarction 193
functional imaging 200
late 191
scanning 222-3
ventricle : brain ratio 192
- parkinsonism
MRI 146
vascular dementia 129
- Parkinson's disease
atrophy 146
cerebral blood flow 147, 181-2
frontal abnormalities 179
prevalence 145, 146-7
- partial volume phenomenon 7
- patient management, neuroimaging
224, 225
- pernicious anemia 151
- personality
change in anterior cerebral artery
obstruction 127
maintenance in vascular dementia
123
- Pick's disease 146-7
diagnosis 220-1
- PIPSE *see* di-beta-(piperidinoethyl)-
selenide
- pituitary, normal aging 83
- pixels 3
SPET 48-9
- planar cerebral imaging 43, 44-5, 46
regions of interest 43, 46
- plasminogen activator 138
- pneumoencephalography 191
usage 217, 218
- positron emission tomography (PET)
36, 43, 52, 54-5
camera 52, 54-5
cerebral blood flow 178
Creutzfeldt-Jakob disease 151
delirium 162-3
dopamine receptors in
schizophrenia 198, 199
early-onset schizophrenia 197
FDG method 55-6
frontal metabolism in depression
179
Huntington's disease 148-9
neuroreceptor system aging 92
normal aging 89-92
normal pressure hydrocephalus
150
progressive aphasia 148
progressive supranuclear palsy 149
radionuclides 55
radiopharmaceuticals 55-6
vascular dementia 141-3
- posterior fossa, neuroimaging lesions
212
- pregnancy 34
- prion disease 221
- prognosis, imaging 184
- progressive supranuclear palsy 149
- protons 23, 24
density image 37
- pseudobulbar paralysis, vascular
dementia 129
- pseudodementia 152-4, 183
- psychomotor inhibition, vascular
dementia 123
- psychomotor poverty 197-8
- psychomotor speed in depression 183
- psychosis, late life 191
MRI 194-5
- quantitative electroencephalography
(QEEG) 58, 67-8
coherence 62, 63-4
delirium 161-2, 168
epochs 61
Fourier transform 61
functional imaging 214
normal aging 94
Nyquist frequency 62
technique 61-4
- quench 28
- radiofrequency pulse 23-4, 25
- radionuclides
PET 55
usage in scanning 217
- radiopharmaceuticals
PET 55-6
SPET 56-7
- reality distortion 198
- resonant frequency *see* Larmor
frequency

- retention disorder, occipital dementia
131
- schizophrenia
brain volume 195–6
cerebrospinal fluid volume 195
computed tomography (CT) 191–3
dopamine hypothesis 198–9
early-onset 196–9
frontal hypoperfusion 199
functional imaging 196–200
hypofrontality 197, 198
late-onset 199–200
MRI 193–6
volumetric studies 195–6
neuroreceptor concentration (B_{\max})
199
pneumoencephalography 191
receptor changes 198–9
scanning 222–3
syndromes 197–8
ventricle : brain ratio 192
ventricular size 192
- schizophrenic disorders 190–1
- scintigraphy, planar cerebral 46
- scintillation unit 43, 44
- seizures
delirium 163
electroencephalography 60–1
imaging 21
late-onset 60–1
new-onset 209
- serotonin receptors 57
5-HT₂ 91
- shimming coils 26
- shunt operation outcome 150
- Shy–Drager syndrome 149
- signal-to-noise ratio 28
- single photon emission tomography (SPET) 36, 43, 46, 47–50, 51
- affective disorders 175
- alcoholism 150–1
- Alzheimer's disease 109–10, 111
- attenuation 50, 52
- backprojection 48, 49, 52, 53
- cerebral blood flow 178
- collimator 48, 49
- costs 219
- delirium 162–3
- dementia 222
- dopamine receptors in
schizophrenia 198
- early-onset schizophrenia 197
- filter function of camera 50
- Fourier analysis 50
- gamma camera 48, 49
- HMPAO 41
- Huntington's disease 148
- intractable complex partial seizures
163
- iterative reconstruction techniques
49, 51
- late-life depression 153
- late-onset schizophrenia 199
- neuroreceptor system aging 92
- normal aging 89–92
- progressive aphasia 148
- progressive supranuclear palsy 149
- radiopharmaceuticals 56–7
- spatial filtering 52, 53
- step-and-shoot method 48
- temporoparietal blood flow 109–10
- vascular dementia 142–3
- smoking, vascular dementia risk 137
- somatosensory cortex, MEG 95
- spectral coherence 94
- spiperidol, ¹⁸F-labeled 56
- spinal cord, neuroimaging lesions 212
- Steele–Richardson–Olszewski
syndrome 149
- striatonigral degeneration 149
- stroke
acute 36, 41
diagnosis 208
imaging 21
see also cerebral stroke
- subarachnoid hemorrhage imaging 13,
19, 21
- subarachnoid space, aging 80
- subcortical abnormalities in
depression 177
- subcortical arteriosclerotic
encephalopathy *see* Binswanger's
disease
- subcortical vascular disease, depression
154
- subdural hematoma, imaging 21–2
- subependymoma 12, 14
- superconducting quantum interference
device (SQUID) 66
- systemic lupus erythematosus,
neuropsychiatric 145, 151–2
- T₁ relaxation rate 24, 29–30
- T₂ relaxation rate 24, 29–30
- technetium-99m, cerebral scintigraphy
46
- technetium-99m-labeled
hexamethylpropyleneamine
(HMPAO) 57, 142
cerebral blood flow measurement
178–9
SPET 41
- telencephalic brain regions 90
- temporoparietal blood flow,
Alzheimer's disease 109–10
- tentorium cerebelli, contrast
enhancement 9, 14
- thalamic dementia 131, 132
- thrombosis 8, 13

- time of flight effect 34
- tiny step gait, vascular dementia 129
- tuberoses sclerosis 8, 12
- urinary incontinence 129
- vascular dementia 122–3
 amyloid angiopathy 135
 angular syndrome 132–3
 Binswanger type 137–8
 brain atrophy 140
 brain metabolism 142
 cardiac disease 140
 cerebral circulation 139
 cerebral stroke 140
 classification 125, 126
 clinicopathological correlates 136–8
 coherence 64
 cortical infarction 123
 CT scanning 140
 diagnosis 59–60, 220
 EPs 64, 1.48 (PI)
 features 123, 124–5
 Hachinski's ischemic scale 153
 hippocampal volume 141
 hypertension 140
 localized lesions 136–7
 marginal 131–2
 MRI 141
 neurotransmitters 139–40
 occipital 131
 onset prediction 137
 pathogenesis 136–40
 PET 141–2, 4.10 (PI)
 prolonged disturbance of
 consciousness 135
 risk factors 137
 SPET 143
 symptoms 125
 thalamic 131, 132
- types 127, 128, 129–33, 134, 135
 Binswanger encephalopathy
 129–30, 131
 cerebral hemorrhage 133, 134, 135
 extensive ischemia involving
 cortex and white matter 127,
 128, 4.2 (PI)
 focal lesions 131–3
 multiple small infarction
 involving deep white matter
 129, 130
 urinary incontinence 129
 vascular lesions 138–9
- vascular disease, subcortical 153, 5.1
 (PI)
- ventricle : brain ratio
 Alzheimer's disease 106
 depression 176, 182, 183
 information processing 183
 late-onset depressive disorders 180
 manic disorder 184
 paraphrenia 192
 psychomotor speed 183
 psychotic depression association
 181
 schizophrenia 192, 195
 white matter hyperintensity severity
 86, 88
- ventricle size
 CT scanning 218
 dementia 182
 depression 182
 late-onset depressive disorders
 179–80
 Newcastle score 181
 pneumoencephalography 218
- ventricular : skull ratio 176
- ventricular size
 affective disorders 176
 normal 18
- ratios 17
- schizophrenia 192
 dilatation 191
 volumetric 18
- visual evoked potential (VEP) 65, 66
- visuospatial agnosia, vascular
 dementia 123
- vitamin B₁₂ deficiency 151
- voxels 6
 density 6–7
- Wechsler Adult Intelligence Scale
 146
- Wernicke–Korsakoff syndrome 150
- white matter
 abnormalities 35–6, 38, 85
 Alzheimer's disease 108–9
 changes in depression 177
 MRI of vascular dementia 141
 neuroimaging lesions 212
 normal aging 80, 81
- white matter hyperintensities (WMHI)
 79, 83–4
 antidepressant response 184
 atrophy correlation 88
 Binswanger type encephalopathy
 129
 cerebrovascular risk factors 88
 cognitive correlates 86–8
 cognitive profile 89
 CT 85
 depressed patients 177, 180, 183
 frequency 86
 intensity 86
 late-onset depressive disorders
 180
 location 86
 manic disorder 184
 MRI 85–6, 193–5
 depression 177

Cambridge University Press

978-0-521-11247-5 - Neuroimaging and the Psychiatry of Late Life

Edited by David Ames and Edmond Chiu

Index

[More information](#)

INDEX

237

neuroimaging 85–6

neuropathology 84–5

neuropsychological correlates 86–8

periventricular 89

severity 86, 87

threshold effect for size 88

volume 86, 87–8

X-ray beam 3

xenon 10

xenon-133 142

cerebral blood flow measurement

178

delirium 167