

Index

- ABO blood groups, genetic markers
 in circumpolar peoples, 42–3, 55, and in those south of Arctic Circle, 61
 four clines of, round N Pole, 118–20
 gene frequencies of: 64, 67, 91, 92, 94–5; in 16 communities of Greenland Eskimos, 102–3; variances of, 70, 71, 72, 75
 Hardy-Weinberg equilibrium for, 58, 59 in saliva, 182
- acculturation of Eskimos
 measure of extent of, 354
 rapidity of, 336
 stress of, 344, 345, 349, 350–4
 and working capacity, 330
- acetyl transferase, in inactivation of isoniazid, 134
- acid phosphatase of red cells, genetic marker, 84, 100
 gene frequencies of, 91, 92, 93, 96–7
 negatively correlated with glutathione reductase? 93, 100
- activity patterns, and working capacity, 326–30
- adenosine deaminase of red cells, genetic marker
 gene frequencies of, 96–7, 108–9
 genetic distances measured with, 124–7
- adenylate kinase, genetic marker
 gene frequencies of, 91, 96–7, 100
 genetic distances measured with, 124–7
- age (adults)
 and body measurements, 244–7; stature, 311–12
 and maximum oxygen uptake, 315, 326
 and muscular strength, 321, 326
- Ainu
 anthropometry: skinfold thickness, 264, 265, 323; stature, 310, 311
 craniofacial studies, 170–1
 diet, 264–6
 eye color, 136
 gene frequencies, 81, 82–3, 94, 96, 98, 108, 110, 113, 118, 129; different from both Eskimos and Lapps, 112–13; same as in Eskimos, different from Lapps, 91–3, 100–1, 106–9, 112; same as in Lapps, different from Eskimos, 115–18
 genetic distances from Eskimos and Lapps, 124–8
 Japanese admixture, 82, 83
 Mongoloid traits predominate over Caucasian, 170
 physiology: basic metabolic rate, 286, and thyroid activity, 287; cerumen dimorphism, 132–4; free fatty acids in plasma, 275, 297–8, and effects on, of glucose, 279, and of norepinephrine, 275, 295; isoniazid inactivation, 135; ketone bodies in plasma, 275, 295, 298, and effect on, of norepinephrine, 276, 277, 295, 298; number of sweat glands, 296, and activity, 297; PTC tasting, 131; responses to cold, 292, 293, 294; sensitivity to norepinephrine, 295
 working capacity: development, 325; efficiency of effort, 317; heart rate and oxygen uptake, 314; maximum oxygen uptake, 313, 315, 320
- Alaska, Eskimos of, *see* Eskimos, Alaska
- alcoholism, 345, 346, 349, 366
- Aleuts
 gene migration, 66
 genetic markers, 42
 language, 38, 39
 population, 14; effective reproductive size of, 48, 49; reproductive age limits in, 46
- Altai highland people, gene migration, 66
- American Indians
 dental traits, 171
 genetic distance between Eurasian Arctic peoples and, 38
 physiology: cerumen dimorphism, 133; isoniazid inactivation, 135
- Amur and Sakhalin peoples, gene migration, 66
- amylase, salivary: electrophoretic patterns of isoenzymes of, in Eskimos and Caucasians, 365
- anaemia, iron-deficiency, 267–8, 364
- anthropometry, 363
 methods, 217–18
 peoples studied, 213–17
 results: adults, 242–53; children, 218–242

Index

- antibodies
to different pathogens, 155–6, 158
 γ -globulins and, 157
- antigens, histocompatibility, *see* histocompatibility antigens
- antitrypsin alleles (α_1), genetic markers:
gene frequencies for, 98–9, 112, 114, 121
- anxiety neurosis, 346
- archaeology, of circumpolar peoples, 10, 38, 44, 77
- Arctic
climate, 7–9; and working capacity, 305–6, 330–3
geography, 6
man in, 9–11
migrations into, 33, 39–40
- Arctic Slope Regional Corporation, Alaska, 20
- area developed by an elementary population, in Eurasian circumpolar zone, 46
- Australoids, possible affinity of Ainu with, 82, 170, 171
- auto-antibodies, rare in Lapps, 156
- Barrow, N Alaska: climatic data, 8
- basal metabolic rate, 285, 286, 316
- beards, 171, 195
- birth control, among Eskimos, 19, 29–30, 32
- birth rates of Eskimos
Alaska, 16, 21, 22, 23; bottle-feeding of infants and, 17
Greenland, 27
- births: ages of parents at first and last of a family, Eurasian Arctic, 46, 47
- blood, peripheral circulation of
cheek, 289–91
hand, 288–9
- blood groups, as genetic markers, 38, 42–3, 54–6, 58
see also individual blood groups
- blood pressure, Lapps, 150
- blood volume
acclimatization to cold and, 333
in hunters, 321, 331
- bone of forearm: mineral loss from, with age, 282
- Buryat people, gene migration, 66
- C3 component of serum, genetic marker, 96–7, 123
- calcium
content of, in native and commercial foods, 262, 264
serum levels of, and transmission of nerve impulses, 348, 349
- Canada, Eskimos of, *see* Eskimos, Canada
- carbohydrate
in commercial foods, 262
percentage of, in diet: Danes, 259; Eskimos, 259, 264; Lapps, 257, 258
- cattle herders, cultural-economic type, 40, 41
- Caucasian genes, in circumpolar peoples, 91, 93, 100–1, 109, 114, 129
in Eskimos, Alaska and Canada, 29
- Caucasoid and Mongoloid groups, in circumpolar peoples, 169–70
- cerumen (ear-wax), gene frequencies for dry and wet types of, 132–4
- cholesterol of plasma
in Alaskan Eskimos, 273, 274, 276, in Finns, 274, and in Lapps, 274, 276
relation between vitamin E and, 269, 270
- cholinesterase of serum, genetic marker one gene for, not present in Ainu and Eskimos (except at one place in Alaska), 84, 91, 100
second gene for, in all original circumpolar peoples? 121, 122
- chromosomal aberrations, auto-antibodies and, 156
- Chukchi, ‘coastal’ and ‘reindeer’, 40
assimilation of Siberian Eskimos into, 28
ethnic origins, 50
gene frequencies, 118, 120
gene migration, 52, 66
genetic markers, 42, 43, 89
language, 38, 39
move into Yukaghir territory, 40
population structure (coastal), 47
reproductive age limits, 46; effective reproductive size of population, 48, 49
- cigarette-smoking, by Canadian Eskimos, 310, 318
- circadian rhythms, synchronized to social factors rather than to photic stimuli, 299–300, 365
- cognitive abilities, 366
developmental sequence of, 342
sex differences in, 343–4
those visually based, well developed in hunting peoples, 340, 342, 343
- cold
acclimatization to, and blood volume and body water content, 333
pressor response to, 293–4
thermal and metabolic responses to, 287–8
vasodilatation induced by, 291–3, 365
- color blindness, almost absent in circumpolar peoples, 205–6
where present, due to racial admixture? 363

Index

- competition with non-human environment, being replaced by competition with persons, 354
- Coral Harbour, Canada: climatic data, 8
- cranial anatomy of circumpolar peoples, preserves identity with Neolithic population of Siberia, 38–9, 362
- cranio-facial studies, 169–70, 188–9
- on Ainu, 170–1
- on Eskimos: Alaska, 175–83; Canada, 172–3; Greenland, 173–5
- on Lapps, 183–5
- on Siberians, 185–8
- cultural-economic types, 40–1, 44
- Danes
- gene frequencies, 92, 108, 113
- number of, in Greenland, 26
- death: causes of, Alaska Eskimos and US population, 19
- death rates of Eskimos
- Alaska, 15, 16, 17, 18, 19; Barrow, 22; Wainwright, 23
- Canada, 24, 25
- Greenland, 27
- Denbigh Eskimo culture, 10
- demography, 13–14, 32–3, 360
- Eskimos, 28–30; Alaska, 14–19, (north) 20–3; Canada, 23–6; Greenland, 26–8
- inbreeding, 30–1
- Lapps, 30
- migration, 31–2
- Soviet Arctic, 28
- Denmark, Greenland Eskimos in, 32, 270, 271
- dental caries, 362
- in Eskimos: Alaska, 172, 177–9, 180–1, 182; Greenland, 174–5
- in Lapps in Finland, 184
- sugar consumption and, 364
- dental diseases other than caries, in Alaska Eskimos, 179–81
- dental morphology, 362
- of Eskimos: Alaska, 177, 181, 182–3, 188; Greenland, 173–4
- of Lapps: Finland, 183–5; Kola, 186
- of Siberians, 185–8
- dentists, in Greenland, 175
- dermatoglyphics, 149–50
- of Eskimos, 144–6
- of Lapps and Finns, 146–9
- diabetes
- auto-immune component in? 156–7
- common in Aleuts of Pribiloff Islands, 278–9
- low incidence of, in Ainu, 299, in Eskimos, 270, 298, and in Lapps, 150
- Diego blood groups, genetic markers, 42, 94–5, 112, 114
- diet, 364–5
- of Ainu, 264–6, of Eskimos, 259–64, and of Lapps, 257–9
- percentage of calories in, from hunting (Igloodik), 318, 321
- percentage of nutrients in, from native foods (N Alaska), 262, 263
- rapid decrease of native foods in, 336
- diseases
- differences in frequencies of, between Eskimos and Caucasians, of genetic origin? 124
- of Eskimos, natural and introduced, 14
- hereditary, in Finns, 151
- selective effect of, on working capacity, 336
- Dolgans, NW Siberia
- ethnic origins, 50
- gene frequencies, 118, 120
- gene migration, 52, 66
- genetic markers, 43, 48
- language, 38, 39
- move into Yukaghir territory, 40
- Dorset Eskimo culture, 10, 85
- Duffy blood groups, genetic markers, 42, 94–5, 112, 113
- electrocardiograms, 331, 332
- Enets
- ethnic origins, 50
- gene migration, 52, 66
- language, 37, 39
- English, gene frequencies, 92, 108, 113
- environment
- adaptation to, 359–60
- competition with, being replaced by competition with persons, 354
- equilibrium between population and, 41, 44–5
- stabilizing pressure of, on genes, 74–7
- epilepsy, 346, 349
- Eskimos, 5, 10, 13–14
- body build, 253, 254; weight for stature ratios, 227, 242, 311
- body composition, 323
- demography, 28–30
- dermatoglyphics, 144–7, 148, 149–50
- flat face of, 194, 195
- gene frequencies: different from Ainu and Lapps, 115–18; same as in Ainu, different from Lapps, 91–3, 100–1, 106–9, 112; same as in Lapps, different from Ainu, 112–15
- immunogenetics, 156, 157

*Index*Eskimos—*cont.*

- inbreeding, 30–1
- ophthalmology, 193–209 *passim*
- physiology: glucose tolerance, 277; isoniazid inactivation, 135; PTC tasting, 132; responses to cold, 288, 291, 292, 293–4; sweat gland distribution and activity, 296
- pigmentation: eyes, 136, 137, 199–201; skin, 138–9
- stature, not separable from Lapps, 253
- see also following entries*

Eskimos: Alaska

- demography, 14–19
- dental morphology, 182–3
- dermatoglyphics, 145, 148
- gene frequencies, 94, 96, 98, 107, 108, 113, 117, 118
- genetic markers, 83–4
- mental disorders, 345, 346; in children, 349–50; suicidal behavior, 347
- physiology: cerumen dimorphism, 133; lactose intolerance, 279, 280, 299; sucrose intolerance, 281
- see also following entries*

Eskimos: Alaska: north

- activity patterns, 327–8
- anthropometry, 213–14; at different ages, 244–7; hip width, 235, 236, and stature, 234, 252; shoulder width, 232, 233, and stature, 234, 251; sitting height, 229, and stature, 231, 250; skinfold thicknesses, 240, 241; stature, 220, 222, and age, 221; upper arm circumference, 224, 226; weight, 224, 226, (and age) 225, (and stature) 228, 249

demography, 20–3

- genetic distances, 124–8
- genetic markers, 83–4
- middle phalangeal hair, 139–42, 142–4
- mineral loss from bone with age, 282
- PTC tasting, 131
- see also following entries*

Eskimos: Alaska: north: Barrow, 214

- demography, 20–2
- dermatoglyphics, 145, 148
- stature and weight, 310

Eskimos: Alaska: north: Point Hope

- diet, 262–4
- physiology: haemoglobin, 267; plasma lipid and lipoprotein pattern, 271–2, 273, 297; riboflavin and thiamine status of children, 266
- stature and weight, 310

Eskimos: Alaska: north: Wainwright

- anthropometry: skinfold thicknesses, 323, 324; stature and weight, 310

cranio-facial studies, 175–82, 188

demography, 20, 22–3, 28, 29, 32

dermatoglyphics, 145, 148

diet, 262–4

genetic markers, 84

inbreeding, 31

migration of women, 32

physiology: cerumen dimorphism, 133; haemoglobin, 267; sucrose intolerance, 281

work capacity: anaerobic power, 321, 322; development, 325; heart rate and oxygen uptake, 314

Eskimos: Alaska: south-west: Kasigluk and Nunapitchuk

extent of dietary acculturation, and plasma cholesterol, 273, 276

physiology: haemoglobin, 267; no sucrose intolerance (berries in diet), 281; riboflavin and thiamine status of children, 266

Eskimos: Canada

demography, 23–5

dermatoglyphics, 145, 148

eye color, 200

mineral loss from bone with age, 282

see also following entries

Eskimos: Canada: Copper, 90, 114

- Eskimos: Canada: Fort Chimo (Quebec)
 - anthropometry, 215; hip width, 235, and stature, 252; shoulder width, 232, and stature, 251; sitting height, 229, and stature, 250; skinfold thicknesses, 232, 240, 259–62; stature, 220, and age, 221; upper arm circumference, 238; weight, and age, 259, 260

Caucasian admixture in, 84

diet, 259

gene frequencies, 94, 96, 98, 107, 113, 117, 118

genetic markers, 84–5

Eskimos: Canada: Foxe Basin

- anthropometry, 214–15; at different ages, 244–7; hip width, 235, 236, and stature, 234, 252; shoulder width, 232, 233, and stature, 234, 251; sitting height, 229, and stature, 231, 250; skinfold thicknesses, 240, 241, 323, 324; stature, 220, 222, and age, 221; upper arm circumference, 238, 239; weight, 224, 226, (and age) 225, (and stature) 228, 249

physiology: haemoglobin, and serum iron, 267; mineral loss from bone with age, 282; riboflavin and thiamine status of children, 266

see also following entries

Index

- Eskimos: Canada: Foxe Basin: Hall Beach
 cranio-facial studies, 172, 173, 188
 demography, 25, 28, 29
 heart rate and oxygen uptake, 314
- Eskimos: Canada: Foxe Basin: Igloolik
 activity patterns: and energy expenditure,
 327, 328; and skinfold thicknesses, 328–
 330
 anthropometry: skinfold thicknesses, 323,
 324; stature and weight, 310
 Caucasian admixture in, 84
 cranio-facial studies, 172–3, 188–9
 demography, 25–6, 28, 29–30
 gene frequencies, 96, 98, 107, 110–11, 113
 genetic distances, 124–8
 inbreeding, 31
 middle phalangeal hair, 143
 percentage of calories in diet from hunt-
 ing, 318, 321
 PTC tasting, 131
 working capacity, 365; development,
 324–5; efficiency of effort, 316–17;
 heart rate and oxygen uptake, 314;
 maximum oxygen uptake, 313, 315,
 316; muscle strength, 321–2; oxygen
 conductance line, 318–21
- Eskimos: Canada: Mackenzie
 gene frequencies, HL-A, 110–11
- Eskimos: Greenland
 demography, 26–8
 dental disease and dental care, 174–5
 dermatoglyphics, 148
 eye color, 200
 gene frequencies in 16 communities, 102–
 103
 physiology: lactose intolerance, 279;
 plasma lipid and lipoprotein patterns,
 270, 271; sucrose intolerance, 281
see also following entries
- Eskimos: Greenland: east
 gene frequencies, HL-A, 110–11
see also following entries
- Eskimos: Greenland: east: Ammassalik
 demography, 27, 28
 dermatoglyphics, 145, 148
 gene frequencies, 95, 97, 99, 107, 108, 113,
 117, 118
 genetic distances, 124–8
 genetic markers, 85, 87
 relatively pure stock, 85, 87
- Eskimos: Greenland: east: Scoresbysund,
 85
 demography, 27
 dermatoglyphics, 145
 gene frequencies, 95, 97, 99, 107, 113, 117,
 118
 genetic markers, 87
- Eskimos: Greenland: north-west
 middle phalangeal hair, 143
see also following entries
- Eskimos: Greenland: north-west: Igdors-
 suit
 diet (1914, 1972), 259
- Eskimos: Greenland: north-west: Thule
 (Polar Eskimos)
 dental morphology, 173–4
 gene frequencies, 94, 96, 98, 107, 108, 113,
 117, 118
 genetic distances, 124–8
 relatively pure stock, 85
- Eskimos: Greenland: west
 gene frequencies, 90, 92, 94, 96, 98, 107,
 108, 110–11, 113, 117, 118
 plasma lipid and lipoprotein pattern, 270–
 271
see also following entries
- Eskimos: Greenland: west: Aupilagtoq
 anthropometry (with Kraulshavn), 216;
 at different ages, 244–7; shoulder and
 hip widths, 251; stature, 242, 243, 249;
 upper arm circumference, 252
 demography, 28, 29
 dermatoglyphics, 145, 148
 gene frequencies, 94, 96, 98, 107, 108, 113,
 117, 118
 genetic distances, 124–8
 genetic markers, 85
 middle phalangeal hair, 143
 PTC tasting, 130–2
- Eskimos: Greenland: west: Kraulshavn
 anthropometry, *see under* Aupilagtoq
 demography, 28, 29
 dermatoglyphics, 145, 148
- Eskimos: Greenland: west: Upernavik
 middle phalangeal hair, 143
 stature and weight, 310
 working capacity: activity patterns and,
 326–7; development, 324–6; efficiency
 of effort, 317; heart rate and oxygen
 uptake, 314; maximum oxygen uptake,
 313, 315
- Eskimos: Siberia: fishermen and sea-
 mammal hunters, 40
 decrease in number of, from assimilation
 into Chukchi, 28
 ethnic origins, 50
 gene frequencies, 89, 118, 120
 gene migration, 52, 66
 genetic markers, 42, 43, 89
 language, 38, 39
 population structure, 47
 reproductive age limits, 46; effective
 reproductive size of population, 48,
 49

Index

- esterase D of red cells, genetic marker, 96–7, 124
- ethnic origins, of Eurasian circumpolar peoples, 50–1
- Eurasian Arctic (Behring Strait to Scandinavia), 37
- genetic markers in population of, 54–8
- man older in Siberian than European part of, because of later-remaining glaciers on the latter, 77
- Evenks, gene migration, 66
see also Tungus-Evenks
- Evens, fishermen, and reindeer hunters and breeders, 40
- ethnic origins, 50
- gene migration, 52, 66
- genetic markers, 43
- language, 38, 39
- move to Yukaghir territory, 40
- eye
- arcus senilis, 208–9, 363
- climatic lesions, 202–5
- cornea: scarring associated with tuberculosis, 208, 363; size, 197, 362
- depth of anterior chamber, 208–9, 363
- intra-ocular pressure, 206, 207
- pseudo-exfoliation of lens, 206, 208
see also color blindness, glaucoma, myopia, strabismus
- eyebrows, eyelashes, 195
- eye color, 136–8
- dark in Eskimos, light in Finns, mixed (mostly intermediate) in Lapps, 199–201
- eye-fold, of Mongoloid peoples, 195, 196, 197
- eyelids: thick in Eskimos, Lapps, and Siberian peoples, 194, 195
- face, flattened, of Mongoloid peoples, 188, 193–4, 195
- fat
- high intake of, by hunting peoples, 305
- percentage of, in diet: Danes, 259; Eskimos, 259, 264; Lapps, 257, 258
- percentage body weight in, 322, 323;
- internal storage of, 322, 336
- subcutaneous, measured by skinfold thickness, *see* skinfold thicknesses
- fatty acids
- free, in plasma, 275, 297–8, 299; after glucose, 278, 279; after norepinephrine, 275, 295
- metabolism of, 297–8
- mono-unsaturated and long-chain poly-unsaturated, in Eskimo diets, 259, 270
- poly-unsaturated, enhance vitamin E requirement, 270
- in winter, become more unsaturated in subcutaneous fat of extremities, 277
- Finland, Lapps of, *see* Lapps: Finland
- Finno-Ugric peoples
- date of migration to circumpolar zone, 39–40
- languages, 37, 39
- Finns
- coronary heart disease and hereditary diseases in, 151
- dermatoglyphics, 145
- eye color, 137, 200, 201
- gene frequencies, 92, 93, 113, 121
- genes of, in Lapps, 30
- mental disorders, 347; psychic health of children, 350
- migration of: into Finland, 87; into Lapp areas, 30, 85, 87
- physiology: cerumen dimorphism, 133; cholesterol in plasma, 274, 276; isoniazid inactivation, 135; PTC tasting, 131
- fishing (and/or reindeer or sea-mammal hunting), cultural-economic type, 40
- size of populations engaged in, 41
- social uninvolvement of those engaged in, 353
- fluoride in drinking water, and caries in different areas of Greenland, 175
- folacin: low blood content of, Foxe Basin Eskimos, 268–9
- galvanic skin reaction, to startle stimulus, 354–5
- gene frequencies, for blood factors, 90–1, 128–9
- in different Eskimo communities, Greenland, 102–3
- in different circumpolar populations, 63–68, 94–9
- of γ -globulin haplotypes, 104–5
- of histocompatibility antigens, 110–11
- same in all populations, 121–3
- same in Ainu and Lapps, different in Eskimos, 115–18
- same in Eskimos and Lapps, different in Ainu, 112–15
- same in Eskimos and Ainu, different in Lapps, 91–3, 100–1, 106–9, 112
- suggesting several clines, 118–21
- tested in only few populations, 123–4
- variances of, 68–77
- gene migration (flow), 49–54, 63, 128
- genetic distances, 81, 90, 124–8, 129
- between Eurasian circumpolar peoples and American Indians, 38

Index

- genetic markers (blood factors), 38, 42–3, 54–62, 360–2
 gene frequencies of, *see* gene frequencies
 methods of study, 90
 polymorphisms, 81–2
 studied in Ainu, 82–3, in Eskimos, 83–7, in Lapps, 87–9, and in Siberians, 89
 genetic traits, other than blood factors, 129–130
 cerumen dimorphism, 132–4
 congenital dislocation of hip, 151–5
 dermatoglyphics, 144–50
 hereditary pathological traits, 150–1
 immunological factors, 155–8
 isoniazid inactivation, 134–5
 middle phalangeal hair, 139–44
 pigmentation, 135–9
 PTC tasting, 130–2
 glaucoma, 363
 closure-angle, common in Eskimos, rare in Iceland; open-angle, common in Iceland, 206
 γ -globulin types, genetic markers, 82
 association between type of, and antibody, 157
 clines of, round N Pole, 120–1
 gene frequencies for, 84, 90–1, 101, 104–6, 107, 115
 glucose, insulin response to, 277, 278–9, 298, 299
 glutamate-pyruvate transaminase, genetic marker, 96–7, 115, 117
 glutamate reductase, genetic marker: negatively correlated with acid phosphatase of red cells? 93, 100
 Greenland
 arrival of man in, 85
 Eskimos of, *see* Eskimos: Greenland
 map, 86
 group-specific compound (Gc) of serum, genetic marker, 57, 58
 in circumpolar peoples, 42, 43, and those south of Arctic Circle, 62
 gene frequencies of, 65, 96–7, 106–7, 115, 116; variances of, 71, 73, 77
 genetic distances measured with, 124–7
 and vitamin D binding of α -globulin, 154
 growth rates, 242, 324–6
 retarded by food shortages in hunting peoples? 305
 slower in Eskimos and Lapps than in Icelandic or Scandinavian children (age 7–8 onwards), 253, 363
 haemoglobin
 levels of, 318
 variants of, 123
 hair
 color of, in different Lapp populations, 135–6
 middle phalangeal, in Eskimo and Lapp populations, 139–44
 haptoglobin subtypes, genetic markers, 57, 58
 in circumpolar peoples, 42, 43, 65, 67, and those south of Arctic Circle, 62
 gene frequencies of, 65, 67, 98–9, 112–14, 124; variances of, 70, 71, 73, 76
 heart
 coronary disease of: high incidence of, in Finns, 151, and low in Greenland, 270
 maximum output of, 318, 320, 321
 heart rate
 and oxygen uptake, 314, 316
 in startle reaction, 356
 height, *see* stature
 herding: of cattle, 40, 41; of reindeer, 40
 social uninvolvement of those engaged in, 353
 hip, congenital dislocation of, 150, 151–5
 hip width
 in children, 231, 234–6, and adults, 245, 251
 and stature, adult males, 252
 histocompatibility antigens, genetic markers, 82
 and auto-antibodies, 156–7
 gene frequencies of, 91, 109–12, 115, 117–18, 121–2, 123, 124, 129
 hunting, of reindeer and sea-mammals, 40
 archaeological evidence of, 10, 38
 energy expenditure in, 326–7, 328
 share of diet from, Igloodik, 318, 321
 size of populations engaged in, 41
 social uninvolvement of those engaged in, 353
 working capacity and, 305, 330, 336
 hysteria, Arctic, 348–9
 Icelanders
 anthropometry (children), 217; stature, 218; weight, 227, and stature, 228; results close to those for Scandinavians, 253
 colonies of, in Greenland, 85; racially isolated colony of, 363
 gene frequencies, 100
 growth rates, 242
 physiology: cerumen dimorphism, 133; PTC tasting, 131
 inbreeding, 30–1
 infant mortality, Eskimos, 29
 in Alaska, 16, 17
 in Canada, 24, 336

Cambridge University Press

978-0-521-11266-6 - The Human Biology of Circumpolar Populations

Edited by F. A. Milan

Index

[More information](#)*Index*

- infant mortality—*cont.*
 high rate of, masks effects of inbreeding, 31
- Inv¹ allele, genetic marker: gene frequencies of, 98, 121, 122–3, 129
- iron
 higher content of, in native than in commercial foods, 262, 268
 in serum, 267, 268
- isoniazid, rapid or slow inactivation of, 134–5
- Itel'men people, reindeer hunters and/or fishermen, 40
 language, 38
- Japanese
 gene frequencies, 92, 93, 100, 101, 106, 108, 109, 113, 114, 133
 genes of, in Ainu, 82, 83
- Karesuando, Finland: climatic data, 8
- kayaks
 energy expenditure in fishing and hunting in, 326–7
 number of inhabitants and number of, 27
- Kell blood groups, genetic markers, 42, 91, 93, 94–5
 in different Eskimo communities, Greenland, 102–3
 genetic distances measured with, 127
- keratopathy of cornea, climatic, 202, 204–5
- ketone bodies: plasma levels of, higher in Ainu than in Japanese, 277, 295, 298, and increased more by norepinephrine, 276, 277, 295, 298, and exposure to cold, 298
- Khants, fishermen and/or reindeer hunters, 40
 ethnic origins, 50
 gene migration, 52, 66
 genetic markers, 42
 language, 37, 39
- Kidd blood groups, genetic markers, 94–5, 115, 116, 117
- Kola peninsula, Lapps of, *see* Lapps: Kola Peninsula
- Komis, reindeer breeders, 40
 dental characters, 186, 187
 ethnic origins, 50
 gene migration, 52, 66
 genetic markers, 42
 language, 37, 39
- Koryaks, 'coastal' and 'reindeer', 40, 44
 effective reproductive size of population, 48, 49
 gene migration, 66
 genetic markers, 42
- language, 38, 39
- lactate dehydrogenase of red cells, genetic marker: variants of, 123–4
- lactose intolerance, from lack of lactase, 278–80, 299, 364
- languages, of circumpolar Eurasians, 37–8
 ethnolinguistic tree, 39
- Lapps, 30
 Caucasian traits predominate over Mongoloid, 169, 201
 climatic eye lesions, 203, 204
 Finns migrate into areas of, 30, 87, 89
 gene frequencies: different from Ainu and Eskimos, 91–3, 100–1, 106–9, 112; same as Ainu, different from Eskimos, 115–18; same as Eskimos, different from Ainu, 112–15
 hair, 136
 language, 37, 39
 physiology: antibodies and auto-antibodies, 155–8; cholesterol in serum, 274, 276; response to cold, 287; vitamin D deficiency, 154
 skin color, 139
see also following entries
- Lapps: Finland
 anthropometry, 216, 217; at different ages, 244–6; hip width, 235, 236, 252, and stature, 234, 252; shoulder width, 232, 233, and stature, 234, 251; sitting height, 229, and stature, 231, 250; skinfold thicknesses, 240, 241; stature, 220, 222, and age, 221; stature not separable from Eskimos, 253; upper arm circumference, 238, 239; weight, 224, 226, (and age) 225, (and stature) 249
 diet: high intake of vitamin A, 258
 lactose intolerance, 279
 responses to cold, 291, 292, 293
see also following entries
- Lapps: Finland, Inari (Fisher and Mountain), 30, 40, 89, 92
 congenital dislocation of hip, 153
 dermatoglyphics, 145, 147–50
 eye color, 137, 138, 200, 201
 gene frequencies, 95, 97, 99, 107, 108, 110–11, 113, 117, 118
 hair color, 135–6
 middle phalangeal hair, 143
 physiology: cerumen dimorphism, 133; isoniazid inactivation, 135; PTC tasting, 131
- Lapps: Finland: Skolt (Nellim and Svettijarvi)
 acculturation stress, 350, 352, 353

Index

- congenital dislocation of hip, 152, 153
 corneal thickness, 197
 dental traits, 183–5, 186
 dermatoglyphics, 145, 147–50
 eye colour, 137, 138, 200, 201
 gene frequencies, 95, 97, 99, 101, 108, 113, 117, 118
 genetic distances, 124–8
 hair colour, 135, 136
 inbreeding, 31
 physiology: cerumen dimorphism, 133; intra-ocular pressure, 206, 207; isoniazid inactivation, 135; PTC tasting, 131
 stature and weight, 310; secular trend in stature, 311, 312
- Lapps: Finland: Skolt: Nellim (from Pasvik), 30, 89, 92
 stature, 312
 working capacity: activity patterns, 327; development, 325; maximum oxygen uptake, 313, 315
- Lapps: Finland: Skolt: Svettjärvi (from Suengel), 30, 89, 92
 diet, 257, 258
 stature, 312
- Lapps: Finland: Utsjoki, 89, 92
 cerumen dimorphism, 133
 diet, 257, 258
 gene frequencies, 95, 97, 99, 107, 108, 110–11, 113, 117, 118
- Lapps: Kola peninsula (USSR), 'fisher' and 'mountain', fishermen and reindeer hunters, later reindeer breeders, 40
 dental traits, 186, 187
 dermatoglyphics, 145
 ethnic origins, 50
 gene migration, 52, 66
 genetic markers, 42, 54
 reproductive age limits, 46; effective reproductive size of population, 48, 49
- Lapps: nomadic (Kautokeino)
 skinfold thicknesses, 322, 323
 stature, 310; secular trend in, 311
 tolerance to cold, 287
 weight, 310
 working capacity: development, 325; maximum oxygen uptake, 313, (age and) 315
- Lapps: Northern (USSR): dental traits, 186, 187
- Lapps: Norway, 87, 92
 activity patterns, 327
 anthropometry, 216–17; hip width, 235, 236, and stature, 234, 252; shoulder width, 232, 233, and stature, 234, 251; sitting height, 229, and stature, 231, 250; skinfold thicknesses, 240, 241; stature, 220, 222, and age, 221; upper arm circumference, 238, 239; weight, 224, 226, (and age) 225, (and stature) 228, 249
- congenital dislocation of hip, 152
 dental traits, 183
 diet, 258–9
 gene frequencies, 95, 97, 99, 107, 108, 110–11, 113, 117, 118
 PTC tasting, 131
 skin color, 138
- Lapps: Sweden, 87–8, 92
 gene frequencies, 95, 97, 99, 107, 108, 115
 hair color, 136
 PTC tasting, 131
- Lewis blood groups, genetic markers
 in circumpolar peoples, 42, 43, 56, 65, and those south of Arctic Circle, 62
 frequency variances of genes for, 70, 71, 73, 76
- life expectancy of Eskimos: in Alaska, 17, and in Greenland, 26–7
- lipid metabolism: in Ainu, 276, in Eskimos, 270–4, 276, and in Lapps, 276–7
- lipoprotein of serum, 96–7, 123
- lung
 forced expiratory volume (FEV), 307, 309, 318; ratio of, to FVC, 331; tuberculosis and, 334
 residual volume (RV), 318, 319
 total capacity (TLC), 318, 319
 vital capacity (FVC), 307, 318; ratio of FEV to, 331; tuberculosis and, 334
- Lutheran blood group, genetic marker, 94–5, 116
- Mati people, 'meadow' and 'mountain':
 dental traits, 187
- mental abilities, 340–3
 cultural background and assessment of, 339–40
 sex differences in, 343–4
- mental disorders, epidemiology of, 345–7
 mental health, 344–5; of children, 349–50
 mental health teams, Alaska, 349–50
- Metis (French-Canadian-Indian hybrids), compared with Fort Chimo Eskimos for skinfold thicknesses, and weight at different ages, 259, 260
- migration
 into Arctic, 33, 39–40
 to central communities: Canada, 25; Greenland, 27
 to coastal settlements, Alaska, 20
 to urban areas, Alaska, 31, 32
 of women away from small Eskimo communities, 22, 28, 32, 360

Cambridge University Press

978-0-521-11266-6 - The Human Biology of Circumpolar Populations

Edited by F. A. Milan

Index

[More information](#)*Index*

- MN blood groups, genetic markers, 56, 58
 in circumpolar peoples, 42, 43, 102–3
 four clines of, round N Pole, 118–20
 gene frequencies of, 91, 120; variance of, 51
 genetic distances measured with, 127
 Hardy-Weinberg equilibrium for, 58, 59
- MNS blood groups, genetic markers, 54, 55, 58
 in circumpolar peoples, 42, 64, and those south of Arctic Circle, 61
 gene frequencies of, 64, 94–5, 119, 120; variance of, 70, 71, 72, 73, 75
- Mongolian spot (blue), in sacral region of new-born children: common in Asian peoples, rare in Lapps, 139
- Mongoloid and Caucasoid groups, in circumpolar peoples, 169–70
- muscle power (grip strength, leg strength, anaerobic power), 321–2
 in boys and girls, 324, 325, 326
 extent of acculturation and, 330
 in women, number of children and, 334, 335
- myopia; rare in Greenland Eskimos and NE Siberians, increasing among other circumpolar people, with schooling and 'near work', 199, 263
- Nenets, NW Siberia, 'forest' and 'tundra', 40
 dental traits, 186, 187, 188
 ethnic origins, 50
 gene frequencies, 118, 120
 gene migration, 52, 66
 genetic markers, 42, 43
 language, 37, 39
- Nganasans, NW Siberia, reindeer breeders, 40
 ethnic origins, 50
 gene frequencies, 118, 120
 gene migration, 52, 66
 genetic markers, 43
 language, 38, 39
 move to Yukaghir territory, 40
- norepinephrine
 effects in Ainu and Japanese: on plasma free fatty acids, 275, 295, and ketone bodies, 276, 277, 295, 298
 mediator of non-shivering thermogenesis? 295
 sensitivity to, in Ainu, 295; associated with pressor response to cold, 294
- Norway, Lapps of, *see* Lapps: Norway
- Norwegians: gene frequencies, 92, 108, 113
 nutrition, *see* diet
- obesity, increasing prevalence of, 254, 363
- oestrogens, especially relaxin, and congenital dislocation of hip, 153–4
- oxygen
 arterio-venous difference in, Igloolik Eskimos, 318
 maximum uptake of (measure of working capacity), 312–16, (boys and girls) 325, 326; acculturation and, 330; age and, 315, 326; coefficients of variation for, 333; life style and, 329, 330, 337; season and, 329, 333
- P blood group system, genetic marker, 56
 in circumpolar peoples, 102, and those south of Arctic circle, 62
 gene frequencies of, 65, 94–5, 106, 107; variance of, 70, 71, 73, 76
 genetic distances measured with, 127
- Palaeo-Asiatic language group, 38
 palpebral fissure, 362–3
 narrow in Mongoloid peoples, 195
 width decreases with age, 197
- phenyl thiocarbamide (PTC): ability to taste, as genetic marker, 38, 42–3
 gene frequencies of, 65, 67, 130–2; in populations south of Arctic Circle, 62; variances of, 70, 71, 73, 76
- phosphoglucomutase, genetic marker
 gene frequencies of, 96–7, 101, 106, 107
 genetic distances measured with, 124–127
- 6-phosphogluconate dehydrogenase, genetic marker, 84, 95–7, 115, 116
- phosphorus: higher content of, in native than in commercial foods, 262
- pinguecula (yellowish spot on cornea), 202, 204
- population density
 Eurasian circumpolar region, 44
 Lapps, 87
- population structure
 of Eskimos: Alaska, 21, 22; Canada, 23–4, 26
 of Eurasian circumpolar peoples, 47–8
 in Soviet Arctic, 28
- populations
 equilibrium between environment and, 41, 44–5
 of Eskimos: in Alaska, at different periods, 14–15, 17, 18–19, 20; in Canada, in different areas, 23, 24–5; in different communities, 28; in different countries, 13–14; in Greenland, 26–7
 of Eurasian circumpolar peoples: average (optimum) size of, 44–6, and area

Index

- occupied by, 46; effective reproductive size of, 46–9
- inbreeding in, 30–1
- of new settlements in Soviet North, 45
- sampling of, for tests of working capacity, 306–9
- stable ratio of effective to total size of, 48, 49
- pregnancies: average number of, for each woman, 29
- protein
- higher content of, in native than in commercial foods, 262
- high intake of: by Eskimos, 259; by Norwegian Lapps, in reindeer meat, 258
- percentage in diet: Danes, 259; Eskimos, 259, 264; Lapps, 257, 258
- psychomotor performance, sex differences in, 344
- psycho-physiological studies, 354–6
- pterygium, eye disorder, 202–3, 203–4
- public health services, Alaska, 15, 16, 17, 19
- mental health teams, 349–50
- reindeer
- distribution of grazing lands for, tundra, 44
- hunters and breeders of, 40, 41
- Rhesus blood groups, genetic markers, 54, 56, 58
- in circumpolar peoples, 42, 43, and those south of Arctic Circle, 62
- in Eskimo communities, Greenland, 102–3
- gene frequencies of, 64, 67, 91, 93, 94–5, 108, 109, 112, 114, 115, 116, 117, 121; variances, 70, 71, 72–3, 75–6
- genetic distances measured with, 127
- rheumatic diseases
- auto-antibodies and, 156, 157
- histocompatibility antigen and, 124
- riboflavin
- deficient in some Lapps? 100
- status of Eskimo children with respect to, 266–7
- rickets, in Lapps, 154, 155
- Russians
- in Kola peninsula, dental traits, 186, 187
- in Soviet Arctic, 28
- Samodian peoples
- languages, 37–8, 39
- migrate to circumpolar zone, 39
- Sayan plateau peoples, gene migration, 66
- Scandinavia: map, showing Lapp populations at different dates, 88
- schizophrenia, 345, 346
- sea-mammal hunting and/or fishing, cultural-economic type, 40
- season
- and predicted aerobic power, 329, 333
- and skinfold thicknesses, 309, 329, 333
- Selkups
- ethnic origins, 50
- gene migration, 52, 66
- genetic markers, 42
- language, 38, 39
- serum proteins, as genetic markers, 38, 42–3, 54, 57
- see also individual proteins*
- sex differences
- in cognitive abilities, 343–4
- in psychomotor performance, 344
- sex ratio, in Eskimo populations, 28
- at birth, 29
- shivering, acclimatization to cold accompanied by development of thermogenesis without, 295
- shoulder width
- adults, 244–5, 250–1; and stature (males), 251
- children, 231, 232–4
- Siberian Arctic (Behring Strait to Urals)
- Eskimos of, *see* Eskimos: Siberia
- genetic differences between circumpolar populations of, and populations south of Arctic Circle, 60–3
- genetic markers in population of, 54–8
- identity of circumpolar peoples with Neolithic population of, 38
- Siberians
- cranio-facial studies, 185–8
- genetic markers, 89
- of north-east, frequencies of O and N genes in, 118
- see also individual peoples*
- sitting height
- adults, 244; and stature (males), 250
- children, 228–31
- skin color, in different Eskimo and Lapp populations, 138–9
- skinfold thicknesses
- iliac, subscapular, and tricipital, in Fort Chimo Eskimos and Metis, 259–62
- season and, 309, 329
- subscapular, supra-iliac, and triceps: and age (children), 324; and extent of acculturation, 330
- at ten sites, for Ainu, 264; compared with Japanese, 264, 265
- triceps: adults, 244, 252–3; children, 237, 240–1; method of measuring, 218
- in women, number of children and, 334, 335

Index

- smallpox, introduced to Eskimos in Alaska, 14, 15
- snow blindness, 203, 363
- snowmobiles, 353
- social uninvolvement, of fishermen, hunters, and herdsman, 353
- startle reaction, 354–6
- stature
- adults, 242–8
 - age and, 221, 311–12
 - children, 218–23
 - hip width and, 234, 252
 - measurement of, 217
 - secular increase in, 243, 248, 249, 254, 311–12, 363, 364
 - shoulder width and, 234, 251
 - sitting height and, 231, 250
 - weight and, 227–8, 249, 310
- strabismus, rarer in circumpolar than in other peoples, 206
- sucrose
- consumption of, and dental caries, 364
 - intolerance to, from lack of sucrase, 280–282, 365
 - taste sensitivity for, 172
- suicidal behavior, 347–8, 366
- superoxide dismutase, cytoplasmic, as genetic marker: gene frequencies of, 91, 96–7, 101
- sweat glands
- numbers of, in different races, 296
 - number and activity of, greater on face than on trunk in Eskimos, 296, 331, 336, 365
 - patterns of response of, to chemical stimulus, 296–7
- Sweden, Lapps of, *see* Lapps: Sweden
- Swedes
- gene frequencies, 92
 - isoniazid inactivation, 135
- taste sensitivity, *see* phenyl thiocarbamate, *and under* sucrose
- thiamine, status of Eskimo children with respect to, 267–8
- Thule Eskimo culture, 10, 85
- thyroid activity, 285–7
- timnodonic acid (eicosapentaenoic), in plasma fatty acids of Greenland Eskimos, 270, 271
- transferrin alleles, genetic markers, 57, 58 in circumpolar peoples, and those south of Arctic Circle, 62
- gene frequencies of, 65, 67, 98–9, 112, 114–15, 121; variances, 70, 71, 73, 76
- tuberculosis
- corneal scarring associated with, 208, 363
 - in Eskimos, 14, 15, 16; control of, 14, 16, 17, 19, 25, 360; death rate from, 16, 25
 - in populations tested for working capacity, 306, 307, 334, 336
 - and stature, 312
- Tungus-Evenks, central Siberia: population structure, 47, 48
- Tungusic-Manchu languages, 38, 39
- Turkic languages, 38, 39
- twins, per 1000 births, 29
- Ugro-Finnic peoples, migrate to circumpolar zone, 39–40
- Upernavik, west Greenland: climatic data, 8
- upper arm circumference
- adults, 244, 252
 - children, 237, 238–9
 - method of measuring, 217–18
- Uralic-Altai linguistic community, 38
- USSR
- Eskimo and Russian populations of Arctic area of, 28
 - genetic markers of circumpolar peoples included in (Behring Strait to Kola peninsula), 54–8
- vasodilatation reaction, to cold, 291–3
- venereal diseases, introduced to Eskimos in Alaska, 14, 15
- vitamin A
- high intake of, by Lapps, 258
 - higher content of, in native than in commercial foods, 262
 - plasma levels of, Alaskan Eskimos, 268
- vitamin B components: higher content of, in native than in commercial foods, 262 *see also* riboflavin, thiamine
- vitamin C
- lower content of, in native than in commercial foods, 262, 264
 - plasma levels of, Alaskan Eskimos, 268
- vitamin D, 154
- vitamin E, in plasma of Alaskan Eskimos, 268
- relation of cholesterol to, 269, 270
- Wainwright, Alaska, 20
- water
- acclimatization to cold, and body content of, 333
 - body loss of, in dry air: and working capacity, 300, 331, 332; and blood volume, 321
 - percentage of body weight in, 322
 - weight, 217
 - and age, 259, 260

Cambridge University Press

978-0-521-11266-6 - The Human Biology of Circumpolar Populations

Edited by F. A. Milan

Index

[More information](#)*Index*

- adults, 244, 248; and stature, 249, 310
- children, 223–7; and stature, 227–8
- secular trends in, 248, 250
- women
 - acculturation stress in, 351–2
 - age: at birth of first child, 29, 46; at climacteric, 46; at menarche, 29, 41, 46
 - migration of, away from small Eskimo communities, 22, 28, 32, 360
 - muscle power of, 321, 322
 - number of children: and skinfold thicknesses, 334, 335; and working capacity, 334–6
- working capacity
 - activity patterns and, 326–30
 - Arctic habitat and, 305–6, 330–3, 365
 - body composition and, 322–4
 - constitution and, 333–4
 - effects of child-bearing and disease on, 334–6
 - efficiency of effort and, 316–17
 - methods of testing, 309–10
 - muscle power, strength, and endurance, 321–2
 - overall adaptations of, 336–7
- oxygen conductance line and, 318–21
- physical characteristics and, 310–12
- sampling of populations for tests of, 306–9
- Yakuts, north-east Siberia, cattle herdsman, 40
 - ethnic origins, 50
 - gene frequencies, 118, 120
 - gene migration, 66
 - genetic markers, 42, 43
 - language, 38, 39
 - migrations of, 39, 40
 - reproductive age limits, 46; effective reproductive size of population, 48, 49
- Yukaghir, north-east Siberia, ‘forest’ and ‘tundra’, fishermen and reindeer hunters, 40
 - ethnic origins, 50
 - gene frequencies, 118, 120
 - gene migration 52, 66
 - genetic markers, 43
 - language, 38, 39
 - movement of peoples from south into territory of, 40