
Author Index

- Agresti, A., 157, 223
Aiken, L. S., 120
- Becker, M. A., 282
Belanger, A., 130
Bernstein, I. H., 345
Byrne, B. M., 245
- Carroll, J. B., 328
Carroll, J. D., 328
Cody, R. P., 12
Cohen, J., 120, 200, 205
Cohen, P., 120
Coleman, K. A., 206
Constable, N., 12
Cook, P. A., 136
Costa, P. T., 111
Curran, P. J., 78
- D'Agostino R. B., 130, 131
Davis, J. B., 12, 199, 230
DeCarlo, L. T., 79
Delaney, H. D., 299, 300
Delwiche, L. D., 12
Der, G., 12
- Eden, T., 215
Estes, W. K., 78
Everitt, B. S., 12
- Fan, X., 345
Ferguson, G. A., 201, 282
Finch, J. F., 78
Finlay, B., 157, 223
Finney, D. J., 281
Fisher, R. A., 215, 280, 281
Freeman, G. H., 282
Fruchter, B., 78, 157, 281, 282
- Galton, F., 155, 156
Gamst, G., i, 12, 78, 130, 199, 217, 219, 223,
229, 233, 234, 238, 240, 246, 299, 331,
344
Gorsuch, R. L., 328
Green, P. E., 328
Guarino, A. J., i, 12, 78, 345
Guilford, J. P., 78, 157, 281, 282
- Halton, J. H., 282
Harman, H. H., 327, 328
Hatcher, L., 12
Hays, W. L., 78, 200, 282
Hemedinger, C., 12
Hosmer, D. W., 178
Hotelling, H., 328, 345
Howell, D. C., 219
- Jaccard, J., 282
Jolliffe, I. T., 328

372 Author Index

- Kennedy, W. J., 12
 Keppel, G., 219
 Kirk, R. E., 119, 136, 299
 Kline, R. B., 78, 79
 Kramer, C. Y., 250, 312
 Kruskal, 292

 Latin, J. M., 328, 345
 Lemeshow, S., 178
 Littell, R., 12
 Loehlin, J. C., 345

 Mackenzie, W. A., 215
 Mann, H. B., 292
 Marascuilo, L. A., 131, 157
 Marasinghe, M. G., 12
 Maruyama, G. M., 345
 Maxwell, S. E., 299, 300
 McCrea, R. R., 111
 McDaniel, S., 12
 McSweeney, M., 131, 157
 Meyers, L. S., i, 12, 78, 136, 182, 190, 199,
 270, 285, 313, 314, 328, 345

 Nunnally, J. C., 345

 Osborne, J. W., 136

 Pearson, K., 156, 269, 327, 328
 Peng, C. Y. J., 12
 Pittenger, D. J., 206

 Rosenthal, R., 78
 Rosnow, R. L., 78

 Royston, P., 130
 Runyon, R. P., 206, 223

 Salsburg, D., 195, 214, 215
 SAS Institute, 3, 12
 Schlotzhauer, S., 12
 Shapiro, S. S., 130
 Shiffler, R., 120
 Siegel, S., 281
 Slaughter, S. J., 12
 Smith, J. K., 12
 Snedecor, G. W., 215, 281
 Spearman, C., 156, 327
 Stanton, J. M., 155
 Stepanski, E. J., 12
 Stephens, R. B., 130
 Stevens, J. P., 119, 313, 314, 328, 345

 Takane, Y., 201, 282
 Thompson, B., 328, 345, 351
 Thurstone, L. L., 328, 330
 Toothaker, L. E., 246
 Tukey, J. W., 121, 246

 Wallis, W. A., 292
 Warner, R. M., 78, 313
 West, S. G., 78, 120
 Wheeler, C. P., 136
 Whitney, D. R., 292
 Wickens, T. D., 219
 Wilcoxon, F., 292
 Wilk, M. B., 130

 Yates, F., 282

Subject Index

- adjusted means, 300, 309, 312
- adjusted squared multiple correlation, 166
- Advanced Expression Editor, 62–67, 140
- alphanumeric. *See* character variables
- analysis of covariance. *See* ANCOVA
- analysis of variance. *See* ANOVA
- Analyst Application, 3
- ANCOVA
 - history, 207–215
- Anderson–Darling test for normality, 131
- ANOVA
 - between-subjects design, 214, 215
 - factorially combining independent variables, 214
 - history, 214–215
 - mixed design, 214, 215
 - naming designs, 213, 214
 - number of independent variables, 213
 - number of levels of the independent variable, 213–214
 - repeated-measures design, 214
 - Welch ANOVA, 217
 - within-subjects design, 214
- bar charts. *See* graphing
- Barr, A. J., 3
- Bartlett test, 217
- between-subjects design, 214
- bivariate correlation, 155
- Bonferroni-corrected alpha level, 314
- box and whisker plot, 83, 121
- Brown–Forsythe test, 217
- canonical correlation analysis
 - analysis output, 341–363
 - analysis setup, 351, 363
 - canonical functions (roots), 346, 353
 - defined, 345, 351
 - eigenvalues, 347, 358
 - number of canonical functions, 345–347
 - relationship to factor analysis, 347
 - relationship to liner regression, 346, 347
 - squared canonical correlation, 358
 - structure coefficients, 351, 359
- character variables, 4–15
- coefficient of variation, 167, 221
- Cohen’s *d*, 192–200, 205
- common variance, 330
- computing new variables. *See also* transforming variables
 - combining several variables, 67–74
 - defined, 63, 74
 - from an existing variable, 69
- confidence interval, 78, 207
- confidence limit, 84
- confidence limits, 80
- contingency table, 279
- correlated-samples *t* test
 - analysis output, 205
 - analysis setup, 203, 205

374 Subject Index

- correlated-samples *t* test (*cont.*)
 - defined, 201, 203
 - relation to Pearson correlation, 201–202
- correlation, 155
- correlation matrix, 328
- covariate, 299
- Cox and Snell *R*-square, 182, 190
- Cramer's *V*, 287
- Cramer–von Mises test for normality, 131
- criterion variable, 162
- cubed transformation, 137
- data
 - directly entering into SAS, 15–16
 - importing from Excel, 16–22
- data set structure
 - narrow, 239
 - stacked, 239, 254
 - univariate, 239, 254
- dependent variable, 162
- discriminant analysis, 315, 322, 352
- discriminant scores, 314
- distribution-free statistics. *See* nonparametric statistics
- effect magnitude or strength. *See* Cohen's *d*, eta squared
- effect size. *See* Cohen's *d*
- eigenvalues. *See* canonical correlation analysis, factor analysis
- eta squared, 200, 221, 236, 311, 318
- explanatory variable, 163
- Expression panel, 66, 113, 115, 142
- extreme values. *See* outliers
- F* ratio, naming, 214–215
- factor analysis
 - analysis output, 314–344
 - analysis setup, 335, 344
 - common variance, 330
 - eigenvalues, 338
 - extraction, 330, 335
 - history, 328, 330
 - maximum likelihood, 330
 - oblique rotation, 328–331
 - orthogonal rotation, 331
 - overview, 328, 331
 - pattern coefficients, 328–339
 - principal axis, 330
 - principal components analysis, 330
 - principal factors, 330
 - promax rotation, 331, 336, 339
 - rotation phase, 331, 336
 - scree plot, 335
 - simple structure, 330
 - structure coefficients, 331–341, 344
 - unweighted least squares, 330
- factorially combining independent variables, 214
- familywise error, 252
- filter, 39–46, 48–275
- Fisher exact test, 269–281, 290
- Fisher, R. A., 215, 281
- fixed effects, 240
- Folded *F* procedure, 199
- Freeman and Halton exact test, 281–282, 284
- frequency count, 64–90
- Functions tab, 71, 140
- Galton, F., 137–156
- general linear model, 221, 228, 234, 345, 350, 352
- Goodnight, J., 3
- Gosset, W. S., 195
- graphical user interface, 3
- graphing
 - bar chart, 88–97
 - line plot, 97–103
- GUI. *See* graphical user interface
- Helwig, J. T., 3
- histogram, 83, 84
- history of SAS, 3–4
- homogeneity of regression
 - defined, 292–300
 - evaluating, 300–308
- homogeneity of variance, 135, 136, 199, 217, 219, 220, 319, 322, 323
- Hosmer and Lemeshow test, 181, 188, 190

- independent-groups t test
 analysis output, 199, 200
 analysis setup, 197, 199
 defined, 195, 197
- independent variable, 163
- inflexion point of normal curve, 78
- inserting columns in data set, 65, 66, 71, 112, 140
- interactions, 219–224, 226–228, 232–234, 236, 253, 255, 261, 263, 265, 300, 305, 308, 309
- Kolmogorov–Smirnov test for normality, 131
- Kruskal–Wallis test
 analysis output, 282–296
 analysis setup, 293, 296
 defined, 292, 293
- kurtosis, 78, 88, 90–151
- least squares means, 223–230
- least squares solution, 162. *See also* ordinary least squares
- leptokurtic distribution, 79
- Levene test, 217, 319, 322
- likelihood ratio, 181
- linear relationship, 156
- linear T scores, 103–111, 113
- linear transformations. *See* transforming variables
- linearity of regression
 defined, 300, 308
 evaluating, 300–302
- line plot. *See* graphing
- log transformation, 136, 145
- magnitude of effect. *See* Cohen's d , eta squared
- main effects, 181, 223, 224, 230, 253
- Mantel–Haenszel chi-square, 286
- maximum value, 78
- mean, 77
- Mean function, 71
- median, 77
- median test
 analysis output, 292–294
 analysis setup, 293, 294
 defined, 292, 293
- menu, main, 12, 25
- minimum value, 78
- mixed design, 214
- mode, 77
- multidimensional space. *See* factor analysis
- multiple linear regression
 simultaneous method, 170
- multiple linear regression
 analysis output, 162–176
 analysis setup, 175, 176
 defined, 170, 175
 standard method, 170
 viewing the correlations, 170–172
- multiple logistic regression
 analysis output, 178–192
 analysis setup, 188, 192
 coding the binary predictor variable, 185, 188
 Cox and Snell R -square, 190
 defined, 185
 Hosmer and Lemeshow test, 188, 190
 likelihood ratio, 188
 Nagelkerke pseudo R -square, 190
 odds ratio, 185–192
 simultaneous method, 185
 standard method, 185
- multivariate F ratio, 314, 318
- Nagelkerke pseudo R -square, 182, 190
- nonlinear transformations. *See* transforming variables
- nonparametric one-way between-subjects ANOVA. *See also* Kruskal–Wallis test, median test
 analogy to ANOVA, 291
 defined, 291
- nonparametric statistics, 157, 269, 291
- normal curve
 inflexion point, 78
- normality, 124–130, 134
- oblique rotation. *See* factor analysis
- odds ratio, 178, 192

376 Subject Index

- one-way between-subjects ANCOVA
 - analysis output, 302–312
 - analysis setup, 310, 312
 - analysis structure, 300, 310
 - assumptions, 300
 - defined, 299, 300
 - eta squared, 311
 - Tukey post hoc test, 310, 311
- one-way between-subjects ANOVA
 - analysis output, 215–222
 - analysis setup, 219, 222
 - eta squared, 219–221
 - Ryan-Einot-Gabriel-Welsch multiple-range test, 219, 221–222
 - Tukey post hoc test, 219
- one-way between-subjects MANOVA
 - analysis output, 299–319
 - analysis setup, 316, 319
 - analysis structure, 314, 316
 - defined, 313, 314
- one-way chi-square
 - analysis output, 274, 275
 - analysis setup, 272, 274
 - defined, 269, 272
 - expected frequencies, 269–270
 - history, 269, 270
- one-way within-subjects ANOVA
 - analysis output, 224–252
 - analysis setup, 250, 252
 - data set structure, 240, 250
 - defined, 238, 240
 - Tukey post hoc test, 246
- ordinary least squares, 162
- orthogonal rotation. *See* factor analysis
- outcome variable, 162
- outliers
 - boundaries for outliers, 111–120
 - defined, 119, 120
 - detecting with box and whisker plot, 119–123
 - statistically detecting, 123–124
- output format, 28–35
 - HTML, 34–37
 - PDF, 37–39
- pairwise comparisons, 233, 236, 246, 249, 252, 261, 264, 310, 311, 319, 328
- partial correlation, 164
- Pearson correlation coefficient
 - analysis output, 156–161
 - analysis setup, 158, 161
 - history, 156
 - range of values, 156
- Pearson, K., 156, 158, 195, 269, 327
- percentiles, 80
- Perkins, C. G., 3
- phi square, 286
- platykurtic distribution, 79
- predictor variable, 163
- principal components analysis. *See* factor analysis
- process flow, 5, 8–35, 39, 44
- projects
 - contents, 5–8
 - opening, 4, 8
 - saving, 19, 22
- quadratic relationship, 156
- quartiles, 80
- queries, 43, 46, 55
- random effects, 238–258
- Read-only, 64, 112, 139
 - Update mode, 64, 112, 139
- recoding
 - defined, 44–53
 - performing, 53–62
- redundancy coefficients. *See* structure coefficients
- reflected inverse transformation, 137, 145–148, 151
- reflected inverse transformation, 147
- regression, 156, 157, 228
- repeated-measures design, 214
- root mean square error, 167, 221
- Ryan-Einot-Gabriel-Welsch multiple-range test, 219, 222
- Sall, J. P., 3

Subject Index

377

- saving
 PDF, 35–39
 project, 19
 scatterplot, 157, 161, 164
 selecting cases, 46–52
 semipartial correlation, 164, 175
 Sevice, J. W., 3
 Shapiro–Wilk test for normality, 130
 simple linear regression
 analysis output, 156–169
 analysis setup, 164
 defined, 162, 169
 relation to Pearson correlation coefficient, 162
 simple logistic regression
 analysis output, 172–184
 analysis setup, 181, 184
 coding the binary dependent variable, 178, 181
 Cox and Snell *R*-square, 182
 differences between logistic and linear regression, 177, 178
 Hosmer and Lemeshow test, 181
 likelihood ratio, 177–181
 Nagelkerke pseudo *R*-square, 182
 odds ratio, 178, 181
 simple structure. *See* factor analysis
 single-sample *t* test
 analysis output, 207–210
 analysis setup, 207
 defined, 206, 207
 relation to confidence interval, 206–207
 relation to standard error of the mean, 207
 skewness, 78, 88, 136, 148–151
 Snedecor, G. W., 215
 sorting data, 44, 52
 Spearman rho correlation coefficient
 analysis output, 156–161
 analysis setup, 158, 161
 history, 156, 158
 values, 157
 Spearman, C., 156, 327
 square root function, 142
 square root transformation, 136, 140
 square transformation, 137
 squared multiple correlation, 166, 330
 standard deviation, 78
 standard error of the mean, 78, 207
 standardized regression coefficient, 164
 standardizing variables
 based on existing norms, 108–111
 based on sample data, 111
 definition, 105, 111
 strength of relationship
 eta squared, 199
 strength of relationship
 eta squared, 221, 236, 286, 311, 318
 r^2 , 156, 286
 squared canonical correlation. *See* canonical correlation analysis
 structural equation modeling, 345
 structure coefficients. *See* canonical correlation analysis, factor analysis
 Student. *See* Gosset, W. S.
 Student *t* distribution, 78

T scores. *See* linear *T* scores
t test
 history, 195
 relation to ANOVA, 195
 task roles, 13–28
 Thurstone, L. L., 328
 transforming variables, 63, 135, 151
 cubed transformation, 137
 defined, 135
 linear transformations, 135
 log transformation, 135–137, 147
 nonlinear transformations, 135–137
 reflected inverse transformation, 135–137
 square root transformation, 136, 145
 square transformation, 137
 Tukey post hoc test, 121, 219, 233, 237, 246, 250–252, 261, 265, 310–312
 two-way between-subjects ANOVA
 defined, 223
 eta squared, 236
 omnibus analysis output, 223–236
 omnibus analysis setup, 230, 236
 simple effect analysis output, 230–237
 simple effects analysis setup, 233, 237

378 Subject Index

- two-way between-subjects ANOVA (*cont.*)
 - structure of analysis, 224, 233
 - Tukey post hoc test, 233
- two-way chi-square
 - analysis output, 282–287
 - analysis setup, 284, 287
 - defined, 279, 284
 - expected frequencies, 279–280
 - small frequencies, 280–281
- two-way mixed ANOVA
 - data set structure, 254, 258
 - defined, 253, 254
 - omnibus analysis output, 253–263
 - omnibus analysis setup, 261, 263
 - partitioning the variance, 253, 261
 - simple effect analysis output, 253–265
 - simple effects analysis setup, 261, 265
 - Tukey post hoc test, 261
- Type I sum of squares, 228
- Type II sum of squares, 228
- Type III sum of squares, 229, 305, 309
- Type IV sum of squares, 229
- univariate ANOVA designs, 313–314
- Update mode. *See* Read-only
- variable name, 13, 19
- variance, 78
- variate, 328, 330, 346, 353, 361
- Welch ANOVA, 217, 319
- Wilcoxon rank-sum test, 292
- Wilcoxon signed-rank-order test, 292
- Wilks' lambda, 317, 353, 355
- within-subjects design, 214
- Work Library, 13
- Yates correction for continuity, 281–282, 284
- Yates, F., 281
- z scores, 104–108, 123, 129
- z scores, 128