

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

## Index

**Bold** type refers to figures; *italic* type refers to tables.

- Acacia* 127–31, 133, 141, 167, 178–84, 191, 225  
*Acacia cornigera* 304  
*Acacia farnesiana* 318, 319  
*Acacia nilotica* 69  
*Acacia raddiana* 69  
*Acacia seyal* 69  
*Acalypha* 127, 130, 132, 178, 182, 183, 191  
Acanthaceae 175, 176, 177  
*Acanthocereus* 186, 225  
*Acanthoscelides* 428  
*Achatocarpus* 187  
*Actinostemon* 186  
*Adansonia digitata*, baobab 71  
*Adiantum* 178, 179  
*Aechmea* 225  
*Aechmea aquilega* 235  
*Aeschynomene* 179  
*Afraegle paniculata* 71, 72  
African dry forests and woodlands 64–92  
  dynamics 82–7  
  structure and function 75–82  
  types and distribution 65–73  
*Afzelia xylocarpa* 107, 112, 117  
*Agave sisalana* 46  
agriculture, *see* exploitation of dry forests  
*Aida micrantha* 73  
*Akodon dolores* 202  
*Akodon toba* 202  
  albedo 403  
*Albizzia* 225  
*Alfaroa* 136  
*Allenanthus* 186  
*Allophylus* 133, 181  
*Alouatta palliata*, howler monkey 207, 304  
*Alseis* 186  
*Alstonia* 186  
*Alternanthera* 178, 182, 225  
*Alvaradoa* 424  
Amaranthaceae 175, 177  
*Amazona ambigua* 213  
*Amazona finschii* 213  
*Amazona macao* 213  
*Amazona militaris* 213  
*Amazona oratrix* 213  
*Ameiva ameiva* 208  
*Amphipterygium* 186, 188  
*Amphipterygium adstringens*,  
  cuachalalate 424, 425, 426, 429  
*Amyris* 187  
Anacardiaceae 106, 115, 139, 169, 176, 224, 227  
*Anadenanthera* 186  
*Anadenanthera macrocarpa* 49, 51, 55, 56  
*Andalgalomys pearsoni* 202, 204  
*Andropogon* 178  
*Anemia* 182  
*Angelonia* 281  
*Angelonia pubescens* 55  
*Anisoptera* 110  
*Annona* 179, 181  
Annonaceae 106, 139, 169, 180, 286  
*Anogeissus acuminata* 107  
*Anogeissus leiocarpus* 69  
*Anolis* 207  
*Anoplotermes* 79  
*Anthephora* 225  
*Anthurium* 182  
*Antiaris africana* 71  
*Antirrhoea* 186  
*Aphelandra* 281  
Apocynaceae 106, 127, 168, 173, 175, 176, 177, 180  
*Apoplanesia* 186, 188

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

440

*Aporusa villosa* 107, 114, 115  
*Ara macao*, scarlet macaw 205  
*Ara militaris*, green macaw 213  
 Araceae 139, 177, 180, 286  
 Arecaeae (Palmae) 115, 139, 177, 180, 286  
*Aristida* 50, 51, 225  
*Aristida elliptica* 51  
*Aristolochia* 179  
*Aristolochia brevipes* 426  
*Aristolochia taliscana* 248  
 armadillos (tables) 202, 203, 213  
 Arrabidaea 127–32, 178, 179, 181, 182, 225  
*Arrabidaea mollissima* 236  
*Arundinaria pusilla* 115  
 Asclepiadaceae 176, 177, 236, 434  
*Asclepias curassavica* 434  
*Aspidosperma* 49, 50, 127, 173  
*Aspidosperma pyriformis* 49, 51, 53, 55, 56  
*Astrocasia* 186  
*Astronium* 49, 50, 181, 187  
*Astronium graveolens* 227, 258  
*Astronium urundeuva* 45, 49, 51, 55  
*Ateleia* 186  
*Ateleia herbert-smithii* 293, 294  
*Atriplex* 225  
*Augastes lumachellus* 58  
*Augastes scutatus* 57  
*Auxemma oncoalix* 49  
*Axonopus* 178  
  
*Baikiaea plurijuga* 71  
*Banisteriopsis* 182  
*Basacantha echinocarpa* 426  
*Basiliscus vittatus* 206  
*Bastardia* 225  
 bats 57, 199, 202, 207, 208, 285, 286  
*Bauhinia* 127, 128, 130, 132, 179, 181  
*Bauhinia unguolata* 319  
 bees 284–7, 287, 288–91  
*Belencita* 186  
*Berrya mollis* 107  
*Beureria cumanensis* 231, 248  
*Bibimys chacoensis* 202  
 Bignoniaceae 107, 112, 127, 167–72, 175, 176, 180, 236  
 biomass  
   aboveground phytomass 22–3, 53–4, 77–8, 115, 327–31  
   and primary productivity 326–45  
   see also litter, nutrients, productivity, roots  
 birds 23, 200, 201  
   endemism 58, 201  
   hummingbirds 58, 207, 290–1  
   migratory 58, 204, 205

## Index

*Bolomys lasiurus* 57, 59  
 Bombacaceae 107, 139, 169, 174, 175, 177, 224  
*Bombax* 141, 174  
*Bombax anceps* 107  
 Boraginaceae 169, 174, 175, 176, 177, 434  
*Boswellia* 69  
 Boswellieae 167  
*Bougainvillea* 186  
*Bourreria* 186  
*Bowdichia* 186  
*Brachystegia* 69, 70, 73, 81  
*Brachystegia boehmi* 70  
*Brachystegia floribunda* 70  
*Brachystegia longifolia* 70  
*Brachystegia spiciformis* 70, 73  
*Brachystegia taxifolia* 73  
*Brachystegia utilis* 70  
*Brassavola* 225  
*Bromelia* 225  
*Bromelia chrysantha* 235  
*Bromelia humilis* 235  
*Bromelia laciniosa* 53  
 Bromeliaceae 175, 176, 177  
*Brosimum* 137  
*Brosimum alicastrum* 435  
*Bucida* 186  
*Bulbostylis* 178  
*Bulnesia* 186  
*Bulnesia arborea* 231, 248  
*Bumelia* 141, 225  
*Bumelia sartorum* 45, 55, 56  
*Bunchosia* 125, 127, 174  
*Burkea africana* 71, 86  
*Bursera* 50, 128–33, 137, 140, 141, 167, 178–82, 187, 191, 224, 225, 424, 426  
*Bursera aloexycn* 426  
*Bursera heteresithes* 308, 309  
*Bursera leptophloeos* 49, 50, 54  
*Bursera simaruba* 259, 293  
 Burseraceae 115, 169, 224  
*Buteo* 204  
*Buxus* 186  
*Byrsonima* 125, 127, 130, 132, 174, 179, 186  
*Byrsonima crassifolia* 248, 426  
  
 caatinga 32–59, 197, 201, 203, 208, 211, 280, 289, 330, 407, 411  
   environment 36–8  
   production systems and plant products 38–46  
   vegetation 46–56  
*Cabassous chacoensis* 202  
 Cactaceae 165, 169, 174, 175, 176, 177, 286

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

## Index

441

- Caesalpinia* 50, 127, 140, 141, 167, 176, 178, 179, 181, 182, 187, 281  
*Caesalpinia ferea* 56  
*Caesalpinia pyramidalis* 49, 51, 53, 54, 55, 56  
 Caesalpinoideae 375  
*Calliandra* 50, 127, 130, 132, 178, 179  
*Calliandra depauperata* 50  
*Callophyllum* 137  
*Calomys callosus* 57  
*Calycophyllum* 187  
*Cananga latifolium* 106  
*Canarium kerrii* 107  
*Canarium subulatum* 115  
*Canella* 186  
 Canellaceae 165  
*Canthium multiflorum* 71  
 Capparidaceae 127, 165, 168, 172–3, 175, 176, 177, 227, 286  
*Capparis* 127, 128, 172, 173, 178, 181, 182, 191, 225, 227, 281, 286  
*Capparis angulata* 173  
*Capparis aristiguetae* 248, 259  
*Capparis avicennifolia* 173  
*Capparis crotonoides* 173  
*Capparis flexuosa* 173, 259  
*Capparis indica* 248  
*Capparis linearis* 234, 248  
*Capparis odoratissima* 234, 248  
*Capparis pachaca* 248  
*Capparis verrucosa* 248, 259, 282, 286  
*Capsicum annuum* 426, 427, 435  
*Carallia brachiata* 112  
 carbohydrates, non-structural (TNC) 371, 372  
 carbon dioxide flux from soil 363–7, 389, 391, 415  
*Cardiospermum* 129, 141  
*Careya sphaerica* 115  
*Carica corumbaensis* 56  
 Caricaceae 224  
*Casearia* 125, 127, 129, 130, 131, 172, 178, 179, 181, 191, 225, 281, 308, 309  
*Casearia corymbosa* 282, 434  
*Casearia tremula* 234  
*Cassia* 49, 127, 141, 178, 182, 183, 191  
*Cassia excelsa* 55  
*Cassia granulata* 51  
*Castela* 225  
*Casuarina junghuhniana* 118  
*Catagonus wagneri* 203  
*Cathedra* 187  
 cattle ranching 42–4, 400–1  
   see also exploitation of dry forests  
*Cavanillesia* 50  
*Cavanillesia arborea* 49, 56  
*Cavanillesia platanifolia* 296  
*Cecropia* 137  
*Cedrela* 133  
*Ceiba* 133, 167, 181, 424  
*Ceiba acuminata* 426  
*Ceiba pentandra* 231  
*Celaenodendron mexicanum* 308  
 Celastraceae 174, 176  
*Celtis* 128, 130, 131, 132, 140, 181  
*Celtis iguanaea* 435  
*Cenchrus* 225  
*Cenchrus ciliaris* 43  
 Cenozoic  
   faunal interchange, North and South America 209–12  
   northern Latin America 124–39  
   fossil flora database 128  
   southern United States 139–41  
*Centrolobium paraense* 231  
*Centrosema* 127, 179  
*Ceratosanthes palmata* 236  
*Ceratopteris* 136  
*Cercidium* 224, 225  
*Cereus* 49, 50, 186  
*Cereus jamacaru* 45  
 cerrado 49, 57, 58, 150, 158–9, 175, 180, 182, 203, 402, 406  
 chaco 146, 147, 150, 155, 173–4, 195, 197, 201, 203, 205, 211, 212, 213, 214, 280  
*Chaetophractus villosus* 202  
*Chamaesyce* 178, 179  
*Chlamyphorus retusus*, fairy armadillo 202, 213  
*Chorizia glaziovii* 56  
*Chrysophyllum* 102  
*Cinnamomum* 102  
*Cissus* 225  
*Cissus sicyoides* 435  
 classification of forest types 2, 9–11, 46–7, 64–5, 99–102, 148–51  
*Cleome* 179  
 climate  
   indices 2, 9, 28, 50, 73, 74, 97, 148, 222, 223, 227, 326, 363, 365, 404  
   Intertropical Convergence Zone 36, 96–7, 403  
   paleoclimate 114, 128–9, 133, 137–8, 140  
   regional descriptions 12–15, 36–8, 96–7  
   see also physical environment  
*Clytostoma* 181  
*Cnicothamnus* 186  
*Cnidocolus* 46, 50, 167, 187  
*Cnidocolus phyllacanthus* 50, 51  
*Cnidocolus spinosus* 309  
*Cnidocolus chayamansa* 426  
*Coccoloba* 125, 127, 128, 129, 130, 131, 132, 174, 178, 181, 182, 191, 225  
*Coccoloba barbadensis* 435

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

442

## Index

- Coccoloba liebmannii* 248, 259  
 Cochlospermaceae 224  
*Cochlospermum* 225  
*Cochlospermum vitifolium* 231, 248, 293, 294, 308, 318, 319  
*Colona fragrocarpa* 107  
*Colophospermum mopane* 71, 86  
*Colubrina* 141  
 Combretaceae 103, 107, 115, 169, 236  
*Combretum* 128, 129, 130, 131, 132, 133, 181  
*Combretum farinosum* 295, 296  
*Combretum fruticosum* 231  
*Combretum leprosum* 51  
 Commelinaceae 177  
*Comocladia* 186, 188  
 Compositae 175, 176  
*Condalia* 187  
 conversion of forest, *see* exploitation  
 Convolvulaceae 175, 176, 224  
*Conzattia multiflora* 425  
*Copaifera coleosperma* 71  
*Copernicia* 50, 186  
*Copernicia prunifera* 46, 50, 59  
*Cordia* 128, 130, 132, 167, 174, 178, 179, 181, 182, 281, 424  
*Cordia alliodora* 308, 309, 403, 434  
*Cordia boissieri* 426  
*Cordia elaeagnoides* 308  
*Cordia leucocephala* 51  
*Corynostylis* 186  
*Couepia polyandra* 259  
*Coursetia* 186  
*Coutarea* 187  
 Crassulacean acid metabolism 54, 221, 224–6, 224, 225, 229, 232–5, 233, 237, 252–3  
*Crataeva* 286  
*Cratogeomys pruniflorum* 107  
*Crenatermes* 79  
*Crescentia, cirián* 187, 425  
*Crescentia alata* 318, 319, 426, 427  
*Crotalaria* 127, 178, 179, 426  
*Croton* 51, 53, 56, 58, 127, 130, 132, 178, 181–3, 191, 225, 425–7  
*Croton adpersus* 427  
*Croton alamosanus* 426  
*Croton flavens* 234, 426  
*Croton fragilis* 427  
*Croton morifolius* 427  
*Croton pseudoniveus* 308, 309, 310  
*Croton reflexifolius* 426  
*Croton sonderianus* 56  
*Crototricolpites* 132  
*Crudia* 136  
*Cryosophila nana, palmilla* 428  
*Cryptosepalum* 73  
*Cryosophila* 137  
*Ctenomys argentinus* 203  
*Ctenomys bonettoi* 203  
*Ctenomys conoveri* 203  
*Ctenomys d'orbigni* 203  
*Ctenomys dorsalis* 203  
*Ctenomys fochi* 203  
*Ctenomys juri* 203  
*Ctenomys occultus* 203  
*Ctenomys puncti* 203  
*Ctenosaura* 213  
*Cubitermes* 79, 80  
*Cucumis sativus, cucumber* 427  
 Cucurbitaceae 175, 176, 177, 434  
*Cuniculus paca, paca* 207  
*Curatella* 186  
*Curatella americana* 248  
 Cycadaceae 115  
*Cycas siamensis* 115  
*Cydista* 127, 179, 181, 225, 236  
*Cydista equinoctialis* 231  
*Cynanthus latirostris, broad-billed hummingbird* 207–8  
 Cyperaceae 175, 176, 177  
*Cyperus* 178  
*Cyrtocarpa* 424  
*Dacridium elatum* 102  
*Dalbergia* 50, 103  
*Dalbergia cana* 107  
*Dalbergia cearensis* 50  
*Dalbergia cultrata* 107, 114  
*Dalbergia oliveri* 107  
*Dalbergia sissoo* 365  
*Dalechampia scandens* 236  
*Daniellia oliveri* 69, 114  
*Dasyprocta punctata, agouti* 207  
 Datisceae 112  
 deforestation  
     Latin America 27–9, 401  
     Thailand 116–18, 119  
     *see also* exploitation of dry forests  
*Desmodium* 127, 178, 179  
*Dichapetalum bangii* 73  
*Dicliptera* 179  
*Didelphis albiventris* 57  
*Dillenia obovata* 107, 114, 115  
*Dillenia parviflora* 107  
 Dilleniaceae 107, 115  
*Dilodendron* 186  
*Dioscorea* 178, 179  
*Diospyros* 179, 181, 182  
*Diospyros hoyleana* 73  
*Diospyros mespiliformis* 71  
*Diphysa* 187  
 Dipterocarpaceae 107, 115  
*Dipterocarpus* 110, 111, 114, 118  
*Dipterocarpus alatus* 112  
*Dipterocarpus intricatus* 114

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

## Index

443

- Dipterocarpus obtusifolius* 104, 105, 107, 115
- Dipterocarpus tuberculatus* 104, 107, 114, 115
- diversity of species
- latitudinal gradients 151, 198–201
  - loss 27, 69, 118, 190, 212, 402–3
  - plants 49, 69, 71, 105, 110, 115, 151–9
  - precipitation gradient 151–8, 200–1
  - vertebrates 23–4, 197–201
- Dodonaea* 141
- dry forests 2, 24, 64, 148–9, 159–65, 196–7, 326, 399–6, 399–422, 432–3
- see also exploitation of dry forests
- Dryopteris* 182
- Drypetes* 181
- Drypetes floribunda* 71
- Echites* 179
- Eira barbara*, tayra 208
- Elaeodendron* 186, 188
- Encephalartos* 65
- Encyclia* 178
- endemism
- plants 184–9, 186–7
  - vertebrates 201–4, 202–3
- Engelhardtia* 136
- Entandophragma* 72
- Entandophragma delevoiyi* 72
- Epidendrum* 178
- epiphytes 103, 163, 221, 224, 225, **229**, 235, 237, 253
- Eragrostis* 178
- Eriosema* 179
- Eriotheca* 186
- Erythrina* 128, 130, 131, 132, 140, 181, 225, 281
- Erythrina americana* 426
- Erythrophloeum succirubrum* 112
- Erythroxylaceae 165, 169, 176
- Erythroxylum* 127, 128, 178, 179, 181, 191
- Erythroxylum densum* 258
- Erythroxylum havanense* 309, 320
- Erythroxylum orinocense* 258
- Escontria chiotilla* 426
- Esenbeckia* 187
- ethnobotany 6
- caatinga 45–6
  - case studies of commercial products 425–9
  - cultural differences 430, 431–3
  - Mexico 423–38
  - products (table) 426
- Eucalyptus calmadulensis* 118
- Eugenia* 128, 129, 131, 132, 140, 178, 181, 182
- Eugenia casearioides* 259
- Eugenia cumini* 107, 114
- Eupatorium* 178, 179
- Euphorbia* 127, 178, 179, 182, 225
- Euphorbia heterophylla* 434
- Euphorbiaceae 107, 115, 139, 168, 175, 176, 180, 224, 434
- Evolvulus* 178, 179
- Exostemma* 186
- Exothea* 167
- exploitation of dry forests
- causes and patterns 6, 399–402
  - comparison of conversions of dry and humid tropical forests 417–18
  - loss of biotic resources 27, 69, 118, 190, 402–3
  - production systems 6, 27, 38–46, 42, 117, 399–402
  - productivity 27, 42–5, 43, 44, 415–17, 416
  - see also deforestation, ethnobotany, fire, physical environment
- Eysenhardtia polystachya* 426
- Fagaceae, 107, 115, 140
- Felis onca*, jaguar 213
- Felis pardalis*, ocelot 213
- Felis wiedii*, spotted cat 213
- ferns 175, 176, 177
- Ficus* 112, 128–32, 137, 141, 178, 179, 181, 182, 426
- Ficus pertusa* 435
- fires 64, 68, 74, 81, 82–4, 346, 394–5, 406, 407–11, 413
- adaptations to 113–15, 428
  - land-clearing 16, 99, 113–14, 117, 402, 417
- Fissicalix fendlerii* 231
- Flacourtiaceae 127, 168, 176, 177, 434
- floristics
- families 49, 110, 165, 167–80, 286
  - genera 49–50, 70, 102, 125, 127–37, 140–1, 167, 180–8
  - by region 48–51, 69–73, 103–16, 146–89
  - and soil 23, 50–1, 69–71, 76, 84, 105, 107, 109, 113
- Forchhammeria* 167, 186, 286
- Forchhammeria pallida* 248
- forest dynamics 5, 15, 28, 56, 68, 71, 82–7
- forest structure
- and precipitation 10, 12, 23, 47, 51, 65–7, 107, 159–62, 226, 249, 327, **331**
  - and soil structure 16, 23, 25, 46–7, 49, 52–3, 67–8, 71–2, 74, 99, 113, 150
  - site characteristics 21, 48, 76, 78, 104, 160–1, 330
  - and use history 22, 26–9, 35, 41–5, 47, 65–6, 68, 103, 113–14, 116–17, 327
- Forsteronia* 127, 173, 181

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

444

## Index

- fossil record, *see* Cenozoic; Quaternary  
*Fourcroya* 174  
 fruit production, efficiency, **295**
- Galea spixii* 57  
*Garuga pinnata* 107  
*Genipa caruto* 248  
*Geoffroea* 50, 186  
*Geoffroea spinosa* 50  
*Gilletiodendron glandulosum* 71–2  
*Gleditsia* 186  
*Gliricidia sepium* 319, 434  
*Glossophaga alticola*, bat 202, 208  
*Godmania* 187  
*Godmania macrocarpa* 248
- gradients  
 aridity and life forms 25–6, 226–30  
 elevational 13, 36, 47, 73, **100**, **134–5**  
 forest vs local soil/topography 1–2, 10,  
 15–16, 19, 46, 51, 65, 68, 99–100,  
 136, 205, 263–5, 269, 278, 312
- Gramineae 133, 175  
*Graomys domorum* 202  
*Graomys edithae* 202  
*Gronovia scandens* 236  
*Guaiacum* 167, 225  
*Guapira* 127, 174, 181, 187, 308, 309  
*Guazuma* 181  
*Guazuma ulmifolia* 426  
*Guettarda* 181  
*Guibourtia coleosperma* 71  
*Guibourtia copalifera* 72  
 Guttiferae 107  
*Gyminda* 186  
*Gymnanthes lucida* 25  
*Gyrocarpus* 187
- Habenaria* 179, 182  
*Haematoxylon* 225, 424  
*Haematoxylon brasiletto* 426  
*Hamelia* 281  
*Hecastostemon* 186  
*Heliocarpus appendiculatus* 311  
*Heliocarpus pallidus* 308, 309  
*Heliotropum* 178, 179, 434  
*Heloderma horridum*, bearded lizard 207  
*Hemiangium* 186  
*Hemiangium excelsum*, cancerina 186,  
 426, 428–9  
 hemiparasites 221, 225, 226, **229**, 233,  
 236–7, 237
- herbivory  
 community-level analysis 305–14  
 effects on plant populations and  
 fitness 317–22  
 and habitat 312  
 measurement, instantaneous vs  
 long-term 306–9
- Mesoamerican tropical dry  
 forests 304–25  
 timing 309–11  
 variation between years 86, 308  
 by vertebrates 86, 313–14
- Heterophragma adenophyllum* 107  
*Heteropterys purpurea* 231  
*Hexachlamys* 186  
*Hintonia* 186, 188  
*Hintonia latiflora* 426  
 Hippocrataceae 169  
*Hippocratea* 127, 181  
*Hippomane* 140  
*Hodomys alleni* 202  
*Hohenbergia catinae* 51  
*Holarrhena antidysenterica* 106  
*Holocalyx* 186  
*Hopea* 110, 111  
*Hopea ferrea* 109, 110, 111, 112  
*Humboldtia arborea* 248, 258  
*Hydnocarpus ilicifolius* 110  
*Hymenea courbarii* 136, 294  
*Hyparrhenia rufa* 29  
*Hypelate* 186  
*Hyptis* 178, 179, 182
- Imperata cylindrica* 115  
*Inga* 182, 183, 281  
*Ipomoea* 128, 131, 132, 167, 178, 182, 184,  
 191, 225, 424  
*Ipomoea wolcottiana* 308, 309, 311
- Iringia malayana* 112, 114  
*Isoblerlinia* 69, 70, 75, 82  
*Isoblerlinia angolensis* 70  
*Isoblerlinia dalzielii* 69  
*Isoblerlinia doka* 69  
*Isoblerlinia tomentosa* 69  
*Ixocactus* 225
- Jacaratia* 225  
*Jacaratia mexicana* 293, 294  
*Jacquemontia* 179, 187, 225  
*Jacquinia* 187, 227  
*Jacquinia aristata* 234  
*Jacquinia pungens* 248, 259  
*Jacquinia revoluta* 248  
*Jatropha* 50, 127, 131, 133, 167, 178, 179,  
 182, 225  
*Jatropha gossypifolia* 234  
*Jatropha pohliana* 50  
*Jatropha standleyi* 308–11  
*Julbernardia paniculata* 70  
 Julianaceae 165  
*Justicia* 179
- Karwinskia* 186  
*Kerodon rupestris* 57, 203  
*Khaya senegalensis* 71

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

## Index

445

- Kigelia africana* 71  
*Krugiodendron* 186
- Labiatae 176, 177  
*Lagascea* 186  
*Lagerstroemia* 104, 109  
*Lagerstroemia calyculata* 103, 104, 105, 107, 112, 117  
*Lagerstroemia colletti* 107  
*Lagrezia* 186, 188  
*Lannea coramandelica* 106  
*Lantana* 178, 179  
*Lantana camara* 435  
*Lasiacis* 179  
Lauraceae 139, 180, 286  
leaves  
  abscission 262–5  
  folivory, *see* herbivory  
  habit, *see* life forms, phenology  
  structure 227, 231, 246–9  
  turgor 232, 249, 252, 256, 257–61  
*Lecaniodiscus cupanioides* 71  
Leguminosae 59, 69, 71, 107, 110, 127, 139, 167–72, 168, 170, 171, 175, 176, 183–4, 224, 236, 246, 314, 375–6, 434  
*Lemaireocereus* 225  
*Lepisanthes siamensis* 107  
*Leptonycteris* 207  
*Lepus flavigularis* 202  
*Leucaena* 426  
lianas 146, 147, 229  
  and forest structure 73, 103, 110, 159–64, 160, 221  
  physiology and structure 224, 225, 226, 236–7  
  pollination 286  
  seed dispersal 165, 166, 183, 231, 287  
  species richness 127, 155, 157, 158, 159, 160, 167, 171, 174, 183–4, 237  
  *see also* vines  
*Licania* 50  
*Licania rigida* 46, 50, 59  
life forms 221–39  
  aridity gradients 67, 226–30  
  ecophysiology  
    CAM succulent 232, 234, 253  
    epiphytes and rosettes 235  
    evergreen, deciduous and succulent 125, 230–2, 243–71  
    lianas and hemiparasites 236–7, 253  
    functional attributes 224, 229, 230, 250, 278, 283, 284  
    and growth forms 222–6  
    species diversity 160, 237  
  life zones 17, 18, 22  
*Liomys pictus*, spiny pocket mouse 202, 208, 304  
*Liomys spectabilis* 202  
*Lithocarpus polystachyus* 102, 114  
litter  
  decomposition 80, 87, 339  
  agents 80, 87, 339  
  nutrient release 81, 85, 347, 352–5  
  rates 77, 78, 80, 337–9, 366  
  roots 372–3  
  seasonality 339–40  
  effects on soil 365, 406  
  and moisture 332, 334, 366  
  production 78, 332–7, 333  
  annual variation 334, 336–7  
  components 77, 334–5, 373  
  seasonality 25, 334–5  
  standing crop 71, 77, 78, 337  
  and vegetation type 78, 366  
lizards 57, 201, 206–8, 213  
*Lonchocarpus* 127, 167, 178, 179, 181, 182, 183, 281  
*Lonchocarpus aff. compestris* 55  
*Lonchocarpus dipteroneurus* 231, 248, 258  
*Lonchocarpus eriocarinalis* 282, 308, 309, 310  
*Lophira alata* 69  
*Lophopetalum wallichii* 112  
Loranthaceae 140, 177, 237  
*Loxopterygium* 154, 156, 174  
*Ludwigia* 178, 182  
*Luehea candida* 248  
*Luehea seemannii* 281, 282  
*Luehea speciosa* 282  
*Lycopersicon esculentum* 427  
*Lygodium venustum* 435  
*Lysiloma* 167, 424  
Lythraceae 103, 107  
  
*Macfadyena* 128, 181, 225  
*Macfadyena unguis-cati* 231  
*Machaerium* 181  
*Machaerium latialatum* 231  
*Machaerium moritzianum* 231  
*Machaerium robiniaefolium* 231  
*Macranthisiphon* 186  
*Macrotermes falciger* termite 79, 80, 81  
Madagascar, species richness vs rainfall 157  
*Magnolia* 102  
*Malacantha alnifolia* 71  
*Malpighia* 127, 131, 174, 179, 182, 187, 227  
Malpighiaceae 127, 139, 168, 174, 175, 176, 177, 180, 227  
Malvaceae 175, 176, 177  
mangroves 102, 136  
*Manihot* 46, 187, 224, 225  
*Manilkara* 181  
*Manilkara multinervis* 71

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

446

*Mansoa* 225  
*Mansoa verrucifera* 231, 236, 248  
 maps  
   climate  
     Africa **66**  
     México, Central America **13**  
     northeastern Brazil **37**  
     Thailand **95**  
   geomorphology and soils  
     northeastern Brazil **39, 40**  
     Thailand **95, 98**  
   lifezones  
     Central America **17**  
     Puerto Rico **19**  
   migratory bird ranges **205**  
   production systems, northeastern  
     Brazil **39**  
   Tertiary microfossil floras, Mesoamerica  
     and Caribbean **127**  
   vegetation  
     Africa **66**  
     Latin America **148**  
     México **17**  
   vertebrate density  
     Latin America **200**  
     México, mammals **199**  
*Marmosa canescens* 202  
*Marmosa xerophila* 202  
*Marquesia* 73, 84  
*Marsdenia* 179  
*Marsdenia condensiflora* 231  
*Matelea* 179  
*Matelea maritima* 231, 236  
*Matelea planiflora* 231  
*Matelea urceolata* 231  
*Maytenus rigida* 54, 56  
 medicinal plants 426  
*Megasorex gigas* 202, 206  
*Melanorrhoea ustita* 106, 115  
 Melastomataceae 177, 180  
 Meliaceae 112, 169, 177, 180, 434  
*Melicocca* 186  
*Melletia brandisiana* 107  
*Melochia* 225  
*Melochia tomentosa* 55  
*Melothria pendula* 434  
*Memeclylon ovatum* 110, 111  
*Memora* 248  
*Merremia* 179  
*Metastelma* 231  
*Metopium* 186  
*Metrosideros collina* 282, **295**, 296  
*Miconia* 182  
 microbial populations, 365–6, 373–4, 414  
   and nutrient cycling 347, 354–8, 372–3  
   symbiotic 246, 374–7, 392  
*Micronycteris hirsuta* 208  
*Microtermes* 80

## Index

*Mimosa* 49, 50, 53, 127, 131, 132, 178,  
 179, 182  
*Mimosa caesalpinifolia* 56  
*Mimosa malacocentra* 56  
*Mimusops kumel* 71  
 miombo 69–70, 73–6, 81, 82, 84, 334,  
 375, 376  
*Mitragyna brunosis* 107, 114  
 moist/wet forest 417–18, 432–3  
*Momordica charantia* 434  
*Monodelphis domestica* 57  
 monodominant forest 16, 53, 69, 150,  
 154  
*Monodora tenuiflora* 71  
*Monotes kerstingi* 69  
 Moraceae 139, 169, 175, 176, 177, 180,  
 435  
*Morinda coreia* 107, 114  
*Morisonia* 186  
*Morisonia americana* 227, 248, 259  
*Morus* 141  
*Morus mesozygia* 71  
 moths, pollination 183, 286–7, **287**,  
 288–91, **290**  
*Mucuna andreana* 318, 319  
*Musonycteris harrisoni* 202  
 mycorrhizas 246, 356, 369, 374–7  
*Myotis carteri* 202  
*Myotis findleyi* 202  
*Myotis fortidens* 202  
*Myotis nesopolus* 202  
*Myrcia* 128, 129, 132  
*Myrospermum* 186, 188  
*Myrospermum frutescens* 231  
 Myrtaceae 107, 115, 140, 168, **171–2**, 176,  
 177, 180  
 Myrtaceidites 132  
*Neea* 127, 174  
*Neoglaziovia variegata* 46, 51, 53  
*Neotoma phenax* 202  
*Nissolia fruticosa* 231  
 nitrogen fixation 246, 375–6  
 nitrogen trace gases  
   ecosystem and global  
     significance 384–5, 387, 392–4  
   emissions from soil  
     annual budgets 386, 392–3  
     bacteria 392  
     and habitat 386–8, 413  
     and moisture 388–90  
   fires 394–5  
   stability 385  
 nutrients  
   concentration and content  
     biomass 231, 348–52, 353, 372  
     soil 16, 41, 81, 98–9, 105, 111,  
     407–10



Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

## Index

447

- cycling 68, 346–7, 355, 357–8, 386,  
   389–90, 407–13, 418  
   fires 81, 394–5, 407, 411  
   litter decomposition 339, 341, 352–5,  
   366, 372–3  
   microbes 347, 356–7, 358, 374–6, 392  
   termites 81–2, 85, 87  
   see also mycorrhizas, nitrogen trace  
   gases, soil  
   limitation of plant growth or mass 26,  
   68, 330, 337, 346–7, 369, 386  
   use-efficiency 4, 352, 354  
 Nyctaginaceae 127, 140, 168, 174, 175,  
   177, 435  
*Nyctomys sumichrasti* 304  
*Nypa* 140  
  
*Ochna wallichii* 114  
*Ochroma pyramidale* 282  
*Ocotea* 182  
*Odocoileus virginianus* white-tailed  
   deer 304  
*Odontotermes* 80  
 Onagraceae 177  
*Oncidium* 179  
*Oncoba spinosa* 71  
*Ophiotermes* 79  
*Opuntia* 43, 44, 187, 225, 281, 293  
*Opuntia excelsa* 293  
*Opuntia wentiana* 235  
 Orchidaceae 175, 176, 177  
*Oreomunnea* 136  
*Orthogeomys grandis* 202  
*Orthogeomys hispidus* 202  
*Oryzomys chacoensis* 203  
*Oryzomys melanotis* 207  
*Oryzomys palustris* 304  
*Osgoodomys banderanus* 203  
 osmotic potential 232–4, 236, 254, 256,  
   257–61, 267  
*Ouratea* 181  
  
*Pachira* 136  
*Pachycereus* 186, 188  
 paleobiogeography 209–12  
   see also Cenozoic, Quaternary  
*Palicourea* 281  
*Palicourea rigida* 248  
 Palmae, see Arecaceae  
*Panicum* 178, 179, 182  
 Papilionaceae 176  
*Pappogeomys bulleri* 206  
*Paragonia* 127, 128, 129, 132  
*Parapiptadenia* 186  
*Parinari hostlii* 73  
*Parinari-Syzygium* forest 73  
*Parkia biglobosa* 71  
*Parkia streptocarpa* 112  
  
*Paspalum* 178, 182  
*Passiflora* 178, 179  
 Passifloraceae 177  
 pasture 400–1  
   see also exploitation of dry forests  
*Patagonula* 186  
*Paullinia* 127, 128, 129, 131, 132, 172,  
   178, 179, 181, 183, 231  
*Pectis* 178, 182  
*Pedilanthus* 167  
*Pediolagus salinicola* 203  
*Pelliciera* 136  
*Peniocereus* 186, 188  
*Pennisetum purpureum* 43  
*Peperomia* 225  
*Pereskia* 224, 225, 234  
*Pereskia guamacho* 234, 235, 248  
*Peromyscus perfulvus* 203, 204, 207  
*Petiveria alliacea* 435  
*Phaseolus* 127, 178, 179  
 phenology 4–5  
   animal 206–8, 289, 310, 377  
   reproduction 57–8, 208  
   migration 204, 207, 291  
   fire 68, 77  
   microbes 356–7, 373–4  
   plant 24, 69, 70, 72, 76–7, 235, 243–4,  
   261–2, 335–6  
   leaves 25, 54–5, 103, 108, 113, 224,  
   226, 230–2, 234, 237, 262–7, 311,  
   428  
   reproduction 26, 55, 76–7, 268–70,  
   282–6  
   roots 25–6, 267–8, 366–7, 370–2  
*Philodendron* 140, 182, 225  
*Phoenix acualis* 115  
*Phoradendron* 179, 225  
 photoperiodic response 5, 266  
*Phryganocidia corymbosa* 231  
*Phrytusa* 225  
*Phyllanthus* 127, 178, 179, 182  
*Phyllostylon* 187  
*Physalus* 179  
 physical environment  
   changes caused by exploitation  
   climate 74, 118, 386, 392–5, 403–4  
   soil 27, 74, 118, 404–15, 406, 408–10,  
   412  
   site characteristics 152, 279, 328  
   see also climate, soil  
 Phytolaccaceae 169, 177, 435  
*Pilosocereus* 50, 225  
*Pilosocereus gounellei* 50  
*Pilosocereus piauhiensis* 50  
*Pinus kesiya* 102  
*Pinus merkusii* 102, 107  
*Piper* 178, 179, 182  
 Piperaceae 177, 180

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

448

## Index

- Piptadenia* 50  
*Piptadenia obliqua* 50, 51, 56  
*Piscidia* 187, 424  
*Piscidia carthaginensis* 231  
*Pisonia* 127, 225  
*Pisonia aculeata* 174, 435  
*Pithecellobium* 49, 127–8, 141, 178–9,  
 181, 182, 225, 424  
*Pithecellobium carabobense* 248  
*Pithecellobium dulce* 234, 248, 426  
*Pithecellobium ligustrinum* 248  
*Pithecoctenium crucigerum* 231  
 plate tectonics 11, 209–12  
*Platymiscium* 181  
*Platynotus semitaeniatus* 57  
*Platyphyllae* 167  
*Pleurotus ostreatus* 426  
*Plumeria* 187  
*Plumeria rubra* 308, 309  
*Pochota* 174  
*Podocarpus* 102, 136  
*Podopterus* 167, 186  
*Poeppigia* 50  
*Poeppigia procera* 50  
*Pogonopus* 186  
*Pogonopus speciosus* 231  
*Polygala* 178, 182  
 Polygalaceae 175  
 Polygonaceae 168, 174, 176, 177, 180, 435  
*Porophyllum ruderales macrocephalum* 426  
*Portulaca* 225  
*Posoqueria* 133  
*Pouteria* 137, 181  
*Prestonia exerta* 231  
 primary productivity  
   above ground 24, 68, 77–9, 291–2,  
   332–7, 340  
   agricultural 42–5, 415–17  
   below ground 245, 341, 368–70  
*Prockia* 187  
*Prockia crucis* 295, 296  
 productivity, *see* primary productivity,  
   secondary productivity  
*Prosopis* 154, 156, 184, 186, 225  
*Prosopis juliflora* 234  
*Prostephanus truncatus* 429  
*Protium serratum* 107  
*Pseudobombax* 133  
*Pseudobombax simplicifolium* 54  
*Pseudocanthotermes spiniger* 80  
*Pseudogynoxys* 186  
*Pseudoryzomys wavrini* 203  
*Psidium* 181  
*Psidium sartorianum* 308, 426  
*Psychotria* 178, 179, 182  
*Pteris* 136  
*Pterocarpus* 128, 131, 132, 181  
*Pterocarpus angolensis* 71, 84  
*Pterocarpus macrocarpus* 103, 107, 115  
*Pterocarpus parvifolius* 107, 114  
*Pterocarpus stevensoni* 71  
*Pterocymbium javanicum* 112  
*Pterospermum diversifolium* 112  
*Puya* 174  
 Quaternary  
   plant record 137–9  
   vertebrates 209–12  
*Quercus* 102, 136  
*Quercus kerrii* 107, 114, 115  
  
*Radermachera pierrei* 112  
*Raimondea* 186  
 rainforest, *see* moist/wet forest  
*Randia* 127, 128, 131, 132, 141, 178, 179,  
 181, 182, 191  
*Randia aculeata* 248  
*Randia armata* 259  
*Recchia* 186, 188  
*Rehdera* 185, 186  
 reproductive biology of plants 277–303  
   dispersal 164–5, 183, 207, 230, 286–9  
   efficacy, effort and frequency 291–6  
   phenology 26, 55, 76, 268–70, 282–6  
   pollination 55, 164–5, 183, 208, 286–91  
   recombination systems 55, 278–82  
 restoration of dry forests 29, 118  
 Rhamnaceae 169, 177  
*Rhamphastos* 205  
*Rhizophora* 136  
 Rhizophoraceae 112  
*Rhododendron* 102  
*Rhogeessa genowaysi* 202  
*Rhogeessa minutilla* 202  
*Rhogeessa mira* 202  
*Rhynchosia* 127, 179  
*Rhynchospora* 178  
*Ritterocereus* 225  
*Ritterocereus griseus* 235  
*Robinsella* 167  
*Rochefortia* 186  
 roots 56, 84, 114, 184, 226, 244–6, 267  
   distribution 75, 105, 232, 244–6, 254,  
   265, 331–2, 368–9  
   fine root dynamics 25, 245, 253, 341,  
   366–72, 415  
   mycorrhizas 246, 356, 374–7  
   root:shoot ratio 232, 249, 332  
   sink and source of nutrients 349–50,  
   355, 357, 372–3, 417  
*Roupala complicata* 248  
 Rubiaceae 107, 168, 176, 180  
*Ruellia* 179  
*Ruellia aff. paniculata* 55  
*Ruellia asperula* 55  
*Ruprechtia* 127, 174, 181, 187

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

## Index

449

- Ruprechtia triflora* 174  
Rutaceae 169, 174, 177
- Sahel, woodland types 69  
Sapindaceae 127, 139, 168, 172, 175, 176, 177, 227  
*Sapindus* 141  
Sapotaceae, 139, 169, 177, 180  
*Sapranthus* 185, 186  
*Schinopsis* 50  
*Schinopsis brasiliensis* 45, 49, 55, 56  
*Schinus* 186  
Schizaceae, 45  
*Schleichera oleosa* 107, 114  
*Schomburgkia* 225  
*Sciadodendron* 186  
*Sciurus colliaei* 202  
sclerophylly 16, 25–6, 141, 149, 224, 227, 229, 230–2, 247, 249, 264, 348, 350, 352, 354, 366  
Scrophulariaceae 177  
*Scutia* 186  
secondary productivity 42–3, 79–80, 377  
*Securidaca* 231  
*Securidaca diversifolia* 231  
seeds 28, 284–6  
  dispersal types 164–6, 183, 230–1, 286–9  
  germination 56  
  predation 314–18  
  production 291–6  
  and herbivory 318–22  
*Selaginella convoluta* 51  
*Selenicereus* 225  
*Serjania* 127–9, 131, 133, 172, 179, 181, 183, 231  
*Serjania comata* 55  
*Serjania triquetra* 426  
*Setaria* 225  
*Shorea* 110, 111, 114, 118  
*Shorea henryana* 109, 110  
*Shorea obtusa* 104, 105, 107, 115  
*Shorea siamensis* 104, 107, 114, 115  
*Shorea talura* 114  
*Sida* 178, 182  
*Sideroxylon* 141  
*Sideroxylon capiri* 426  
*Sigmodon alleni* 203  
*Sigmodon mascotensis* 203  
Simarubaceae 112  
*Sindora siamensis* 114  
*Sitophilus zeamais* 429  
soil 82, 109, 376, 408–10  
  compaction 27, 74, 415  
  erosion 74, 117, 405–6  
  fauna 79, 203, 366, 377  
  see also termites  
  fertility 2, 16, 26, 41, 81, 99  
  organic carbon 81, 413–15  
  respiration 363–7  
  types 15–16, 38, 40, 97–9  
Solanaceae 169, 176, 177, 435  
*Solanum* 178, 179  
*Solanum melongena*, eggplant 427  
South-east Asia dry forests 93–123  
*Spermophilus adocetus* 202  
*Spermophilus annulatus* 202  
*Spilogale pygmaea* 203  
*Spondias* 50, 137, 181, 225  
*Spondias pinnata* 106  
*Spondias purpurea* 293, 318, 319  
*Spondias tuberosa* 45, 50, 54–6, 59  
*Sporobolus* 225  
*Stachytarpheta* 178  
*Stemmadenia donnell-smithii* 293  
*Stenocereus* 186, 188, 426  
Sterculiaceae 112, 175, 176, 177  
*Steriphoma* 186  
succulents 44, 56, 221, 224–6, 229–34, 252–3, 257, 261, 267, 283  
Sudanian region, woodland types 69–72  
*Swietenia* 225  
*Syagrus* 50, 186  
*Syagrus coronata* 46, 50
- Tabebuia* 50, 127, 179, 181, 191, 225, 281  
*Tabebuia avellanedae* 49  
*Tabebuia billergiana* 248  
*Tabebuia chrysantha* 258  
*Tabebuia ochracea* 231, 269  
*Talisia* 227  
*Tamandua mexicana*, tamandua 208  
*Tamarindus indica* 71  
*Tayassu tajacu*, white-lipped peccary 206, 213  
*Tecoma stans* 426  
*Tectona grandis*, teak 103, 104, 105, 107, 109, 365, 367–72, 403  
  exploitation in 19th century 117  
*Terminalia* 103, 104, 109, 128, 129, 132, 133, 231  
*Terminalia alata* 107, 115  
*Terminalia bellirica* 107  
*Terminalia chebula* 107, 114  
*Terminalia macroptera* 69  
*Terminalia mucronata* 104, 105, 107  
termites 79–80  
  and soil 74, 76, 79–82, 85  
  and vegetation dynamics 76, 79–81, 85–7  
*Tetragastris* 129  
*Tetrameles nudiflora* 112  
*Thelypteris* 178  
Theophrastaceae 227  
*Thevetia* 186  
*Thouinia* 167

Cambridge University Press

978-0-521-11284-0 - Seasonally Dry Tropical Forests

Edited by Stephen H. Bullock, Harold A. Mooney and Ernesto Medina

Index

[More information](#)

450

## Index

- Thouinia paucidentata* 258, 308, 309, 310  
*Thouinidium* 186  
*Thouinidium decandrum* 259  
*Thrichomys apereoides* 57  
*Thrinax* 186  
 Tiliaceae 107, 177  
*Tillandsia* 178, 182, 191, 225  
*Tipuana* 186  
*Tournefortia* 179  
*Trachypogon* 179  
*Trianthema* 225  
*Trichilia* 127, 178, 179, 181, 191  
*Trichilia havanensis* 434  
*Trichilia trifolia* 258, 308, 309  
*Tripion spatulatus* 206  
*Triplaris* 127, 174  
*Tristania burmanica* 107  
 tropical dry forests *see* dry forests  
*Tupinambis* 213  
*Turbina* 186  
*Turnera mycrophylla* 51  
 Turneraceae 177  
*Tylomys bullaris* 203
- Uapaca* 84  
*Uapaca somon* 69  
 Ulmaceae 169, 435  
*Ulmus* 136  
*Urera* 181
- Vaccinium* 102  
*Vasobia* 186  
*Vatica* 111  
 Verbenaceae 107, 169, 175, 176, 177, 180, 435  
*Verbesina* 179  
*Vernonia* 179, 182  
 vertebrates
  - endangered species and conservation 212–14
  - responses to climatic seasonality 57–8, 206–8, 291
  - size distributions 289–91
  - see also* bats, birds, diversity of species, endemism, herbivory, reproductive biology of plants, wildlife trade and hunting
- Vigna* 178
- vines 71, 111, 163–4, 175, 183–4, 226, 231, 237, 253–4, 267, 428  
*see also* lianas
- Vitaceae 435  
*Vitex canescens* 107  
*Vitex limonifolia* 107  
*Vitex peduncularis* 107, 114  
*Vochysia venezuelana* 248
- Walsura angulata* 112  
*Walsura trichostemon* 110, 111
- water
  - availability 26, 38, 55, 56, 71, 73–5, 79, 84, 86, 222, 226, 231, 232, 244, 363, 368
  - deficiency 10, 23, 42, 46, 54, 227, 334, 336, 346, 357, 365, 374, 389
  - hydrological processes 404–5
  - phenology 25–6, 262–9, 282–4, 370–1, 377
  - storage 56, 98, 224, 230, 231, 252–3
- Wedelia* 225  
*Wiedomys pyrrhorhinus* 57  
 wildlife trade and hunting 212–14  
 wood, specific gravity and xylem structure 228–30, 236, 249–51, 264
- Xenomys nelsoni*, *Chamela wood rat* 203, 213  
*Ximenia* 187  
*Xylia* 104, 109  
*Xylia kerrii* 103, 104, 105, 107, 114, 115, 117  
*Xylopia aromatica* 248
- Yucartonia* 187
- Zabrotes sufasciatus* 429  
 Zambesian region, woodland types 69–70, 70  
*Zanthoxylum* 127, 131, 132, 167, 179, 181  
*Zenaida auriculata* 57, 58  
*Zizyphus* 167, 141, 187  
*Zizyphus joazeiro* 45, 54, 55, 56  
*Zornia* 426  
 Zygothylaceae, 165