
Index

- absorption, 366
- acoustic impedance, 292
 - scattering, 290
- additional theorem, 395
- Almansi formula, 226, 227
- amplitude of elliptic integral, 207, 362, 381
- angiogenesis, 344
- angular measure, 82
 - variables, 373
- anisotropic harmonic functions, 373
- anisotropy, 373
- antecedents, 384
- antisymmetric dyadic, 384
- associated
 - functions, 49, 374, 393
 - Legendre equation, 392
 - sphero-conal harmonic, 197
- asymptotic cones, 169, 171
 - elliptic cone, 172
- attenuation, 366
- avascular tumors, 344
- axial parameters, 96
 - symmetry, 392

- Bôcher form of Lamé equation, 103
- base vectors, 383
- Beltrami operator, 161, 391
- bigradient operator, 431
- bigredients of ellipsoidal harmonics, 429
- biharmonic eigenfunctions, 226, 233
 - function, 226

- capacity, 278, 296
 - of the ellipsoid, 279
- Cardano's formula, 12
- Cartesian
 - form of ellipsoidal harmonics, 96, 375
 - octants, 9, 166
 - system, 383
- cavity, 315, 318, 322
- cell loss rate function, 345

- central quadratic expression, 212
 - quadric, 29
- centroid, 138
- cerebrospinal fluid, 325
- characteristic
 - admittance, 302
 - impedance, 302
 - system, 100, 101
- classes of Lamé functions, 50
- closure relation, 131, 396
- coefficients of the first fundamental form, 379
 - second fundamental form, 379
- complementary
 - integral, 381
 - modulus, 208, 381
 - quarter period, 208, 211
- complete solid angle, 111
- completeness, 131
 - of the ellipsoidal system, 247
 - of the spherical system, 247
- compressional viscosity, 291
- conductivity, 301, 325
- conductor potential, 279, 296
- confocal
 - ellipsoidal system, 3, 7
 - ellipsoids, 212
 - family of second degree surfaces, 4
- connection formula, 128
- consequents, 384
- constitutive relations, 301
- consumption index, 346
- continuity equation, 345
- coordinate curves, 15, 18
 - surfaces, 6, 13
- current density, 301
 - dipole, 328
- curvature, 200

- Darcy's law, 345
- degenerate kernel, 217, 219
- degree of a harmonic function, 70, 374

454

density of distribution, 144
 dextral system, 35, 40, 242, 369, 373
 dielectric constant, 301
 medium, 301
 differential
 element of solid angle, 376
 mass element, 113
 surface element, 266
 diffusion constant, 346
 dipolar source, 326
 dipole moment, 326
 dipoles, 157, 331
 Dirac measure, 129, 378
 direct problem, 358
 direction of tangency, 31
 directional derivative, 388
 Dirichlet
 condition, 292
 data, 326, 329
 problem, 326
 disc shape, 286
 dispersion relation, 302
 displacement field, 314
 distribution of monopoles, 129, 144, 146
 divergence, 389
 in the ellipsoidal system, 40
 double
 contraction, 316
 pole, 204, 209
 doubly periodic functions, 203, 209
 dyad, 384
 dyadic, 29, 384
 complete, 386
 formula, 112
 integrals, 111
 invariant, 387
 relations, 432
 representation, 383
 space, 385
 eccentric
 angles, 26
 direction, 26, 80, 109, 119, 125, 165, 172
 ray, 165
 spherical coordinates, 111, 118
 eccentricities, 13
 eigenfunctions of the Beltrami operator, 395
 eigensolutions, 127, 217
 eigen-spaces of the Beltrami operator, 79
 eigenvalues, 217, 395
 elastic
 medium, 314
 scattering, 290
 elasticity theory, 313
 elastostatic equation, 318, 324
 electric

Index

displacement, 301
 field, 301
 permittivity, 301
 polarizability tensor, 269, 279, 283, 308, 313, 324
 potential, 325, 326
 scattering amplitude, 304, 308, 313
 electroencephalography (EEG), 325, 327, 333
 electromagnetic scattering, 290
 element of ellipsoidal solid angle, 114
 ellipsoidal
 angular variations, 9
 Beltrami operator, 78, 86, 243
 biharmonics, 376
 conductor, 329
 coordinates, 8
 gradient, 183, 195
 harmonics, 373, 375, 408
 in Cartesian form, 94, 197
 of degree four, 76
 Laplacian, 183, 188
 magnetic potential, 343
 metric, 18
 metric coefficients, 17
 radius, 183
 solid angle element, 80, 127
 surface element, 80
 system, 6, 170, 172
 volume element, 80
 elliptic
 characteristic of, 381
 complete, 380
 cones, 23
 functions, 203, 208
 integrals, 68, 77, 207, 265, 423
 ellipso-spherical system, 25, 80, 109, 119, 165
 equal dyadics, 384
 equivalent dipole, 326
 Euler angles, 360, 369, 370
 excess pressure field, 291
 excitation field, 291
 expansion theorem, 248
 exterior
 asymptotic cone, 170
 ellipsoidal biharmonics, 227
 harmonics, 77, 87, 195, 375, 408
 field, 317
 Green's function, 132
 Lamé products, 77
 Lamé functions, 66
 Neumann function, 143, 145, 162
 Niven representation, 198
 polarization potential, 312
 potential, 127, 129, 326
 solid spherical harmonics, 396
 solutions, 156
 virtual mass potential, 312

- family of 1-hyperboloids, 8, 213
of 2-hyperboloids, 8
of ellipsoids, 8, 373
- far field, 318
pattern, 293
- Faraday's law, 301
- fictitious sources, 131
- first scalar invariant, 387
- first vector invariant, 387
fundamental form, 18, 252, 379
- focal ellipse, 3, 77, 153, 373, 375
form of the Lamé equation, 79, 103, 402
hyperbola, 3, 373
parameters, 96
representation, 158
- foci, 3
- forward EEG and MEG problem, 325, 328
scattering problem, 290
- Fredholm integral equation, 217
- Frenet trihedral, 200
- fundamental dyadic, 317
polyadic, 119
quantities, 19
solution, 124, 293, 315, 376, 378, 395
- Gaussian curvature, 19, 37, 122, 380
map, 18, 30, 35
- general Gauss' theorem, 389
Niven system, 101
polarizability tensor, 282, 313
Stokes theorem, 389
- generalized Newton's polynomial formula, 200
polarization potentials, 282, 286
potentials, 300
- Geselowitz formula, 339
- gradient of the exterior harmonics, 87
of ellipsoidal harmonics, 429
of surface harmonics, 412
- gravitational potential, 273, 276
- Green's function, 124, 131, 135, 139, 151, 156, 161, 326
identity, 81, 279
- half-period points, 204
- hard scatterer, 292, 297, 364
- harmonic homogeneous polynomials, 199
polynomials, 49
- harmonics of degree four, 73
- Heine expansion formula, 124
- Helmholtz
decomposition theorem, 246, 314
equation, 302
- Hermite form, 213, 404
- high-frequency asymptotics, 364
- homogeneous
ellipsoid, 273
functions, 171
sphero-conal harmonics, 181
- hyperboloid of one sheet (1-hyperboloid), 1, 4, 104, 172
of revolution, 168
of two sheets (2-hyperboloid), 1, 4, 104, 172, 213
- identity dyadic, 384, 398
- image point, 137
system, 132, 137, 139, 140, 142
- impedance condition, 303, 305, 309
- incident wave, 290, 291, 315, 317
- incomplete elliptic integrals, 362, 380
- incompressible fluid, 345
- induction current, 326
- inertia dyadic, 113, 269, 289
- integrable singularity, 157
- integral representation, 293, 306, 316, 324, 326
- integrals over ellipsoidal surfaces, 109
- interior
asymptotic cone, 170
ellipsoidal biharmonics, 227
ellipsoidal harmonics, 70, 96, 180, 408
field, 315, 317
Green's function, 131
Lamé products, 70
Lamé functions, 66, 375
Neumann function, 143, 144, 162
Neumann problem, 326
Niven representation, 198
potential, 127, 129, 326
solid spherical harmonics, 396
solutions, 156
spherical harmonic, 220, 328
virtual mass potential, 312
- invariants of a dyadic, 387
of the elliptic function, 204, 210
- inverse problem, 358
EEG and MEG, 325
- inverse scattering problem, 290
- inversion with respect to the origin, 374
mapping, 131
- inverted variable, 161
- invertible dyadic, 386
- irrotational displacement, 314
field, 246, 307, 334
- isotropic harmonics, 373
- Jacobi elliptic functions, 207, 209–211, 214, 266, 376, 404
imaginary transformation, 212
- Jacobian ellipsoidal coordinates, 211–213, 222
elliptic form of the Lamé equation, 403
form, 211, 213

Kelvin image, 33, 133, 134, 139
 theorem, 161, 379
 transformation, 131, 140, 142, 161
 Klein–Stieltjes theorem, 105, 106
 Kupradze radiation conditions, 315

 Lamé classes, 84, 85, 89, 104, 374
 constants, 314
 coordinates, 213
 equation, 46, 61, 83, 374, 375, 402
 functions, 46, 51, 60, 77, 85, 105, 106, 117,
 203, 374, 405
 of class K, 51, 67, 148
 of class L, 54, 68
 of class M, 54, 58
 of class N, 58, 68
 of the first kind, 375
 of the second kind, 66, 156, 375
 products, 375
 separation constant, 211
 theory, 104, 376
 Laplace harmonics, 199
 operator, 161
 Laplace's equation, 44
 Laplacian in the ellipsoidal system, 41, 42, 44, 46
 L^2 -convergence, 248
 Legendre equation, 215
 functions of the first kind, 392, 393
 of the second kind, 392
 polynomial, 125, 215, 393
 relation, 381
 length element, 149
 Leontovich condition, 303
 life cell, 345
 region, 350, 353
 linear dyadic, 386
 local ellipsoidal system, 10, 18, 253
 localized neuronal current, 370
 longitudinal displacement, 314
 plane wave, 315
 wave, 314
 lossless medium, 291, 301, 302
 lossy medium, 291
 low-frequency scattering, 290, 296

 magnetic
 field, 301
 flux, 325
 induction, 301
 permeability, 301, 325
 polarizability tensor, 281, 283, 298, 308, 324
 potential, 334, 339
 scattering amplitude, 304, 313
 magnetoencephalography (MEG), 325, 333
 mass density, 346
 maximum principle, 94, 356

Maxwell equations, 301
 Maxwell–Ampere law, 301
 Maxwell's theory of poles, 157
 mean compressibility, 291
 curvature, 19, 260, 346, 355, 380
 mass density, 291
 measure on the ellipsoidal surface, 79
 meromorphic function, 209
 mitotic index, 346
 modular angle, 362, 381
 modulus, 380
 of elliptic integral, 207
 monopoles, 132, 134, 139, 140, 142, 146, 157
 multiple roots, 91
 multipoles, 157

 Navier equation, 314
 necrotic boundary, 350
 core, 344
 region, 350, 353
 needle shape, 286, 287
 Neumann condition, 292, 328
 function, 148, 156
 problem, 326, 329
 Newton's trinomial formula, 176
 Niven
 equation, 108
 factor, 172
 form of ellipsoidal harmonics, 96, 408
 harmonics, 101
 operator, 183, 220
 representation, 163, 190
 system, 100, 104, 106, 107, 171, 181, 376, 405,
 411
 theory, 104, 106, 118, 220, 376
 non-conductive medium, 301
 non-integrable singularity, 157
 nonion form, 386
 normal curvature, 15
 differentiation, 148
 dipoles, 327
 normalization constants, 81, 82, 114, 116, 117,
 122, 123, 125, 144, 417
 normalized complex surface spherical harmonics,
 394
 nutrient concentration, 344–346, 349

 oblate spheroidal system, 4, 163, 164, 166, 168,
 286
 octapoles, 157
 one-side focal ellipse, 158
 order of a harmonic, 70, 374
 ordered base vectors, 383
 orthogonal curvilinear system, 240
 parametrization, 19

- orthogonality of Lamé functions, 85
 of Legendre functions, 394
 of vector harmonics, 239, 241
 over an octant, 85
 the surface ellipsoidal harmonics, 81
- Papkovitch potentials, 319, 320
 representation, 319, 324
- parity exponent, 105
 of a polynomial, 95
- penetrable ellipsoid, 323
 scatterer, 293, 318
- pentadic, 387
- perfect conductor, 277, 301, 303, 305, 307
- perimeter of the ellipse, 265
- periodic cell, 209
- periodicity relations, 208
- perturbation parameter, 251
- phase velocity, 302, 314
- planar dyadic, 386
- plane wave, 291
- Plemelj's formulae, 128
- Poisson's equation, 295, 345
- polarization constants, 309
 potential, 278, 280, 283, 297
 tensor, 279
- polyadic integrals, 397
 of rank n , 387
- pressure field, 345, 346
- primary
 dipolar current, 326
 neuronal current, 325
- principal
 axes, 3
 curvatures, 19, 167, 168, 260, 270, 379
 directions, 359, 366, 369, 370, 373, 374
 eccentricities, 36, 355
 ellipses, 7, 13
 hyperbolas, 7
 moments of inertia, 113
 planes, 3, 114, 374
 radii of curvature, 19
- prolate spheroidal system, 4, 163, 164, 166, 286
- proliferating layer, 344
- propagating wave, 290
- propagation vector, 291, 315
- quadrant planes, 15
- quadrupoles, 157, 331
- quarter period, 208
- quasi-static theory, 325
- quiescent layer, 344
- radial scattering amplitude, 316
- radius of inversion, 161
- Rayleigh scattering approximation, 294, 296–299,
 307, 309, 311, 318, 319, 322–324
- re-orthogonalization, 228
- reciprocal ellipsoids, 31, 268, 269
- recurrence relation, 394
- reduction formula, 397
- reference
 ellipsoid, 3, 114, 265, 272, 373, 375
 form of the Lamé equation, 103, 402
 semi-axes, 3
- regular part of Green's function, 132, 143
- regularity at infinity, 87, 156
- relative index of refraction, 293, 303
- representation of the exterior harmonics, 157
- residue, 209
- resistive boundary, 364
 scatterer, 292
- Riemann sphere, 263
- rigid body, 315, 318
- rigid ellipsoid, 319
- Robin condition, 292, 298
 dimensionless parameter, 292
- Rodriguez formula, 393
- roots of the Lamé functions, 77, 89, 91, 94, 181,
 375
- rotation in the ellipsoidal system, 41, 389
- scalar invariant, 40, 112, 327
- scaled system, 184
- scalp, 325
- scattered wave, 291, 315
- scattering amplitude, 293, 297, 300, 306, 311, 318,
 321
 cross-section, 293, 297, 301, 304, 309, 311,
 313, 317, 322
 obstacle, 290
 theory, 290
- second degree surface, 1
 fundamental form, 19, 60, 62, 256, 379
 scalar invariant, 387
 separation constant, 47, 67, 104, 106, 207, 217,
 243, 402
 vector invariant, 387
- secondary neuronal current, 325
- semi-axes, 370, 373, 418
- semi-focal distances, 3, 418
- separable solutions, 45
- separation constants, 47, 391
- Silver–Müller radiation condition, 303
- similar ellipsoidal coordinates, 36
 ellipsoids, 36
- single pole, 209
- singular dyadic, 386
 part of Green's function, 132
- singularities, 132, 143

458

Singularities of the exterior ellipsoidal harmonics, 77

sinistral system, 373

skull, 325

small scatterer, 290

soft ellipsoid, 296, 359
scatterer, 292, 364

sojourn time, 364

solenoidal displacement, 314
field, 246, 302, 307, 334

solid angle, 111
element, 86

solid spherical harmonics, 131, 177, 191, 193
solutions of the first kind, 156
of the second kind, 156

Sommerfeld radiation condition, 291

spectral decomposition, 82
form, 402
of the ellipsoidal Beltrami operator, 79
Navier equation, 314

spherical Beltrami operator, 78
conductor, 131
coordinate, 391
harmonics, 82, 328, 373
triangle, 366

sphero-conal factor, 172
harmonics, 170, 171, 180, 181, 195, 199, 375
system, 22, 46, 125, 169, 170, 172, 180

standard elliptic integral, 362

standard form of an ellipsoid, 29

stereographic projection, 263

strength of a monopole, 133, 134, 136, 139, 140, 142, 146

stress field, 314, 318
tensor, 314

Sturm–Liouville systems, 156

subspace of harmonic functions, 87, 93

support function, 30, 31, 37, 80, 81, 86, 195, 278, 365

supporting plane, 364

surface
area of the ellipsoid, 147, 265
charge density, 131, 139, 142, 278
distribution of sources, 127, 138, 139, 142
ellipsoidal harmonics, 78, 81, 82, 247, 330, 376
impedance, 303
integrals, 109
Laplacian, 78, 391
measure on the ellipsoid, 143
spherical harmonics, 78, 118, 125
stress field, 321
operator, 314

symmetric dyadic, 384

symmetries of the ellipsoid, 16

Index

tangential fields, 304, 324
scattering amplitudes, 316

tetradic, 387

thermal equilibrium, 272

thermometric form of the lamé equation, 403
parameters, 44–46, 86
system, 206

third kind, 380
scalar invariant, 387

torsion, 200

total charge, 161
field, 291, 315

transmission conditions, 293, 294, 303, 305, 315, 350
problem, 282, 299, 311

transverse displacement, 314
plane wave, 315
wave, 314

triadic, 387

triaxial ellipsoid, 1

tumor growth, 343

umbilic points, 15, 36

uniqueness condition, 328

unit outward normal, 292
sphere, 190

vascular tumor, 344

vector ellipsoidal eigenfunctions, 239, 240
harmonics, 238

vector invariant, 41, 327
Laplacian, 41
spherical harmonics, 238
surface ellipsoidal harmonics, 240, 245, 376
surface spherical harmonics, 239

velocity function, 345

virtual mass potential, 280, 283, 298, 299
tensor, 280

volume of the ellipsoid, 113

wavenumber, 314

Weierstassian form, 207, 211, 213, 403

Weierstrass elliptic function, 203, 209, 210, 376, 403
ellipsoidal coordinates, 205, 211, 213
system, 206

weighted inner product, 332

weighting function, 79–81, 86, 138, 241, 244, 278, 376

Wronskian, 68
relation, 426

X-ray tomography, 366

Young–Laplace relation, 346, 350, 355

zero dyadic, 385