

CONTENTS

<i>Preface</i>	ix
1 Introduction	1
2 Optical observations	6
2.1 Catalogs	6
2.2 Redshifts	8
2.3 Richness – the number of galaxies in a cluster	8
2.4 Luminosity function of galaxies	9
2.5 Morphological classification of clusters	13
2.6 Velocity distribution of galaxies	16
2.7 Spatial distribution of galaxies	18
2.8 Cluster masses – the missing mass problem	25
2.9 Dynamics of galaxies in clusters	31
2.9.1. Two-body relaxation	31
2.9.2. Violent relaxation	32
2.9.3. Ellipsoidal clusters	35
2.9.4. Dynamical friction	36
2.10 Galactic content of clusters	38
2.10.1. cD galaxies	38
2.10.2. Proportion of spiral, S0, and elliptical galaxies	46
2.11 Extensions of clustering	53
2.11.1. Poor clusters	53
2.11.2. Superclusters and voids	54
3 Radio observations	55
3.1 General radio properties	55
3.2 Correlations between X-ray and radio emission	58
3.3 Head-tail and other distorted radio structures	60
3.4 Cluster radio haloes	68
3.5 Cosmic microwave diminution (Sunyaev–Zel’dovich effect)	71

vi *Contents*

3.6 Faraday rotation	77
3.7 21 cm line observations of clusters	79
4 X-ray observations	80
4.1 Detections and identifications	80
4.2 X-ray luminosities and luminosity functions	82
4.3 X-ray spectra	84
4.3.1. Continuum features in the spectrum	85
4.3.2. Line features – the 7 keV iron line	89
4.3.3. Lower energy lines	93
4.4 The spatial distribution of X-ray emission	97
4.4.1 X-ray centers, sizes, and masses	97
4.4.2 X-ray images of clusters and the morphology of the intracluster gas	104
4.5 Individual clusters	109
4.5.1. Coma	109
4.5.2. Perseus	109
4.5.3. M87/Virgo	116
4.5.4. A1367	122
4.6 X-ray-optical correlations	123
4.7 Poor clusters	128
4.8 High redshift clusters and X-ray cluster evolution	132
5 Theoretical progress	135
5.1 Emission mechanisms	135
5.1.1. Inverse Compton emission	135
5.1.2. Individual stellar X-ray sources	138
5.1.3. Thermal bremsstrahlung from intracluster gas	139
5.2 Ionization and X-ray emission from hot, diffuse plasma	142
5.2.1. Ionization equilibrium	143
5.2.2. X-ray emission	144
5.2.3. Resulting spectra	145
5.3 Heating and cooling of the intracluster gas	146
5.3.1. Cooling	146
5.3.2. Infall and compressional heating	149
5.3.3. Heating by ejection from galaxies	150
5.3.4. Heating by galaxy motions	151
5.3.5. Heating by relativistic electrons	153
5.4 Transport processes	155
5.4.1. Mean free paths and equilibration time scales	155
5.4.2. Thermal conduction	157
5.4.3. Effects of the magnetic field	159

Cambridge University Press

978-0-521-11313-7 - X-Ray Emission from Clusters of Galaxies

Craig L. Sarazin

Table of Contents

[More information](#)

<i>Contents</i>	vii
5.4.4. Viscosity	161
5.4.5. Diffusion and settling of heavy ions	162
5.4.6. Convection and mixing	164
5.5 Distribution of the intracluster gas – hydrostatic models	165
5.5.1. Isothermal distributions	167
5.5.2. Adiabatic and polytropic distributions	172
5.5.3. More complicated distributions	174
5.5.4. Empirical gas distributions derived by surface brightness deconvolution	175
5.5.5. Total masses and mass distributions in clusters – the hydrostatic method	177
5.5.6. Chemically inhomogeneous equilibrium models	179
5.6 Wind models for the intracluster gas	181
5.7 Cooling flows and accretion by cDs	184
5.7.1. Cooling flows	184
5.7.2. Accretion by central galaxies	190
5.7.3. Thermal instability and optical filamentation	193
5.7.4. Accretion-driven star formation	196
5.7.5. Cooling flow models with star formation	200
5.7.6. Evolution of cooling flows and active galaxies	203
5.8 X-ray emission from individual galaxies	204
5.8.1. Massive haloes around M87 and other central galaxies	204
5.8.2. Other models for M87 and other central galaxies	207
5.8.3. X-ray emission from noncentral cluster galaxies	208
5.9 Stripping of gas from galaxies in clusters	212
5.10 The origin and evolution of the intracluster medium	218
5.10.1. Infall models	220
5.10.2. Ejection from galaxies	223
6 Prospects for the future and AXAF	229
<i>References</i>	233