

Cambridge University Press

978-0-521-11331-1 - Studies of Mascarene Island Birds

Edited by A. W. Diamond

Index

[More information](#)


---



---

## INDEX

---

The index contains all animal and plant names; both scientific and vernacular names (English and local) are included as used in the text. References to place names within the Mascarene Islands have been indexed only for Part I which contains general material. Accounts of individual species are indexed in **bold** and in general only these species are cross-referenced from the common to the scientific names. Maps, tables and appendices are not indexed.

- Acacia*, 70, 223, 307–8
  - heterophylla*, 70, 307–8
    - koa*, 308
- Acanthophoenix*, 307–8, 322, 326
  - crinita*, 308
  - rubra*, 307, 322
- Acantophis dumerilii*, 86
- Accipiter*, 95, 209–12
  - alphonsi*, 95
  - melanoleucus*, 95
  - nissus*, 209–12
- Achanita*, 12
- Acridotheres tristis*, 12, 17, 27, 49, 81, 108, 119, 160, 171, 179, 243, 296, 311
- Acrocephalus*, 51, 130–2, 364, 367, 370, 375–6, 378, 415
  - gracilirostris*, 130–2
  - rodericanus*, 51, 130–2, 364, **370–9, 415**
  - scirpaceus*, 378
  - sechellensis*, 367, 375–6, 415
- Adenanthera pavonina*, 370
- Aepytes melampus*, 83
- Aerodramus*, 161
- Agalega Island, 30, 83
- Agamids, 85
- Agapornis cana*, 44, 47, 76–7, 228, 279
- Albizzia*, 368, 370, 386
  - lebbeck*, 386
- Aldabra, 10, 11, 17, 50, 51, 53, 95–6
- Aldabranas cabri*, 95
- Alder, 388
- Alectoris*, 75
  - chukar*, 75
  - graeca*, 75
- Alectroenas*, 11, 12, 17, 20, 21, 42–4, 59, 76, 90, 97
  - nitidissima*, 12, 17, 20, 21, 42–3, 59, 76, 90, 97, 268
  - rodericana*, 11, 44, 97
- Alien species, 9–16, 65–90 *passim*
- Alma, 77
- Alnus glutinosa*, 388
- Alopochen*, 34, 72, 95
  - aegyptiacus*, 72
  - mauritianus*, 34, 95
- Alouette*, 76
- Amadina fasciata*, 80
- Amazones*, 45
- Anas*, 34, 72, 95
  - melleri*, 72
  - querquedula*, 34
  - theodori*, 34, 95
- Anhinga nana*, 9, 94
- Anopheles*, 23
  - funestus*, 23
  - gambiae*, 23
- Anous*, 30, 360
  - stolidus*, 30, 360
- Ant, 330
- Antelope, 84
- Antidesma madagascariensis*, 18, 256
- Antilope dorcas*, 83
- Antirrhaea verticillata*, 308
- Apalis*, 371
- Aphanapteryx*, 10, 36–9, 91, 96, 99
  - bonasia*, 10, 36, 38–9, 91, 96
  - broeckei*, 96
  - leguati*, 36–7, 96
- Aphloia theaeformis*, 179, 202, 249, 256, 260, 308, 326, 338–9, 344, 387
- Apis*, 296
- Apodemus sylvaticus*, 69
- Araucaria*, 155, 184, 187, 223, 368, 386–8, 391
  - columnaris*, 184
  - cunninghamii*, 184, 223, 368
- Ardea megacephala*, 94
- Ardeola idae*, 33, 311
- Ardisia crenata*, 14, 158, 202–3
- Asio, 9
- Assumption Island, 96
- Athene*, 10, 48, 98–9
  - murivora*, 10, 48, 98
  - polleni*, 98
  - superiliaris*, 98
- Atoxoplasma*, 188
- Avadavat, 79, 80
- Axis axis*, 83
- Babbler, 9, 51, 99
- Badamier, 223

*Index*

## 448

- Baie aux Huitres, 25, 73  
*Bakarella hoyifolia*, 196  
 Bamboo, 12, 307–8, 322  
 Bamboos range, 158  
 Banana, 190, 203  
 Bassin du Cormoran, 35  
 Bat, 9, 13, 16, 18, 26–9, 57, 229, 277, 296, 312, 350  
   Fruit, 16, 229, 277, 296  
 Beau Bassin, 82, 160  
 Beau Plan, 84  
 Beau Vallon, 77  
*Bebrornis*, 370–9  
   *rodericana*, 370–9  
   *sechellensis*, 370  
 Bee, 296–7  
 Bee-eater, 83  
 Beetle, 186, 203, 322, 330  
 Bel Ombre, 27, 158  
 Bélouve plateau, 25, 70  
 Bengali, 80  
*Bertieria zaluziana*, 190, 196  
 Bittern, 32  
 Black River Gorges, 13, 23, 59, 77, 152  
 Black River Peak, 152, 158  
 Blackfly, 191  
*Boeuf*, 31  
 Bois Blanc, 24  
 Bois de natte à petites feuilles, 17, 43  
 Bois de Nèfles, 91  
*Bois perroquets*, 285  
*Bolyeria multicarinata*, 57  
 Booby (*see Sula*), 9, 20, 29–31, 51  
   Abbott's, 9, 20, 29–31  
   Masked, 30, 31  
   Red-footed, 30, 31, 51  
*Bos taurus*, 70  
*Botaurus*, 94  
 Bottlebrush, 190  
 Bramble, 14, 179  
 Bras d'Eau, 152, 155  
 Bras Panon, 24, 74  
 Brise Fer, 158  
*Bruant de l'île de Bourbon*, 50  
*Bubo leguati*, 48  
*Bubulcus ibis*, 32  
*Bufo*, 87, 266, 314  
   *marinus*, 87  
   *melanostictus*, 87  
   *regularis*, 87, 266, 314  
 Bulbul (*see also Hypsipetes and Pycnonotus*), 9, 17, 19, 23, 25, 27, 50, 51, 78, 99, 119–24, 160, 175–80, 189, 191, 194, 207, 228, 243, 248, 266, 270, 309, 324–7, 348  
 Black-whiskered (*see also Hypsipetes*), 17, 23, 25, 27, 50, 119–24, 175–80, 309, 324–7  
 Red-whiskered (*see also Pycnonotus*), 16, 78, 175–6, 189, 191, 194, 207, 228, 243, 248, 266, 270, 348  
 Bullfinch, 79  
 Bunting, 50  
*Buteo buteo*, 230  
*Butorides*, 32–3, 94, 311  
   *mauritianus*, 33, 94  
   *striatus*, 32–3, 311  
 Button-quail, 36  
 Buzzard, 230  
*Cactoblastis*, 16  
*Caille*, 73  
*Cairina moschata*, 72  
*Calfat*, 80  
*Callistemon citrinus*, 190, 196, 202  
*Calophyllum*, 17, 43, 158, 174, 179, 201–2, 204, 249, 285, 288–9, 307, 370  
   *inophyllum*, 370  
   *parviflorum*, 285  
   *tacamahaca*, 43, 158, 174, 179, 201–2, 204, 285, 307  
*Calotes versicolor*, 85, 205, 223, 243, 313–14, 340  
*Calvaria*, 18, 19, 97  
   *galeata*, 97  
   *globosa*, 18  
   *hexangularis*, 19  
   *major*, 17, 19, 97  
*Calyptorhynchus funeris*, 284  
*Camellia sinensis*, 190, 196  
*Canarium paniculatum*, 17, 18, 158, 277, 285, 289, 296  
 Canary, 51, 78–9, 311, 380  
   Cape, 78–9, 311  
   Yellow-fronted, 79, 311  
 Cane borer, 83  
*Canirallus (Dryolimnas) cuvieri*, 37  
 Cannoniers Point, 54, 82  
 Cap Malheureux, 152  
*Capra hircus*, 71  
*Capsicum*, 299  
 Cardinal (*see also Foudia madagascariensis*), 50, 81, 160, 191, 199, 203, 310–11, 314, 334, 349, 380–1, 387, 390, 397–8, 419  
   Red-crested (*see Paroaria*), 83  
*Carduelis*, 79, 388  
   *carduelis*, 79  
   *chloris*, 79  
   *spinus*, 388  
*Carica papaya*, 179  
*Carosse*, 54  
 Carpeau du Saussay, 33  
*Carret*, 54–5  
*Casarea dussumieri*, 57, 59  
 Case Noyale, 82  
*Casela*, 77  
*Cassia fistula*, 183, 185, 187–8  
*Casuarina*, 160, 165, 171–2, 190, 307, 309, 332, 336–7, 340, 368, 387–8  
   *equisetifolia*, 160, 307, 368  
 Cat, 9–11, 20, 24, 36, 40, 44, 54, 67–9, 84, 92, 189, 220, 266, 313, 348  
*Cateau*, 271  
 Cattle, 9, 12, 13, 15, 19, 70, 71  
 Caverne Tamarin, 93  
 Caverne Vergoz, 91

*Index*

## 449

- Cedar, 223  
*Ceratitis rosa*, 14  
*Cervus*, 12, 13, 70, 229, 308  
*elaphus*, 70  
*timorensis*, 12, 13, 229, 308  
Chagos, 85  
*Chamaeleo*  
*pardalis*, 85  
*verrucosus*, 85  
Chamarel, 158, 160  
Chameleon, 85  
Chamois, 84  
*Chelonia mydas*, 20, 54  
Cherry, 179  
Chicken, 36, 74, 266, 313  
Chillie, 299  
Chough, 49  
Christmas Island, 30  
Chukar, 75  
*Ciconia*, 94–5  
*Cinnamomum camphora*, 174, 307, 326  
Cinnamon, 307  
*Circus*, 9, 25, 35, 95, 102–3, 243, 301, 311–14, 411  
*aeruginosus*, 102–3, 311–12, 411  
*alphonsi*, 9, 35, 95  
*cyanurus*, 102  
*macroscelis*, 311  
*maillardi*, 25, 27, 35, 95, 102–3, 243, 311–14, 411  
*rannivorus*, 312  
*spilonotus*, 312  
Cirque de Cilaos, 53  
*Citrus reticulata*, 197  
*Claoxylon glandulosum*, 347  
*Clerodendron serratum*, 293  
Cochineal, 16  
Cockatoo, 44, 77, 284  
White-tailed Black, 284  
Cocos Island, 32  
*Cocos nucifera*, 322  
*Colocasia*, 50, 101, 108–10, 160–71, 314–16  
*elaphra*, 161, 167  
*esculenta*, 167, 316  
*francica*, 50, 101, 108–10, 160, 161–71, 314–16, 413–15  
*hirundinacea*, 108  
*salangana*, 167  
*unicolor*, 161  
*vaniikorensis*, 108  
*Colophane*, 18, 22  
*Coluber rufus*, 86  
*Columba*, 43, 76, 97, 243, 246–71, 313  
*fasciata*, 256  
*livia*, 43, 76, 243, 260, 269, 313  
*mayeri*, 246–271  
*palumbus*, 256  
*rodericana*, 97  
*triangularis*, 76  
Comb Duck, 95  
Combo, 160  
Comores, 50  
Concession Juanis, 166  
*Coot*, 9, 35, 75, 96, 100  
*Coq de bois*, 180  
*Coracina*, 23, 25, 27, 78, 112–19, 158, 172–5, 266, 301, 317–23, 415  
*cinerea*, 172  
*newtoni*, 25, 27, 115–19, 172, 301, 317–23, 415  
*typica*, 23, 78, 112–19, 158, 172–5, 266, 321, 415  
*Coracopsis*, 17, 24, 45–6, 77  
*nigra*, 17, 24, 46  
*vasa*, 46, 77  
*Corbijeaux*, 37  
*Cordemoya integrifolia*, 307  
*Cordia*, 16, 223  
*interrupta*, 16  
*mixa*, 223  
Cormorant, 9, 35  
Reed, 35  
*Corps de Garde*, 21, 76, 152  
*Corvus*, 82  
*albus*, 82  
*splendens*, 82  
*Coturnix*, 73–4  
*cambayensis*, 74  
*coturnix*, 73–4  
*sinensis*, 73  
*textilis*, 74  
*Coua*, 83  
*Coucal*, 83  
*Coulevec*, 57  
*Courol*, 83  
Crab-eating Macaque (*see also Macaca fascicularis*), 65, 243  
*Crabier*, 33, 311  
Crow, 82–3  
House, 82  
Pied, 82  
*Cryptoblepharus boutonii*, 55–6  
*Cryptomeria*, 155, 174, 201, 204, 248–9, 254, 263–6, 308, 310, 328, 333–4, 337, 347, 352  
*japonica*, 174, 201, 204, 249, 263–4, 308, 352  
Cuckoo-shrike (*see also Coracina*), 23, 25, 27–8, 78, 83, 112–19, 158, 172–5, 176, 178–9, 189, 195, 266, 301, 303, 308, 310, 317–23, 349–52, 415  
*Culex pipiens quinquefasciatus*, 26, 192, 349  
*Curepipe*, 18, 23, 155, 160  
Curlew, 37–8, 96  
*Cyanornis coerulescens*, 37  
*Cyathea glauca*, 308  
*Cylindraspis*, 51  
*Cyperus papyrus*, 307, 328  
*Dactylopius*, 16  
Deer, 9, 12–20 *passim*, 70, 83, 160, 223, 229, 308, 313, 350–1  
Spotted, 83  
*Dendrocygna*, 72  
*bicolor*, 72  
*viduata*, 72  
*Dictyosperma album*, 25, 307  
*Didosaurus mauritianus*, 9

*Index*

## 450

- Didus herberti*, 96  
*Dinopium benghalense*, 83  
*Diospyros*, 20, 158, 175, 256, 263, 285, 291, 307  
  *tessellaria*, 20, 175, 256, 285, 291  
  *melania*, 307  
Disease, effect of on Mascarene vertebrates, 26–7  
*Doddaerssen*, 38  
*Dodo* (see *Raphus*), 6, 10, 17–19, 36, 38–9, 44, 90, 91, 96–7, 99,  
  151, 256  
  White, 39  
Dog, 68–9, 229, 348  
*Dombeya*, 308, 339, 344, 347, 387  
  *umbellata*, 344, 347  
*Domicella garrula*, 46  
Donkey, 70  
*Doratoxylon apetalum*, 334  
*Dos d'Ane*, 25  
Dove (see *Geopelia* and *Streptopelia*), 10, 11, 27, 42, 57, 76–7,  
  83, 207, 254, 266, 269–70, 310  
Barbary, 269  
Diamond, 76, 269  
Spotted, 76, 266, 269–70  
Turtle, 42, 76, 254, 266, 269–70, 310  
Zebra, 76–7, 269–70  
Dragonfly, 313  
*Dromicodyas bernieri*, 57  
Drongo, 83  
*Drosophila*, 203  
*Dryolimnas cuvieri*, 35, 96  
Duck, 19, 34, 72, 83, 95  
  Domestic, 72  
  Garganey, 34  
  Mauritian, 34  
  Meller's, 72  
  Muscovy, 72  
*Dugong dugong*, 20, 29  
Earthworm, 322  
*Ebenavia inunguis*, 85  
Ebony, 13, 20, 24, 151, 175, 285  
Egret, 32–3, 83  
  Cattle, 32  
  Dimorphic, 32–3  
*Egretta (gularis) dimorpha*, 32  
*Elaeodendron*, 158, 175, 307, 375, 386, 391  
  *orientale*, 158, 175, 307, 375, 391  
Eland, 83  
*Emerillons*, 36  
*Epervier*, 83  
*Equus caballus*, 70  
*Eretmochelys imbricata*, 20, 54  
*Eriobotrya japonica*, 344, 347  
*Erithacus*, 328–9  
  *rubecula*, 329  
*Erythrina*, 190, 370, 387  
  *indica*, 370  
  *variegata*, 190  
*Erythromachus leguati*, 96  
*Erythrospermum monticolum*, 196, 249, 256, 260, 265, 285  
*Erythroxylum*, 175, 276  
  *hypericifolium*, 175  
*Estrilda*, 79, 80, 83, 397  
  *amandava*, 79, 80  
  *astrild*, 79, 80, 311, 397  
  *melpoda*, 80  
  *phoenicotis*, 80  
Etang de St.-Paul, 34–5, 75  
Etang du Gol, 33  
*Eucalyptus*, 155, 160, 174, 184–5, 196, 201–2, 223, 293, 326,  
  344, 347, 368, 375, 387, 391, 397  
  *citriodora*, 326  
  *robusta*, 201–2, 263, 326, 397  
  *tereticornis*, 223, 293, 368  
*Eugenia*, 14, 17, 26, 130, 145, 174–5, 179, 183, 190, 196, 202,  
  223, 276, 285, 307, 339, 344, 348, 368–75 *passim*, 379,  
  384, 386–7  
  *cymosa*, 339  
  *dupontii*, 145, 196  
  *glomerata*, 175, 179, 196, 202  
  *jambos*, 14, 26, 130, 183, 190, 196, 223, 307, 339, 344, 348,  
  368, 370  
  *mauritiana*, 190  
  *obovata*, 196  
  *scandens*, 196  
  *venosa*, 196  
  *ventenatii*, 174  
*Euphorbia pyrifolia*, 256, 261  
*Euplectes*, 197  
*Eurystomus glaucurus*, 43  
*Eurytoma attiva*, 16  
Extinctions, 8–9, 28–64 *passim*  
*Falco*, 11, 20, 23, 35, 95, 105, 208–46 *passim*, 403–11  
  *alopex*, 208  
  *araea*, 23, 208–9, 211  
  *cenchorides*, 208, 211  
  *columbarius*, 95  
  *concolor*, 95, 243  
  *deiroleucus*, 211  
  *eleonorae*, 209–10  
  *moluccensis*, 208, 211  
  *naumannii*, 105, 208, 210–12, 235  
  *newtonii*, 208, 211  
  *novaeseelandiae*, 209  
  *peregrinus*, 211, 230, 243, 248  
  *punctatus*, 11, 20, 35, 104–5, 207, 208–46, 312, 403–11  
  *rupicoloides*, 208–10, 242  
  *sparverius*, 208, 210–12, 235  
  *subbuteo*, 209–10  
  *tinnunculus*, 208–13, 229, 235  
  *zoniventris*, 232  
Falcon (see also *Falco*), 35–6, 83, 95, 209–11, 230, 243, 248  
  Eleonora's, 209–10  
  Eurasian (Merlin), 95  
  New Zealand, 209  
  Orange-breasted, 211  
  Peregrine, 211, 230, 243, 248  
  Sooty, 95, 243

[Index](#)

## 451

- Faujasia flexuosa*, 206  
*Feldhun*, 36  
*Ferret*, 30, 84  
*Ficus*, 308, 326, 370  
*Fig*, 308, 326, 370  
*Finch*, 50, 78  
  *Spice*, 79, 80  
*Flamant*, 33–4, 95  
*Flamingo*, 9, 19, 33–5, 95  
*Flat Island*, 30, 52–3, 57–8, 66, 71, 152  
*Flatopsis nivea*, 190, 375, 387  
*Flycatcher* (*see also Terpsiphone*), 23, 25, 127–9, 152, 160, 180–7, 189, 191, 266, 309, 332–5, 415  
*Paradise*, 23, 25, 127–9, 152, 160, 180–7, 189, 191, 266, 309, 332–5, 415  
*Flying-fox*, 12, 16, 17, 20–1, 24–5, 27–8, 48, 160, 256, 364  
*Fody* (*see also Foudia*), 11, 17, 23, 25–6, 50, 51, 79, 81, 133–42, 152, 174, 176–9, 189, 197–207, 311, 350, 364, 379–98, 417, 419  
*Aldabran*, 381, 390, 396, 419  
*Comores*, 393  
*Madagascar*, *see Cardinal*  
*Mauritius*, 17, 50, 81, 133–7, 197–207, 381, 387, 390, 393, 396, 417  
*Rodrigues*, 51, 79, 136–42, 197–207 *passim*, 379–98, 417  
*Seychelles*, 11, 50, 197–207, 381, 390, 393, 396, 419  
*Forgesia borbonica*, 308, 342–4  
*Fort William*, 155  
*Fossils*, 91–3  
*Fou*, 30  
*Foude*, 81  
*Foudia*, 11, 16, 17, 19, 23, 50, 51, 79, 81, 133–42, 160, 197–207, 310–11, 364, 379–98, 417, 419  
  *bruante*, 50  
  *eminentissima*, 11, 50, 197–207 *passim*, 381, 393, 419  
  *flavicans*, 17, 51, 79, 136–42, 197–207 *passim*, 379–98, 417  
  *madagascariensis* (*see Cardinal*), 50, 81, 133–6, 160, 197–207 *passim*, 310, 380, 397–8  
  *moineau*, 11  
  *omissa*, 50  
  *rubra*, 17, 23, 50, 81, 133–7, 197–207, 311, 387, 417  
  *seychellarum*, 11, 50, 197–207 *passim*  
*Fouquet*, 30, 31, 360, 363  
*Francolin*  
  *Chinese*, 72–3  
  *Grey*, 72–3  
*Francolinus*, 72–3  
  *perlatus*, 73  
  *pintadeanus*, 72–3  
  *pondicerianus*, 72–3  
*Fregata*, 29, 31  
  *ariel*, 31  
  *minor*, 31  
*Fregilupus*, 26, 48–9, 90, 99, 349  
  *capensis*, 48  
  *varius*, 26, 48–9, 90, 349  
*Frigate-bird*, 29, 30–2  
*Frog*, 83, 86–7, 224, 313  
*Fruit fly*, 14  
*Fuchsia*, 309, 342–4  
  *boliviiana*, 344  
  *hybrida*, 344  
  *magellanica*, 309  
*Fulica newtoni*, 9, 35, 75, 96  
*Funambulus palmarum*, 67  
*Furcraea*, 4, 14, 185, 223, 307, 370, 381  
  *foetida*, 185, 223, 307, 370, 381  
  *gigantea*, 14  
*Gaertnera*, 190, 196  
*Galapagos Islands*, 10, 15, 17, 31  
*Gallinula*, 9, 35, 37, 75, 96, 314  
  *chloropus*, 9, 35, 37, 75, 314  
  *chloropus pyrrhorhoa*, 35, 75, 96, 314  
*Gallus gallus*, 74  
*Gannet*, 30  
*Gastonia*, 179  
*Gazelle*, 83  
*Géant*, 33–4  
*Gecko*, 9, 17, 23, 25–6, 55–9, 84–6, 174, 179, 222–4, 227–8, 242–3  
  *Day*, 85–6, 224, 227–8  
*Gehyra mutilata*, 57, 84–5, 243  
*Gellinote*, 36, 96  
*Geochelone*, 17, 51, 53–4, 84, 91  
  *borbonica*, 51  
  *elephantina*, 53, 84, 91  
  *inepta*, 51  
  *peltastes*, 51, 54  
  *radiata*, 53, 84  
  *triserrata*, 51  
  *vosmaeri*, 51, 54  
*Geomys spengleri*, 53  
*Geopelia*, 76, 269  
  *cuneata*, 76, 269  
  *striata*, 76, 269  
*Gnat*, 186  
*Goat*, 9–20 *passim*, 25, 59, 68, 70–1, 84  
*Goldfinch*, 79  
*Goose*, 19, 34, 38, 72, 95, 100  
  *Egyptian*, 72  
*Grand Baie*, 82  
*Grand Bois*, 53  
*Grand Etang*, 87  
*Grand Port*, 14, 15, 57–8, 77, 152  
*Grande Caverne*, 93  
*Grangeria borbonica*, 175  
*Grasshopper*, 27, 82, 186, 203, 223, 313, 330  
*Grebe*, 9, 96  
*Greenfinch*, 79  
*Grevillea*, 190, 206, 397  
*Guava*, 375, 378, 391  
*Guinea-fowl*, 73–5  
*Gunner's Quoin*, 25, 57–8, 66, 152  
*Gygis alba*, 31  
*Habitat*  
  *degradation*, 12–13  
  *destruction*, 20–6

*Index*

452

- Haemoproteus columbae*, 26  
*Haliaeetus vociferoides*, 243  
*Hare*, 66–7, 84, 189  
*Harrier* (*see also Circus*), 9, 25, 27, 35–6, 95, 102–3, 243, 301, 311–14, 324, 328, 340, 349, 411  
*Hen*, 102  
*Marsh*, 95, 102, 411  
*Réunion*, 311–14, 411  
*Harungana madagascariensis*, 158, 197  
*Hawk*, 35–6, 83, 160  
*Sparrow-*, 83  
*Heather*, 309  
*Helichrysum*, 249, 285, 295  
*Hemicentetes semispinosus*, 65  
*Hemidactylus*, 55, 57, 84–5, 243  
*frenatus*, 55, 57, 84–5  
*leschenaultii*, 85  
*mabouya*, 85  
*maculatus*, 85  
*mercatorius*, 85  
*Hemiphylodactylus typus*, 85  
*Hemp*, 14, 223  
*Herbert's Hen*, 96  
*Heron* (*see Butorides and Nycticorax*), 9, 10, 32, 37, 92, 100  
*Little Green*, 32–3, 311  
*Night*, 32–3  
*Herpestes*, 11, 12, 69, 74, 160, 187, 266  
*europunctatus*, 12  
*edwardsii*, 11, 12, 69, 74, 160, 187, 266  
*griseus*, 69  
*Herpetodryas bernieri*, 57  
*Hibiscus rosa-sinensis*, 387  
*Hippolais*, 370  
*Hiptage benghalensis*, 14, 158, 190, 222  
*Hirundo*, 171  
*Hobby* (*see Falco subbuteo*), 35, 209  
*Holmskoldia sanguinea*, 190  
*Homalanthus populifolius*, 259  
*Homalium paniculatum*, 307  
*Hoopoe*, 83  
*Hornea mauritania*, 256  
*Horse*, 70  
*Hunting*, effect of, 19–20  
*Huppe*, 48–9  
*Huppis fregilupus varius*, 24  
*Hypericum*, 310, 314, 342–4, 347, 351  
*lanceolatum*, 342  
*Hypsipetes*, 9, 16, 17, 19, 23, 25, 27, 46, 50, 51, 99, 119–24, 175–80, 309, 325, 415  
*borbonicus*, 17, 25, 27, 50, 119, 122–4, 176, 179, 309, 324–7, 415  
*bulbul*, 46  
*crassirostris*, 124, 176, 179–80  
*madagascariensis*, 124, 176  
*olivaceus*, 23, 119–24, 175–80, 324, 415  
*Ibex*, 84  
*Iguana*, 10
- Ille**  
*au Mat*, 31  
*aux Aigrettes*, 58  
*aux Fols et Fouquets*, 32  
*Cerf*, 58  
*Coco*, 32, 67  
*Combrani*, 32  
*d'Ambre*, 66  
*de la Passe*, 58  
*des Deux Cocos*, 58  
*Fouquet*, 55  
*Frégate*, 32, 56, 67  
*Pierrot*, 32  
*Platte*, 30  
*Sable*, 67  
*Ilot Gabriel*, 66  
*Impala*, 83  
*Indian raven*, 44–5  
*Introductions*, 65–87  
*Ipomoea congesta*, 179, 190  
*Ixobrychus*, 94  
*Jacobin*, 80  
*Java Sparrow*, 77, 79, 80, 83  
*Jungle Fowl*, 74  
*Kakapo Parrot*, 39  
*Kanaka crater*, 160  
*Kanaka–Grand Bassin*, 21, 23  
*Kestrel* (*see also Falco*), 11, 20, 23, 25–7, 35–6, 95–6, 104–5, 160, 171, 189, 207–46, 248, 269, 277, 312, 340, 403–11  
*American*, 208, 210–12, 235  
*Australian*, 208, 211  
*Barred*, 232  
*European*, 208–13, 229, 235  
*Fox*, 208  
*Greater*, 208–10, 242  
*Lesser*, 105, 208, 210–12, 235  
*Madagascar*, 208, 211  
*Mauritius*, 11, 20, 35, 104–5, 207, 208–46, 403–11  
*Moluccan*, 208, 211  
*Seychelles*, 23, 208–9, 211  
*Kuina mundyi*, 36  
*La Balise*, 76  
*La Ferme*, 25  
*Labourdonnaisia*, 17, 43, 158, 263, 276–7, 285  
*calophyloides*, 43, 307  
*glaucia*, 202, 248, 290  
*revoluta*, 17  
*Lagrave range*, 158  
*Lamentin*, 29  
*L'ami du jardinier*, 78  
*Lantana camara*, 16, 179, 190, 206, 256, 338, 397  
*Latania*, 17, 25  
*commersonii*, 307  
*Le Baril*, 24  
*Le Morne*, 152

*Index*

453

- Le Pouce, 84, 91  
 Le Volcan, 24  
*Leguatia gigantea*, 34, 95  
 Leguat's Starling, 90  
*Leioploisma*, 9, 17, 55–6, 91  
     *mauritiana*, 9, 55, 57  
     *telfairii*, 9, 55–9, 91  
*Lemur*  
     *catta*, 65  
     *mongoz*, 205  
     *variegatus*, 65  
*Lepidodactylus lugubris*, 57  
*Leptosomus discolor*, 83  
*Lepus*, 66–7  
     *capensis*, 67  
     *nigricollis*, 66–7  
*Les Mares*, 23, 155, 160  
*Leucena glauca*, 26, 183, 307  
*Leucocytozoon*, 26, 191–2  
     *fringillarum*, 191  
     *zosteropis*, 26, 191  
*Ligustrum robustum*, 14, 16, 158, 179, 197, 222, 256, 263, 291  
*Liophidium vaillanti*, 86  
 Literature sources, 6–8  
*Litsea*, 14, 16, 158, 179, 190, 196–7, 223, 249, 256, 293, 307, 370, 375  
     *chinensis*, 307  
     *glutinosa*, 158, 256, 370  
     *monopetala*, 158, 179, 223, 249, 293  
 Lizard, 8–10, 17, 23, 55–8, 67, 84–5, 196, 205, 217, 223–4, 243, 313–14, 340  
*Lonchura*, 79, 80  
     *punctulata*, 80  
     *striata*, 80  
 Long Island, 57  
*Lophopsittacus*, 11, 12, 44–5, 97–8, 298  
     *bensonii*, 11, 12, 20, 21, 45, 98, 298  
     *mauritianus*, 12, 45, 97–8  
*Lophortyx californicus*, 75  
*Lophura nycthemera*, 75  
 Lory, 46, 77  
 Lourdes, 39  
 Lovebird, 44, 47, 76–7, 228, 279  
     Grey-headed, 76–7  
     Madagascar, 44, 47, 76–7, 228, 279  
*Luscinia megarhynchos*, 83  
*Lycodon aulicum*, 86, 340  
 Lynnett, 50  
  
*Mabuya maculilabris*, 205  
 Macabé, 18, 27, 55, 155, 158  
*Macaca*, 11, 65, 160, 180, 184, 205, 243, 267–8, 296, 348  
     *fascicularis*, 11, 65, 160, 180, 184, 205, 243, 267, 296, 348  
     *fuscata*, 268  
 Macaque, 205, 267–8  
     Crab-eating, 65, 243  
     Japanese, 268  
 Macaw, 45  
  
*Machaerina iridifolia*, 308, 329  
 Mafatte, 24  
*Mahébourg*, 21, 35, 55, 77, 82  
*Mahogany*, 223, 391  
*Maize*, 307  
*Maki*, 65  
*Mallard*, 34  
*Manapy-Les-Bains*, 25  
*Mangeur de poules*, 208  
*Mangifera indica*, 160, 184, 206, 222, 307, 368  
*Mango*, 160, 184, 222–3, 307, 368, 370, 375, 386–7, 391  
*Maquois*, 30  
*Mare*  
     aux Songes, 9, 30, 33–5, 57, 75, 91, 95–8  
     aux Vacoas, 72  
     Longue reservoir, 22, 72  
*Margaroperdix*, 72–3, 311  
     *madagascariensis*, 72–3, 311  
     *striata*, 73  
*Marteau*, 80  
*Martin*, 82  
*Martin-pêcheur*, 32  
*Mascarena verschaffeltii*, 25  
*Mascarene Parrot*, 90  
*Mascarinus mascarinus*, 20, 24, 45–6, 90  
*Mathurina*, 370, 386–7  
     *penduliflora*, 370  
*Mauritian Blue Pigeon*, 90  
*Mayfly*, 333  
*Megaphoxys duboisi*, 33  
*Meleagris gallopavo*, 17  
 Merle (*see also Hypsipetes*), 19, 23, 25, 27, 51, 119–21, 160, 172, 175–80, 194, 256, 296, 309, 310, 313, 317, 321, 324–7, 332, 342, 348–50, 415  
*Merle cuisinier*, 172  
*Merlin* (*see Falco columbarius*), 95  
*Mimusops*, 158, 197, 202, 277, 285, 289, 291, 295, 307  
     *erythroxylon*, 289, 291  
     *maxima*, 197, 277, 285, 307  
     *petiolaris*, 202, 285, 295  
*Mistletoe*, 326  
*Moineau*, 19, 50, 51, 80, 81  
 Moka range, 23, 84, 152  
*Molinaea alternifolia*, 308  
*Mongoose*, 11, 12, 55, 69, 70, 72, 74–5, 84, 160, 187, 189, 205, 266  
*Monkey*, 9–19 *passim*, 23, 35, 65, 84, 160, 180, 184, 187, 205, 229, 248, 266, 268–9, 277, 296, 348, 351  
*Montagne*  
     Cocotte, 155  
     Savane, 158, 160  
*Montagnes Bambous*, 152, 158  
*Montvert*, 160  
*Moorhen* (*see Gallinula*), 9, 35, 75, 96, 314, 349  
     *Madagascar*, 96  
*Mordoré*, 50, 81  
*Morinda citrifolia*, 387, 397  
*Morning Glory*, 179, 190

*Index***454**

- Morus alba*, 179  
*Moth*, 186, 203, 322, 333  
*Mouflon*, 84  
*Mouse*, 12, 68–9, 82, 86, 313–14  
*Mulberry*, 179  
*Munia*, White-rumped, 80  
*Mus*, 68–9, 313–14  
  *alexandrinus*, 68  
  *musculus*, 68–9, 313  
  *sylvaticus*, 69  
*Musa*, 190  
*Mynah*, 12, 17, 27, 49, 81–2, 108, 160, 171–2, 175, 179–80, 243, 267, 277, 282, 284, 296–7, 311, 314, 327, 348
- Nactus*, 55, 58, 59  
  *coindemirensis*, 59  
  *serpensinsula*, 55, 58  
*Nastus borbonicus*, 12, 308, 322  
*Natte*, 13  
*Necropsar*, 11, 49, 90, 99  
  *leguati*, 11, 49, 90  
  *rodericanus*, 49, 99  
*Necropsittacus*, 44, 46–8  
  *borbonicus*, 46  
  *francicus*, 44  
  *rodericanus*, 46–7, 98  
*Nectarinia dussumieri*, 376  
*Neophilia*, 16  
*Nesoenas*, 11, 17, 23, 42–3, 105, 160, 246–71, 411, 413  
  *duboisi*, 246, 271  
  *mayeri*, 11, 17, 23, 42–3, 105, 160, **246–71, 411–13**  
*Nightingale*, 83  
*Nightjar*, 83  
*Nightshade*, 42  
*Ninox*, 9, 48, 98–9  
*Noddie*, 30, 31, 360  
  *Brown*, 30, 360  
*Numenius*, 9, 37–8, 96  
  *arquata*, 38  
  *phaeopus*, 9, 37, 96  
*Numida meleagris mitrata*, 74  
*Nuthatch*, 190, 202–3  
*Nuxia verticillata*, 158, 179, 249, 256, 270, 285, 307–8, 326  
*Nycticorax*, 9, 32–3, 94  
  *mauritianus*, 9, 32, 94  
  *megacephalus*, 33, 94  
  *nycticorax*, 94  
  
*Ochna mauritiana*, 196, 285  
*Ochrosia borbonica*, 307  
*Oenanthe*, 328  
*Oiseau*  
  *bellier*, 81  
  *bleu*, 10, 24, 37, 56, 92  
  *de la Vierge*, 332  
  *du Cap*, 78  
  *pit-pit*, 194  
*Olax psittacorum*, 285  
*Olea lancea*, 370
- Opuntia tuna*, 16, 84  
*Ornithaptera solitaria*, 10, 39, 40, 41  
*Orthotomus*, 371  
*Oryctes rhinoceros*, 322  
*Oryctolagus cuniculus*, 66  
*Ossea marginata*, 202  
*Owl*, 9, 10, 12, 20, 21, 47, 50, 83, 92, 98–9  
*Oxynotus ferrugineus*, 317, 322
- Padda oryzivora*, 79  
*Palm*, 16, 17, 179, 307, 322, 351  
*Palmistes*, 25  
*Pamplemousses*, 77–8, 84, 86  
*Pandanus*, 17, 25, 307–9  
  *montanus*, 308  
  *utilis*, 307  
*Papangue*, 36, 95, 311  
*Papaya*, 179  
*Papyrus*, 328  
*Parakeet* (*see also Psittacula*), 11, 12, 20, 23–7, 42, 45–6, 49, 77, 90, 106–8, 248, 250, 271–99, 413  
  *Alexandrine*, 174  
*Echo*, 25, 42, 106–8, 248, 250, **271–99, 413**  
  *Emerald-collared*, 276  
*Réunion*, 12, 45–6, 274–5  
*Ring-necked*, 46, 77, 106–8, 248, 274–5, 282, 292–6, 413  
*Rodrigues*, 90, 413  
*Seychelles*, 274, 413  
*Paroaria*, 83  
*Parrot*, 11, 12, 17, 19–21, 24, 44–7, 77, 83, 90, 92, 97, 298, 312  
*Black*, 24, 45–6, 77  
*Green*, 20, 45–7, 77  
*Grey*, 11, 12, 20, 44–6, 77, 298  
*Large*, 12, 21  
*Mascarene*, 90  
*Partridge*, 72, 75, 84, 224  
  *Malagasy*, 72–4, 311, 313  
*Parus*, 51, 203, 349, 387, 398  
  *caeruleus*, 349  
*Passer*, 80, 81, 207, 380, 391, 397  
  *domesticus*, 207, 380, 397  
  *domesticus indicus*, 80, 81  
*Pelargonium graveolens*, 24, 307  
*Pelusios subniger*, 84  
*Perdicula*, 73–4  
  *argoondah*, 73–4  
  *asiatica*, 73–4  
*Perdrix*, 36, 72–3, 75  
*Petrel* (*see also Puffinus, Pterodroma and Shearwater*), 11, 12, 26, 30, 31, 100, 304, 359–63  
*Barau's*, 30, 31, 304, **361–2**  
*Beck's*, 362  
*Black*, **362–3**  
*Dark-rumped*, 11  
*Gadfly*, 31  
*Réunion*, 30, 31, 362–3  
*Tahiti*, 362–3  
*Trindade*, 26, 30  
*Petrin*, 155, 158

*Index*

## 455

- Pezocrex herberti*, 36  
*Pezophrax solitaria*, 10, 40, 90, 92, 97  
*Phaethon lepturus*, 30, 93, 243, 277, 296  
*Phalacrocorax africanus*, 9, 35, 94  
*Phasianus colchicus*, 75  
*Pheasant*, 75, 83–4  
  Ring-necked, 75  
  Silver, 75  
*Phedina*, 50, 51, 110–11, 171–2, 232, 316, 415  
  **borbonica**, 50, 51, 110–11, 171–2, 232, 316–17, 415  
  **brazzae**, 171  
*Phednipis*, 171  
*Phelsuma*, 9, 11, 23, 25–6, 55–9, 85–6, 174, 179, 196, 217, 222, 224, 227, 242–3  
  **borbonica**, 26, 56, 86  
  **cephalana**, 55, 85  
  **edwardnewtonii**, 26, 56  
  **gigas**, 11, 23, 25, 56  
  **guentheri**, 9, 55, 57–9  
  **guimbeau**, 23, 55, 227  
  **lineata**, 85  
  **ornata**, 55–6  
  **ornata inexpectata**, 25  
*Phillipia*, 308–11, 322–3, 328, 332, 337–8  
  **galioides**, 309  
  **montana**, 308–9, 338  
*Phoenicopterus ruber*, 33  
*Phylica leucocephala*, 309  
*pic-pic*, 189  
*Picus chrysotus*, 83  
*Pieds jaunes*, 36, 95  
*Pig*, 9–20 *passim*, 52, 54, 68, 70, 71, 75, 97, 160, 351  
*Pigeon* (see also *Alectroenas*, *Columba*, *Nesoenas* and  
  **Streptopelia**), 11, 12, 17, 19, 20, 23, 25, 42–6, 59, 75–6,  
  90, 92, 97, 105, 160, 175, 179, 222, 224, 243–71, 296,  
  312–13, 411, 413  
*Band-tailed*, 256  
*Blue*, 90, 268  
*Columbine*, 17  
*Feral*, 269, 313  
*Fruit*, 17, 43  
*Pink*, 23, 25, 42–3, 105, 160, 175, 179, 222, 243, 246–71,  
  296, 411–13  
*Wood*, 42, 256, 259  
*Pigeon des mares*, 23, 246, 249  
*Pigeon-hollandais*, 21, 42–3  
*Pigeon-ramier*, 42–3  
*Pilotrichella*, 315  
*Pine*, 23, 155, 183, 190, 201  
*Pink Pigeon* (see also *Columba* and *Nesoenas*), 23, 25, 42–3, 105,  
  160, 175, 179, 222, 243, 246–71, 296, 411–13  
*Pinus elliotti*, 201  
*Pithecellobium dulce*, 307, 311  
*Piton de Fougé*, 158  
*Piton du Milieu*, 152  
*Pittosporum senacia*, 256, 339  
*Plaine*  
  Champagne, 155, 158  
  Corail, 51, 54, 92–3, 97–9  
*des Cafres*, 24–5, 37, 91  
*des Chicots*, 46, 69  
*des Makes*, 65  
*des Palmistes*, 24  
*des Roches*, 152  
*Wilhelms*, 160  
*Planthopper*, 375, 387  
*Plasmodium*, 26, 191–2  
  **relictum**, 26  
*Ploceus cucullatus*, 81, 83, 268  
*Plover*, 77  
*Pluton*, 30, 35  
*Pluvialis squatarola*, 77  
*Podiceps gadoui*, 9, 93, 96  
*Pointe d'Esny*, 77  
*Pollution*, effect on Mascarene vertebrates, 26–7  
*Pongamia pinnata*, 370, 375  
*Porphyria coeruleascens*, 37  
*Port Louis*, 14, 15, 21, 23, 54, 76, 80, 82, 84, 86, 91, 98  
*Port Mathurin*, 68, 92  
*Porphyrio*, 37, 75, 92  
  **coeruleascens**, 37, 92  
  **madagascariensis**, 75  
  **mantelli**, 37  
  **porphyrio**, 37  
*Poule de Cochinchine*, 74  
*Poule d'eau*, 35, 75, 96  
*Prickly Pear*, 16  
*Privet*, 14, 16, 158, 161, 179, 222–3  
*Prockia theiformis*, 326  
*Proepedetus lineatus*, 86  
*Protium obtusifolium*, 179, 285  
*Prunus cerasus*, 179  
*Psidium cattleianum*, 14, 158, 190, 222, 285, 307, 348, 370  
*Psittacula*, 11, 12, 16, 20, 23, 26, 42, 45–7, 49, 77, 90, 97–8,  
  106–8, 160, 271–99, 385, 413  
  **calthorpa**, 276  
  **echo**, 11, 23, 42, 45–6, 77, 97, 106–8, 160, 271–99, 413  
  **eques**, 12, 45–6, 274–5  
  **eupatoria**, 274, 289  
  **exsul**, 20, 26, 47, 49, 90, 98, 274, 385, 413  
  **krameri**, 77, 106–8, 160, 248, 272, 274–7, 289, 292–6, 299,  
  413  
  **wardi**, 274, 413  
*Psychotria*, 387  
*Pterocarpus*, 386  
*Pterodroma*, 11, 26, 30, 31, 93, 304, 359, 361–3  
  **arminjoniana**, 26, 30, 359  
  **aterrima**, 30, 31, 93, 359, 362–3  
  **barau**, 11, 30, 31, 304, 361–2  
  **becki**, 362  
  **phaeogypygia**, 11  
  **rostrata**, 362–3  
*Ptychadenia mascareniensis*, 86–7, 313  
*Pteropus*, 8, 9, 12, 13, 15, 17, 20, 21, 24, 28, 48, 160, 229, 296,  
  364  
  **niger**, 9, 20, 24, 28, 160, 229, 296  
  **rodricensis**, 9, 15, 20, 28, 354  
  **subniger**, 12, 20, 21, 24, 28, 48, 296

Cambridge University Press

978-0-521-11331-1 - Studies of Mascarene Island Birds

Edited by A. W. Diamond

Index

[More information](#)*Index*

456

- Puffinus*, 11, 26, 29, 30, 91, 359, 360  
*lherminieri*, 11, 29, 30, 91, 359–63  
*pacificus*, 11, 26, 30, 91, 359–60
- Purple Gallinule*, 37, 75
- Pycnonotus jocosus*, 16, 78, 119, 160, 189, 191, 228, 243, 348
- Pyrrhula pyrrhula*, 79
- Quail*, 69, 73–4, 83, 224, 314  
*Bush*, 73–4  
*Button*, 73–4, 314  
*California*, 75  
*Common*, 73–4  
*Painted*, 73–4
- Quartier Militaire*, 77
- Rabbit*, 59, 66–7, 69
- Rail*, 10, 11, 19, 33–8, 44, 75, 91–2, 96  
*Asian*, 33–4  
*Mascarene*, 34  
*Red*, 10, 36, 38, 44  
*White-throated*, 37, 96
- Râle des bois*, 37
- Ramier*, 42–4, 46
- Rana cutipora*, 87
- Raphus cucullatus*, 10, 36, 38, 90, 96–7
- Raspberry*, 179
- Rat*, 9–20 *passim*, 25–6, 44, 49, 50, 54–8, 66–9, 82–4, 160, 175, 180, 187, 205, 243, 266, 268, 296, 313, 324, 340, 348, 391  
*Common*, 11, 15, 67–8  
*Ship*, 11, 26, 58, 67–8, 160, 175, 205, 243, 266, 268, 296, 324, 348  
*Siamese bamboo*, 83
- Rat musquée*, 65
- Rattus*, 11, 15, 26, 58, 67–8, 160, 313, 324, 340, 348  
*decumanus*, 67  
*norvegicus*, 11, 15, 67–8, 348, 391  
*rattus*, 11, 26, 58, 67–8, 160, 243, 266, 296, 324, 340, 348
- Ravenala madagascariensis*, 14, 16, 160, 196, 391
- Ravine Blanche*, 70
- Reduit*, 77
- Rempart mountains*, 152, 158
- Rivière*  
*des Marsouins*, 65  
*des Remparts*, 74  
*des Roches*, 70  
*du Poste*, 160  
*Noire*, 76
- Robin*, 328–9
- Roche Bois*, 82
- Roller*, 83  
*Broad-billed*, 43
- Rosangularis*, 23
- Rose-Apple*, 14, 202, 307, 348, 368, 370, 375, 379, 387, 391, 397
- Round Island*, 26–7, 30, 32, 55, 57–9, 66, 71, 152
- Rubus mollucanus*, 14, 16, 158, 179, 308, 339, 344, 348
- Saccharum officinarum*, 307
- Saint*  
*Benoît*, 65
- Brandon*, 55, 85  
*Denis*, 24–5, 48, 53, 67–8, 72, 74–5, 77, 80, 84  
*Gillies*, 24, 35, 53  
*Leu*, 25, 53  
*Martin*, 96  
*Paul*, 24, 53–4, 91, 94–6, 100  
*Philippe*, 25, 53  
*Pierre*, 73  
*Sainte Suzanne*, 68  
*Saulazie*, 24, 70  
*Sandy Island*, 32  
*Sarcelle*, 34, 72  
*Sarcidiornis mauritianus*, 95  
*Sauria*, 55  
*Saxicola*, 25, 27, 124–6, 309–10, 327–32, 415  
*tectes*, 25, 27, 124–6, 309–10, 327–32, 415  
*torquata*, 124, 327, 331  
*Scaevola frutescens*, 359  
*Scelotes bojerii*, 12, 26, 55–6, 227  
*Scented Geranium*, 24, 307  
*Schematiza cordiae*, 16  
*Schinus terebinthifolius*, 185, 190, 223, 307, 338, 348  
*Schmidelia integrifolia*, 326  
*Sciurus tristriatus*, 67  
*Scops commersoni*, 9, 12, 20, 21, 47  
*Scotophilus borbonicus*, 29  
*Sea-cow*, 28–9, 54  
*Sea Eagle*, 243  
*Seal*, 29  
*Securinega durissima*, 175  
*Senecio hubertia*, 309  
*Sentinelle*, 33  
*Serin*, 78–9  
*Serinus*, 78–9, 311, 380  
*canaria*, 79  
*canicollis*, 78, 311  
*mozambicus*, 78, 311, 380
- Serpent Island*, 30, 152
- Seychelles*, 17, 20, 23, 30, 55, 85–6, 149
- Shearwater* (*see also Puffinus, Pterodroma and Petrel*), 11, 12, 29–31, 35, 91, 359–63  
*Audubon's*, 11, 12, 29, 30, 91, 360–1  
*Wedge-tailed*, 11, 12, 30, 31, 35, 91, 359–60
- Sheldgoose*, 34, 96
- Shrew*, 12, 65–6, 84, 189, 223, 227–8, 314
- Sideroxylon*, 17–19, 158, 190, 197, 201–2, 249, 263, 285, 289, 295, 307, 326, 386  
*bojerianum*, 263  
*borbonicum*, 326  
*cinereum*, 197, 285  
*galeatum*, 386  
*grandiflorum*, 17, 285  
*majus*, 307  
*puberulum*, 158, 202, 249  
*sessiliflorum*, 19, 285  
*Simulium ruficorne*, 191
- Siskin*, 388
- Sitta*, 190, 202
- Skink*, 9, 10, 12, 17, 55–6, 91, 205, 227

Cambridge University Press

978-0-521-11331-1 - Studies of Mascarene Island Birds

Edited by A. W. Diamond

Index

[More information](#)*Index*

457

- Snail, 12, 259  
 Snake, 8, 9, 26, 56–7, 59, 67, 83–4, 86  
   Blind, 9, 57, 86  
   Wolf, 86  
 Snake Island, 57  
 Snipe, 83  
*Solanum auriculatum*, 326  
 Solitaire, 10, 20, 24, 37–42, 90–3, 97, 99, 256  
 Solitude, 69  
*Sophora denudata*, 309, 337, 342–4  
 Souillac, 21  
 Sparrow, 50, 51, 77, 79, 80, 207, 314, 391, 397–8  
   House, 80, 207, 380  
   Java, 77, 79, 80  
 Sparrowhawk, 209  
*Sphagnum*, 308  
 Spice Finch, 79, 80  
 Spider, 16, 186, 323, 387  
 Squirrel, 67, 267  
   Indian, 67  
 Starling, 26, 48, 81, 90, 92, 99, 349  
   Crested, 90  
   Leguat's, 90  
*Sterna*, 26, 30–2  
   *bergii*, 32  
   *dugallii*, 31  
   *fuscata*, 26, 30–2  
*Sticherus flagellans*, 308  
*Stillingia lineata*, 260  
*Stoebe passerinoides*, 309, 348  
 Stonechat (*see also Saxicola*), 25, 27, 124–6, 309–10, 327–32, 334, 349–50, 415  
   Réunion, 25, 27, 124–6, 309–10, 327–32, 415  
 Stork, 9, 33–4, 95  
 Strawberry Guava, 14, 16, 19, 158, 161, 179, 202, 222–3, 285, 307, 309–10, 326–7, 348, 370, 379  
*Streptopelia*, 43–4, 76, 207  
   *chinensis*, 76, 207, 266, 269  
   *picturata*, 43–4, 76, 254, 266, 268–9, 310  
   *risoria*, 269  
*Strix murivora*, 98–9  
 Subfossil material, 93–9  
 Sugar cane, 24, 307  
*Sula*, 9, 30, 31, 94  
   *abbotti*, 9, 30, 31, 94  
   *dactylatra*, 30, 31  
   *piscatrix*, 30  
   *sula*, 30, 31  
 Sunbird, 83, 376  
*Suncus murinus*, 12, 65, 189, 223, 227–8, 314  
*Sus scrofa*, 71  
 Swallow (*see also Phedina*), 50, 51, 110–11, 171–2, 232, 316–17, 350, 415  
   Malagasy, 316–17  
   Mascarene, 50, 51, 110–11, 171–2, 232, 415  
*Swietenia*, 223  
   *macrophylla*, 223  
   *mahogoni*, 223  
 Swift, 350  
 Swiftlet (*see also Collocalia*), 50, 101, 108–10, 160–71, 314–16, 413–15  
   Mascarene, 50, 101, 108–10, 160, 161–71, 314–16, 413–15  
*Syzygium* (*see also Eugenia*), 249, 277, 285  
   *contractum*, 277, 285  
*Tabebuia*, 184, 223, 293, 368, 370, 375, 379, 387–9, 397  
   *grandis*, 223  
   *pallida*, 184, 293, 368, 370, 379  
*Tabernaemontana mauritiana*, 256, 285, 288  
 Tacamacha, 17, 43  
*Tadarida acetabulosus*, 26–7, 29, 350  
 Taillevent, 362  
 Takahe, 37  
*Tamarin*, 155, 158, 308–10, 322–4, 328, 333–4, 337, 342–3, 350–2  
*Tambalacoque*, 17–19, 22  
*Tambourissa*, 17, 249  
*Taphozous mauritianus*, 28–9  
*Tarin*, 78  
*Taurotragus oryx*, 83  
 Tea, 23, 183, 190, 196  
 Teak, 223  
 Teal  
   Grey, 34  
   Whistling, 72  
*Tecoma*, 223  
*Tec-tec*, 327  
*Tectona grandis*, 184, 223, 370  
 Tenrec, 12, 27, 65, 313–14, 351  
*Tenrec ecaudatus*, 12, 65, 313  
*Terminalia*, 190, 223, 307, 370, 386–7  
   *arjuna*, 223, 370, 386  
   *belerica*, 190, 223  
   *bentzoe*, 307  
   *catappa*, 223, 386–7  
 Termite, 203  
*Terpsiphone*, 23, 127–9, 152, 160, 180–7, 309, 332–5, 415  
   *atrocaudata*, 181  
   *bourbonnensis*, 23, 127–9, 152, 160, 309, 332–5, 415  
   *bourbonnensis desolata*, 127–9, 180–7, 415  
   *corvina*, 181  
   *mutata*, 180–1, 415  
   *paradisi*, 181  
   *viridis*, 181  
 Terrapin, 53, 84  
 Tern, 30–2, 51  
   Crested, 32, 51  
   Fairy, 31  
   Roseate, 31  
   Sooty, 30–2, 51  
*Testudophaga bicolor*, 49  
 Thrush, 99  
 Tit, 51, 83, 203, 349, 387, 398  
 Toad, 86–7, 266, 314  
   West Indian Giant, 87  
*Todaersen*, 36  
 Tortoise, 8–10, 12, 16–17, 19, 24–5, 27, 40, 51–9, 71, 84, 91–2, 99, 256

Cambridge University Press

978-0-521-11331-1 - Studies of Mascarene Island Birds

Edited by A. W. Diamond

Index

[More information](#)*Index*

458

- Tortoise – *continued*  
     Aldabran Giant, 84, 91  
     Radiated, 84  
*Tourterelles*, 43–4, 75–6  
*Tra-ta*, 31  
     Traveller's Palm, 16, 160, 196  
     Tree fern, 308  
*Trionyx steindachneri*, 84  
*Trochetia uniflora*, 196  
     Trois Bassins, 25  
     Trois Mamelles, 152, 158  
     Tropic-bird, 30, 31, 232, 243, 248, 277, 296–7  
         White-tailed, 30, 232, 243, 248, 277  
     Trou aux Cerfs, 79  
*Trypanosoma*, 26  
*Tuit-tuit*, 317  
     Turkey, 17–19  
*Turnix nigricollis*, 36, 73, 314  
     Turtle, 10, 19, 20, 28–9, 52, 54–5, 57  
         Green, 54–5  
         Hawksbill, 54–5  
*Typha javanica*, 307  
*Typhlina bramina*, 57, 86  
*Typhlops*, 9, 57, 86  
     *cariei*, 9, 57  
     *flavoterminalis*, 86  
*Tyto*, 9, 47–8, 98–9  
     *murivora*, 98  
     *newtoni*, 47, 98  
     *sauzieri*, 9, 47–8, 98–9  
*Ulex europaeus*, 328  
*Upupa epops*, 83  
*Usnea*, 165, 315, 322–3  
     Vacoas, 77  
     Vanga, 83  
*Velthoenders*, 38  
*Victorionis imperialis*, 38–40  
*Vitex*, 184, 223, 370, 387  
     *cuneata*, 223, 370  
     *glabrata*, 184  
     Vocalisations of Mascarene birds, 101–50  
     Volcan, 24, 71  
     Warbler (*see also Acrocephalus*), 51, 83, 130–2, 337, 364, 370–9,  
         380, 415  
     Brush, 130–2, 415  
     Reed, 378  
     Rodrigues, 364, 367, 370–9, 415  
     Seychelles, 367, 371, 378–9  
     Wasp, 296  
     Waxbill, 79, 80, 311, 397  
     Weasel, 84  
     Weaver bird, 81, 268  
         Village, 81  
     Weaver-finches, 79  
*Weinmannia tinctoria*, 308–9, 347  
     Wheatear, 328  
     Whimbrel, 9, 37, 96  
     White-eye (*see also Zosterops*), 16, 17, 23, 25–6, 51, 143–9,  
         158, 160, 172, 174, 181–97 *passim*, 224, 228, 301, 309–10,  
         314, 322, 326, 328, 333–4, 339–48, 398, 417  
         Grey, 23, 25, 51, 143–9, 158, 160, 172, 181, 183, 187–8,  
             189–93, 224, 228, 301, 309–10, 314, 322, 333–4, 335–42,  
             344, 349, 417  
         Olive, 17, 23, 25–6, 101, 119, 143–9, 158, 174, 189, 194–7,  
             301, 309–10, 326, 328, 339–40, 342–8, 348–50, 417  
*Wilkstroemia indica*, 14  
     Wildlife protection, 27–8  
     Woodhen, 96  
     Woodpecker, 83  
     Yatis, 223, 293  
     Zalwet, 77  
*Zea mays*, 307  
*Zirondelle*, 161, 171, 314, 316  
*Zoiseau*  
     *banane*, 197  
     *blanc*, 335  
     *longbecs*, 374  
     *vert*, 342  
*Zosterops*, 16, 17, 23, 25, 51, 101, 119, 143–9, 158, 189–97, 224,  
         309–10, 314, 322, 326, 328, 333–48, 417  
         *borbonicus*, 17, 23, 51, 119, 143–9, 158, 189, 194, 224,  
             309–10, 314, 322, 333–4, 335–42, 347, 417  
         *borbonicus mauritianus*, 143–9, 189–93, 417  
         *chloronothus*, 17, 23, 101, 143–9, 158, 189, 194–7, 417  
         *edwardnewtoni*, 341  
         *lateralis gouldii*, 149  
         *maderaspatanus*, 189  
         *modestus*, 149, 339  
         *olivaceus*, 25, 119, 143–9, 189, 309–10, 326, 328, 339–40,  
             342–8, 417