
Index

- actions of algebraic groups on varieties, 114
- adele topology, 11, 12
- adeles, 11, 293, *see also* group of adeles; ring of adeles
- adelic space, 294
- adelization of a regular map, 295–297
- adjoint representation, 58
- algebraic group, 54
 - absolutely almost simple, 71
 - adjoint, 71
 - defined over K , 55
 - diagonalizable, 59
 - K -anisotropic, 75
 - K -isotropic, 75
 - of compact/noncompact/mixed type, 243
 - pseudo-reductive, 66
 - quasisplit, 66
 - reductive, 66
 - semisimple, 66
 - simply connected, 71
 - split, 66
 - unipotent, 64
- algebraic number field, 1
- algebraic torus, 60, *see also* torus
- analytic structure, 128
- anisotropic kernel, 77
- approximation
 - strong, 15, 301
 - weak, 15
- arithmetic group, 198

- birational isomorphism, 113
- BN -pair, 174

- Borel Density Theorem, 243
- Borel subgroup, 65
- Brauer group, 31
- Bruhat decomposition, 68
 - relative, 76
- building, 173

- Cartan decomposition, 175
- central isogeny, 71
- character of an algebraic group, 60
- Chebotarev Density Theorem, 10
- Chevalley basis, 73
- Chevalley group, 74
- Chevalley's theorem, 115
 - stronger version, 115
- class number, 2, 302
- clopen set, 138
- coboundary map, 25, 84
- cohomology, 17
 - continuous, 22
 - Galois, 23
 - non-abelian, 23
 - of algebraic groups, 83
- commensurability subgroup, 244
- compactness criterion
 - for G_A/G_K , 314
 - for $G_{\mathbb{R}}/G_{\mathbb{Z}}$, 249
- completion, 4
- congruence subgroup, 155, 200
- connected component, 58
- convergence factors, 315
- corestriction map, 22

- decomposition group, 7
- Dieudonné determinant, 44
- differential form, 193
 - associated measure, 196
 - invariant, 193
- Dirichlet Unit Theorem, 248, 335
 - generalized, 333
- distinguished vertex, 76
- dominant morphism, 111

- Eisenstein polynomial, 10
- exponential map, 135
 - truncated, 64

- field
 - local, 5
 - non-Archimedean, 5
 - of definition, 111
- field extension
 - totally ramified, 6
 - totally real, 271
 - unramified, 6
- finite presentability
 - of arithmetic groups, 228
 - of S -arithmetic groups, 329
- finiteness of the volume
 - of G_A/G_K , 314
 - of $G_{\mathbb{R}}/G_{\mathbb{Z}}$, 253
- finiteness theorem for the orbits
 - of arithmetic groups, 225
 - of S -arithmetic groups, 324
- forms
 - of absolutely almost simple K -groups, 89
 - inner, 76, 90
 - outer, 76
 - of algebraic K -tori, 87
 - of K -objects, 77
 - classification in terms of Galois cohomology, 78
- fractional ideal, 2
- Frobenius automorphism, 7
- fundamental domain, 190
- fundamental group (of a semisimple algebraic group), 72
- fundamental set, 191, 219, 225, 305, 322

- Galois cohomology of algebraic groups, 83
- group
 - algebraic, 54, *see* algebraic group
 - compactly presented, 177
 - of characters, 60
 - of cocharacters, 61
 - of S -units, 322
 - of units, 199
 - profinite, 159
 - pro- p , 160
 - self-adjoint, 144
 - unimodular, 187
 - with bounded generation, 237
- group of adèles, 300
 - finite, 301
 - integral, 300
 - principal, 300
 - S -integral, 300
- group of S -adèles, 300

- Haar measure, 186
- Hasse norm principle, 17
- Hasse–Minkowski Theorem, 16
- higher finiteness properties, 336
- Hilbert’s Theorem 90, 81
- Hochschild–Serre spectral sequence, 22
 - for non-abelian cohomology, 27

- ideal class group, 2
- ideles (group of), 12
 - integral, 13
 - principal, 13
 - S -integral, 13
 - special, 14
- idele topology, 13
- index of a central simple/division algebra, 29
- inertia group, 11
- inflation map, 21
- invariant of a central simple/division algebra, 32
- Inverse Function Theorem, 128
- inverse/projective limit, 159
- inverse/projective system, 159
- involution (of an algebra), 96
 - of the first kind, 96
 - of orthogonal type, 98
 - of symplectic type, 98
 - of the second kind, 96
- isogeny, 71
- Iwahori subgroup, 173
- Iwasawa decomposition
 - for a reductive group, 152
 - for $GL_n(\mathbb{R})$, 149

- Jordan decomposition, 59

- Killing form, 58
- lattice
 in a locally compact topological group, 189, 262
 in a vector space, 47
- lemma
 Hensel's, 165
 Minkowski's, 274
 on closed orbits, 115
 Shapiro's, 22, 28
- Levi decomposition, 66
- Lie algebra
 of an algebraic group, 58
 of an analytic group, 135
- Lie subgroup, 135
- local-global (Hasse) principle, 16
- logarithmic map, 135
 truncated, 64
- Mahler's compactness criterion, 250
- measure
 Borel, 186
 Haar, 186
 Tamagawa, 315
- modular function, 187
- modulus of an automorphism, 186
- morphism
 dominant, 111
 K -defined, 55
 of algebraic groups, 54
- multidimensional conjugacy classes, 116
- multinorm torus, 62
- non-abelian cohomology, 23
- nonsingular point, *see* simple point
- norm torus, 62
- order (in a finite-dimensional algebra), 48
 maximal, 48
- orthogonal group, 93
 special, 93
- Ostrowski's theorem, 3
- parabolic subgroup, 66
 standard, 71
- parahoric subgroup, 173
- polar decomposition
 for a reductive group, 146
 for $GL_n(\mathbb{R})$ and $GL_n(\mathbb{C})$, 142, 144
- Prasad volume formula, 263
 applications, 263
- product formula, 13
- profinite group, 159
- projective/inverse limit, 159
- projective/inverse system, 159
- pro- p group, 160
- pseudobasis, 47
- quotient varieties (of algebraic groups), 59
- radical, 66
 unipotent, 66
- ramification groups, 11
- ramification index, 6
- rank of an algebraic group
 absolute, 65
 over K , 75
- Rank Theorem, 337
- reduced norm, 30
- reduction modulo a maximal ideal, 164
 smooth, 165
- reduction theory
 for arithmetic groups, 204, 220
 in $GL_n(\mathbb{R})$, 203
 for S -arithmetic groups, 321
- representation variety, 119
- residual degree, 6
- residue algebra, 31
- residue field, 6
- restricted topological product, 188
- restriction map, 21
- restriction of scalars, 56
- ring of adèles, 11, 12
 integral, 12
 principal, 12
 S -integral, 12
- root system, 67
 relative, 75
- S -arithmetic group, 203, 322
- Schur multiplier, 19
- self-adjoint group, 144
- Shapiro's Lemma, 22
 noncommutative version, 28
- Siegel set, 205, 255
 generalized, 266
- simple point, 112
- singular point, 112
- special cover, 88
- special linear group, 90

- spinor group, 95
- splitting field
 - of a central simple algebra, 30
 - of a diagonalizable group, 60
- stabilizer of a lattice, 51
- strong approximation, 301
 - absolute, 301
- Sylow pro- p -subgroup, 161
- symplectic group, 93
- system of simple roots, 68

- Tamagawa measure, 315
- Tamagawa number, 316, 321
- tangent space, 112
- Tannaka–Artin problem, 30
- theorem of
 - Albert–Hasse–Brauer–Noether, 42
 - Bartels–Kitaoka, 276
 - Behr, 177
 - Borel–Harish-Chandra, 224
 - Eichler, 43
 - Harish-Chandra, 213
 - Hermite, 10
 - Matsumoto, 161
 - Mostow, 144, 148
 - Noether, 166
 - Platonov–Yanchevskii, 34
 - Prasad–Raghunathan, 40
 - Riehm, 133
 - Skolem–Noether, 29
 - Wang, 44
 - Whitney, 138
- theorem on dimension of fibers, 111
- Tits index, 77
- Tits system, *see* BN -pair
- topology
 - adele, 11, 12
 - associated with a valuation, 125, *see also*
 - v -adic topology
 - idele, 13
- torus
 - anisotropic, 60
 - multinorm, 62
 - norm, 62
 - quasisplit, 62
 - split, 60
- transgression map, 22
- twisting, 26, 78, 79

- uniformizer, 6, 32
- unimodular group, 187
- unirational variety, 114
- unitary group, 97
 - special, 97
- universal cover, 72
 - K -defined, 88

- v -adic topology, 125
- valuation, 2
 - Archimedean, 3
 - complex, 5
 - extension of, 3
 - logarithmic, 3
 - non-Archimedean, 3
 - normalized, 13
 - p -adic, 3
 - real, 5
- valuation ideal, 5
- valuation ring, 5
- variety
 - K -defined, 111
 - of Borel subgroups, 123
 - of maximal tori, 121
 - rational, 113
 - smooth, 113
 - unirational, 114

- Weyl group, 68, 75, 174
- Whitehead group,
 - reduced, 30
- Witt index, 95