

Index

- activation rule, 250, 251, 253, 254, 256, 258, 259, 265
- active memory, 150
- additivity pretraining and posttraining, 186, 212
- AESOP model, 3, 150, 152, 153, 164, 168, 170, 171, 175, 177
- amygdala, 186, 190
- anterior cingulate cortex (ACC), 186, 190, 211
- artificial neural networks, 4
- associability, 53, 72–5, 78–83, 85, 87, 89, 92, 94, 95, 97, 99–101, 116, 121, 144, 178, 186
- associations, 2, 3, 17, 18, 20, 40–2, 48, 53, 55, 57, 73, 75, 78, 89, 90, 108, 110, 111, 114, 115–20, 125–32, 134, 135, 138–40, 142, 145, 151, 162, 166–8, 177, 186–93, 195, 196, 199, 201, 203–7, 210–12, 221, 259, 266
- attention, 3, 4, 10–12, 17–20, 22, 24, 26, 27, 35–8, 41–3, 47, 49, 53, 58–61, 63–7, 101, 110, 124, 130, 179, 186–93, 195, 196, 198–204, 208, 211, 213, 224, 230, 245
- awareness, 188
- backpropagation networks, 12, 20
- biconditional, 2, 53–8, 60, 61, 65, 67
- blocking, 2, 6, 18, 54, 66, 72–5, 79, 92, 93, 95, 108–10, 113–16, 124–6, 142, 144, 145, 153, 178, 186–9, 190, 192, 196, 207–12, 237–9
- brain activity, 186, 211, 214
- brain lesions, 214
- brain structures, 2, 4, 214
- brain-imaging, 190
- causal learning, 4, 186, 208
- CER potentiation of defensive responses, 155
- cerebellum, 4, 219, 220–7, 229–36, 238–40
- climbing fiber, 222, 227–29, 232–40
- cognitive mapping, 190, 259
- combination of CS–CS and CS–US associations, 187
- comparator hypothesis, 3, 5, 114–16, 118, 135, 145, 212
- competition, 3, 5, 28, 53, 59, 60, 66, 71, 108–11, 113–16, 118, 120, 125, 132, 133, 135–7, 140, 142, 187, 207, 253
- complex models, 5, 212
- compound conditioning, 4, 108, 186
- computational mechanisms, 3, 4, 186
- computer simulations, 4, 5, 168, 173, 174, 176, 192, 195, 212, 214, 219, 220, 221, 224, 230, 231, 239, 240, 245, 256
- conditional emotional response, 7
- conditional-emotional tendency, 157, 171
- conditioned diminution of the unconditioned response (CDUR), 150–3, 155–64, 167, 168, 171, 173, 175–8, 180, 181

- conditioned emotional response (CER), 152, 156–63, 168, 170, 171, 173, 176, 180, 181, 196
- conditioned inhibition, 3, 4, 54, 74–7, 89, 91, 108–11, 113–16, 118–20, 122, 125, 137–9, 142, 187, 192, 195, 238, 239
- conditioned response (CR), 3, 5, 59, 60, 66, 122, 151–8, 161, 163, 164, 167, 168, 171, 173–7, 190–2, 199, 201, 205, 206, 207, 220, 222, 227, 229, 230, 237, 238, 239, 246, 248
- configural mechanisms, 2, 4, 186
- context, 3, 4, 7, 12–16, 23, 24, 26, 28, 29, 32, 33, 35, 37–43, 46–9, 85, 86, 96, 113, 114, 123, 127–35, 138–40, 142, 145, 150–2, 154–6, 161, 162, 175, 177–81, 186–9, 195, 196, 201, 202, 204, 211, 213, 249, 260–3
- context-dependent and context-independent latent inhibition, 187
- context-dependent relevance, 12–14, 22–4, 27, 31, 38, 42, 49
- context-independent excitatory conditioning, 188, 201
- contextual control of habituation, 179
- contingency, 14, 42, 109, 113, 264
- counteraction, 2, 3, 108, 118, 124–6, 132, 135, 137, 142, 144, 196
- CS-processing, 72–6, 78, 79, 82, 83, 88–95, 97, 98, 166, 170
- cue interactions, 2, 3, 59, 108–10, 113, 114, 116–18, 120, 124, 125, 140–2, 144
- decremental effects, 3, 150, 152, 155, 180
- diminished processing of expected USs, 153
- discrete cues, 3, 150
- discrimination, 2, 31, 49, 53–8, 60, 61, 63, 65, 67, 80–2, 85–7, 95, 97, 98, 100, 119, 122, 154, 205–7
- dopaminergic, 5, 253, 256
- dorsolateral prefrontal cortex (dlPFC), 186, 190–2, 211
- drug administration, 214
- elemental, 57, 61, 67, 109, 140, 144, 145, 209
- emergent properties, 187, 214
- emotive modulation, 176, 177
- equilibrium, 235–7, 239, 240
- error, 10, 11, 16, 21–4, 27, 36, 37, 41, 43, 46, 54, 60, 75–9, 82–4, 89–91, 93, 95, 110, 111, 116, 118, 120, 121, 123, 132, 134, 192, 226–9, 235
- error-driven learning, 227, 229
- evaluation, 6, 152, 212, 233
- evolution, 1, 2, 10, 11, 26, 27, 33, 36, 37, 39, 41, 42
- excitatory learning, 76, 90, 153, 166, 167
- explanation, 6, 7, 12, 18, 101, 102, 129, 138, 139, 192, 208, 213, 225, 238
- external inhibition, 59
- extinction, 4, 73, 78, 109, 112–19, 121, 124, 130–4, 142, 145, 151, 152, 155, 179, 180, 186, 187, 189, 192, 195, 196, 199–202, 204, 205, 211, 213, 221, 222, 230, 237–9, 266
- extradimensional shift, 18, 19, 80, 81
- eyeblink conditioning, 7, 150, 153, 155, 164, 168, 171
- eyelid conditioning, 4, 59, 219–25, 227, 229, 230, 238
- feedback system, 187, 226
- gain control, 61, 62
- generalization, 54–6, 67
- genetic algorithm, 12, 26, 27, 33
- Golgi cell, 231–3
- granule cell, 231, 232, 233, 234, 237, 239
- habituation, 3, 49, 150–3, 178–82
- highlighting effect, 11, 12, 17, 18, 24, 26, 35, 46, 47
- hill climbing, 123, 124, 134
- hippocampus, 73, 74, 92
- human contingency learning, 72, 97, 98, 100–2
- human fear conditioning, 190
- hybrid modeling, 2, 71, 75, 77, 89, 101–3
- imagination, 187
- imitation, 6, 213
- inhibitory, 3, 55, 56, 58, 60, 62, 74, 76–8, 89–92, 94,

274 Index

- 110, 113, 116, 140, 142,
 166, 167, 189, 192, 193,
 196, 199–202, 204, 205,
 207, 211, 213, 234, 235,
 237, 251, 252, 253
- inhibitory contextual
 conditioning, 189
- inhibitory learning, 74, 76,
 90, 166
- insula, 186, 190, 191, 211
- integrate and fire, 232
- interactions between
 latent inhibition and
 overshadowing, 196
- intradimensional shift, 18,
 19, 80, 81
- latent inhibition, 4, 6, 18,
 100, 101, 114, 127–9,
 135–8, 142, 145, 178,
 179, 186–8, 190, 195,
 196, 198, 199, 254
- learned attention, 1, 12, 26,
 35, 36, 40, 44
- learning, 1, 2, 4, 5, 7, 10–13,
 16–24, 27, 29–33, 36–8,
 41–4, 46–9, 53, 55, 56,
 60, 61, 66, 67, 71–80,
 82, 83, 85–103, 108, 109,
 111–13, 118, 119, 130,
 132, 145, 150, 153, 154,
 166, 167, 178, 180, 191,
 195, 219–22, 224–30,
 233–40, 245, 256, 259
- learning (storage), 190
- learning rate, optimal, 12,
 23, 24, 26, 44
- lesions, 6, 73, 74, 92, 179,
 222, 229, 230, 239
- limiting term for CS-US
 associations, 189
- long-term habituation, 3,
 150–3, 155, 177–9,
 181
- Mackintosh model, 57, 71,
 80, 82, 83, 85, 88, 98,
 191, 244
- mediated acquisition, 190
- mediated changes in
 attention, 190
- mediated extinction, 190
- moment-to-moment basis,
 187
- multiple mechanisms, 73,
 75, 88, 212, 214
- negative transfer, 71, 82–5,
 87, 89, 100, 102
- neural activity, 214
- neural network, 4, 186, 204,
 212, 250, 254, 256, 259
- neurotransmitters, 214
- normalisation, 61–3, 67
- novelty system, 187
- number of parameters, 212
- occasion setting, 2, 4, 186,
 205, 206, 212
- operant, 4, 5, 244–9, 251,
 256, 258, 260, 262,
 264–6
- overshadowing, 4, 6, 54, 59,
 108–10, 112–14, 116,
 131, 135–8, 140–2, 145,
 186, 187, 190, 196, 198,
 199, 211
- parametric experimental
 studies, 214
- parsimony, 5, 6, 101, 102,
 212
- patterning, 2, 53–8, 60, 61,
 65, 67
- Pearce and Hall model, 2, 5,
 71, 79, 81–5, 91, 98, 99,
 101, 102, 187, 191, 195,
 244
- perception, 13, 187
- performance (retrieval),
 190
- plasticity, 219, 220, 230,
 233–6, 240
- positive transfer, 71, 80,
 83–5, 89, 99, 100, 102
- priming, 151, 152
- Priming theory, 177
- Purkinje cell, 230, 233–7,
 239, 240
- receptive field, 62
- recovery from blocking, 4,
 115, 186, 190, 196
- recurrent inhibition, 166,
 167
- renewal, 130, 199
- Rescorla–Wagner model, 17,
 53–7, 66, 71, 88, 110,
 111, 116, 117, 120, 122,
 124, 127, 144, 191, 208,
 209, 237–9, 244
- respondent, 4, 244, 245, 246,
 248, 249, 251, 256, 258,
 260, 262, 263, 265, 266
- response, 4, 5, 11, 17, 29,
 30, 32, 33, 36, 38, 54,
 59, 61, 66, 67, 101, 109,
 111, 112, 114, 118, 119,
 122, 123, 132, 134,
 151–4, 156–8, 161–3, 166,
 168, 170, 171, 173–81,
 191, 195, 200, 204, 205,
 221, 222, 224, 226, 229,
 230, 231, 233, 234, 235,
 237, 239, 246, 247, 248,
 260, 262, 264, 266, 267
- response divergence, 168
- response form, 4, 186, 205,
 207
- response-potentiating
 tendency, 3, 150
- retrieval, 13, 120, 187, 190,
 212, 245, 259

- retrospective revaluation, 3, 108, 111–17, 120–2, 142
- Schmajuk-DiCarlo (SD) model, 207
- Schmajuk-Lam-Gray (SLG) model, 2–4, 6, 7, 137, 186–196, 199, 201, 204, 207, 208, 209–212
- Schmajuk-Lamoureux-Holland (SLH) model, 4, 207, 212
- second-order conditioning, 3, 108–13, 117, 119, 122, 125, 127–9, 142, 187, 255
- selective attention, 11, 12, 13, 16, 23, 26, 29, 30, 42, 49, 101
- sensitization, 49, 152, 180, 181
- short-term memory, 187, 192, 212, 245
- skin conductance response, 190
- sometimes competing retrieval, 117–19, 121, 122, 124–7, 129–45
- SOP model, 3, 150, 152, 153, 164, 166, 167, 168, 171, 175, 177, 187, 192, 195
- spontaneous recovery, 4, 186, 199, 201, 202, 204, 211, 213
- stimulus, 2, 4, 7, 13, 29, 53, 55–65, 67, 71–3, 78–84, 91, 92, 101, 103, 108–14, 116, 118–22, 125, 127, 130, 132, 135, 139, 142, 145, 151–3, 155, 156, 161, 162, 164–7, 173, 177–81, 189, 192, 195, 196, 198, 205, 207, 208, 210, 211, 214, 221, 229, 231, 233, 234, 246–8, 257, 262, 265, 266
- summation, 4, 23, 54, 59, 61, 76, 108, 109, 111, 137, 186, 195, 199, 201, 252
- summation tests following extinction, 201
- super-latent inhibition, 186, 195, 196, 211
- temporal coding, 231, 234, 237
- timing, 3, 4, 111, 222, 224, 227, 229, 230, 231, 234, 237, 239
- total-error reduction, 118
- uncertainty, 191, 192
- unconditioned, 53, 72, 108, 109, 152, 166, 171, 174–6, 221, 246, 247, 258
- unconditioned response (UR), 5, 151–4, 156–64, 167, 168, 171, 174–81, 246, 247, 267
- unification, 244–6, 260, 265
- US-processing duration, 175
- US-processing model, 112, 116–22, 124, 125, 127–9, 133, 134, 138–40, 142–4
- US processing, 3, 72–9, 88, 89, 93, 95, 108–13, 116, 117, 120, 124, 125–7, 129–43, 145, 150, 166–8, 170, 171, 175–7, 239
- weight-change rule, 250, 251, 252, 257–9
- within-compound associations, 2, 3, 78, 108–18, 120–2, 124–32, 135–7, 140–5
- working memory, 192, 211