

## **CONTENTS**

Prefe	Preface page x	
	CHAPTER 1. INTRODUCTION	
1.1	The composition of the ionosphere	I
1.2	Plane waves and spherical waves. The curvature of the earth	1
1.3	Effect of collisions and of the earth's magnetic field	2
1.4	Relation to other kinds of wave-propagation	2
1.5	The variation of electron density with height. The Chapman layer	3
1.6	Approximations to the electron density profile	5
1.7	The variation of collision-frequency with height	6
1.8	The structure of the ionosphere	7
1.9	Horizontal variations and irregularities	10
	CHAPTER 2. THE BASIC EQUATIONS	
2. I	Units	11
2.2	Harmonic waves and complex quantities	12
2.3	Definitions of electric intensity ${\bf E}$ and magnetic intensity ${\bf H}$	13
2.4	The current density $J$ and electric polarisation $P$	14
2.5	The electric displacement ${f D}$ and magnetic induction ${f B}$	15
2.6	Maxwell's equations	16
2.7	Cartesian coordinate system	16
2.8	Progressive plane waves	17
2.9	Plane waves in free space	19
2.10	The notation ${\mathscr H}$ and ${\mathbf H}$	20
2. I I	The energy stored in a radio wave in the ionosphere	20
2.12	The flow of energy. Poynting's theorem	21
2.13	The Poynting vector	22



viii	CONTENTS	
	CHAPTER 3. THE CONSTITUTIVE RELATION	NS
3.1	Introduction	page 24
3.2	Free, undamped electrons	24
3.3	Electron collisions. Damping of the motion	25
3.4	Effect of the earth's magnetic field on motion of electrons	26
3.5	The effect of the magnetic field of the wave on the motion of electrons	of 28
3.6	The susceptibility matrix	29
3.7	The Lorentz polarisation term	30
3.8	The effect of small irregularities in the ionosphere	31
3.9	The effect of heavy ions	31
3.10	The energy stored in a radio wave in the ionosphere (continued)	33
3.11	The principal axes	35
	CHAPTER 4. PROPAGATION IN A HOMOGENEOUS ISOTROPIC MEDIUM	
4.I	Definition of the refractive index	38
4.2	The Maxwell equation derived from Faraday's law	38
4.3	Isotropic medium without damping	39
4.4	Isotropic medium with collision damping	40
4.5	The physical interpretation of a complex refractive index	41
4.6	Evanescent waves	41
4.7	Inhomogeneous plane waves	42
4.8	Energy flow in inhomogeneous plane waves	44
4.9	The case when $X = 1$ , $n = 0$	45
	HAPTER 5. PROPAGATION IN A HOMOGENINISOTROPIC MEDIUM. MAGNETOIONIC TH	
5.1	Introduction	47
5.2	The wave-polarisation	47
5.3	The polarisation equation	48



	CONTENTS	1X
5.4	Properties of the polarisation equation	page 49
5.5	Alternative measure of the polarisation. Axis ratio and tiltangle	51
5.6	The Appleton-Hartree formula for the refractive index	52
5.7	The longitudinal component of the electric field	53
5.8	The flow of energy for a wave in a magnetoionic medium	54
5.9	The effect of heavy ions on polarisation and refractive index	x 56
	Examples	57
	CHAPTER 6. PROPERTIES OF THE APPLETON-HARTREE FORMULA	
6.1	General properties. Zeros and infinity of the refractive index	x 59
6.2	Collisions neglected	60
6.3	Frequency above the gyro-frequency	60
6.4	Longitudinal propagation when $Y < I$	60
6.5	Transverse propagation when $Y < 1$	61
6.6	Intermediate inclination of the field when $Y < 1$	62
6.7	Frequency below the gyro-frequency	64
6.8	Longitudinal propagation when $Y > 1$	64
6.9	Transverse propagation when $Y > 1$	65
6.10	Intermediate inclination of the field when $Y > 1$	65
6.11	Effect of collisions included	66
6.12	The critical collision-frequency	67
6.13	Longitudinal propagation when collisions are included	69
6.14	Transverse propagation when collisions are included	70
6.15	Intermediate inclination of the field	72
6.16	The 'quasi-longitudinal' approximation	76
6.17	The 'quasi-transverse' approximation	77
6.18	The effect of heavy ions	78
h		BRW



X CONTENTS

## CHAPTER 7. DEFINITION OF THE REFLECTION AND TRANSMISSION COEFFICIENTS

7.1	Introduction	page	85
7.2	The reference-level for reflection coefficients		85
7·3	The reference-level for transmission coefficients		87
7.4	The four reflection coefficients and the four transmission coefficients		88
7.5	The sign convention		88
7.6	The reflection coefficient matrix		90
7.7	Alternative forms of the reflection coefficients		90
7.8	Spherical waves		91
	Examples		94
СН	APTER 8. REFLECTION AT A SHARP BOUNI	OAR	Y
8.1	Introduction		96
8.2	The boundary conditions		96
8.3	Snell's law		97
8.4	Derivation of the Fresnel formulae for isotropic media		98
8.5	General properties of the Fresnel formulae	]	100
8.6	The Fresnel formulae when the electric vector is in the plane of incidence		101
8.7	The Fresnel formulae when the electric vector is horizonta	. <b>l</b> 1	105
8.8	Reflection when $X = 1$ , $Z = 0$ , $n = 0$	:	106
8.9	Normal incidence	;	108
8.10	Homogeneous ionosphere with parallel boundaries	:	108
8.11	Normal incidence on a parallel-sided slab	:	112
8.12	Reflection at normal incidence when the earth's magnetic field is allowed for	;	114
8.13	Earth's magnetic field horizontal. Normal incidence		115
•	Earth's magnetic field vertical. Normal incidence		116
•	Reflection when the earth's magnetic field is included.  Approximate formulae for oblique incidence	:	116



	CONTENTS	хi
8.16	The validity of the approximations	age 119
8.17	Reflection at oblique incidence. The Booker quartic	120
8.18	Some properties of the Booker quartic	123
8.19	Reflection at oblique incidence for north-south or south-north propagation	124
8.20	Reflection at oblique incidence in the general case	126
	Examples	127
	CHAPTER 9. SLOWLY VARYING MEDIUM. THE W.K.B. SOLUTIONS	
9.1	Introduction	128
9.2	The differential equations	128
9.3	The phase memory concept	130
9.4	Loss-free medium. Constancy of energy-flow	131
9.5	Derivation of the W.K.B. solution	131
9.6	Condition for the validity of the W.K.B. solutions	133
9.7	Properties of the W.K.B. solutions	134
9.8	The reflection coefficient	136
9.9	Coupling between upgoing and downgoing waves	137
9.10	Extension to oblique incidence	138
9.11	The differential equations for oblique incidence	140
9.12	The W.K.B. solutions for horizontal polarisation at oblique incidence	140
9.13	The W.K.B. solutions at oblique incidence when the electric vector is parallel to the plane of incidence	
0.14	The effect of including the earth's magnetic field	143
	Ray theory and 'full wave' theory	144
	CHAPTER 10. RAY THEORY FOR VERTICAL INCIDENCE WHEN THE EARTH'S MAGNETIC FIELD IS NEGLECTED	
10.1	The use of pulses	146
10.2	The group velocity	147
10.3	The equivalent height of reflection $h'(f)$	149
		b-2

© Cambridge University Press



xii	CONTENTS	
10.4	The 'true height' and the 'phase height' page	150
10.5	The equivalent height of reflection for a linear profile of electron density	150
10.6	The equivalent height of reflection for an exponential variation of electron density	151
10.7	Equivalent height for a parabolic profile of electron density	152
8.01	Equivalent height for the 'sech2' profile of electron density	156
10.9	Two separate parabolic layers	157
10.10	The effect of a 'ledge' in the electron density profile	158
10.11	The calculation of electron density $N(z)$ , from $h'(f)$ data	160
10.12	Solution when $N(z)$ is monotonic	161
10.13	Partial solution when $N(z)$ is not monotonic	163
10.14	The shape of a pulse of radio waves	166
10.15	The effect of electron collisions on group refractive index	170
10.16	The effect of collisions on equivalent height $h'(f)$ and phase height $h(f)$	171
10.17	Relation between equivalent height, phase height and absorption	172
	Examples	174
	CHAPTER 11. RAY THEORY FOR OBLIQUE INCIDENCE WHEN THE EARTH'S MAGNETIC FIELD IS NEGLECTED	
11.1	Introduction. The ray path	175
11.2	Wave-packets	177
11.3	The equation for the ray when the earth's magnetic field is neglected	178
11.4	The ray path for a linear gradient of electron density	179
11.5	The ray path for exponential variation of electron density	180
11.6	The ray path for a parabolic profile of electron density	182
11.7	The skip distance	183



	CONTENTS	xiii
8.11	The equivalent path P' at oblique incidence page	185
11.9	Breit and Tuve's theorem. Martyn's theorem for equivalent path	186
11.10	The equivalent path at oblique incidence for a linear gradient of electron density	188
11.11	The equivalent path at oblique incidence for a parabolic profile of electron density	188
11.12	The dependence of signal on frequency near the maximum usable frequency	190
11.13	The prediction of maximum usable frequencies. Appleton and Beynon's method	191
11.14	The curvature of the earth	192
11.15	The prediction of maximum usable frequencies. Newbern Smith's method	194
11.16	The absorption of radio waves. Martyn's theorem for absorption	195
11.17	The effect of electron collisions on equivalent path	197
	Examples	197
	CHAPTER 12. RAY THEORY FOR VERTICAL INCIDENCE WHEN THE EARTH'S MAGNETIC FIELD IS INCLUDED	
12.1	Introduction	199
12.2	Magnetoionic 'splitting'	199
12.3	The group refractive index—collisions neglected	200
12.4	The effect of collisions on the group refractive index	204
12.5	The equivalent height of reflection $h'(f)$ —collisions neglected	205
12.6	The $h'(f)$ curves when collisions are neglected	206
12.7	The penetration-frequencies for the ordinary and extraordinary waves	208
12.8	The equivalent height for a parabolic layer	200
12.9	Two separate parabolic layers	210



ΧĮV	CONTENTS	
12.10	The effect of a 'ledge' in the electron density profile pe	age 212
12.11	The effect of collisions on equivalent height $h'(f)$	212
12.12	The polarisation of waves in a wave-packet	214
12.13	The calculation of electron density $N(z)$ from $h'(f)$	215
12.14	Example of the use of the method	218
12.15	Other versions of the foregoing method	221
12.16	Failure of the method when $N(z)$ is not monotonic	222
12.17	The use of $h'_{x}(f)$ for the extraordinary ray	223
	Example	224
	CHAPTER 13. RAY THEORY FOR OBLIQUE INCIDENCE WHEN THE EARTH'S MAGNETI FIELD IS INCLUDED	C
13.1	Introduction	225
13.2	The variable $q$	225
13.3	Derivation of the Booker quartic	226
13.4	The transition to a continuous medium	228
13.5	The path of a wave-packet	229
13.6	The reversibility of the path	230
13.7	The reflection of a wave-packet	230
13.8	A simple example of ray paths at oblique incidence	231
13.9	Further properties of the Booker quartic	233
13.10	The Booker quartic for east-west and west-east propagation	236
13.11	The Booker quartic for north-south and south-north propagation	238
13.12	The Booker quartic in the general case when collisions are neglected	e 244
13.13	Lateral deviation at vertical incidence	246
13.14	Lateral deviation for propagation from (magnetic) east to west or west to east	) 248
13.15	Lateral deviation in the general case	250



	CONTENTS	ΧV
13.16	Calculation of attenuation, using the Booker quartic page	250
13.17	The 'refractive index' surface in a homogeneous medium	252
13.18	The direction of the ray	253
13.19	The ray velocity and the ray surface	255
13.20	Whistlers	256
13.21	Determination of ray direction by Poeverlein's construction	258
13.22	Propagation in the magnetic meridian. The 'Spitze'	260
13.23	The refractive index surfaces for the extraordinary ray when $Y < \mathbf{r}$	262
13.24	The refractive index surfaces for the extraordinary ray when $Y > I$	266
13.25	The second refractive index surface for the ordinary ray when $Y > I$	268
	Examples	270
	CHAPTER 14. THE GENERAL PROBLEM OF RAY TRACING	
14.1	Introduction	271
14.2	Equations of the refractive index surface and the ray surface	272
14.3	The Eikonal function	274
14.4	The canonical equations for a ray, and the generalisation of Snell's law	276
14.5	Other relations between the equations for the ray surface and the refractive index surface	278
14.6	Fermat's principle	279
14.7	Equivalent path and absorption	279
14.8	The problem of finding the maximum usable frequency	281
	Examples	282
C	HAPTER 15. THE AIRY INTEGRAL FUNCTION AND THE STOKES PHENOMENON	,
15.1	Introduction	283
15.2	Linear gradient of electron density associated with an isolated zero of $q$	283



xvi	CONTENTS	
15.3	The differential equation for horizontal polarisation and oblique incidence page	285
15.4	The Stokes differential equation	286
15.5	Qualitative discussion of the solutions of the Stokes equation	287
15.6	Solutions of the Stokes equation expressed as contour integrals	288
15.7	Solutions of the Stokes equation expressed as Bessel functions	291
15.8	Tables of the Airy integral functions	291
15.9	The W.K.B. solutions of the Stokes equation	292
15.10	The Stokes phenomenon of the 'discontinuity of the constants'	292
15.11	Stokes lines and anti-Stokes lines	293
15.12	The Stokes diagram	294
15.13	Definition of the Stokes constant	295
15.14	Furry's derivation of the Stokes constants for the Stokes equation	296
15.15	Asymptotic approximations obtained from the contour integrals	297
15.16	Summary of some important properties of complex variables	297
15.17	Integration by the method of steepest descents	300
15.18	Application of the method of steepest descents to solutions of the Stokes equation	302
15.19	Integration by the method of stationary phase	307
15.20	Method of stationary phase applied to the Airy integral function	309
15.21	Asymptotic expansions	310
-	The range of validity of asymptotic approximations	310
-	The choice of a fundamental system of solutions of the Stokes equation	312
15.24	Connection formulae, or circuit relations	313
	The intensity of light near a caustic	313



	CONTENTS	xvii
	CHAPTER 16. LINEAR GRADIENT OF ELECTRON DENSITY	
16.1	Introduction p	age 319
16.2	Purely linear profile. Electron collisions neglected	319
16.3	Application to a slowly varying profile	322
16.4	The effect of electron collisions. The height $z$ as a complex variable	x 326
16.5	Constant collision-frequency. Purely linear profile of electron density	327
16.6	The slowly varying profile when collisions are included. Derivation of the phase integral formula	329
16.7	Discussion of the phase integral formula	331
16.8	Effect of curvature of the electron density profile	333
16.9	Reflection at a discontinuity of gradient	334
16.10	Linear gradient between two homogeneous regions	336
16.11	Symmetrical ionosphere with double linear profile	340
16.12	The differential equation for oblique incidence applicable when the electric vector is parallel to the plane of incidence	343
16.13	The behaviour of the fields near a zero of the refractive index for 'vertical' polarisation at oblique incidence	346
16.14	The generation of harmonics in the ionosphere	347
16.15	The phase integral formula for 'vertical' polarisation at oblique incidence	348
16.16	Asymptotic approximations for the solutions of the differential equation for 'vertical' polarisation	349
16.17	Application of the phase integral formula	350
	CHAPTER 17. VARIOUS ELECTRON DENSIT PROFILES WHEN THE EARTH'S MAGNETIC FIELD IS NEGLECTED	
17.1	Introduction	353
17.2	Exponential profile. Constant collision-frequency	354
17.3	The phase integral formula applied to the exponential layer	er 357



xviii	CONTENTS		
17.4	The parabolic layer	page 3	58
17.5	Partial penetration and reflection	36	63
17.6	The equivalent height of reflection for a parabolic layer	36	65
17.7	Electron density with square law increase	36	66
17.8	The sinusoidal layer	36	68
17.9	Circuit relations. Introduction to Epstein's theory	36	69
17.10	The hypergeometric differential equation	3′	70
17.11	The circuit relations for the hypergeometric function	3′	72
17.12	Application to the wave-equation	3'	75
17.13	The reflection and transmission coefficients of an Epstei layer		77
17.14	Epstein profiles	3′	78
17.15	Ionosphere with gradual boundary	38	8c
17.16	The 'sech2' profile	3	80
17.17	Fixed electron density and varying collision-frequency	38	83
C	HAPTER 18. ANISOTROPIC MEDIA. COUP. WAVE-EQUATIONS AND W.K.B. SOLUTION		
18.1	Introduction	38	85
18.2	The differential equations	38	85
18.3	The four characteristic waves	38	87
18.4	Matrix form of the equations	38	89
18.5	The differential equations for vertical incidence	39	91
18.6	The W.K.B. solution for vertical incidence on a loss-fre medium		92
18.7	Introduction to W.K.B. solutions in the general case	39	94
18.8	Introduction to coupled wave-equations	39	94
18.9	Försterling's coupled equations for vertical incidence	39	96
18.10	Coupled equations in the general case, in matrix form	39	98
18.11	Expressions for the elements of S, $S^{-1}$ , and $-S^{-1}S'$	30	ac



	CONTENTS		xix
18.12	The W.K.B. solutions in the general case	page	401
18.13	The first-order coupled equations for vertical incidence		402
18.14	The W.K.B. solutions for vertical incidence		405
18.15	The first-order equations in other special cases		406
18.16	Second-order coupled equations		408
18.17	Condition for the validity of the W.K.B. solutions		410
	Example		<b>41</b> 1
	CHAPTER 19. APPLICATIONS OF COUPLE WAVE-EQUATIONS	.D	
19.1	Introduction		412
19.2	Properties of the coupling parameter $\psi$		412
19.3	Behaviour of the coefficients near a coupling point		417
19.4	Properties of the coupled differential equations near a reflection point and near a coupling point		418
19.5	The use of successive approximations		421
19.6	The phase integral formula for coupling		423
19.7	The Z-trace		424
19.8	The method of 'variation of parameters'		426
19.9	The 'coupling echo'		428
19.10	The transition through critical coupling		429
19.11	Introduction to limiting polarisation		432
19.12	The free space below the ionosphere		433
19.13	The differential equation for the study of limiting polarisation		434
	Examples		436
	•		15
(	CHAPTER 20. THE PHASE INTEGRAL METH	HOD	
20.1	Introduction		437
20.2	The Riemann surface for the refractive index		438
20.3	The linear electron density profile		440
20.4	The parabolic electron density profile		443



XX	CONTENTS		
20.5	A further example of the method	page	446
20.6	Coupling branch points and their Stokes lines and anti-Stokes lines		450
20.7	The phase integral method for coupling		452
20.8	Further discussion of the transition through critical coupling (continued from § 19.10)		455
	Example		457
СН	APTER 21. FULL WAVE SOLUTIONS WHEN EARTH'S MAGNETIC FIELD IS INCLUDE		Έ
21.1	Introduction		458
21.2	The differential equations		458
21.3	Vertical incidence and vertical magnetic field		459
21.4	Exponential profile of electron density. Constant collision-frequency		460
21.5	Exponential profile (continued). Incident wave linearly polarised		462
21.6	Other electron density profiles for vertical field and verticidence	ical	<b>4</b> 64
21.7	Vertical magnetic field and oblique incidence. Introduction to Heading and Whipple's method		464
21.8	Regions O, I and I (a)		465
21.9	Reflection and transmission coefficients of region I		467
21.10	Regions II and II (a)		468
21.11	The reflection coefficients of region II		469
21.12	The combined effect of regions I and II		471
21.13	The effect of an infinity in the refractive index		472
21.14	Isolated infinity of refractive index		474
21.15	Refractive index having infinity and zero		476
21.16	The apparent loss of energy near an infinity of refractivindex	ve	479
	Example		48



> CONTENTS xxi

CHA	APTER 22. NUMERICAL METHODS FOR FIND REFLECTION COEFFICIENTS	ING
21.1		ge 482
22.2	Methods of integrating differential equations	483
22.3	The size of the step	484
22.4	The choice of dependent variable	484
22.5	The three parts of the calculation of reflection coefficients	48 <i>6</i>
22.6	The starting solutions at a great height	487
22.7	Calculation of the components of the reflection coefficient	480
22.8	The wave-admittance in an isotropic ionosphere	491
22.9	The wave-admittance matrix <b>A</b> for an anisotropic	17
	ionosphere	493
22.10	The starting value of A	495
22.11	Relation between the admittance matrix <b>A</b> and the reflection coefficient matrix <b>R</b>	496
22.12	The differential equation for A	498
	Symmetry properties of the differential equations	499
	Equivalent height of reflection	499
	Example	501
	CHAPTER 23. RECIPROCITY	
23.1	Introduction	502
23.2	Aerials	502
23.3	Goubau's reciprocity theorem	505
23.4	One magnetoionic component	506
23.5	Reciprocity with full wave solutions	508
Appe	ndix. The Stokes constant for the differential equation (16.98) for 'vertical' polarisation	510
Riblio	graphy	
		512
Index	of definitions of the more important symbols	525
Subje	ct and name index	530

530