

## INDEX OF SYMBOLS

- A** 42  
*A* 83, 115, 158, 331  
*A*<sub>1</sub>, *A*<sub>2</sub> 159  
*A*<sub>*n*</sub> 143  
*a* 409  
*a*<sub>1</sub>, *a*<sub>2</sub> 159, 164, 390, 391  
*a*<sub>z</sub>, *a*<sup>-</sup> 328, 427  
**B** 83, 190, 331, 437  
*b* 409  
*b(L)* 163  
**C** 83, 190, 437  
*C*<sub>*i*</sub> 144  
*C*<sub>*n*</sub> 139, 163  
*C*<sub>*n*</sub><sup>\*</sup>, *C*'<sub>*n*</sub> 175  
*C*<sub>*nh*</sub>, *C*<sub>*nv*</sub> 145  
*C*<sub>*v*</sub> 373  
*c* 41, 231, 242, 409, 416  
*c*<sup>*k*</sup> 75  
**D** 39, 49  
*D* 32, 331  
*D*<sub>*n*</sub> 138  
*D*<sub>*n*</sub><sup>\*</sup>, *D*<sub>4*h*</sub><sup>\*</sup>, *D*<sub>3*v*</sub><sup>\*</sup> 175  
*D*<sub>*nd*</sub>, *D*<sub>*nh*</sub>, *D*<sub>*nv*</sub> 145  
*d* 1, 62, 83, 231, 409  
**E** 41  
*E* 158  
*E*', *E*" 181  
*E*<sup>0</sup>, *E*<sup>1</sup>, *E*<sup>2</sup>, *E*<sup>3</sup> 91  
*e* 6, 41, 159, 409  
*e*<sub>*ij*</sub><sup>*p*</sup> 167  
**F** 41, 115  
*F* 32, 115  
*F*<sup>*k*</sup>, *F*<sub>*k*</sub> 76  
**f** 127  
*f* 1, 57, 123, 127, 409  
**G** 46  
*G* 32, 137  
*G*<sup>*k*</sup>, *G*<sub>*k*</sub> 76  
*g* 130, 162, 409  
*g*<sub>0</sub>, *g*<sub>⊥</sub> 331  
**H** 41  
*H* 32, 130  
*H* 6, 68, 189  
*H(S)* 331  
*H*<sub>*e*</sub>, *H*<sub>*s*</sub> 189  
*h* 409  
**I** 114  
*I* 25, 32, 114, 137  
*i* 231, 409  
**J** 14  
*J* 15, 71  
*J*<sup>±</sup> 15  
*j* 19  
*j* 19, 409  
**K** 32, 71, 141  
*K*<sup>\*</sup> 175  
*K*<sub>*i*</sub> 144  
*k* 131, 284  
*k*' 284  
**L** 10  
*L* 12, 32  
*L*<sup>±</sup> 11  
*l* 9  
*l* 59, 61  
**M** 12, 32, 57  
*m* 6  
*m*<sub>*s*</sub>, *m*<sub>*l*</sub> 62  
**N** 32, 131  
*N*<sub>*ij*</sub> 55  
*n* 61  
**O** 32, 141  
*O*<sup>\*</sup>, *O*<sub>*h*</sub><sup>\*</sup> 175  
*O*<sub>*h*</sub> 144  
**P** 32, 39, 136, 328  
*P*<sub>*f*</sub> 59  
**p** 6  
**Q** 32, 292, 331  
*q* 7, 46, 295  
*q* 329  
**R** 59, 171  
*R*<sub>3</sub> 169  
*R*<sub>3*i*</sub> 162

$R^k$	75	$\Gamma_i$	158
$R_{nl}$	64	$\gamma$	130, 270
$r$	6, 10	$\Delta$	193, 204, 226, 341
<b>S</b>	19	$\delta$	7, 341, 444
$S$	32	$\epsilon$	57, 164, 226, 390
$S_n$	137	$\zeta$	109, 164, 190, 226, 390, 437
$S_{2n}$	145	$\zeta_1$	406
<b>s</b>	17, 118, 173	$\eta$	164, 226, 329, 390
$s$	62	$\Theta_{lp}$	60
<b>T</b>	34	$\theta$	10, 164, 226, 390
$T$	33, 131, 141, 158	$\kappa$	46
$T_1, T_2$	159	$\kappa$	328, 391
$T_d$	141	$\lambda$	108, 149, 242, 391
$T_h$	144	$\mu$	17, 114
$T^*, T_d^*, T_h^*$	175	$\mu$	341, 391
$t_1, t_2$	159	$\mu_1, \mu_2$	234, 247
$U$	68	$\mu_{\text{eff}}$	270
$U'$	181	$\nu$	46, 270, 391
$U_2$	169	$\xi$	107, 164, 226, 325, 390
$u$	162	$\Pi$	238
$V$	68, 446	$\pi$	46
$\mathcal{V}$	189	$\pi$	149, 444
$V_k$	323	$\rho$	41, 119, 330
<b>v</b>	41	$\sigma$	18, 118
$W_0, W_1, W_2$	131	$\sigma$	118, 375, 444
$x$	164, 270, 343, 390, 391	$\sigma_h$	145
$Y_{lp}$	60	$\Phi_p$	60
$y$	164, 390, 391	$\phi$	10, 42
<b>Z</b>	6, 373	$\chi$	42, 61, 131, 149
$Z_{L\alpha}$	166	*	156, 169, 175, 206
$z$	164, 390	$\sim$	147
$\alpha$	28, 83, 120, 173, 438	$\cong$	139
$\alpha', \alpha''$	391	$\dagger$	207
$\beta$	28, 129, 173	$\epsilon$	137
$\beta', \beta''$	391	$\times$	140
<b><math>\Gamma</math></b>	228		

## SUBJECT INDEX

- Absorption spectra, 55–7, 286–319  
 Adams's formula, 75  
 Addition of angular momenta, 14–17, 19–24  
 Alkali metal spectra, 62, 110  
 Alternant determinant, 26  
 Angular momentum, 8–24  
   orbital, 8–14  
   spin, 17–19  
   total, 19  
 Antisymmetry, 27, 29, 63, 160  
 Assignment of bands, 311–12  
 Associated Legendre polynomial, 59  
 Atomic spectral parameters, 76, 83, 91, 96–101,  
   105, 109, 113, 115, 190, 437–9  
 Augmented spinor group, 174
- Basis, 147  
 Bethe's notation, 158  
 Bound state, 61  
 Breit equation, 322
- c* numbers, 242–4, 416  
 Character, 149  
 Chemical screening constant, 375  
 Class, 149  
 Classical charge distribution, 199–205  
 Classical Hamiltonian, 6  
 Commutator, 9  
 Complex ion, 182–94  
 Configuration, 63–8, 183–9, 226–9  
   interaction, 92–5  
 Conjugate, 149, 157  
 Coulomb  
   gauge, 43  
   integral, 68, 84  
 Coupling  
   coefficients, 19–24, 168, 396–403  
   schemes, 30, 31, 111, 191–2  
 Crystal-field theory, 135, 188–190, 195–225  
 Curie law, 277  
 Curie–Weiss law, 277–8  
 Cycle, 25
- Decomposition of direct product, 160  
 Determinantal function, 27, 64, 227  
 Diagonal-sum rule, 67  
 Diamagnetic term in Hamiltonian, 129, 276,  
   375–6  
 Dirac's linear wave-equation, 116–28  
 Direct product  
   of groups, 140  
   of representations, 151–5  
 Direct sum of representations, 148  
 Directed bonds, 186
- Effective parameter, 197–9, 202  
 Electron affinity, 319  
 Electrostatic ligand field, 189  
 Electrostatic matrix elements, 73–8, 184–90,  
   229–31, 253–6, 409–15, 437
- Energies  
   of  $p^n$  configurations, 79–83  
   of  $d^n$  configurations, 83–91, 112, 219–22,  
     232–44, 260–4  
   of  $f^n$  configurations, 91  
 Equivalent electrons, 63  
 Exchange  
   effects, 276–8, 322, 344  
   integral, 68, 84
- Fermi energy, 326–8, 373  
 Fermi–Dirac statistics, 8, 24, 27  
 Filled shells, elimination of, 72, 184  
 Fractional parentage, 256–64
- g* factor, *see* Landé *g* factor  
 Gauge transformation, 42, 44, 120, 434  
 Gaunt's formula, 75  
 General parameters for electrostatic interaction,  
   229–32, 236, 252–5, 304, 409  
 Generating relation, 154  
 Generator, 154  
 Group  
   alternating, 141  
   character table for, 150–1, 382–5  
   commutative, 137  
   cubic, 141  
   cyclic, 139  
   definition of, 137  
   dihedral, 138  
   dodecahedral, 141  
   icosahedral, 141  
   Lie, 178  
   matrix, 147  
   octahedral, 141  
   permutation, 137  
   point, 136  
   rotation, 138  
   spinor, 169–81  
   symmetric, 137  
   symmetry, 135–7  
   tetrahedral, 141  
   topological, 177  
   unitary unimodular, 169
- Harmonic oscillator, 46–8, 294–6  
 Hartree–Fock method, 102–5  
 High-frequency element, 279–83  
 Hole and particle relationship, 80–1, 83, 113,  
   221, 234–5, 240, 245–56, 273, 281, 308, 326,  
   330, 341, 347, 363, 406  
 Homomorphism, 140  
 Hund's rule, 81  
 Hybrid orbitals, 186
- Identity rotation, 136  
 Infinitesimal rotation, 17, 33–4, 135, 178  
 Inner core, 62  
 Intensity of optical transitions, 48–57, 288–98,  
   305–6

- Interval rule, 81, 109, 115, 232, 241, 270  
 Ionization  
   convention, 82  
   potentials, 99–101  
 Isomorphism, 138
- Jahn–Teller effect, 209–11, 215–16, 298–301, 317, 344–5  
*jj*-coupling scheme, 111, 191
- Klein–Gordon equation, 118–19  
 Kramers  
   degeneracy, 205–9, *see also* Kramers operator  
   doublets, 207, 332  
   operator, 205–9, 214–19, 240, 248–50, 266, 332–7  
   quartets, 334, 338  
   triplets, 333–4  
 Kronecker delta, 7
- Lamb–Retherford shift, 121  
 Landé  
   *g* factor, 130, 265–85, 320 *et seq.*  
   interval rule, *see* Interval rule  
 Laporte's rule, 40, 95  
 L.C.A.O. theory, 443–5  
 Least squares fitting, 96–8  
 Level, 33, 63, 114, 131, 241  
 Ligand-field  
   operator, 189  
   stabilization, 315–19  
   theory, survey of, 193–4
- Magnetic anisotropy, 275–6, 281, 338 *et seq.*  
 Magnetic moment  
   nuclear, *see* nuclear hyperfine interaction  
   orbital, 129–34  
   spin, 17, 54, 106, 124  
 Mapping, 140  
 Maxwell's equations, 41, 116  
 Metallic compound, 1  
 Momentum of electromagnetic field, 46  
 $M_S$ ,  $M_L$  table, 65–8  
 Mulliken's notation, 158  
 Multiplicity, 31
- Nephelauxetic series, 309–11  
 Non-metallic compound, 1  
 Normal co-ordinates, 292–5  
 Normalization, 13  
 Nuclear hyperfine interaction, 114–15, 126–8, 325–8, 336, 339–40, 343–4, 351, 363, 374–7, 427  
   magnetic resonance, 374–7  
   properties, 380–1  
   quadrupole interaction, 329–32, 340, 343, 346  
 Nucleus, 7, 114–15
- One-electron operator, 68, 248–50, 252  
 Operator  
   eigenstate, 36  
   equivalent, 223–5, 323–38, 355, 360, 363  
 Optical dichroism, 313–15  
 Orbital, 62, 69  
   pattern, 197–8, 342  
   reduction, *see* Reduction of atomic spectral parameters  
 Order, 138  
 Orgel's assignments for tetrahedral cobaltous spectra, 308, 363  
 Orthogonality relations for integrals, 153–4, 216–19  
   for irreducible representations, 149  
 Oscillator strength, 57, 286–92
- $p^n$  isomorphism, 238–40, 280, 282–4  
 Pairing energy, 237–8, 313  
 Paramagnetic susceptibility, 131–4, 265–85  
 Parameters, Jørgensen's values for, 310–11  
 Parametrization of ligand field, 189–91  
 Parity  
   of function or ket, 39–40  
   of half-filled shell state, 247, 252  
   of permutation, 26  
 Pascal's rules, 276  
 Pauli exclusion principle, 28, 65, 160–1  
 Permutations, 24–30  
 Perturbation theory, 334–8, 428–31, 434–6  
 Phase convention  
   for almost-filled shells, 246, 251–2  
   for angular momentum eigenstates, 13  
   for coupling coefficients, 168, 446  
   for functions spanning finite group representations, 154, 164, 226–8, 242  
   for Wigner coefficients, 22  
 Photon, 47  
 Physical rotation, 172, 178  
 Platonic solid, 141  
 Poisson bracket, 9  
 Polarization effect, 83, 92, 101, 312–13  
 Polarization of light wave, 46  
 Primitive idempotent, 167–8  
 Projection operator, 167–8  
 Proper subgroup, 139
- Quantum number, principal and azimuthal, 61
- Racah's parameters, 83, 231  
 Radial functions, 102–5, 327  
 Rare-earth  
   coupling scheme, 191  
   elements, 91, 133–4, 145, 278  
 Reduction of atomic spectral parameters, 190–1, 194, 284–5, 304–5, 309–11  
 Replacement theorem, 38, 218  
 Representation  
   alternating, 156  
   associated, 156  
   category of, 212  
   degree of, 148  
   equivalent, 147  
   irreducible, 148  
   matrix, 147  
   real, 198–9, 212  
   reducible, 148  
   self-associated, 156  
   two-valued, 179–80  
   unit, 150  
 Representations  
   notation for, 158

## SUBJECT INDEX

455

- Residual paramagnetism, 278–9, 285
- Rotation  
 convention, 147  
 improper, 136  
 proper, 136
- Russell–Saunders coupling scheme, 30–3, 107, 111, 132
- Saturation effects, 278
- Scalar potential, 42
- Schrödinger's equation, 7
- Schur's lemma, 155
- Selection rule, 35, *see also* Transitions
- Selection rules for spin-orbit coupling, 107–8, 242–3, 250
- Shift operator, 11
- Singlet, 29
- Slater orbitals, 104
- Slater–Condon parameters, 73–9
- SL*-coupling scheme, *see* Russell–Saunders coupling scheme
- SLJM* coupling scheme, 31
- SLM<sub>s</sub>M<sub>L</sub>* coupling scheme, 31
- Spanning an identical representation, 153
- Specific heat tail, 373–4
- Spectrochemical series, 309
- Spherical harmonic addition theorem, 74, 75, 200, 323
- Spin, *see* angular momentum
- Spin-forbidden bands, 305–7
- Spin-Hamiltonian, 330–40
- Spin-only formula for susceptibility, 269, 274
- Spinor, 172  
 group, 169–81
- Spin-orbit coupling, 106–13, 124–6, 240–4, 222–3, 305, 312, 334–8, 416–23  
 constant, 109, 113, 190, 284
- Spin-spin coupling, 322, 330, 350, 355
- Spontaneous emission, 52–5
- Standard basis relations, 154, 164
- Star operator, *see* Kramers operator
- Strong-field coupling scheme, 192, 226–64
- Subgroup, 139
- Symmetry element, 136
- Symmetry of coupling coefficients, 446
- Tanabe and Sugano's induction formula, 260–3
- Term, 31, 63, 66, 132, 226
- Tetragonal orbital pattern, 341–2, 370–3
- Tetrahedral symmetry, 141, 175–6, 203–4, 222, 273, 281, 308, 363
- Thermodynamic properties, 315–19, 373–4
- Time reversal, 205
- Topology, 176–9
- Transition metal, 1
- Transition probabilities, 48–52
- Transitions  
 electric-dipole, 53, 57, 95, 288–9, 296–8  
 electric-quadrupole, 54–5, 57, 291–2  
 magnetic-dipole, 54–5, 57, 289–91, 320
- Transposition, 26
- Triplet, 29
- Two-electron  
 matrix elements (convention), 71  
 operator, 68, 252
- Unimodular, 169
- Unit element, 137
- Unitary matrix, 146
- Valency, 3
- Van Vleck's theorem, 133, 265–9
- Vector  
 coupling, 14–17, 19–24, 65, 227  
 of type T, 33–8  
 potential, 42
- Weak-field coupling scheme, 191–2, 195–225
- Wigner coefficient, 22
- Wigner's formula, 19–24, 74–5, 228, 234, 440