

Index

- \sim_L , 253
- \sim_k , 6
- \sim , 7
- \approx , 60
- \vdash (satisfaction), 266
- \vdash, \dashv , (action), 165
- 1-form, 39
- 1-homogeneous in Euler sense, 18

- abstract (co-) frame, 176
- action on 1-monads, 36
- active aspect, 49
- ad, 157
- adjoint action, 165
- admitting path integration, 186
- $ad\nabla$, 162
- affine Bianchi identity, 210
- affine combination, 10, 24, 287
- affine connections, 42
- affine scheme, 270
- affine space, 287
- $A^k(E)$, 226
- algebra connection, 59
- algebraic commutator, 195, 219
- algebroid, 149, 171, 173
- Ambrose–Singer Theorem, 184
- an-holonomic distribution, 68
- anchor, 71, 172
- annular, 74
- annular k -jet, 226
- anti-derivative, 95
- as if, ix, 15
- atlas, 28
- atom, xii
- average value property, 260
- axis-parallel rectangle, 288

- base point, 30
- basis, 275
- Bianchi identity, 122, 163, 205

- bundle, 31, 56, 262, 267
- bundle connection, 56
- bundle-theoretic differential operator, 233
- Burgers vector, 44

- cancellation principles, 14, 251
- cancelling universally quantified ds , 13
- canonical affine connection, 50
- canonical framing, 38
- cartesian closed, 261
- central reflection, 35
- chain rule, 22
- Christoffel symbols, 45
- $C^\infty(\xi), C^\infty(M)$, 234
- Clairaut’s Theorem, 22
- classical cotangent, 132, 136
- classifier, 15
- closed, 95
- closed 1-form, 40
- codiscrete groupoid, 155
- combinatorial differential form, 81
- complete integral, 185
- commutator, 146, 194, 195
- complex numbers, 276
- conformal, 252, 260
- conformal matrix, 252
- conjugate affine connection, 44
- connected, 280
- connection element, 164
- connection form, 179
- connection in a groupoid, 160
- constant differential form, 88
- constant groupoid, 157
- construction site framing, 39
- constructive mathematics, 268
- contracting jet, 74
- contravariant determination of \sim , 32
- convention, 18
- coordinate n -tuple, 38

- coordinate chart, 28
- cotangent, 72, 112, 135
- cotangent bundle, 135, 136, 168
- cotangent vector, 72
- covariant derivative, 121
- covariant determination of \sim , 31
- crossed module, 121
- cubical complex, 79
- cubical differential form, 83
- cup product, 108
- curvature form, 181
- curvature free, 49, 57, 161
- curvature of a connection, 161
- curve, 98
- curve integral, 97, 98

- D , 3
- $D(n)$, 3
- D' -displacement, 172
- de Rham complex, 111, 112
- degenerate parallelepipedum, 80
- degenerate simplex, 80
- degree, 83
- degree calculus, 25, 74
- displacement, 172
- displacement bundle, 172
- displacement field, 173
- derivative, 95
- derivative along a tangent vector, 134
- derivative along a vector field, 135
- description, 265
- differential, 17, 137
- differential form with values in a group bundle, 201
- differential graded algebra, 112
- differential operator, 225, 233
- differential operator along a map, 234
- differentiating a path connection, 188
- $\text{Diff}^k(E, E')$, 225
- dimension, 2
- directional derivative, 17
- discrete groupoid, 155
- disembodied tangent vector, 72, 124
- distribution (geometric), 63
- distribution in the sense of Schwartz, 223
- distribution transverse to fibres, 68
- div, 256
- divergence, 256
- D_k , 3
- $D_k(n)$, 3
- $D_L(n)$, 249
- $D_L(n)$, 5
- $D(V)$, $D_k(V)$, 5
- $D_L(V)$, 248
- $\tilde{D}(m, n)$, 4
- $\tilde{D}(m, V)$, 9

- dot product, 242
- dual numbers, 124

- \mathcal{E} , ix
- edge symmetric double groupoid, 121
- eight-group, 43
- entire function, 95
- enveloping algebra, 193
- enveloping groupoid, 177
- étale, 17, 55
- étale map, 279
- étaleness notion, 279
- Euclidean module, 13
- Euler, 18
- exact, 40
- exp, 128
- extension, 265, 266
- extension principle, 228
- external semantics, 265
- extremity, 76

- finite-dimensional subspace, 2
- finite-dimensional vector space, 2, 5
- first-order bundle, 167
- first-order neighbour, 7
- flat, 49, 57, 161
- $f^*(\omega)$, 83
- formal groups, 215
- formally étale, 17
- formally étale map, 279
- formally open, 3, 17, 27, 279
- formally real local ring, 276
- formally real ring, 2
- four-group, 43
- frame, 37
- frame bundle, 38, 167
- framing, 37
- framing 1-form, 39
- Frobenius Theorem, 64
- Fubini Theorem, 96
- fundamental graph, 159
- Fundamental Theorem of Calculus, 96, 189

- G -valued 1-form, 115
- Gauge (Φ) , 157
- gauge group bundle, 157
- general linear groupoid, 156
- generalized element, 265
- generic element, 266, 267
- geodesic point, 255
- $GL(E \rightarrow M)$, 156
- global differential operator, 233
- global element, 265
- graded algebra, 112
- graded commutative, 110, 112
- gradient vector field, 258
- graph, 56, 158

300

graph morphism, 158
 Grassmann manifold, 278
 Grassmannian, 64
 group algebra, 223
 group bundle, 157
 group connection, 59
 group-theoretic commutator, 146, 194
 group-valued 1-form, 115
 groupoid, 154

Hadamard Lemma, 96
 Hadamard remainder, 236
 Hall's identity, 123, 164
 Hall's identity (42 letters), 220
 hammer, 165
 harmonic function, 259
 holonomous jet, 76, 77
 holonomy, 187
 holonomy group, 191
 homogeneous, 18
 homogeneous component, 21
 homogeneous map, 282
 horizontality mod H , 183

independent set, 275
 infinitesimal line segment, 35
 infinitesimal parallelepipedum, 34
 infinitesimal parallelogram, 42
 infinitesimal simplex, 8, 9, 30
 infinitesimal transformation, 146
 $\text{INN}(G)$, 122
 inner product space, 277
 integrable 1-form, 63
 integrable affine connection, 55
 integral, 96
 integral set, 60
 integrating a connection, 188
 integrating factor, 63
 intrinsic torsion, 44, 144
 involutive pre-distribution, 60
 isometry, 260, 275
 isotropic neighbour, 253
 isotropic neighbours, 251
 iterated integral, 97

Jacobi matrix/determinant, 87
 jet, 71
 jet bundles, 71
 jet groupoid, 156

k th-order neighbours, 7
 k th-order natural structure, 166
 k -monad, 29
 k -simplex, 30
 k -symbol, 226
 k -whisker, 30
 kinematic, 126

Index

KL axiom, xii, 11
 KL for an affine space, 126
 KL vector space, 13
 Kock–Lawvere axiom, xiii
 Kock–Lawvere axiom scheme, xi
 Kripke–Joyal semantics, 265

L-neighbour, 248
 λ -parallelogram, 43
 Laplace, 5
 Laplace(–Beltrami) operator, 255
 Laplacian neighbour, 253
 later than, 267
 leaf, 61
 left, 115
 left closed, 116
 left exact, 116
 left invariant (pre-)distribution, 221
 left primitive, 116
 Levi–Civita connection, 51, 243
 Lie derivative, 169
 Lie group, 116, 149, 281
 line segment, 35
 linear connection, 59
 linear displacement, 231
 linear map classifier, 15
 linear subset, 6, 62, 63
 linear sufficiency principle, 282
 linearly independent, 275
 local diffeomorphism, 55
 local ring, 274
 locally cartesian closed, 262
 log, 128

manifold, 27
 marked microcube, 153
 Maurer–Cartan form, 117, 214
 maximal rank, 114
 metre, 39
 metric, 73
 metric tensor, 240
 microlinear, 127
 midpoint, 246
 mirror image, 35
 $M_{(k)}$, 29
 $M_{<k>}$, 31, 35
 $M_{[k]}$, 35
 $\mathfrak{M}_k(x)$, 29
 $\mathfrak{M}_L(x)$, 253
 modelled on, 28
 monad, 29
 motion, 126
 $\mathfrak{S}_*(E \rightarrow M)$, 156
 multilinear map classifier, 15

natural structure, 166
 near-identity, 170

- neighbour, 29
 neighbour relation \sim_k , 6
 neighbourhood of the diagonal, 29
 non-degenerate bilinear form, 242
 non-holonomous monad, 76
 normalize, 275
 nucleus, 251

 observable, 100
 $\Omega^k(E \rightarrow M)$, 119
 open inclusion, 27, 279
 openness notion, 279
 orthogonal set, 275
 orthonormal set, 275

 parallelepipedum, 34
 parallelism, 37
 parallelogram, 35, 42
 partial differential equation, 70
 partial integral, 185
 partial primitive, 41
 partial section, 74
 partial trivialization, 184
 passive aspect, 49
 path, 98
 path connected, 280
 path connection, 187
 path integration in groupoids, 186
 Peiffer identity, 121
 perceives, 14
 Pfaff system, 113
 piecewise path, 188, 280
 $\Pi^{(k)}$, 156
 $P(M)$, 100
 point reflection, 245
 pointwise generated, 113
 polynomially faithful, 12, 283
 positive, 250, 277
 positive definite, 242
 positive definite form, 277
 PP^{-1} , $P^{-1}P$, 176
 pregroup, 51
 pregroupoid, 177
 primitive, 40
 principal bundle, 176
 principal connection, 178
 principal groupoid, 176
 principal part, 13, 130
 product rule, 11
 prolongation, 76
 proper vector, 274
 pseudo-Riemannian metric/manifold, 242
 pull back of a connection, 162
 Pythagorean, 277
 Pythagorean ring, 2

 quadratic differential form, 239

 R , ix
 R_+ , 276
 rectangle, 104, 288
 reduction of principal bundle/groupoid, 177
 relatively transitive, 60
 remainder, 96
 restriction functor, 156
 restriction map (for jets), 73
 Riemann sums, 96
 Riemannian connection, 51
 Riemannian manifold, 242
 right, 115
 right closed, 115
 right exact, 116
 right primitive, 116

 satisfaction, 264
 $Sb_x^k(E, E')$, 226
 $sb^k(d)$, 226
 scalar integrals, 96
 SDG, xii
 second-order exponential map, 133
 section, 74
 section jet, 74
 self-conjugate, 44
 $\mathfrak{S}(E \rightarrow M)$, 156
 semidirect product, 206
 set, ix
 sheaf-theoretic differential operator, 235
 shuffle, 142
 simple cancellation principle, 13
 simplex, 8, 30
 simplicial complex, 79
 simplicial differential form, 82
 simplicial set, 79
 singular cube, 79
 site, 269
 $S_{[k]}(M)$, 79
 slice category, 262
 small groupoid, 154
 soft vector bundle, 235
 solder form, 144
 source, 71
 space, ix
 span, 275
 spray, 133
 square distance, 239
 square root, 276
 stage, 265
 standard bilinear form, 242
 standard coordinatized situation, x
 star, 60
 Stiefel manifold, 278
 strong difference, 37, 274
 subdivision, 79, 286

302

subdivision rule, 96
 submersion, 181, 281
 submersion in strong sense, 281
 subordinate, 150
 substitution, 96
 symbol, 226
 symmetric affine connection, 43
 symmetric group, 31
 symmetric groupoid, 156
 symmetrization, 282
 tangent bundle, 125
 tangent vector, 72, 125
 target, 71
 Taylor expansion, 19
 Taylor principle, 19
 tensor bundle, 166
 tensorial bundle, 166
 tiny, xii
 topos, 263
 topos semantics, 265
 torsion, 44
 torsion form, 145
 torsion free, 43
 total space of a groupoid, 155
 totally an-holonomic distribution, 68
 transport, 49, 56

Index

transverse to fibres, 68
 trivial connection, 120
 trivialization, 166
 trivialization of a groupoid, 184
 T_x^*M , $T_x^{**}M$, 136
 underlying graph, 158
 unit vector, 275
 V -framing, 38
 vanish to order n , 74
 vanishing to order $k + 1$, 26
 vector bundle, 59, 128
 vector field, 135, 146
 vereinigte Lage, 64
 Vol, 87
 volume, 87
 volume form, 87
 Weil algebra, 272
 whisker, 30
 whisker differential form, 82
 $Wh_k(M)$, 31
 witness of \sim , 32
 Zariski open, 280
 zero form, 116