

Index

- ' , 9
- !, 165
- !=, 39
- ", 10
- #, 38
- %, 6
- &, 101, 107, 165
- &&, 39, 165
- *, 106, 108
- */, 33
- ., 9
- .exe, 24
- .java
 - source file, 155
- .m, 6
- .o, 24
- .obj, 24
- .out, 24
- /*, 33
- //, 33
- :, 11
- ?:, 125
- [], 54
- ^, 149, 165
- |, 149, 165
- ||, 39, 165
- ~, 39, 149
- ++, 164
- <<, 149
- =, 31
- ==, 39, 165
- >>, 149
- abs, 49, 142
- absorber, 246, 248
- abstract class, 136, 180, 181
- abstract window toolkit, 156
- abstraction, 2, 59, 63
- access privilege, 70
- accuracy, 188
- ActionListener, 183
- action, 60
- adaptive step size, 190
- address-of operator, 107
- ADI, 253
- alias, 101, 108
- alternating directional method, 253
- ALU, 23
- annotation, 157
- applet, 156
- application software, 25
- arg, 142
- args, 177
- argument, 46, 47
- arithmetic logic unit, 23
- ArithmeticException, 173
- array, 8, 54, 83, 110
 - as function argument, 87
 - bounds checking, 85, 86
 - compiler-allocated, 83
 - const, 88
 - incorrect assignment, 85
 - initialization, 85
 - Java, 175
 - multidimensional, 89
 - multidimensional, as function
 - argument, 91
 - name, 84
 - of objects, 88
 - returned within object, 87
- ASCII, 29, 162
- asin, 50
- assembly language, 24
- assert.h, 50
- assignment operator, 31, 39, 41, 128
- associativity, 164
- at, 97
- atomic, 26
- attributes, 2, 60
- ava.awt, 158
- axis, 13
- back substitution, 201
- bag, 83
- base class, 134, 170, 179
- basis functions, 255, 256
- begin, 113
- behaviors, 59, 62
- binary, 96
- binary files, 10
- bisection method, 196
- bit-field, 148
- bitmask, 94
- block, 26, 30
 - implicit, 41
 - labeled, 166
- blocking, 150
- Boltzmann distribution, 228
- bool, 40
- boolalpha, 40
- boolean, 162, 165
- boot, 23
- boundaries
 - reflecting, 226
- boundary conditions, 231, 233
 - Dirichlet, 233
 - mixed, 234
 - Neumann, 234
 - periodic, 234, 248, 250
 - radiation, 246
 - zero, 254, 256

bounds checking, 74
break, 11, 42, 43, 166, 173
breakpoint, 18
bus, 28
byte, 28, 47, 162, 174

C, 75, 99
c_str, 97
cache memory, 23
call by reference, 87
callback, Java, 182
call-by-value, 47
canonical ensemble, 228
cast, 21, 163
catch, 50, 173
caux, 95
C-cast, 46
cd, 5
ceil, 12, 50
cell arrays, 11
cellplot, 11
central processing unit, 23
CERN, 4
cerr, 95
chaos, 14
char, 28, 29, 162
characters
 non-printing, 162
charAt, 174
chi-squared function, 205
cin, 44, 93
class, 59, 61, 66, 140, 157, 180
 abstract, 136
 base, 65, 73
 complex, 142
 control, 63
 derived, 65, 73
 entity, 63
 nested, 148
 orthogonality, 63
 scope, 31
 template, 140
 types, 162
 user-defined, 68
class diagram, 61
classical mechanics, 245
CLASSPATH, 157
clear, 7, 13
clf, 13
clog, 95

close, 96
collaboration diagrams, 61
colon operator, 11
comma operator, 39
command window, 153
comments, 6, 33, 161
compare, 113
compareTo, 174
comparison
 lexographic, 97
complex, 142
complex number, 7
concat, 174
condition number, 204
conditional operator
 ternary, 41
conio.h, 16
conj, 142
console application, 15
const, 38, 81
 internal variable
 initialization, 73
 member variable, 103
 reference variable, 103
const_cast, 46, 104
constant pointers, 109
constants, 27
constructor, 46, 71, 133, 135, 137, 169
 base class, 77
 copy, 130
 default, 72, 73, 77, 169
 derived class, 77
 for conversions, 138
 synthetic, 169
container, 83
containment, 170
continuation character, 27, 30
 Java string, 174
continue, 43, 166, 173
contour, 13
control constructs, 11, 26, 40
convection equation, 236
conversion, 48
 automatic type, 49
 Java, 163
 user-defined, 138
copy, 6
cos, 50
cosine transform, 208
Courant number, 237

cout, 44, 93
cprn, 94
CPU, 23
Crank–Nicholson procedure, 252
C-string, 112
currentThread, 184
curve, 191

dangling pointer, 117, 118
data structure, 83, 143
DBL_EPSILON, 56
DBL_MAX, 28, 57
DBL_MIN, 57
deallocation
 Java, 171
debugger, 15, 17, 36, 86
DecimalFormat, 177
declaration, 31
 class, 66
 function, 48
deep copy, 129
default, 42, 141, 158, 170, 180
define, 38
definition, 31
 array, 83
 pointer, 106
delete, 114
deprecated, 3
dequeue, 143
dereferencing operator, 108
derivative
 Class, 193
 convective or hydrodynamic, 236
 second derivative operator, 202
derivative operator, 188, 192
derived class, 134, 170, 179
design by contract, 50
destructor, 46, 127
 virtual, 135
det, 9
Dev-C++, 15
DFT, 208
diary, 6
diffusion equation, 231, 234, 240, 254
dir, 6
disfin, 191
DISHLP, 190
disini, 190
DISLIN, 15, 19, 152, 213
DISMAN, 190

dispersion, 250	link, 56	floor , 12, 50
distributed memory, 23	roundoff, 56	FLT_EPSILON , 56
divergence	runtime, 56	FLT_MAX , 28, 57
numerical, 214	integration, 195	FLT_MIN , 57
do , 43, 166	Euler’s method, 212, 234,	fluid mechanics, 236
dos , 6	237	flush , 44
double , 28, 162	Euler–Cromer, 215	fmins , 12
Double , 174	eval , 10	focal length, 248
doubleValue , 163, 174	event, 182	for , 11, 42
downcasting, 136, 180	listener, 182	format , 7, 177
drawnow , 13	object, 182	formatting convention, 7, 33
dynamic memory allocation, 84	source, 182	FORTRAN, 2, 3, 15, 75
from within function, 118	exceptions, 173	forward difference approximation, 213,
Java, 171	exit , 43	234
dynamic method dispatch, 179,	EXIT_SUCCESS , 36	forward time centered space procedure,
180	exp , 50	237
dynamic_cast , 46, 136	explicit , 139	Fourier transform, 208
dynamically allocated matrix	expm , 9	discrete, 208
as function argument, 120	exponent, 28	fast, 209, 246, 250
	expression, 27	fplot , 13
echo , 153	extends , 170, 173	freeMemory , 171
edit , 6	extension .cpp, 79	Fresnel equation, 247
editor, 15	extern , 81	friend , 124, 125
eig , 10	extrapolation, 193	fstream , 38, 95
eigenfunction, 206	eye , 9	FTCS, 237
eigenfunction solver		full , 10
finite difference, 254	fabs , 49, 50	function, 11, 46, 59
eigenvalue, 206, 255	false , 40, 162	abstract, 180
eigs , 255, 257	fft , 12, 209	arguments, 12
electric field, 246	FFT, 209, 250	built-in, 49
element matrices, 256	fftshift , 211	class member, 59, 66
elliptic equations, 232, 240	figure , 13	const member, 81
else , 38, 41, 166	file	finding extrema, 199
elseif , 11	append, 96	get and set member, 71, 169
encapsulation, 59, 74	binary, 96	handle, 12
end , 113	serialized, 186	Java, 172
endif , 38	I/O Java, 178	Java type parameters, 187
endl , 44, 98	stream, 95	name, 189
ends , 98	FileInputStream , 178	passing a Java function argument,
entropy, 221	fill , 94	181
enum, 40, 48, 94, 157	final , 163, 170, 180	prototype, 48
environment variable, 153	finalize , 172	pure virtual, 136
eof , 96	finally , 173	record, 47, 189
eps , 7	find , 97	recursive, 53
equals , 174, 179	finite-difference operator	reference arguments, 102
erase , 97	forward, 188	signature, 48
error	finite-element method, 255	static member, 133
analysis, 188, 214	fix , 12	templates, 139
compiler, 55	flag, 93	virtual, 135
Java, 173	float , 28, 57, 162, 174, 191	fzero , 12

g77, 15 Galerkin, 255 garbage, 115, 119, 171 Gaussian elimination, 201 Gauss–Seidel, 241 gca, 13 gdb, 15 general protection fault, 109 generic types, 186 get, 13, 62 getline, 97, 112 getRuntime, 171 global, 11, 251 global scope, 31, 52 global variable, 30, 52, 113 GNU, 4 golden mean, 199 gprof, 15 graf, 191 graphical programming, 25, 61 graphics, 15 Hamilton’s equations, 245 Hamiltonian, 227 Hamming window function, 210 has-a, 65, 170 hash code, 175 header file, 50, 79 Hello world, 16 help, 6 Dev-C++, 20 Hermitian, 243 Hermitian matrix, 206 heterogeneous object collections, 135, 136 hex, 107 hexadecimal, 47, 162 high-level language, 24 histogram biased, 220 hold, 13, 224 hopscotch method, 238 hyperbolic equations, 232, 235 identifier, 26, 27, 68, 161 identity, 61 if, 41, 166 ifdef, 38 ifft, 12, 210 ifndef, 38 ifstream, 93, 95	ill-conditioned, 204 imag, 142, 210 impedance, 235 implementation, 137 import, 157 importance sampling, 220 IMSL, 4 include, 38 include file, 80 index zero-based, 85 Inf, 57 information hiding, 59, 70 inheritance, 3, 60, 65, 76 interface, 137 multiple, 137 private, 65, 76 protected, 65, 78 public, 65, 76 inheritance tree, 65 init, 184 initial conditions, 43, 212, 214, 231, 233 initialization array, 83, 84 final class variables, 170 final variables, 163 Java array, 175 Java array elements, 175 Java function arguments, 172 Java interface, 180 Java primitive types, 162 Java reference, 171 list, 72, 77, 137 pointers, 107 reference, 101 static class member, 133 inline, 38, 53, 67, 151 inner adapter class, 182 inner block, 30 input, 7 insert, 97, 175 insertion operator, 16 installation, 15 DISLIN, 19 instance, 68 instantiation, 62, 69 int, 28, 46, 162 int2str, 10 Integer, 163 interface, 62, 136, 157, 180, 181 internal class member, 71	interp1, 12 interpolation, 12 introspection, 169 intValue, 174 inv, 9, 10 IOException, 173 iomanip, 94 ios, 93 ios::app, 96 iostream, 16, 19, 37, 38, 93, 94 is-a, 65, 170, 179 Ising model, 227 istream, 93 istrstream, 93 iterative coding, 35 iterator, 113, 143 Java, 3 command arguments, 177 development kit, 152 java.applet, 158 java.awt.event, 158 java.io, 158 java.lang.Error, 158 java.lang.Exception, 158 java.lang.Math, 158 java.lang.reflect, 158 java.lang.String, 158 java.lang.StringBuffer, 158 java.lang.Thread, 158 javac, 156, 170 javadoc, 161 JDK, 152 key set, 83 kind-of, 65 labels, 191 Lax–Wendroff method, 238 least squares, 204 legacy code, 75 length, 9, 97, 113 for Java arrays, 176 lens operator, 248 lifetime, 113, 132 likelihood ratio, 220 limits, 28 line feed, 29 linear equations, 10, 200 linewidth?, 13
---	--	---

- linked list, 121
- linker, 24, 79
- linspace**, 11
- Linux, 5, 15, 25
- list, 83, 143
- load**, 10
- log**, 50
- log10**, 50
- logical drive, 5
- logical operators, 11, 39
- logistic map, 14
- loglog**, 13
- logm**, 9
- logspace**, 11
- long**, 28, 162
- lookfor**, 6
- ls**, 6
- lsode**, 12
- lu**, 10
- lvalue, 31
- M_PI**, 50
- machine epsilon, 7, 56
- machine language, 24
- main()**, 36
- makefile, 80
- mangling, 48
- manipulator, 40
- mantissa, 28
- map**, 143
- MAPLE, 2
- Markov chains, 222
- math**, 38
- Math** (Java), 173
- math.h**, 49
- Mathematica, 2
- MATLAB, 2, 5
- matrix, 111, 200
 - dynamically allocated, 119
 - functions, 9
 - sparse, 10
 - statically allocated as function
 - argument, 120
- max**, 12
- Maxwell's equations, 235
- mean**, 12
- member-of operator, 13, 69
- member selection, 108
- memcpy**, 130
- memory, 27
 - access, 56, 86
 - buffer, 93, 100
 - deallocation, 47, 115
 - dynamically allocated, 113, 116
 - leak, 115, 127, 128
 - lifetime, 114
 - management, 13
 - registers, 23
 - storage order, 90
- menu**, 7
- mesh**, 13
- messages, 61
- metafl**, 20, 190
- metaparameter, 139, 186
- method, 59
 - non-static (instance), 159
 - static, 159
- Metropolis algorithm, 221
- midpoint rule, 195
- min**, 12
- minimization, 199
- misspelling, 17
- mkdir**, 5
- modular program, 46, 54
- modular testing, 35
- modulus, 39
- molecular dynamics, 225
- Monte Carlo procedures, 218
- more**, 7
- multicanonical methods, 224
- multidimensional array
 - initialization, 89
- multimap**, 143
- multiset**, 143
- multithreading, 60, 184
- NAG, 4
- name, 27, 136, 191
 - mangled, 49
- namespace, 31, 37
- naming conventions
 - internal variables, 71
- NaN**, 57, 162
- NDEBUG**, 51
- NEGATIVE_INFINITY**, 162
- nested classes, 147
- new**, 113, 115, 127, 157, 171
- new_handler**, 114
- Newton's equation, 212
- Newton's laws, 225

operator (<i>cont.</i>) - ternary, if-then-else, 165 - type conversion, 46 - unary, 31	to pointer , 120	reader function, 71
operator product expansions, 246	Poisson bracket, 245	real , 142, 209
operator-splitting methods, 244	Poisson equation, 232, 241	rectangular integration, 195, 214
optimization, 18, 149, 151	polar , 142	reference, 101, 109 - Java, 171 - member variables, 103 - return values, 104
order, 188	polymorphism, 49, 60, 69	reflection, 247
ordered list, 83	POSITIVE_INFINITY , 162	register , 150
orient , 13	postconditions, 50	reinterpret_cast , 46
ostream , 93	postfix, 39	rem , 12
ostream , 93	postscript, 20	remainder operator, 39
outer product, 9	potential, 250	rename , 6
	pow , 50	replace , 97, 113, 174
	precedence, 32, 164	requirements specification, 61
	precision , 94	reserved keyword, 26
	precondition, 50	return , 47, 51
	prefix, 39	reuse, 35
	preprocessor directive, 27, 38, 79	rmdir , 5
	primitive types, 161, 162	ROM, 23
	print , 13, 177	roots , 12
	print screen, 20	round , 12
	printf , 99	row-major storage order, 90
	println , 177	run , 184
	priority_queue , 143	Runge–Kutta, 216
	private , 2, 59, 62, 63, 70, 158, 169	Runtime , 171
	probability distribution functions, 219	runtime type identification, 135
	problem definition, 35, 60	rvalue, 31, 85
	procedural language, 2, 24	
	procedural programming, 35, 58	save , 10
	profiler, 15, 18, 149	scalar wave equation, 246
	program library, 79	scale , 191
	program maintenance, 36	Scanner , 177
	project, 15, 78, 79	Schrödinger equation, 231, 250, 254
	prolog, 33	scientific notation, 28
	properties, 59, 62	scope, 18, 81
	protected , 70, 78, 158, 170	scope-resolution operator, 30, 67, 137
	prototype, 136 function, 53	SecurityException , 173
	public , 2, 59, 69, 70, 158, 169, 170, 180	segmentation fault, 56, 86
		semilogx , semilogy , 13
	qplot , 19	sequence diagrams, 61
	quad , 12	serializable , 186
	quantum mechanics, 252	set , 13, 17, 62, 83, 143, 153
	queue, 83, 143	setf , 94
	quiver , 233	setscl , 191
		shallow copy, 128
	RAM, 23	shell, 153
	rand , 10, 211	short , 162
	random access memory, 23	Simpson’s rule, 196
	random number, 10	sin , 50
	read-only member, 71	
	read-only memory, 23	

sine transform, 208	printer, 94	type, 27, 31, 63
singular value decomposition, 205	string, 98	checking, 48
size , 9	string, 10, 27, 29, 112, 174, 177	default, 46
sizeof , 28, 106, 125	C-type, 112	return, 46
skew-Hermitian, 243	class, 97	typedef , 44
sleep , 184	initialization, 97	typeid , 136
software engineering, 50	Java, 174	typeid , 136
soliton, 250	streams, 97	typename , 140
sort , 12	StringBuffer , 175	
sorted list, 83	stringstream , 97	UML, 61
specialization, 170	StringTokenizer , 175	underdetermined equation system, 205
specific heat, 228	strlen , 112	underscore, 27
specification document, 35	strncmp , 112	Unicode, 162
spectral radius, 240	strncpy , 112	union , 147, 149
speye , 10	stringstream , 97	unitary, 243, 248, 252
spin, 227	struct , 147	UNIX, 6, 25
split-operator methods, 242–246	structures, 13, 147	use cases, 61
spy , 10	subplot , 13	using , 37
sqrt , 50	substring , 174	
sqrtn , 9	sum , 12	variable, 27
square well, 251, 253	super , 170	hiding, 30
sstream , 97	switch , 11, 41, 174	static, 159
stability, 57, 240	symplectic evolution operators, 245	vector , 143
stack, 83, 143	system bus, 23	Vector , 176
Standard Template Library, 143		virtual , 134, 135
standards, 3	tan , 50	function, 179
start , 184	tanh , 50	inheritance, 138
statement, 26, 27	Taylor series, 189, 252	operating system, 23
static , 132, 159, 169, 173, 180	temperature distribution, 228, 230	visible, 31
std , 37	template , 139, 140, 157, 186	void , 46
stdio.h , 99	non-type parameter, 141	
stdlib.h , 43	testing, 36	wave equation 231, 236
steady-state, 237	thin lens, 248	while , 11, 42, 166
step size, 188	this , 123, 169	whitespace, 26, 27, 44
stochastic physical systems, 218	Thread , 184	who , 7
stop , 184	throws , 173	width , 94
storage location, 27	TIFF, 20	Windows, 15, 25
str2int , 10	token, 26	wrapper, 74, 75, 88
str2num , 10	toString , 98, 175, 179	writeObject , 186
stream	trace , 9	write-only, 71
attach to file, 96	transpose, 8	
input, 44, 93	tridiagonal-equation solver, 202	xlabel , ylabel , 13
manipulators, 94	true , 40, 162	
output, 44, 93	try, 50, 173	Yee method, 238