

INDEX

- Acacia pulchella*, hypersensitive response to *Phytophthora cinnamomi* 288
- Acer*,
auxin-binding sites 36
cyclic AMP levels 123
- Acrasiales,
cell adhesion 186–209
function 188–90
mechanism 206–9
molecular basis 191–203
lectins 203–6
life cycle 185–6
- adenylate cyclase 131–3
effects of growth substances 132–3
Hordeum 132
Phaseolus 132
- Agave, cyclic AMP levels 123
- Agrobacterium*,
interaction with *Datura innoxia* 352–3
interaction with *Solanum tuberosum* 353
- Agrobacterium tumefaciens*, attachment to plant cell walls 353
- Allium porrum*, lectin-binding sites 344
- Amaranthus*, effects of cyclic AMP 139, 141
- Anabaena variabilis*, cyclic AMP levels 118
- anti-auxins,
competition with auxins 7
definition 2
- Arachis hypogaea*, lectins 338, 340, 341
- Asparagus*, effects of cyclic AMP 141, 144
- ATPase,
activity, relationship to fusicoccin-binding sites 24–5, 31–2
proton translocation, role of auxin-binding sites 26–33
- auxin-binding sites 1–59
Acer 36
anti-auxin binding 7
Avena 5
Avena sativa 11–12
binding assays 57–9
binding specificity, determination 54–6
Cocos nucifera 34–5, 36, 44–5, 47
Cucumis 6
Cucumis sativus 16–17
Cucurbita 5
Cucurbita pepo 14
effects of supernatant factor 7–8
Fragaria 6
Fragaria anassa 17–18
functions 26–33
Glycine max 5, 12, 28, 36, 42
Helianthus 5
Helianthus tuberosus 14
high-affinity, detection 50–4
Nicotiana tabacum 5, 14–16, 33, 35–8, 46–7
non-membrane-bound 33–43
Phaseolus 5, 36–7, 38–9
Phaseolus mungo 12, 40–1
Pisum 5, 37, 39–40
Pisum sativum 12–14
possible role in gene expression 43–7
receptors 47, 48–59
role in protein translocation 26–33
role in root regeneration 33
solubilization 18–21
Triticum 37, 41–2, 45–6
Zea mays 3–11, 18, 19, 28, 29, 30, 37, 42–3, 76
- auxins,
competition with anti-auxins 7
definition 2
dose–response curves 48, 49, 50
effects on RNA 43–4
function 2
interaction with cyclic AMP 136, 138
production 2
structure 2

370 *Index*

- Avena*,
 auxin-binding sites 5
 cyclic AMP,
 interaction with auxins 138
 levels 123, 142
 resistance to *Puccinia coronata* 309
 susceptibility to *Helminthosporium victoriae* 309
- Avena sativa*,
 auxin-binding sites 11–12
 fusicoccin-binding sites 25
- Bauhinia*, lectins 338
- Blastocladiella emersonii*, role of cyclic AMP 118
- Brassica oleracea*,
 pollen–stigma interaction,
 acceptance of compatible pollen 256–8
 mechanism 269–75
 receptors in pollen 265–9
 receptors on stigma surface 260–5, 275
 rejection of incompatible pollen 258–9
- Bryum argenteum*, cyclic AMP 118
- calcium ions,
 role in cell communication in animals 292
 role in *Dictyostelium* chemotaxis 174–5
- Candida albicans*, role of cyclic AMP 118
- Canavalia ensiformis*, lectins 342
- cell–cell recognition, general principles 291–4
- Caragana*, lectins 338
- Cicer*,
 cyclic AMP,
 interaction with auxins 138
 levels 123
- Citrus limelirodes*, cyclic AMP levels 123
- Cladosporium fulvum*, phytoalexin elicitor 290
- Cocos nucifera*, auxin-binding sites 34–5, 36, 44–5, 47
- Coleus*, cyclic AMP–auxins interaction 138
- Colletotrichum*, phytoalexin elicitors 290
- Colletotrichum lindemuthianum*,
 phytoalexin elicitor 290
- Coprinus*, cyclic AMP-binding protein 118
- Corylus*,
 cyclic AMP,
 effects 140
 interaction with gibberellins 137
- Cucumis*, auxin-binding sites 6
- Cucumis melo*, lectins 341
- Cucumis sativus*,
 auxin-binding sites 16–17
 cyclic AMP levels 123
 gibberellin-binding sites 104–5
 lectins 341
- Cucurbita*,
 auxin-binding sites 5
 lectins 340, 347
- Cucurbita maxima*, lectins 341
- Cucurbita pepo*, auxin-binding sites 14
 cyclic AMP,
 assays 122–6
 biological distribution 117, 118
 detection 119, 120–2
 extraction 119–20
 functions 115–19
 levels in plant tissues 123–4
 role in cell communication in animals 292
 role in *Dictyostelium* aggregation 117, 118, 155–80
 role in higher plants 135–9, 140, 141, 143–4
 structure 115, 156
 cyclic AMP receptors,
Dictyostelium,
 activation 168–9
 binding assays 157–60
 binding/dissociation kinetics 160–3
 comparison with folate receptors 178–9
 coupling to chemotaxis 171–8
 detection 169–71
 excitability 156–7
 inhibition by adenosine 165–6
 mechanism 164–5
 molecular configuration 167, 170
- cyclic AMP-binding proteins 133–5
- Coprinus* 118
- Helianthus tuberosum* 135
- Hordeum* 134–5
- Mucor* 118
- Phaseolus* 134
- Portulaca grandiflora* 135
- Saccharomyces* 118
- Solanum tuberosum* 134
- Triticum* 134
- wheat germ 135
- cyclic GMP,
 occurrence in plants 145
 role in *Dictyostelium* chemotaxis 172–4
- Datura*, cyclic AMP levels 123
- Datura innoxia*, interaction with *Agrobacterium* 352–3
- Datura stramonium*, lectins 340, 341, 347
- Daucus*,
 cyclic AMP,
 effects 140
 levels 123
- Daucus carota*, lectin-binding sites 343

- 2,4-dichlorophenoxyacetic acid,
structure 2
- Dictyostelium*,
aggregation,
chemoattractants 155–6
role of cyclic AMP 155, 156–80
chemotaxis, role of cyclic AMP 171–8
cyclic AMP receptors 156–80
- Dictyostelium discoideum*,
aggregation, role of cyclic AMP 118,
155, 158, 160, 163, 167
cell adhesion 188, 191, 192, 193, 195,
196, 197, 198, 199, 200–1, 203, 204,
205, 207, 208
chemotaxis 172, 174, 175, 176, 177, 178
discoidin receptors 204
discoidins 203
folate receptors 178–9
life cycle 186
- Dictyostelium lacteum*,
chemoattractant 156
chemotaxis 172, 175
- Dictyostelium minutum*,
chemoattractant 155
- Dictyostelium mucoroides*,
aggregation, role of cyclic AMP 155, 161
chemotaxis 175
- Dictyostelium purpureum*,
aggregation, role of cyclic AMP 155,
161, 163
purpurin 205
- Dictyostelium rosarium*, aggregation, role
of cyclic AMP 155
- discoidin receptors, *Dictyostelium*
discoideum 204
- discoidins, *Dictyostelium discoideum* 203
- Dolichos biflorus*, lectins 338, 341, 347
- Erwinia amylovora*, interaction with *Malus*
pumila 351
- Erysiphe graminis* f.sp. *hordei*,
Hordeum host response 287
Hordeum resistance gene 306
- Erysiphe graminis* f.sp. *tritici*, *Triticum*
resistance genes 307
- Escherichia coli*, role of cyclic AMP 117
- ethylene,
functions 69
metabolism by higher plants 84–7
- ethylene-binding sites 69–87
Nicotiana tabacum 70
Phaseolus aureus 72, 78, 80, 83
Phaseolus vulgaris 70, 71, 72–7, 78–84
role in ethylene metabolism 84–7
- Evodia officinalis*, cyclic GMP 145
- Evodia rutaecarpa*, cyclic GMP 145
- folate, chemoattractant for *Dictyostelium*
minutum 155, 156
- folate receptors, *Dictyostelium*
discoideum 178–9
- Fomens fomentarius*, lectins 341
- Fragaria*, auxin-binding sites 6
- Fragaria anassa*, auxin-binding sites 17–18
- fusicoccin, structure 2
- fusococcin-binding sites,
Avena sativa 25
Nicotiana tabacum 24
relationship to ATPase activity 24–5
- Spinacea* 22, 23, 31–2
- Zea mays* 22, 23, 25, 31–2
- gibberellic acid, effects on cyclic AMP
biosynthesis 133
- gibberellin-binding sites 91–111
Cucumis sativus 104–5
non-membrane-bound 100–105
Pisum sativum 102–4
- gibberellins,
compartmentation,
physicochemical 95–6
ultrastructural 94–5
dose–response curves 96–8, 99
interaction with cell membranes 105–10
interaction with cyclic AMP 136, 137
metabolism 92–4
structure 91–2
tissue sensitivity 98–100
- glorin, chemoattractant for
Polysphondylium 156
- Glycine max*,
auxin-binding sites 5, 12, 28, 36, 42
cyclic AMP,
interaction with auxins 138
interaction with gibberellins 137
levels 123
lectins 338, 340, 341, 342, 347, 350, 353
protoplasts,
endocytosis 226
lectin-binding sites 343
surface 228
Rhizobium attachment 321, 322, 323,
324, 325
- Hansenula wingei*,
agglutination factors 247–8, 249, 250
cell wall components 243
lack of sex pheromone 245–6
- Helianthus*, auxin-binding sites 5
- Helianthus annuus*,
cyclic AMP,
interaction with auxins 138
levels 123
- Helianthus tuberosus*,
auxin-binding sites 14
cyclic AMP,
interaction with gibberellins 137
levels 123

372 Index

- Helianthus tuberosus*, cont'd
 cyclic AMP-binding proteins 135
Helminthosporium victoriae, *Avena*
 susceptibility 309
- Hordeum*,
 adenylate cyclase 132
 cyclic AMP,
 effects 140
 interaction with gibberellins 137
 levels 123
 cyclic AMP-binding proteins 134–5
 lectins 339
 resistance genes 306
 response to *Erysiphe graminis*
 infection 287
- Hordeum vulgare*, cyclic AMP-binding
 proteins 134
- host–pathogen interactions 281–310,
 319–31, 351–5
 fungal infections 283–91
 adhesion of pathogen to host 295
 host response 285–91
 hypersensitive response 287–9
 penetration of host 295–305
 recognition 294–305
 resistance, genetics 305–10
 role of phytoalexins 288–9, 290
 host specificity 281–3
Rhizobium–legume attachment 319–31
 role of lectins 351–5
- IAA (indole-3-acetic acid),
 effects on cyclic AMP biosynthesis 133
 structure 2
- IBA (indole-3-butyric acid), structure 2
- Ipomoea*,
 effects of cyclic AMP 141
 lectin 353–4
- Kalanchoe*, cyclic AMP levels 123
- Kluyveromyces lactis*, cell wall
 components 244
- Lactuca*,
 cyclic AMP,
 interaction with auxins 137
 interaction with gibberellins 138
 levels 123
- lectin-binding sites 342–6
Allium porrum 344
Daucus carota 343
Glycine max 342
Nicotiana tabacum 344
- lectins,
 definition 335–6
 detection 336–8
 distribution 339–42
 enzymes 349–50
 growth regulation 346
 protection from pathogens 351–4
 protection from predation 350–1
 regulation of cell division 354–5
 role in grafting 355–7
 role in membrane fusion/structure 348–9
 role in *Rhizobium*–legume
 attachment 319–31, 351
 role in sugar metabolism 346–8
 role in symbiosis 355
 structure 338–9
- legumes,
 endocytosis of *Rhizobium* 225
Rhizobium attachment 319–31, 352
- Lemna*, effects of cyclic AMP 141
- Lemna gibba*, cyclic AMP levels 123
- Lens culinaris*, lectins 340, 341, 347, 388
- Lolium*, cyclic AMP levels 123
- Lycopersicon esculentum*, lectin 356
- Malus pumila*, lectin-like granules 351
- Marasmas oreades*, lectins 341
- Medicago sativa*, *Rhizobium*
 attachment 321, 322, 323
- mucor*, cyclic AMP-binding protein 118
- NAA (naphthalene-1-acetic acid),
 structure 2
- Nicotiana physaloides*, lectins 337–8, 356
- Nicotiana tabacum*,
 auxin-binding sites 5, 14–16, 33, 35–8,
 46–7
 cyclic AMP,
 effects 141
 levels 123
 cyclic GMP 145
 ethylene-binding sites 70
 fusicoocin-binding sites 24
 lectin-binding sites 344, 345
 lectins 351
 protoplasts,
 membrane ultrastructure 232, 234
 surface charge 219
- Ononis hircina*, lectins 341
- Ononis spinosa*, lectins 341
- Oryza sativa*,
 agglutinins 351
 cyclic AMP–gibberellins interaction 137
- pallidin, *Polysphondylium pallidum* 203
- pallidin receptors, *Polysphondylium*
pallidum 204
- Phacelia*, cyclic AMP–gibberellins
 interaction 137
- Phaseolus*,
 adenylate cyclase 132
 auxin-binding sites 5, 36–7, 38–9
 cyclic AMP,
 interaction with gibberellins 137

- levels 139, 142
 - cyclic AMP-binding proteins 134
 - cyclic GMP 145
- Phaseolus aureus*, ethylene-binding sites 72, 78, 80, 83
- Phaseolus lunatus*, lectins 350
- Phaseolus mungo*,
 - auxin-binding sites 12, 40–1
 - effects of cyclic AMP 140
 - lectins 342, 346
- Phaseolus vulgaris*,
 - cyclic AMP,
 - detection 120–2
 - levels 124
 - cyclic GMP 145
 - ethylene-binding sites 70, 71, 72–7, 78–84
 - lectins 337, 338, 340, 341, 342, 347, 350, 351, 352, 353
 - phosphodiesterase 128
- phosphodiesterase 127–31
 - Dictyostelium* 165, 167, 168, 172, 173, 179, 180, 183
- Phaseolus vulgaris* 128
- Portulaca* 131
- Solanum tuberosum* 131
- Spinacea* 128–9
- Phycomyces*, role of cyclic AMP 118
- phytoalexin elicitors 289, 290, 302
- phytoalexins, role in host response 288–9
- Phytophthora*, penetration of host 298–9
- Phytophthora cinnamomi*,
 - Acacia pulchella* hypersensitive response 288
 - adhesion to *Zea mays* 295
- Phytophthora infestans*,
 - phytoalexin elicitors 290
 - Solanum tuberosum* hypersensitive response 288, 353
- Phytophthora megasperma*, phytoalexin elicitor 302
- Phytophthora megasperma* f.sp. *glycinea*,
 - phytoalexin elicitors 290
- Phytophthora megasperma* var. *sojae*,
 - phytoalexin elicitors 290
- Pichia amethionina*, agglutination factors 245, 248–9, 250
- Pinus*, effects of cyclic AMP 141
- Pinus radiata*, cyclic AMP levels 124
- Pisum*,
 - auxin-binding sites 5, 37, 39–40
 - ethylene metabolism 86, 87
 - lectins 338, 340
 - protoplast fusion with *Vicia* 223
 - Rhizobium* attachment 321, 322, 323, 324, 325
- Pisum sativum*,
 - auxin-binding sites 12–14
 - cyclic AMP levels 124
- ethylene metabolism 85
- gibberellin-binding sites 102–4
- lectins 341
- plasma membrane,
 - functions 217
 - organization 217–18
- protoplasts 217–235
 - coated vesicles 233
 - cytochemical studies 218–19
 - endocytosis 225–6
 - external surface 227–30
 - freeze-fracture studies 219–20
 - inner surface 230–3, 234
 - internal structure 220
 - isolation 220–1
 - microtubules 231–3
 - physiology 224–7
 - role in acclimation 226–7
 - surface charge 219
 - transport 225
 - role in cell–cell recognition 303–4
- Polysphondylium*, chemoattractant 156
- Polysphondylium pallidum*,
 - cell adhesion 194–5, 199, 203, 204
 - pallidin 203
 - pallidin receptors 204
- Polysphondylium violaceum*,
 - chemotaxis 172, 175
- Portulaca*, phosphodiesterase 131
- Portulaca grandiflora*, cyclic AMP-binding proteins 135
- protoplasts,
 - fusion 221–4
 - lectin-binding sites 343–5
 - plasma membrane 217–35
- Prunus avium*, protoplast surface antigens 230
- Pseudomonas phaseolicola*, interaction with *Phaseolus vulgaris* 352
- Pseudomonas putida*, interaction with *Phaseolus vulgaris* 352
- Pseudomonas solanacearum*,
 - interaction with *Nicotiana tabacum* 351
 - interaction with *Solanum tuberosum* 351–2
- Pseudomonas syringae* p.v. *glycinea*,
 - avrulence gene 309
- Pseudomonas syringae* p.v. *savastanoi*,
 - avrulence gene 309
- Pseudomonas tomato*, interaction with *Phaseolus vulgaris*, 352
- pterin, chemoattractant for *Dictyostelium lacteum* 156
- Puccinia coronata* f.sp. *avenae*, *Avena* resistance gene 309
- Puccinia hordei*, *Hordeum* resistance gene 306
- Puccinia sorghii*, *Zea mays* resistance gene 308–9

374 *Index*

- Puccinia striiformis*, *hordeum* resistance gene 306
- purpurin, *Dictyostelium purpureum* 205
- Pythium aphanidermatum*, adherence to cress roots 295
- Rhizobium*,
- attachment to legume root hairs 319–31, 352
 - endocytosis by legume cells 225
- Rhizobium japonicum*, attachment to *Glycine max* 323, 324, 325
- Rhizobium leguminosarum*, attachment to *Pisum* 323, 324, 325
- Rhizobium meliloti*, attachment to *Medicago sativa* 323
- Rhizobium trifolii*,
- attachment to *Trifolium*, 320–31
 - adhesion 325–6
 - role of trifoliin A 321–31
 - trifoliin A receptors 320–4, 326–31
- Ricinus communis*,
- cyclic AMP,
 - interaction with gibberellins 137
 - effects 140
 - lectins 341, 437
- Robinia*, cyclic AMP levels 124
- Robinia pseudoacacia*, lectins 341, 347
- Saccharomyces*, cyclic AMP-binding protein 118
- Saccharomyces cerevisiae*,
- agglutination factors 246, 250
 - cell wall components 242–3, 244
 - sex pheromone 244–5
- Saccharomyces kluyveri*,
- agglutination factors 249–50
 - sex pheromone 245
- Secale*, lectins 339
- sex pheromones,
- Saccharomyces cerevisiae* 244–5
 - Saccharomyces kluyveri* 245
- Sinapsis alba*, cyclic AMP levels 124
- Solanum tuberosum*,
- cyclic AMP,
 - effects 140
 - levels 124
 - cyclic AMP-binding proteins 134
 - hypersensitive response to *Phytophthora infestans* 288, 353
 - lectins 341, 351–2, 353
 - phosphodiesterase 131
- Sophora*, lectins 338
- Spinacea*,
- fusiococcin-binding sites 22, 23, 31–2
 - phosphodiesterase 128–9
- Spinacea oleracea*, cyclic AMP levels 139
- supernatant factor, effects on auxin-binding sites 7–8
- Tradescantia*, cyclic AMP-gibberellins interaction 137
- trifoliin A, role in *Rhizobium-*Trifolium** attachment 321–31
- trifoliin A receptors,
- Rhizobium trifolii* 320–4, 326–31
 - Trifolium* 320–4, 326–31
- Trifolium*,
- effects of cyclic AMP 141
 - Rhizobium trifolii* attachment 320–31
 - adhesion 325–6
 - role of trifoliin A 321–31
 - trifoliin A receptors 321–31
- Trifolium repens*, lectins 341
- Triticum*,
- auxin-binding sites 37, 41–2, 45–6
 - cyclic AMP,
 - effects 140
 - interaction with auxins 138
 - cyclic AMP-binding proteins 134
 - lectins 339
 - resistance to *Erysiphe graminis* 307
- Triticum vulgare*, cyclic AMP levels 124
- Ulex*, lectins 338
- Uromyces phaseoli*, phytoalexin elicitor 290
- Vicia*,
- effects of cyclic AMP 141
 - lectin 353
 - protoplast fusion with *Pisum* 223
- Vicia faba*,
- ethylene metabolism 85–6, 87
 - ethylene-binding sites 86
- Vicia hajastena*, protoplast fusion with *V. narbonensis* 223
- Vicia narbonensis*, protoplast fusion with *V. hajastena* 223
- Vigna sinensis*,
- cyclic AMP,
 - effects 140
 - interaction with gibberellins 137
- Vinca rosea*, cyclic AMP levels 124
- Vitis vinifera*, lectins 345
- wheat germ agglutinin, fungal growth inhibition 353
- Xanthomonas oryzae*, interaction with *Oryza sativa* 351
- yeasts,
- cell wall,
 - components 242–4
 - organization 241–2
 - mating reaction, cell recognition/adhesion 241–50
 - sex pheromones 244–6

Cambridge University Press

978-0-521-11764-7 - Hormones, Receptors and Cellular Interactions in Plants

Edited by C. M. Chadwick and D. R. Garrod

Index

[More information](#)*Index*

375

Zea mays,auxin-binding sites 3–11, 18, 19, 28, 29,
30, 37, 42–3, 76

cyclic AMP,

effects 141

interaction with auxins 138

interaction with gibberellins 137

levels 124, 139, 142

fusicoocin-binding sites 22, 23, 25, 31–2

Phytophthora cinnamomi adherence 295resistance to *Puccinia sorghii* 308–9*Zizyphus vulgaris*, cyclic AMP levels 124