

Index

- Active set method, 238
- Algorithm
 - gradient, 232
 - parallel update, 204, 232, 287
 - random update, 155, 206, 236, 287
 - round robin, 204, 287
 - stochastic update, 237
 - value iteration, 79
- Antivirus, 30
- Asynchronous update, *see* Algorithm, random update
- Attacker, 27
- Base-rate fallacy, 225
- Bayesian games
 - intrusion detection, 100
 - security, 99
 - wireless security, 106
- Cauchy sequence, 275
- Centrality measures, 168
- Classification, 231
- Clustering, *see* Learning, unsupervised
- Coalition formation, 161
- Coalitional games, 158
- Complexity, 4
- Concavity, 276
- Constraint
 - equality, 278
 - inequality, 278
- Continuity, *see* Function, continuous
- Control theory
 - H-infinity, *see* H-infinity (H^∞) control
 - optimal, 182, 288
 - robust, 288
- Convexity, 275
- Cryptography, 31
- Decision rule, 246, 257
 - Bayes, 247
 - minimax, 248, 249
 - Neyman–Pearson, 250
- Defender, 28
- Detection
 - anomaly, 223
 - behavioral, 241
 - imperfect, 99
 - intrusion, 13, 43, 80, 99, 221
 - malware, 241
 - misuse, *see* signature-based
 - signature-based, 223
- Dimension, 275
- Duality, 279
- Epsilon-neighborhood, 275
- Feedback control, 289
- Fictitious play, 110, 111, 288
 - adaptive, 127
 - classical, 110
 - decision errors, 120
 - observation errors, 112
 - stochastic, 110
 - time-invariant, 123
- Finite dimensional, 275
- Firewall, 30
- Function, 275
 - continuous, 275
- Functional, 275
- Game design, 157
- Game matrix, 284
- Game theory, 281
 - cooperative, 158, 281
 - noncooperative, 281
- Games
 - Bayesian, *see* Bayesian games
 - coalitional, *see* Coalitional games
 - complete information, 282
 - continuous-kernel, 282
 - deterministic, 282
 - dynamic, 45, 282
 - finite, 282
 - incomplete information, 98, 282

- infinite, 282
- jamming, *see* Bayesian games, wireless security
- location privacy, 213
- matrix, 282
- nonzero-sum, 282
- revocation, 66
- security, 40, 56, 193
- security investment, 150
- static, 282
- stochastic, 75, 282
- zero-sum, 282
- Globally minimizing solution, 276
- Gradient, 276
- H-infinity (H^∞) control, 174, 176, 186, 296
- Hamilton–Jacobi–Bellman (HJB) equation, 292
- Hamilton–Jacobi–Isaacs (HJI) equation, 297
- Hessian matrix, 276
- Hypothesis testing, 245, 246
 - Bayesian, 247
 - centralized, 250
 - composite, 253
 - decentralized, 255
 - decentralized Bayesian, 259
 - minimax, 247
 - Neyman–Pearson, 249
 - nonparametric, 253
 - robust, 253
 - sequential, 251, 254
- Identity
 - digital, 199
 - provider, 199
- Infimum, 277
- Infinite dimensional, 275
- Influence network, 86, 151
- Intrusion
 - detection, *see* Detection, intrusion
 - detection and prevention system (IDPS), 30, 221
 - prevention, 221
 - response, 195, 224
- Lagrange multiplier, 278
- Lagrangian, 278
- Learning
 - adversarial, 229
 - distributed, 230, 232
 - machine, 226
 - open problems, 228
 - supervised, 228
 - unsupervised, 196, 227
- Likelihood ratio test (LRT), 246, 258, 268
- Limit point, 275
- Linear influence model, *see* Influence network
- Linear quadratic optimal control, 290, 292
- Linear-quadratic-Gaussian (LQG), 301
- Linearly independent, 275
- Machine learning, *see* Learning, machine
- Majority vote, 268
- Malicious behavior, 48, 60
- Malware, 26
 - epidemic model, 180
 - filter placement, 90
 - filtering, 16, 167
- Markov
 - decision process, 77, 144
 - games, *see* Games, stochastic process/chain, 141
- Minimax theorem, 285
- Minimizing element, 276
- Nash equilibrium, 41, 282, 283
- Networks, 21
 - social, 48
 - vehicular, 51
 - wireless, 56
- Norm, 275
- Observability, 4, 6
- Optimal
 - solution, 276
 - value, 277
- Optimization, 276
 - linear, *see* Programming, linear
 - nonlinear, *see* Programming, nonlinear
- Phishing, 27
- Positive
 - definite, 235, 276
 - semidefinite, 276
- Privacy, 210
 - location, 211
- Programming
 - convex, 279
 - dynamic, 78, 289
 - linear, 196, 280
 - nonlinear, 170, 173, 279
- Reputation, 200
- Riccati equation, 290, 291, 293, 294
 - algebraic, 186
 - generalized algebraic (GARE), 298, 300
 - generalized differential (GRDE), 298
- Risk
 - assessment, 136
 - management, 15, 34, 134, 135
 - mitigation/control, 143
 - model, 137
 - probability, 139
 - properties, 134
 - rank algorithm, 141

- region, 144
- Saddle-point equilibrium, 283
- Security
 - alert, 191
 - decisions, 9
 - games, *see* Games, security
 - response, *see* Intrusion, response
 - risk, *see* Risk
 - threats, 23
 - tradeoffs, 32
 - visualization, 227
 - vulnerability, 191
- Selfish behavior, 48, 58, 64
- Sensitivity analysis, 47
- Sensor, 245, 246, 251, 255
 - fusion, 256
 - properties, 222
 - virtual, 99, 222
- Set, 274
 - closed, 275
 - compact, 275
 - finite, 274
 - infinite, 274
 - interior, 275
 - nondenumerable, 274
 - open, 275
 - uncountable, *see* nondenumerable
- Space
 - Banach, 275
 - complete, 275
 - n -dimensional Euclidean, 274
 - normed linear vector, 275
 - vector, 274
- Spyware, *see* Malware
- Strategy
 - mixed, 284
 - pure, 284
- Support vector machine (SVM), 231
- Trojan, 25, 243
- Trust, 199
- Usability, 190
- Value iteration, *see* Algorithm, value iteration
- Vector, 274
 - space, *see* Space, vector
- Vehicular network, *see* Networks, vehicular
- Virus, *see* Malware
- Weierstrass theorem, 277
- Wireless network, *see* Networks, wireless
- World Wide Web (WWW), 22
- Worm, *see* Malware