

Index

Letter f following page number indicates illustration. Letter c following page number indicates chart.

- Abies*, 414, 416, 427, 428
- Acaciaephylum*, 452f
 spatulatum, 446f
- Aceraceae*, 486, 487
- Acetabularia*, 58, 59f, 60
- Achlamydocarpus*, 131,
 141f, 149, 161
- Acitheca*, 235
- acritarch, 38f
- Acrostichum*, 256
- Actinocalyx*, 483
 bohrii, 483f
- Actinopodium*, 270
- Actinoxylon*, 270
- adaptive structures, 89
- adaxial sporangia, 106,
 122, 157
- adaxial sporangium,
 evolution of, 121f
- Adiantum*, 214f, 253
- Aetheotesta*, 319
- Agathis*, 396, 423, 425
- Agavaceae*, 489
- age determinations, 7, 21
- Aglaophyton major*, 88, 89f,
 104
- akinetes, 55
- Albugo*, 49, 53
- Aldanophyton*, 86
- Alethopteris*, 308, 311f, 312,
 314f
- algal barrier reef, 56
- Alismataceae*, 488, 503
- Allicospermum*, 391f
- Alnus*, 480
- alternation of phases
 (generations), 70
- Amaryllis*, 396
- Amastigomycota*, 26, 46,
 51
- amber, 7, 79, 480, 482
- Amentiferae*, 440, 464–6,
 477
- Amentotaxus*, 423, 434
- amino acids, 20, 40
- amphiphloic siphonostele,
 214, 253
- Amyelon*, 402, 412
- Anachoropteridaceae*, 243,
 251, 259
- Anachoropteris*, 243–8
 clavata, 147f, 244, 246f,
 248
- pulchra*, 244f
- Andreaea*, 83, 84
- Androstrobus*, 345, 346f,
 348
- manis*, 346f
- Anemia*, 254, 255f, 257
- anemophilous, 454, 489,
 490
- Aneurophytales*, 27, 265,
 329, 382, 419, 464,
 511
- Aneurophyton*, 266, 276,
 329, 419, 463
- germanicum*, 267f
- Angiopteris evecta*, 227f,
 228
- angiosperm,
 microgametophyte, 441
- pollen types, 446
- angiosperm,
 classification and
 characteristics, 438
- diversification, 468
- initial radiations, 495
- monophyletic or
 polyphyletic? 454
- Animalia*, 24, 27
- Animikiea*, 35f
- Ankyropteris bronniartii*,
 239f, 240f, 254
- Annularia*, 197, 201, 207,
 211
- radiata*, 201f
- annulus, 214, 222, 226,
 234, 253
- Anomozamites*, 350, 352f,
 353
- Antarcticycas schoppii*, 343,
 344f
- antheridium, 47f, 70, 71
- Anthoceros*, 65, 69f, 71,
 78f, 84, 91
- Anthocerotae*, 77, 84
- Anthocerotophyta*, 77
- Antiquocarya*, 480f
- aphlebiae, 217, 239, 240
- Apiculiretusispora*, 177
- Apotropteris*, 244, 246,
 247f
- minuta*, 246f
- apoxogenesis, 135, 203,
 207, 310
- arachnid, 103f
- Arachnoxylon*, 183, 187
- Araliaephylum*, 444
- Araliopsoides*, 444
- Araucaria*, 18, 294, 406,
 424, 436
- excelsa*, 424f
- heterophylla*, 406
- mirabilis*, 18f, 294, 424f,
 436
- Araucariaceae*, 413, 425,
 435, 457
- Araucarioxylon*, 52f, 53,
 370, 397, 414f, 416
- arberi*, 371
- Araucarites*, 422, 425, 425f,
 426
- phillipsii*, 422
- Arberiella*, 373f
- arboreous growth habit,
 125
- arbuscule, 50f
- Archaeanthus*, 447, 454,
 461, 466
- linnenbergeri*, 447, 448f,
 449f
- archaeobacteria, 44
- Archaeocalamitaceae, 198,
 201, 206, 511
- Archaeocalamites*, 187,
 206f, 207
- radiatus*, 199f
- Archaeocycas*, 342, 343f,
 461f
- Archaeopteridales*, 27, 265,
 270, 382, 395, 413,
 420, 424, 511
- Archaeopteris (Callixylon)*,
 28, 264f, 266f, 272f,
 274f, 276, 324, 419f,
 458, 463
- fissilis*, 271f, 424
- halliana*, 264f, 271f, 272f
- macilenta*, 263f, 265,
 271f, 435
- obtusa*, 271f
- Archaeosigillaria*, 115, 127,
 152
- Archaeosperma*, 282, 284
 arnoldii, 281, 282f, 283f,
 291
- Archaeosphaerooides*, 34f, 39
- Archaeozoic, 32–4
- Archaeopelta*, 448
- Archean, 32, 34f, 39, 53, 72
- archegonium, 19f, 70, 280,
 290
- archesporial pad, 108
- Arctobiaera*, 388, 389f
 flettii, 388
- Arctophyton gracile*, 188f
- Arecaceae, 488
- aril, 433, 439, 461
- Aristolochia*, 86f
- Arthropitys*, 199f, 200f, 202
- arthropods, 103f, 104
- Ascomycetes, 46, 48f, 506
- ascospores, 49f, 50f
- ascus, 49f
- Aspidistes*, 256
- Asterina*, 51f

Index

Asterophyllites, 197, 201f, 207
Asteropteris, 183, 187f, 221
Astrotheca, 233, 234
Asteroxylon, 90, 111, 118, 157
 mackiei, 112f
Astromylon, 200f
Atlantic Coastal Plain, 492, 495, 502
Atopochara, 61f
Aulacominium heterostichoides, 81f, 82, 84
Aulacotheca, 208, 320f, 321f, 362, 367
Austrodiospyros cryptostoma, 482f
Austrosequoia, 431, 436
Austrotaxus, 418
authigenic preservation, 12, 13f, 14
autochthonous deposition, 165, 292
Autophyllites, 206f
autotrophs, 39, 73
Axelrodia, 380
 burgeri, 380f
axillary branching, 175, 239, 244, 299, 306, 312
Azolla, 212, 258, 261
 filioloides, 258f
 schoppii, 258f, 262

Bacillariophyceae, 62
baculae, 440
Baiera, 390, 391
 spectabilis, 390, 391f
Baragwanathia, 86, 104, 114, 115f, 118, 121
 longifolia, 114, 115f
bars of Sanio (crassulae), 386, 414
Basidiomycetes, 46, 49, 66
Bathurstia, 109, 113
Beania
 gracilis, 346f
 mamayi, 345
Bennettitales, 351, 463
benthic environments, 42
Berendtia primuloides, 483f
Bernaultia, 28, 30, 208, 316, 319
 evolution of, 322f, 323f
 formosa, 28, 316f, 319, 320f
Betula, 446f, 479, 502
 leopoldae, 479, 481f
Betulaceae, 454, 479, 501
Biharisporites, 271
Bilignia, 299
biochemical analyses, 39, 40
Biscalitheca, 225
 musata, 222f
biseriate fronds, 220, 240, 260
Bisporangiostrobus, 126
Bitter Springs chert, 36f, 37f, 46

Bjuvia simplex, 346f
boghead coal, 58, 62
Bohleia, 486, 487
Bostonia, 299, 330, 336
Bothrodendron, 30
Bothrodendrostrobus, 141–3, 161
 embryo, 141f, 143f
 mundus, 143f
Botrychium, 235f, 236f, 237
 wightonian, 236f, 237
Botryococcus, 58f, 62, 67
Botryopteridaceae, 238, 250, 259
Botryopteris, 154, 236, 240, 241f, 260
 cratis, 243
 forensis, 240f, 241f, 242f, 248, 249
 globosa, 242, 243f, 249, 263
Bowenia, 338, 343
Bower, F. O., 5, 118
Bowmanites, 193–7
 bifurcatus, 194f
 dawsoni, 194f, 197
 fertilis, 195f, 196
 simplex, 196
Brachiphyllum, 421, 422f, 430
branching in ferns, 247
Bryophyta, 26, 68, 83, 95, 104
Bucklandia, 353, 358, 365, 443
 indica, 353
 pustulosa, 355
Buteoxylaceae, 297
Buteoxylon, 297, 298
Buxaceae, 471

Caesalpiniaceae, 484
Calamitales, 187, 198
calomite, 13f, 203f
Calamites, 198, 199, 202f
 carinatus, 200f
 rectangularis, 202f
Calamitina, 200
Calamocarpon, 201, 205, 211
 insignis, 205f
Calamophyton, 183, 187f, 196, 209, 215
 bicephalum, 185f, 186, 188, 215
 primaevum, 186, 188, 215
Calamopytaceae, 295, 297, 307, 329, 330, 382, 420
Calamopitys, 298f, 299, 324, 330, 332f
 americana, 332f
 embergeri, 299
 foerstei, 332f
Calamospora, 163f, 204
Calamostachys, 201, 203, 211
 longibracteata, 204f
 ludwigi, 204f
Calathospermum scoticum,

514

 458f, 467
Callandrium, 326, 336
Callimothallus, 51f
Callipteridium, 312, 314f
Callistophytaceae, 22, 288, 322, 330, 362, 395, 420, 444
Callistophyton, 322, 324f, 326f, 327f, 328f
 poroxyloides, 334
Callitris, 414, 418
Callixylon, 28, 52f, 263, 273, 292, 395, 411, 419, 435
 newberryi, 53, 264f, 265f
Callospermarion, 288f, 325
 pusillum, 328f
 undulatum, 390f
Caloda, 449, 454, 466
 delevoryana, 450f, 446
Calymmatotheca, 30, 293, 302f
cambial activity, 122, 152, 157, 207, 211, 274, 331
Cambrian, 40, 54, 68, 85, 104, 505
campanulum, 31, 316, 319
Capposporites, 131, 163f, 164
capsule, 70, 238, 378, 483
Carboniferous swamp, 126f, 296f
Cardiocarpus, 404, 405, 411, 412
 cordei, 404f, 405
 spinatus, 403f, 411
carinal canals, 180, 198, 200, 207, 216
Carnoconites, 376f
Caryosphaeroides, 37f
Castanea, 480
Castaneoidea, 480
Casuarinales, 477
Catenopteris, 230f
Cathaya, 427
Caulopteris, 229f
Caytonianthus, 367, 368f
 kochi, 368f
Caytonia
 nathorsii, 368f
 thomasi, 368f
Caytoniaceae, 366, 456, 457, 459
Caytoniales, 27, 208, 363, 438, 456, 466, 511
Cecropis, 272, 273f, 278
Cedrelospermum, 477, 503
 nervosum, 479f
Cedrus, 414, 423, 427
Celastrophylum, 444, 453
 dentatum, 446f
 latifolium, 446f
cell divisions, 37f
central column, 301
Centrales, 63
Cephalophytarion, 36f, 37
Cephalotaxus, 414, 418, 423, 433
Ceratozamia, 338

Index

515

- Classopollis*, 429, 430, 458
Clavatipollenites, 444, 446f, 453
hughesii, 454
cleistothecium, 48f, 50f
clepsydroid, 219
Clepsydroideae, 219
Closterium, 59f, 60
coal, 6, 14, 132, 405, 508
coal-ball formation, 10f
coal-ball studies, 164, 165, 292
coal balls, 9, 11f, 16, 47
coal-swamp vegetation, 162, 165, 170
changes in, 162, 165
coalified, 12, 19
coalified compression, 12, 13f, 14
coccolith, 62
Coccolithophoridaceae, 62
Codiaceae, 58, 60, 66
Codonotheca, 320f, 321f, 322f
Coelosphaeridium, 60f
Coenopteridales, 238
Coleocarpon, 49f, 54
Coleochaete, 58, 62, 73, 74f
Coleoptera (beetles), 489
collembolan, 103f
Collenia, 33
Colpodoxylon, 116
Colpoxyton, 307, 315, 331
aeuense, 315f
columellae, 440, 443, 453
Compsostrobus, 427, 435
concretions, 13f, 14, 140, 314
conduplicate carpel, 454, 459, 465, 468
conifer cones, origin of, 409
conifer leaves, origin of, 423, 425
Coniferales, 457
coniferophytes, 276, 285, 459, 508, 509
coniferous wood structure, 419
Coniopteris, 255
weberi, 255f
Conostoma, 304, 334, 360
chappellicum, 305f, 337
quadratum, 306f
Conostoma-like
lagenostome, 305f
Cooksonia, 87f, 96, 103, 113, 157
caledonica, 87f
coprolites, 1
Corallinaceae, 57
Cordaitaceae, 395
Cordaitales, 27, 293, 326, 392, 408, 421, 511
Cordaitanthus, 400, 401f, 407, 412
concininus, 402f, 403f
duquesnensis, 404, 412
sp., 402
- cordaitean plant, 397f, 399
Cordaites, 167, 396, 401
affinis, 401f
principalis, 398f, 399
Cordaixylon, 167, 397, 399f, 400f, 413
dumosum, 397, 404, 413
iowensis, 401
corm of *Isoetes*, 151, 152
Cornetipollis, 383, 443, 445, 467
reticulata, 383, 445f
Corsinia, 80
Corynepteris, 222, 225
Corytospermaceae, 367, 444, 457
Courvoisiella, 60f, 62, 68, 76
cenomorpha, 60f, 76
Crassispora, 149, 163f
kosankei, 149
crassulae, 386, 414, 417
Crenaticaulis, 109f, 113, 157
verruculosus, 109f
Cretaceous leaf and pollen sequences, 445f
Cretaceous, paleoclimates and paleogeography, 492
Cretaceous-Tertiary boundary, 498
cross-field pitting, 415
Crossotheca, 289f, 302, 322, 367
sagittata, 303f, 304f
Crossozamia (Primocycas)
chinensis, 342, 344f, 348
minor, 342, 348
croziers, 342, 348
Crucicalamites, 200
Cryptozoon, 56f
Ctenis, 346, 347
Cupressaceae, 393, 413, 432, 499
Cupressinocladus, 421, 422f, 433
Cupressinoxylon, 417, 418, 431
Cypressus, 417, 432
cupulate disc, 369, 375
cupule, 28, 282, 363, 373, 439, 458
cutin, 20, 64, 70
Cyanophyta (cyanobacteria), 26, 55, 57
cyanophytes, 7, 14, 20 32, 55
Cyatheaceae, 256, 261
Cyathocaulis, 256
Cyathodendron, 256
cycad foliage, 206
cycadeoid cone evolution, 361f
cycadeoid foliage, 350
cycadeoid ovule, 353
Cycadeoidaceae, 352, 357
Cycadeoidales, 350, 361, 377, 456, 464
Cycadeoidea, 357f, 358f, 360f
cone, 359f
morierei, 359f
cycadophytes, 198, 207, 276, 350, 424, 456, 497
cycads, 198, 202
Cycas, 338, 348, 355
circinalis, 340f
media, 341f
revoluta, 340f, 355
rumphianus, 355
tonkinensis, 344f
Cyclogranisporites, 303
Cyclostigma, 125, 139, 155
Cyclostrobus, 153
Cymbella, 63f
cyme, 446
Cyparissidium, 421, 422f
Cyperaceae, 488
Cyperites, 30, 134f, 135f, 148
Cyrtosperma, 488
Cystosporites, 282
cytoplasm, 20f
Czekanowskia, 378f
Czekanowskiales, 27, 378, 444, 456, 511
Dadoxylon, 397, 416, 420, 437
Araucarioxylon type, 416
Dasycladaceae, 58, 60
Davallia, 256
Dechellyia, 379
Decodon allenbyensis, 486f
verticillatus, 486
dehiscent sporangia, 279
Dendroceros, 93
Denkania, 375, 462f
indica, 375f, 384, 467
Dennstaedtiopsis, 8f, 255, 256
aerenchymata, 255f
desmids, 62, 63f
Diaphorodendron, 28, 127, 132f, 135, 163
dicentricum, 132f
phillipsii, 131, 132f
scleroticum, 131, 132f, 133, 135
vasculare, 131, 132f
diatomite, 7, 63
diatoms, 7, 14, 26, 62, 63f
dichasium, 353, 379
Dichophyllites, 206f
Dichophyllum moorei, 387, 392
Dicksoniaceae, 255, 256, 261
dicotyledonous leaves, 441f, 494f
Dicroidium, 367, 383
lancifolia, 369f
Dictyopteridium, 373f, 374f, 384, 462
Dictyozamites, 350, 351, 357
Dilleniidae, 482, 483, 493
Dilsea, 63
dinoflagellate, 26, 62, 63f
Dioon edule, 338, 341f, 343
Dioscoreaceae, 488
Diploclalamites, 200
diplohaplontic life cycle, 71f, 74f, 76
Diplolabis, 219
roemerii, 219f
Diplothmema zeilleri, 299
diptera (flies), 489
Dipteridaceae, 255
Dipteris, 255
Discalis, 110, 111f, 113, 118
longistipa, 110, 111f
dissemination of propagules, 287
distribution of plant groups, 510–11c
Ditrichites, 81f, 82
diversity, changes in, 507f, 508f, 509f
Dolerotheca, 28, 31, 319, 334
Dominican amber, 8f
Doratophyllum, 344, 551
Douglas fir, 395
Drepanophycus, 110, 115f, 118, 157, 350, 365
spinaeformis, 110, 114, 115f, 350, 365
Drewria, 379, 383
patomacensis, 379f
Drimys, 460f
Drydenia, 63, 64f
Dryopteris, 256
Dubiocarpion, 48f, 49
Duck Creek dolomite, 35
Dutoitea, 98
Ebenaceae, 482, 501
ectophloic siphonostele, 236, 250, 253
Elatites triferens, 201, 204f, 211
elaters, 180, 198, 201
Elatides, 422, 431
Elatocladius, 421, 422f, 431
Elkinsia, 282, 294, 297f
polymorpha, 283f, 284f
embryo, 18f, 55, 96, 141, 279, 374, 410, 455, 486
embryo sac, 439, 440f, 441, 455
Emporia, 406f, 407f, 408
Emporiaceae, 406, 409
enation theory, 120f
Endochaetophora, 49
endomycorrhizae, 49
endosporal megagametophytes, 281
endosporal microgametophytes, 20f, 287
Endosporites, 153, 163f, 164
endosymbiosis, 39
endotesta, 305, 317, 325, 405

Index

516

- Enigmocarpon*, 485
 entomophilous angiosperms, 454, 488, 491
 environments for fossilization, 8
 nonmarine, 42
Eoangiopteris, 234f, 235
Eoangiopteris-type synangia, 234
Eoastrion, 35f
Eobacterium, 34
Eochara, 61f
Eoentophysalis, 42
Eogaspesia, 98
Eokachyra, 478
 aeolia, 480f
Eomimoidea, 484
 plumosa, 485f, 502
Eomyctopsis, 37
Eospermatopteris, 266, 267f
Eotetrahedron, 40f
Eozygion, 36f, 37f
 epiphyllous fungi, 51, 53
Epiphyton, 56f, 57
 epoch, 296, 392
Equisetales, 27, 181, 187, 198, 208
Equisetosporites, 379, 383, 443, 467
 chinleanus, 379f, 443
Equisetum, 101, 167, 180, 187f, 198, 257
 arvense, 181, 181f, 182f, 202
 maximum, 182f
 era, 32, 157, 326
Eretmonia, 373f
Ericales, 458, 483, 493
Eristophyton, 299
Erysiphales, 49
Ernestiodendron, 405f, 424f
 filiciforme, 407f
Erysiphe, 50f
Estinnophyton, 116f, 118, 188, 196
 wahnbachense, 116f, 123
Etapteroideae, 219
Etapteris, 219
 scottii, 219f, 221f
Ethela, 488
 eukaryotes, 39, 55
 in Precambrian, 40, 41
Euphorbia, 440f, 441
Euryystoma angulare, 285f, 286f, 291f, 461
Eusigillaria, 146f
Eusiphonales, 62
 euporangiate, 93, 107, 212
Eviostachya, 195f, 209
 evolution, of Aceraceae fruit, 487f
 of angiosperms, 53, 438, 464f, 465, 503
 of carpel from glossop-terid ancestors, 462f
 of cupule in Glossop-teridales, 375
 of cycadeoid cone, 361
 of equisetalean stele,
- 187f
 of eustele, 224f, 299, 329, 333
 of fern organs, 259
 of integument and micropyle, 284
 of land plants, 72
 of leaf, 206f
 of medullasan pollen organs, 321f
 of megaphyll, 223f
 of megasporophylls, 143
 of microphylls, 106, 113, 120f,
 patterns in Precambrian, 44c
 of preovule, 285f
 of Protolepidodendrales sporangial position, 121f
 of *Rhynia*-type sporophyte, hypothetical, 94f
 of seed habit, 279, 290
 of sporangial position, 121f, 122
 exarch protosteole, 86f, 107, 114
 exosporic gametophytes, 212, 280
 extrastellar theory, 253
Fabaceae, 484
Fabales, 484, 492
Fagaceae, 454, 479, 480, 502
Fagales, 477, 483, 493
Fagus, 480, 482f
Feraxotheca, 303, 335
 culicis, 304f
 fern phylogeny, 259, 260
Ficophyllum, 444, 452f, 453
 crassinerve, 446f
 fiddleheads, 212
Filicales, 241, 260
 Carboniferous, 238
 earliest, 238
 emergence of modern, 250
 radiation of Mesozoic, 250
Filicosida, 27, 177, 199, 212, 238, 295
 first vascular plants, 85
 flavonoids, 20
Flemingites, 19f, 131, 140f, 141f, 149
 oldhamius, 140f
 schoppii, 19f, 20f, 140f
 sporophylls, 150
 floats, 258
Florinites, 163f, 326, 400, 403f
 flowers
 bisexual, 446, 449, 465, 468, 491
 insect pollinated, 490f
 legume, 491f
Foerstia, 67
Fomes, 51f
 fossil, what is? 1
 fossilization, 7–9, 12, 14, 41, 102, 418
Fossombronia, 77, 78f
 free-sporing, 27, 88, 212, 260, 279, 506
 free-sporing heterospory, 281
Fremouwa, 236
Frenelopsis, 430
 ramosissima, 430
Fritschella, 69f
 fruit in Aceraceae, 487
 fruits and flowers, Lower Cretaceous, 447f
 fungal phylogeny, 51
 fungi, 4, 8, 11, 24, 46, 80, 104, 261, 505
Furcula, 442, 456
 granulifera, 442f
 gametophores, 77, 80, 91f
Gangamopteris, 374
 gastrolith, 1
Geasterites, 51
Geinitzia, 421, 422f, 430
Geminella, 60
Genomosperma kidstoni, 285f
 geological column, 2c, 4, 40, 85, 163, 171
 geological time scale, 2c
Gigartina, 63
Gillespiea, 217, 225
 randolphensis, 218f, 225
Ginkgo, 199, 279, 289, 378, 405, 414, 443
 biloba, 386f, 387f, 388f, 389f
 digitata, 390f
 lamariensis, 390f
Ginkgoidium, 390f
Ginkgoites, 386, 388, 390, 391
 lunzensis, 388
 minuta, 390f
 taeniata, 390f
 girdling leaf traces in cycads, 338, 355, 361
Gleichenia, 245, 247, 253, 303
 pectinata, 245f, 253f
Gleicheniaceae, 245, 254, 258
Gleicheniaceaphyllum falcarum, 257
Gleichenites coloradensis, 254f
Glenobrydion, 36f, 37f
Gloeocapsa, 36f, 37, 55
Gloeocapsamorpha, 55, 56f, 62
Gloeoediniopsis, 36f, 37f
Glomus, 49
Glossopteridales, 27, 369, 381, 483, 461
Glossopteris, 209, 372f, 273f, 381, 411, 462
Glossotheca, 373
Glyptolepis, 408f, 409, 425
Glyptostrobus norden-skoldii, 421f
Gnetales, 27, 363, 378, 413, 420, 438, 455, 464
Gnetopsis elliptica, 458f
Gnetum, 350, 352, 378, 441f, 455
 gonophyll hypothesis, 461
Gosslingia, 107, 109f, 157
 breconensis, 109f
Goethnia, 413
Grammatopteris, 251
 rigolotti, 251f
grana, 19, 21f
Grewia, 493
 Gunflint chert, 32, 35f, 46, 53
Gunflintia, 35f
Gymnocodiaceae, 57
Gymnomycota, 26, 46
 gymnosperm eustele, 332f, 333f
 gymnosperm reproduction, 279
Gymnospermopsida, 27
Gyrogonites, 61f
Halimeda, 58, 59f, 60
Halletheca, 322f
 reticulatus, 320f
Hamamelidae, 439, 446, 479, 493, 498
Hamamelidales, 451, 471, 483, 490
 haplocheilic, 339, 366
 haplontic life cycle, 71
Harrisichara, 61f
Hedeia, 97f
 corymbosa, 97f
Heleoiphyton, 488
Helminthostachys, 236
Hemitelia, 257
 crenulata, 257
Hepaticae, 77
Hepaticites, 79, 80, 84
 cyathoidoides, 79
 kidstoni, 80f
Hepatophyta, 77
Heterangium, 303, 305f, 335, 463
 americanum, 304f
 heterochrony, 101, 277, 424
 heterocysts, 55
 heterospory, 280
 heterospory, the ovule, 281
 heterotrophic bacteria, 38f, 39
 heterotrophs, 39, 43, 72, 505
Hexapterospermum, 319
Hicklingia, 98
Hirmerella, 430
 muensteri, 428f, 430, 436
 hologeny, 101, 102f
 homosporous elatigulate lycopods, 117
Homoxylon, 443, 467

Index

517

- rajmahalense*, 443, 467
Hornea, 92, 104
Horneophyton, 47, 53, 84,
 90, 104, 171
 and alternation of
 phases, 91
lignieri, 92f
 hornworts, 72, 77, 83
Hostinella, 98, 104
Huperzia (*Lycopodium*)
selago, 106, 108f, 111,
 114, 117
Huroniospora, 35f
Hydrasperma, 286, 293
 hydasperman reproduc-
 tion, 285, 287f, 290,
 297, 330, 439
 Hydrocharitaceae, 488
Hyenia, 183, 196, 209, 211,
 225
elegans, 184f, 215, 225
 Hyeniales, 26, 181, 201,
 511
 Hymenoptera (bees and
 wasps), 491
 hypothetical primitive land
 plants, 74f, 75
 hystrichospheres and
 coccoliths, 62, 63
- Ibyka*, 181, 183f, 186, 209,
 211
amphikoma, 183f, 189,
 211
Idanothekion, 326
callistophytoides, 328f
 indehiscent nucellus, 281
 index fossil, 1, 86, 114
Indocarpus, 374
 indusiate filicalean, 247
 insect pollination, 454, 489,
 490f, 491, 502
 integument evolution
 and formation of a
 micropyle, 281, 286
 integumentary envelope,
 283
 integumented indehiscent
 megasporangium, 279
 integuments with
 micropyles, 279
 interactions of fungi, 52
 interpolation theory, 71,
 72, 93
 intersepaline scales, 352,
 381, 459
 intertidal benthic
 environments, 42
Intia, 82
 intrastellar theory, 252
Iridopteridales, 181, 196,
 201
Iridopteris, 183, 189
Ischnophyton, 355
 isoetalean clade, 125, 154,
 155, 157
Isoetes, 106, 107f, 142, 150
 corm, 150, 151f
- melanapoda*, 107f
(Stylites) andicola, 107f
Isoetites, 153, 156
 isospores, 280
- Joffrea speirsii*, 471, 473f,
 474f, 475f, 502
Juglandales, 477, 478
Juniperus, 432, 433
- Kalymma*, 297, 299, 335
Kalymmanthus, 448
Karkenia, 391
Kaulangiophyton, 110, 111f,
 118, 157
akantha, 111f
Keratosperma, 488
allenbyensis, 489f
Kerryoxylon hexalobatum,
 297
Keteleeria, 414, 427, 428
 kingdom, 24, 44, 153
Koretophyllites
multicostatus, 206f
vulgaris, 201, 206f
- Ktalenia*, 368, 370f, 384
- Laceya hibernica*, 297
Laevigatosporites, 149,
 163f, 164
Lagenicula, 142
Lagenostoma, 290, 300,
 318, 335, 458, 459
ovooides, 290f, 302f, 335
 lagenostome, 282, 286, 302
Lagynophora, 61f, 62
 laminae of monocot leaves,
 441
Laminaria, 63
 land animals, first, 102
Langoxylon, 187
Lasiostrobus, 53, 342
Laurasia, 492
 leaf
 evolution, 201, 206, 269,
 276
 morphotypes,
 Cretaceous, 494f
 physiognomy, changes
 in, 494, 496, 499f
 and pollen studies, 455,
 492
 leaves as indicators of
 change, 494
Lebachiaeae, 406, 408
Leclercgia, 116, 120, 127
complexa, 116f, 122
Lepidocarpon, 131, 141f,
 143f, 149, 283, 363
 embryo, 141f, 143f
 Is it an ovule? 144
lomaxi, 143f, 144f
Lepidocarpopsis, 144f
lanceolatus, 144f
semialata, 144f
 Lepidodendraceae, repro-
 ductive biology of, 139
 Lepidodendrales of
 Carboniferous, 127
 lepidodendrid
 leaves, 135, 161
 megagametophytes, 142
 microgametophytes, 20f,
 142
Lepidodendron, 13f, 126f,
 128f, 129f, 130f, 157,
 202
aculeatum, 127f
obovatum, 31, 135
 reconstruction, 127f
Lepidodropsis, 155
Lepidophloios, 28, 127,
 132f, 133f, 134f
 embryo, 141f
Lepidophyloides, 30
 Lepidoptera (butterflies
 and moths), 492
Lepidopteris, 369, 371f
ottonis, 371f
Lepidosigillaria, 127, 152,
 155
Lepidostrobophyllum, 140f,
 144
Lepidostrobus, 121, 131,
 140f
oldhamius, 140f
Lepidozamia, 342
Leptocycas, 345f
gracilis, 344, 345f
Leptopteris, 252
 leptosporangiate, 96, 212,
 222, 506
 leptosporangiate ferns, 96,
 240, 250, 256
Lepostrobus, 378
longus, 378f
Lesqueria, 468
elocata, 447f
 libriform wood fibers, 414,
 440
Lidgettonia, 375, 462f
indica, 375
mucronata, 375f, 462f
 life cycle
 hypothetical bryophyte,
 75f
 hypothetical tracheo-
 phyte, 75f
 life cycle? (*Rhynia*), 90
 life cycles, 4, 24, 28, 506,
 509
 in eukaryotic algae, 40f
 life in Precambrian, 32
Lignier, 74, 88, 222, 225
 lignin, 20, 76
ligule, 107, 142, 146, 395,
 425
Liliopsida (monocoty-
 ledons), 27, 338, 487
Linopteris, 313, 314f
Liquidamber, 441f
Liriophyllum kansense, 448
Lithophyllum, 57
 liverworts, 26, 62, 506
Lycopodites, 117, 118f
- meeki*, 118f
Lycopodium, 106, 108f,
 114, 223f
annnotinum, 107f
clavatum, 108f
 lycopid protosteole, 108f
Lycopida, 26, 100, 133,
 142, 171, 280, 363
 polyphyletic origin, 122
Lycospora, 131, 142, 163f,
 168
Lyginopteridaceae, 297,
 330, 362, 444, 458
Lyginopteris, 28, 296, 300,
 302f, 323, 463
oldhamia, 28, 301f, 332f
Lyginorachis, 297, 301f,
 307, 329, 412
Lyngbya, 35, 36f, 42
Lyonophyton, 90, 91f, 94,
 105
rhyniensis, 90, 105
Lyrasperma, 285, 411
scotica, 285f
Lyssoxylon, 343
Macginnicarpa, 474, 476,
 478f
glabra, 476f, 477f
manchesteri, 478f
Macginitiea angustiloba,
 476f, 477f
Mackiella, 61
Macrotaeniopteris, 347
Macrozamia, 338, 341f
moorei, 338
Maginicarpa, 475
Magnolia, 454f
Magnoliales, 445, 490, 493
Magnoliopsida (dicoty-
 ledons), 27, 438, 468,
 487
Majonicaceae, 406
manoxylic, 295, 299, 324
Marattia, 226, 228, 235
fraxinea, 227f, 228
Marattiaceae, 27, 214, 226,
 252, 260
 Mesozoic, 235
Marchantia, 69f, 77, 78f
Marchantiolites, 80f
porosus, 80f
Marchantites
gracilis, 80f
sezannensis, 80
Marsileales, 238, 250, 258
Marskea, 433, 434
thomasiana, 433f
Masculostrobus, 379
Mastigomycota, 26, 46, 51
Mataia, 427
podocarpoides, 427f
Matoniaceae, 254, 261
Mazocarpon
bensonii, 149
oedipterum, 149f, 161
pettycurense, 149
Mazostachys, 201, 211
pendulata, 201, 205f

Index

518

- Medullopteris pluckeneti*, 323, 326f
Medullosa, 28, 167, 299, 310f, 311f, 313f
endocentrica, 312f, 335
leuckartii, 315f
noei, 28, 309f, 310f, 319
primaeva, 309f, 315
stellata, 315f
stem, vascular segments of, 310
Medullosaceae, 30, 295, 444
evolution, 330
medullosan
foliage, 314
ovules, 316, 319, 363
pollen organs, 319, 334
prepollen, 320, 322
stem, evolution, 315, 331f
megagametophyte, 18, 19f, 142, 206, 389, 426
megagametophytes of *Lepidocarpon*, 142
megasporophylls of cycads, 201
megathermal vegetation, 494, 496, 501
Mehitaia, 427
membranes, 17, 19, 21f, 34, 414, 420
Merceria, 82f
Merceria angustica, 82f
Merismopedia, 57
meristem
of *Isoetes* corm, 150
of *Sphenophyllum*, 187
mesothermal vegetation, 494
Mesoxylon, 167, 397, 400f, 413, 419
birame, 403, 413
thompsonii, 400
Metaclepsydopsis duplex, 219f
Metasequoia
milleri, 417, 418f, 435
occidentalis, 13f, 432f
Metzgeria, 79
Metzgerites, 79
Miadesmia, 118, 120f
Microcoleus, 36f, 37, 42
Microcycas, 338, 340f
microgametophyte, 19f, 440f
microphyll, origin by enation theory, 120f
microphylls, 106, 113, 122, 505
enations or branches? 113
evolution of, 120f
micropyle, 144, 279, 284
Microspermopteris, 306, 330, 335
aphyllum, 306f, 335
microthermal vegetation, 494
Mimosaceae, 484, 492
mimosoid inflorescence, 490, 502
mite, 103f, 207
mitosis, 20f
Mitrosperrum compressum, 404f, 405
Mixoneura, 312
modernization of Cretaceous floras, 493
monoecious, 280, 308, 361, 407
monolete pollen grain, 289
Monoletes, 17f, 28, 289f, 324f, 456f
Moresnetia, 282
zalesskyi, 283f, 284f
mosses, 24, 71, 77, 145, 506
motile sperms, 288, 387
Musites polytrichaceus, 82
Myeloxylon, 31, 311f
myriapod, 103f
Myricales, 477, 479, 483
Myrothamnus, 471
Myrsinopsis, 483
succinea, 483f
Naiadita, 80f, 81
lanceolata, 80f
Nathorstiana, 151, 157, 160
arborea, 151f
natural systems of classification, 24, 26
Nematophytale, 64, 66
Nematothallus, 66, 86
Neocalamites, 201, 206f, 208
Neuroptera, 8f
Neuropteris, 308, 312, 314f, 320f, 334
heterophylla, 318
ovata, 308, 334
Nicotiana, 441f
Nilssonia, 345, 346f
compta, 347f
tenuinervis, 347
Nilssonipteris, 350
major, 352f
Nipa, 488
Nipaniophyllum raoi, 376
Nitella, 62
nomenclature, 24, 29, 35, 389, 421
Nordiniodia borealis, 469
Normapolles pollen, 480f
Norwoodia, 247
Nothofagus, 482, 502
Nucellangium, 49, 289
nucellus, 19, 144, 279, 305
Nymphaeaceae, 468
Nyssa, 445
Nyssidium, 445, 471
Odontopteris, 312
Oedogonium, 60, 70
Oligocarpia, 245, 248, 254, 261
mixta, 245f
oncolites, 33, 41, 43
Onoclea, 214f, 256, 262
sensibilis, 257, 262
ontogeny of vascular system, 131
Oocampsia, 275
catheta, 275f
oogonium, 47f
Oomycetes, 37, 46, 47f, 48f
Ophioglossales, 27, 214, 226, 259, 511
Ophioglossum, 236
Ordovician, 46, 51, 55, 86, 505
Oreomunnea, 478
organisms of Proterozoic, 35
origin
of *Callistophytaceae*, 330
of *Cycadeoidales*, 361
of integument, 283, 458
of megaphyll, 222
of progymnosperms, 275
of sphenopsid stele, 187
of *Sphenopsida*, 180
of sporangiophore, 188
of sporophyte, 70, 76, 91
Ortiseia, 406, 407f
oscillatorelean, 34f
Oscillatoria, 36
oscillatorial cyanophytes, 36, 42
Oscillatoriopsis, 35
Osmunda, 213, 241, 250f
cinnamomea, 252f
claytoniana, 241f, 250
Osmundacaulis, 251, 260
kolbei, 251f, 253
skidegatensis, 260
Osmundaceae, 243, 250
Otozamites, 350, 351f, 355
Ottokaria, 373, 462
bengalensis, 373f
zeilleri, 374
ovulate structures, 202, 369, 391, 403, 433
ovuliferous scales, 395, 427, 430
Oxroadia, 155, 160
Pachypterus, 367, 369f
Pachytesta, 19f, 28, 208, 288, 335, 363
hexangulata, 289f
illinoensis, 28, 316f, 317f, 319
Pachytesta-type ovule attached to *Alethopteris*, 317f, 318f
Pachytheca, 62, 66
Paeoniaceae, 447
Pagiophyllum, 421, 422f, 430
Palaeanicistrus, 47f, 50
Palaeocycas, 346f
Palaeogemmella, 60f
Palaeolyngbya, 36f, 47
Palaeomyces, 47f
Palaeonitella, 62
Palaeoporella, 60f
Palaeosclerotium, 48f, 50, 53
Palaeosmunda, 251
playfordii, 251f
Palaeostachya
andrewsii, 205f
deccanema, 201, 204f
ovalis, 204f
Palaeotaxus, 434
rediviva, 433f
paleoecology, 4, 29, 41, 162, 257, 466
of Pennsylvanian coal swamps, 162
paleoenvironment, 4, 486
paleofloristics, 4
Paleorosa, 483
similkameenensis, 484f, 485f, 501
Paleorubiaceophyllum, 15f
Palissya, 433
sphenolepis, 433f
Palissyaeeae, 425, 433
Pallavicinia, 79
Pallavicinites, 79f, 94
devonicus, 79f
palynological studies, 6, 162, 257, 493, 496
Pangaea, 165
papilionoid legume flower, 491
Paracycopodites, 127, 131, 167
brevifolius, 131
Paraoreomunnea, 478
purearensis, 456f
Pararaucaria, 431
patagonica, 430, 436
Pararaucariaceae, 425, 430, 435
Parasporites, 17f
Parasporotheca, 322f
leismanii, 320f
Parataxodium, 431
Parka, 58, 74f
decipiens, 58f, 76
patterns of evolution, 39, 44c, 53, 452
Paurodendron, 153, 161
fraipontii, 153, 154f
rhizomorph, 156f
Pecopteris, 233, 242, 300
miltonii, 233f, 234
peel technique, 14, 164, 312
Peltaspermaceae, 366, 369, 444, 457
Peltastrobis, 193
reedae, 194f, 197
Pennales, 63
Pennsylvanian, 6, 10, 16, 506
Pentoxylon sahnii, 376f, 377f
Peridinium, 63f
period, 21, 46
peripheral loops, 215, 222, 260

Index

519

- Permian, 11, 53, 506
permineralization, 9, 12,
14, 19
- Pertica*, 176, 209, 275
dalhousii, 178
quadrifaria, 176, 177f,
178f
varia, 178
- Phaeophyta*, 26, 63, 72
- Phasmatocycas*, 342, 343f,
348
- Phlebopteris*, 255, 256f
- Phylloglossum*, 106
- Phyllotheca*, 207, 209
equisetoides, 201, 207,
208f
- Physostoma elegans*, 284,
286f
- phytogeography,
Cretaceous–Recent,
497f
- Picea*, 414, 427
- Pilophorosperma*, 369f
- Pinaceae*, 393, 408, 413,
432
- Pinakodendron*, 139
- Pinnularia*, 201
- Pinus*, 280f, 394f, 409f,
414f, 423f
rigida, 396f
strobis, 395f, 396
sylvestris, 396f, 397
- Piperaceae*, 446
- pistillate platanoid flower,
447
- pith casts, 13f, 199f, 209
- Pityaceae*, 298, 395
- Pityocladius*, 421, 427
- Pityostrobus*, 428, 437
- Pityoxylon*, 415f, 417
- Pitys*, 274, 300, 388, 412
primaeva, 300
- plantation, 223f
- plankton, 43
- planktonic unicells, 37
- plant kingdom, 24, 153
- Plantae*, 24, 44
- Plantaginopsis*, 444
- Platanaceae*, 446, 451, 475,
489
- Platananthus*, 474
speirsae, 475, 478
synandrus, 476f, 477f
- platanoid inflorescences,
446
- Platanus* (sycamore), 31,
451, 472, 491
nobilis, 475
- platyspermic, 285
- platysperms, 411
- plectostele, 187, 223
- Pleuromeia*, 151f, 156
sternbergii, 151f
- Poaceae*, 489, 501
- Podocarpaceae*, 413, 419,
434, 457
- Podocarpoxylon*
(*Mesembrioxylon*),
415f, 417
- Podocarpus*, 410, 417, 422
macrophyllus, 426f
spicatus, 409
- Podozamites*, 421, 423f
- pollen, 495f
microgametophytes, 19f,
287
- sequence from monosulcate to triporate
types, 445
- tubes, 18, 145, 279, 287,
393, 440
- pollination drop mechanism, 287, 306, 490
- pollination syndromes, 489,
492
- polycyclic dictyostele, 226,
229
- Polylophospermum*, 319,
334
- Polypodiaceae*, 256, 261
- Polypodium*, 256
- Polypterospermum*, 334
- Polysporia*, 153
- Polystichum*, 213, 214f
lonchitis, 213f
- Polytrichum*, 77, 78f
- Populus*, 444
- Populus*, 493
- Porella*, 77, 78f
- Porolithon*, 58f
- Poroxylon*, 395
- Porphyra*, 63
- Potamogetonaceae*, 488
- Pre-Cretaceous record of
presumed angiosperms, 441
- preangiosperm
appearance of, 455
growth habit, 455
leaves, 456
ovules and carpels,
458–9
- perianths, 456
- pollen, 457
- stamens, 457
- Precambrian, 5, 9, 20, 32,
505
- microorganisms, 33f, 36f,
37f, 38f, 40f, 42c
- prefers 214
- preovules, 281, 290, 411
with hydrasperman
reproduction, 287
- origin, monophyletic or
polyphyletic? 291
- prepollen, 17, 286, 291
and pollen types, 289
- primitive angiosperm leaf
types, 445, 452
- primitive dicot leaf
characteristics, 452
- primitive flowers, 453
- primitive land plant,
hypothetical, 74f
- primitive monocot leaf
characteristics, 453
- primitive pollen, 453
- Primocycas*, 204, 209
- Primulales, 483
- Princetonia*, 468, 470, 504
allenbyensis, 470f
- Prisca*, 261, 449, 462
reynoldsi, 451f, 467
- problems of nomenclature,
29, 389, 397
- of reconstruction, 28
- Progymnospermopsida*, 27,
177, 263, 295, 329,
395, 424
- and gymnosperm
classification, 277
- Proteaephillum*, 444
reniforme, 446f
- protection
of ovule, a summary,
381
- of sporangia, 363
- Proteokalon*, 269, 276, 329,
419, 436
petri, 269f
- Proterozoic, 32, 41, 53, 72
(Late), microfossils, 35f,
42
- (Late), plankton, 43
- Protista, 24, 26, 44
- Protoascon*, 48f, 49
- Protocupressinoxylon*, 416,
430
- Protohyenia*, 183f, 188
janovii, 183f
- Protolepidodendrales,
evolution of sporangial
position, 121f
- Protolepidodendron*, 115f,
116f, 118, 188
scharyanum, 115f, 116f,
121
- Protolepidodendropsis*, 292
- Protomimosidea*, 484
buchananensis, 485f
- Protomonimia*, 468, 469f
- Protophyllocladoxylon*, 417
- Protopiceoxylon*
(*Pinoxylon*), 416
- Protopinaceae*, 416, 437
- Protopytales*, 266, 274
- Protopitys*, 272, 278
scotica, 274f
- Protopolyporoxylon*, 416
- Protopteridium*, 278
- Protosalvinia arnoldii*, 64f,
65f
furcata, 64f, 65f
- Protosphagnum*, 82
- Protostigmaria*, 155
eggertiana, 156f
- Prototaxites*, 63f, 66
southworthii, 63f
- Prototaxodioxylon*, 416
- protoxylem canals, 180,
186, 209, 215
- Psalixochlaena cylindrica*,
246f, 247f
- Psalixochlaenaceae*, 238,
246
- Psaronius*, 23, 104, 197,
226, 228f, 229f, 232f
- Primocycas*, 204, 209
- blicklei*, 229f
- root, 232f
- simplicicaulis*, 230
- vascular system of, 230f
- Pseudoaraucaria*, 428, 435
heeri, 428f
patagonica, 430f
- Pseudobornia*, 185
ursina, 185f, 186
- Pseudoborniales*, 26, 186,
511
- Pseudostenis*, 343, 346
- Pseudocycas*, 352f
- Pseudofrenelopsis*, 429
- Pseudolarix*, 414, 423
- pseudomonopodial
branching, 172
- Pseudosporochnus*, 183,
214, 217f, 225
nodosus, 215, 216f, 222
- Pseudotaxus*, 418, 434
- Pseudotsuga*, 395f, 414,
417, 427
taxifolia, 395f
- Pseudovoltzia*, 408, 418,
436
liebeana, 408f, 435
- Psilophyton*, 110, 122, 209,
248, 328
charientos, 179
conicum, 176
crenulatum, 174f, 175f,
176f, 178
dapsile, 172, 173f, 177,
209
dawsonii, 174f, 179, 209,
248
forbesii, 173f, 178
microspinosum, 172, 179
princeps, 110, 122, 173f,
178
robustius, 171
- Psilopsida*, 26, 95, 106
and Rhyniopsida, 95
- Psilotum*, 72, 95f, 96, 113,
214f, 218
nudum, 95f, 104
- Pteridium*, 256, 440
- pteridosperm vegetative
structure, origin of, 32
- Pteridospermales, 23, 27,
248, 295, 457, 511
- Pteris*, 214f, 233, 308, 374
- Pterophyllum*, 350, 351f
- Pteruchus africanus*, 367,
369f
- Pterygospermum*, 374
- Ptilophyllum*, 351f
pecten, 351, 355
- Ptychospora*, 319
- Pullarietheca* (*Hydro-*
sperma) *longii*, 286f
- Punctatisporites*, 163f, 234,
242, 303, 316
- pycnoxylic secondary
wood, 264, 274, 295,
395, 399
- Pyridicula*, 63f
bollensis, 63

Index

520

- quadriseriate*, 176, 217, 200, 240
Quaestora, 307
amplecta, 315f, 335
Quaternary, 4, 82
Quercus, 480, 482
meyeriana, 482f
taeniatapisosa, 482f
radiometric dating, 21
radiospermic ovules, 284
Raoanthus, 486, 491
Rebuchiia, 107, 109f
ovata, 109f
recursion, 101f
red algae, 58f
relationships
of angiosperms, 444f
of Cladoxylales, 215
of Filicopsida, 259c
of Ginkgoales, 420c
of Lycopida, 158c
of Rhyniopsida, 158c
of seed ferns, 382c
of seed plants, 463f
of Sphenopsida, 210c
of Zosterophyllopsida, 158c
Rellimia, 266, 274, 419
hostinense, 268f
thompsonii, 268f
Renalia, 95, 113, 122, 157, 171
hueberi, 95f, 97f
Retimonocolpites, 444
Retusotriletes, 107, 110, 175
Rhabdoxylon, 244, 246, 248
Rhacophyton 219
ceratangium, 220f, 224, 248
zygopterooides, 219f, 220
Rhachophytopsida, 221
Rhexoxylon, 377
piatnitzkyi, 378f
rhizomorph, 28, 126, 141, 153
rhizomorphs and roots, 148
Rhodea, 304, 335
Rhodophyta, 26, 55, 72
Rhombostrobus, 431
Rhymokalon, 224
Rhynchertia, 61
Rhynia, 52, 88, 157, 173, 331
classifications, 98
gwynne-vaughanii, 89f, 93, 104
Rhynia-type sporophyte, evolution of, 94f
Rhynie chert, 31, 47, 53, 55, 76, 94f, 278
Rhyniococcus, 57,
Rhyniopsida, questionable, 97
from Rhynie chert, 88
Riccia, 65, 69f, 78f
natans, 78f
Ricciopsis florinii, 80f
Riella, 80
Rissikia, 426
media, 427f
Rogersia, 453
angustifolia, 446f
Rosales, 451, 483
Rose Creek flower, 449, 452f
Rosidae, 446, 451, 491, 498
Rowleya, 217, 225
trifurcata, 218, 225
Ruflorinia, 368, 370f
Sagenopteris, 366, 456
phillipsii, 366, 367f
Sahnia, 376
Sahnianthus, 485
Sahnioxylon (Homoxylon), 443
rajmahalense, 442f
Sahnipushpam, 486
Salvinia, 66, 72, 258
Salviniales, 27, 214, 238, 250
Samaropsis, 285, 293, 405, 412
Sanmiguelia, 441, 465
lewisii, 380f, 383, 441f, 465
Sapindales, 486
Sapindus, 51f
sarcotesta, 317, 325, 404, 405
Saururaceae, 446
Sawdonia, 109, 110f, 157, 172
acanthotheca, 110f
ornata, 110f, 123
Saxifragales, 451, 483
Scandianthus, 483
costatus, 483f
Schizaea bifida, 240f
Schizaceae, 240, 253, 262
Schizolepis, 428
braunii, 427f
Schizoneura paradoxa, 208f
Schopflastrum, 306, 336
decuassatum, 307f, 336
Schopffiopteris, 236
Schopffipollinites, 28, 324f
Sciadophyton, 91f, 94, 105
Sciadopitys, 417, 431
Scirpus, 488
Sclerocystis, 49, 50f
sclerotesta, 317, 404
Scolecopteris, 233f, 234f
Scutum, 373, 381, 461
seed ferns, most ancient, 292, 297
seed with embryo, 410
Selaginella, 119f
harrisiaca, 117, 119f
Selaginellites, 118, 141, 155
crassicinctus, 155
Setonella, 60f
Senftenbergia 240, 253, 261
plumosa, 254f
sturi, 254f
Sequoia, 9, 414, 423, 430, 435
langsdorffii, 432
Sequoiadendron, 417, 431
Sequoioxylon, 413, 417
Sermaya, 245, 248, 254
Serrulacaulis, 109, 113, 123
furcatus, 109, 123
Shark Bay, stromatolites, 33f
Siderella, 270
Sigillaria, 28, 125, 145f, 146f, 147f, 152, 167
approximata, 31, 147f
brardii, 148
elegans, 145f
Sigillariaceae, 145, 149f
Sigillariophyllum, 148
Sigillariopsis, 148
Sigillariostrobus, 149
Silurian, 27, 505
Silvanthenium, 14, 483, 503
sueicum, 484f, 503
Siphonales, 58, 62
Siphonophycus, 35
siphonostele of fern, 108f, 333
siphonostelic, 212, 230, 242, 260, 333
slime molds, 26, 46
Solenopora, 56, 57, 58f
compacta, 56f
Solenoporaceae, 57
Soleredera, 488
spadix of an aroid, 490
Spanomera, 471
mauldinensis, 472f
“sparganum” cortex, 304, 311, 316, 323
Spencerites, 116f, 117, 120
insignis, 116f
moorei, 116f, 122
Spencersporites, 117
sperm, 19f
Spermolithus, 285
devonicus, 285f
Spermatopteris, 342
coriaceae, 341f
Sphaerocarpus, 69f
Sphaerostoma, 304, 334
ovale, 305f, 334
Sphagnum, 77, 78f
Sphenastrophylites, 206f
Sphenobaiera, 388, 389f
pauciparita, 389f
Sphenophyllostachys, 193
Sphenophyllum, 18f, 167, 190, 193f, 201
cuneifolium, 191f
dawsonii, 194
emarginatum, 190, 191f
majus, 191f
myriophyllum, 191f
plurifoliatum, 192f, 193f, 197
root, 193f
verticillatum, 191f
sphenopsid stele, 187
Sphenopsida, 17, 100, 177, 190, 201, 275, 363
first, 181
Sphenopteris, 28, 242, 292, 301f, 304
hoeninghausii, 28, 300
obtusiloba, 305
Sphenostrobus thompsonii, 194f, 197
spheroids, 34, 39
Spirogyra, 73
sporangiophore, 101, 180, 198, 215, 462
Sporocarpion, 49, 53
Sporogonites, 83f, 93
exuberans, 83f
sporophore, 236
sporopollenin, 20, 64, 162
Stachyotaxus, 433
elegans, 433f
Stamnostoma, 301f
huttonense, 284, 285f, 293
Stangeria, 338
Stauropteridaceae, 238
Stauropteridales, 27, 214, 225, 511
Stauropteris, 217, 224
burntislandica, 218f, 225
Steganotheca striata, 87f
stellar evolution, 222, 251, 335, 412
stele of *Lepidodendron*, 130
Stellotheca ornata, 233f, 234
Stenokoleos, 221
Stenomyelon, 298, 307, 329
primaevum, 298f, 329, 332f
tuedianum, 298f, 332f
Stenopteris, 367
Stewartiotheca, 322f
warrenae, 319
Stigmaria, 28, 136f, 137f, 138f, 148f, 152, 155
ficoidea, 136f, 137f, 138f, 148
Stigmarinemataceae, 57
Stipitopteris, 230f, 231, 232
stipules, 226
stoneworts, 61
stromatolites, 32, 33f, 37, 56f
Stromatopteris, 96, 97
Stylocalamites, 200
Subsigillaria, 146f
succession, summary of, 498
Sugambrophyton, 116
Sullisaccites, 403
Sullitheca, 321, 322f, 336
supertidal environments, 42
Sutcliffea, 315
insignis, 315f
Svalbardia, 270
Svanergjellet shale, 38
Swedenborgia, 431
synangia, 101, 322, 357, 360

Index

Synangiospadixis tidwellii, 380f
synangium, 95, 303, 457
syndetocheilic stomata, 350
syngensis, 97, 100f, 291, 321, 457
syntelomes, 283, 284
Syringodendron, 146f, 148

Taeniocrada, 66, 91, 97f
langii, 91
Taeniopteris, 344
Taiwania, 417, 431
Tanydorus, 117, 118f
Tasmannia, 460f
Taxaceae, 23, 413, 418, 434
Taxaceoxylon (Taxoxylon), 8, 418, 434
Taxales, 27, 387, 439, 455
Taxodiaceae, 413, 457
taxodioid cross-field pit, 418
taxodioids, transitional, 428
Taxodium distichum, 423
Taxospermum undulatum, 290
Taxus, 66, 414f, 433, 436
baccata, 433f
Tedelea, 239, 248
Tedeleaceae, 238, 259, 261
Telangiopsis, 303, 306, 334
Telangium, 300, 304f, 306, 328f, 335
telome concept, 99f, 100f, 101f, 223, 276
telome theory, 98
telomes and heterochrony, 101
Tempskya, 257f
Tempskyaceae, 256
tent pole, 289, 405
terminal sporangia of zosterophylls, 112
Tertiary, 3, 20, 501
climate and vegetation, 501
Tetrastichia bupatides, 298, 334
Tetraxylopteris, 274, 419
schmidti, 268f, 269f, 277, 435
Thallites willsi, 79, 80f
Thamnopteris, 251
gwynne-vaughani, 251f

Thuja, 417, 423, 432
Tmesipteris, 95, 113
Todea, 252, 257
barbara, 257
Todites, 252
hartzi, 252f
Tomoxellia, 435
Torreya, 413, 418, 433
tracheids, pitting, 86f, 399f, 414f, 415f, 418f, 419f, 442f
Tracheophyta, 26, 68, 77, 95, 101, 171, 438
transfer technique, 12, 15, 116, 142, 401, 459
transformation theory, 72, 76, 90, 95
Traqairia, 48f
tree ferns, 16f, 95, 164, 226, 230, 261, 296
Treubia, 79
Triassic, 9, 11, 49
Trichopitys heteromorpha, 389f
Tricoccites, 488f
Tricolpites, 446f
Trigonocarpus, 317, 318f
Triletes, 16f, 30, 142
Triloboxylon, 269, 272, 329, 419
ashlandicum, 269f, 270f, 274f, 278
Trimerophyton, 171, 173, 176, 275
robustius, 173f
Tristichia, 298
longii, 300, 329, 334
Trochodendrales, 470
Trochodendron araliaeidea, 442f, 469f
Tsuga, 416, 427
Tubicaulis, 244f, 245f, 248
tylosoids, 416
Typha, 488
Typhaceae, 488

Ullmannia, 408, 425
bronnii, 408f
Ulmus (elm), 477
Ulodendron, 131
Ulothrix, 61, 70
Ulotrichales, 60
ultrastructure, 21f
Umkomasia, 367, 369, 381, 459
macleani, 369f
unicellular spheroids, 34

upward outlook, 438
Urticales, 477
Uskiella, 88f, 96
Utrechtia floriformis, 405f, 406f
piniformis, 407
Utrechtiaeae, 409
vallecular canals, 180, 200f, 202
Valmeyerodendron, 125
triangularifolium, 126f
Valvisisporites, 153
vascular plants, classifications, 28
primitive types, 85
vascular tissue, first plants with, 86
Vaucheria, 38f, 39
vegetation of Pennsylvanian coal swamps, 166f, 168
vegetational maps, 496f, 500f
vegetative anatomy and morphology, 191, 219, 245, 337, 406
Verrucosisporites, 235
Vertebraria, 371, 372f, 383, 435
Vesicaspora, 19f, 20f, 163f, 287, 326
Vesicaspora-type pollen and pollen tube, 288f
vesicle, 38f
Vestispora, 195
Vitiphylum, 444
multifidum, 446
Vitreisporites, 366, 367
Voelkeria, 224
Voltziales, 27, 393, 405, 457, 506
ovulate fructifications, 408
Voltziopsis, 425
walchian conifers, 168, 169f, 406
Walchiostrobus, 407f
webbing, 223f
Wehrwolfea, 486
striata, 487f
Weltrchia, 357
ayuquilana, 356
santalensis, 356f
spectabilis, 356f, 357
whitbiensis, 356f
Welwitschia, 350, 378, 439,

455, 463
Whittleseyia, 321f
media, 320f
Wielandiella, 353, 354f, 361, 456, 489
Williamsonia, 353, 355, 361, 364
harrisiana, 353f, 356f
santalensis, 356, 362
sewardiana, 353, 355f
whitbiensis, 356, 362
Williamsoniaceae, 353
Williamsoniella, 353, 354f, 357, 456, 489
coronata cone, 355f
wind-pollinated, 453, 464, 477, 489
wood of conifers and taxads, 413
Woodwardia, 214f, 256
virginica, 214
Woodworthia, 417
Xanthidium, 63f
Yarravia, 97f
oblonga, 97f
Yucca, 489
Zalesskya, 251
gracilis, 251f
Zamia, 338
floridiana, 339f, 341f
integrifolia, 340f
Zamites, 350, 355
Zenoxylon, 416
Zimmermann, 74
Zimmermannitheca
cupulaformis, 328f, 336
Zizyphus, 493
Zosterophyllopsida, 26, 101, 157, 171
Zosterophyllum 91, 106, 157
australianum, 109f
rhenanum, 91, 109f
zygomorphic (bilateral) symmetry, 484
Zygomycetes, 37, 46
Zygopteridaceae, 219, 238, 248
Zygopteridales, 27, 214, 238, 250, 260, 511
Zygopteris, 51, 221f, 240, 252
primaria, 221, 225