

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

Index

- abalone, 353–54
- AB-block copolymers, 303, 307, 310–11, 313–14
- abductin, 322, 323, 339–40, 344, 346
- ABP280/filamin 1, 233
- aciniform glands, 155
- acoustic absorption, 69–73
- actins, 215–16, 226–28, 230–31, 233, 345
- adhesives, 162–63, 355, 359–60
- Aedes aegypti*, 270
- Aeshna grandis*, 259
- alanine, 205, 272
- Alexander, R. McNeill, 1–14, 27
- allysine aldol, 43
- α -actinin, 213–14
- α -catenin, 215–16
- α -elastin, 62–63, 75–77
- amino acid sequences, 338–42
 - in abductin, 339–40
 - in elastin, 340
 - in fibrillins, 342
 - in gluten, 283–90, 340–41
 - in mussel byssus, 199–200, 340
 - in resilin, 261–63, 266–67, 340
 - in spectrins, 342
 - in spider silks, 138–44, 147, 155–56, 313, 340
 - in titin, 340, 342
- ampullate gland. *See also* dragline silks
 - gross morphology, 120–22, 129–33
 - properties of silk from, 137–45, 149, 155
 - spigot morphology, 120, 122–25
 - ultrastructure, 125–28
- Andersen, Svend Olav, 259–78, 321, 322, 341, 344, 346, 356, 357, 359
- 8-anilinonaphthalene sulfonate (ANS), 271
- anisotropic elastomers, 302. *See also* liquid crystal elastomers
- ankyrins, 215–17, 222, 235
- Antherea*, 198
- antifibrillin-1, 102–3
- ants, 265
- aorta, elastin function in, 11
- apical contractile rings, 232
- apodeme, 2
- aponeurosis, 6
- Araneus*, 155. *See also* spider silks
- Araneus diadematus*
 - functional design of silks, 33–34, 36
 - glycoprotein glue, 162–63
 - material properties of silk, 19
 - protein sequences of silk, 142
 - spiral *vs.* radius silk properties, 158–63
 - typical orb web of, 154, 157–58
 - water as plasticizer, 160–64
- Araneus gemmoides*, 138, 144–45
- Araneus sericatus*, 33
- Argopectin*, 339
- Argyroneta aquatica*, 153
- arteries, elastin function in, 11, 20
- asparagine, 268
- aspartic acid, 263
- Astacus fluviatilis*, 265
- atherosclerosis, 366–67
- atomic force microscopy (AFM)
 - of elastin, 63–69
 - of spectrins, 223–25, 235
 - of spider silk, 164, 309
 - of titins, 248

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

380

Index

automated electron tomography (AET),
101–3

axial sequence, 204–5

baboons, 41

Bailey, Allen J., 184, 321–37, 366–77

Baldock, Clair, 94–114

beetles, 2, 263–65

Bellingham, C. M., 39–53, 367

Belton, Peter S., 279–301

Bena bicolorana, 265

β -spectrins, 215, 217–18

β -spirals

in elastin, 82–84, 86, 89–90, 343, 345

in gluten, 290–91, 293

in spider silks, 145–48, 164, 313, 334

biomimetic applications. *See also*

man-made elastomers

of collagen, 371–72

of elastin, 366–70

of fibrous composites, 357–60

of proteins in ceramics, 355–56

of proteins in macrostructures, 362–63

in robotics, 362

of silks, 362–63, 370–71

biomineralization, 353–56

birds, flight mechanisms in, 7, 22–23

birefringence, 137, 260–61

bivalve molluscs, 7, 10–11. *See also* mussel
byssus

Bloch, R. J., 347

blowflies, 274

Boltzmann relation, 54, 56–57

bovine tissue, 41–42, 102, 326

bread dough, 281, 286, 290, 292–94, 296,
330. *See also* gluten

Bressan, G., 46, 47

brown recluse spider. *See Loxosceles laeta*

brush borders, 231

bursicon, 274

butterflies, 264

byssus. *See* mussel byssus

Caenorhabditis, 219

calcite crystals, 353–54

calcium

fibrillin and, 94, 96–98, 106, 109–10, 329

titin and, 250–52

calcium-binding epidermal growth factor
(cbEGF), 96–98, 106

calpain, 221, 233

camels, 5, 11

canaliculi, 164–65

Cancer pagurus, 266

carbodiimide, 370

carbon-carbon bonds, 262

carbon fibre, material properties of, 19

cardiac muscles, 243, 250–52, 342

Carrington, Emily, 15–38

catapult mechanisms, 1–4

cataracts, 323

catechol oxidase, 331–32

α -catenin, 215–16

Cavagna, G. A., 4

cDNA for spider silk, 139–44

cell polarity, spectrins and, 219

centipedes, 266, 360

ceramics, proteins in, 353–56

CG9036, 268

CG15920, 267–68, 272

Chengjun Sun, 189–212

chickens, 41, 42, 222–23, 226

chiral elastomers, 313

chitin, 260, 269, 274, 355–57. *See also*
cuticles

chorion proteins, 42, 45, 270

cicadas, singing in, 10–11, 265

click beetles, 2, 264

cloning, of ampullate silk proteins, 140–41.

See also recombinant DNA technology

coacervation

elastin, 44, 45–48, 325, 367, 370

purification by, 62

resilin, 272

temperature and, 58

tropoelastin, 324

Coccinella septempunctata, 264–65

cockroaches, 42, 264–67, 358, 362

collagen

association with elastin, 20

cross-linking in, 183–87, 202–6, 322–23

deformation mechanisms, 175–78

in dogfish egg capsules, 357–58

elastic energy storage capacity, 25, 27–29

fatigue lifetime, 27–29

fibrillar, as liquid crystal elastomers,

304–8, 312

functional design of, 26–29

from *Hydra* nematocysts, 199

medical applications, 371–72

in mussel byssus, 195–200

prepepsinized, 196–205

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

Index

381

- procollagens, 307
- stress-strain tests, 16–19, 26–27
- in tendon structure, 176–77
- tensile properties, 180–82, 191, 361
- thermal stability, 352–53
- triple helical peptides, 372–75
- tropocollagens, 197, 205
- X-ray diffraction, 178–79
- configurational transitions, 65
- congenital contractural arachnodactyly, 96
- copepods, 265
- copper, 43, 203–5, 333
- corneas, resilin in, 265
- countermovement jumps, 3–4
- C-proteins, 244–45
- crabs, 266, 357
- crayfish, 265
- cribellate spider silk, 157. *See also* spider silks
- critical stress intensity factor, 361
- cross-linking, 321–37
 - in abductin, 323
 - catechol oxidase-quinones in, 331–32
 - in collagen, 183–87, 202–6, 325–28
 - covalent, 321–32, 369–70
 - disulphide, 330–31
 - in elastin, 43, 62–63, 75–77, 322, 323–25, 367–69
 - in fibrillin, 322, 328–30
 - γ -glutamyl- ϵ -lysine, 328–29
 - in gluten, 322, 330–31
 - glycation, 374–75
 - hydrogen bond, 335
 - hydrophobic bond, 334–35
 - liquid crystal elastomers, 303–6, 312
 - lysyl aldehyde-derived, 323–28
 - metal-ion complexes, 333–34
 - in mussel byssus, 202–6, 322, 331–34
 - in natural rubber, 78
 - non-covalent, 333–35
 - polymerization of divalent, 326–28
 - in resilin, 261–62, 270, 274, 321–23
 - in spectrin, 216, 221, 226, 231, 322
 - in spider silks, 322, 334–35
 - structure and, 78
 - in titin, 322
 - transglutaminase-derived, 328–30
 - in tropoelastin, 41–44
- cushioning impacts, 11–12
- cuticles
 - dehydration in, 359
 - dityrosine in, 323
 - as fibrous composites, 356–57
 - resilin in, 260, 263, 265, 270, 271–73, 341
- cylindriform glands, 155
- Dacron, 367
- damselflies, 265
- Dea, J., 54–93
- dehydration, 359. *See also* hydration level
- depolarization, spectrins and, 217, 232
- desert locust, 259. *See also* locusts
- desmosine, 43, 47, 78, 324
- diabetes mellitus, 374
- dielectric permittivity, 74–77
- dielectric relaxation, 71–73
- Discher, D. E., 342, 347
- disulphide bonds
 - in collagens, 204
 - in gluten, 280–81, 283, 292–93, 294, 330–31, 335
 - in titin, 252
- dityrosine, 261–62, 264, 266, 270, 321–23, 333
- dogfish, 205, 305–8, 357, 359
- dogs, 4–5, 11
- dolphins, 7, 9
- DOPA, 196, 202–5, 331–32, 333, 359
- dough mixing, 281, 286, 290, 292–94, 296, 330. *See also* gluten
- dragline silks. *See also* ampullate gland; spider silks
 - biophysical studies, 144–45
 - elasticity, 346–47
 - electron microscopy of, 164
 - functional design, 32–35
 - as liquid crystal elastomers, 308–12
 - manufacturing, 167
 - mechanical properties, 137–38, 312
 - spiral silks compared to, 158–63
 - structures, 339–40, 343–44
 - water plasticization of, 163–65
- dragonflies, 23, 259–62, 267–68, 273
- Drosophila melanogaster*
 - flight mechanisms, 6–7
 - resilin in, 266–68, 272, 322, 341
 - spectrins in, 217, 219, 223
- durability, units of, 16
- DXSSS sequences, 198
- dynactin complex, 219

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

382

Index

- dynamic testing, 21–22
- dystrophin, 221, 223, 233
- earwigs, 265
- ecribellate spider silk, 157. *See also under names of individual species*
- effective mass parameter, 9
- effective spring constants, 16, 225, 227–29
- elasticity. *See also* elastomeric force; entropy; tendon elasticity
 - of abductin, 346
 - from damping of internal chain
 - dynamic on extension, 82–90
 - definition of, 20
 - effect of water droplets on, 160–65
 - of elastin, 345–46
 - of fibrillin, 347–48
 - of gluten, 284, 286, 292–94, 296, 330, 347
 - historical explanations, 57–58
 - hysteresis and, 148–49, 154, 160, 190–91
 - ideal, 54–55, 57
 - of liquid crystal elastomers, 303, 307–8, 312
 - models of, 61, 62, 182–87, 345–48
 - of muscles, 245–46
 - of mussel byssal, 346
 - random chain network theory, 77–81
 - of resilin, 261, 269–70, 346
 - soft, 303
 - of spectrins, 223, 225, 227–28, 347
 - of spider silks, 138, 148, 154, 312, 334–35, 346–47
 - of titin, 347
 - viscoelastic model for tendon
 - elongation, 182–87
- elastic modulus
 - of collagen, 361
 - from force-extension curves, 66–69
 - incremental modulus, 192–95
 - in joining materials, 193–94
 - of mussel byssus, 189–90, 207
 - random coil state, 68
 - of resilin, 260
 - single-chain, 68–69
 - from stress-strain curves, 19, 26
 - in tendon elongation, 185–86
 - thermal denaturation and, 79–81
- elastic storage, 6–7
- elastin
 - acoustic absorption experiment, 69–71
 - aggregation as an ordering process, 46–49
 - α -elastin, 62, 63, 75–77
 - amino acid sequences in, 340
 - in arteries, 11, 20
 - association with collagen, 27
 - atomic force microscopy of, 63–69
 - coacervation, 44, 45–48, 325, 367, 370
 - cross-linking of, 43, 62–63, 75–77, 322, 323–25, 367–69
 - dielectric relaxation, 75–77
 - elastic energy storage capacity, 25–26
 - elasticity, 345–46
 - fatigue lifetime, 23–25
 - functional design, 20–26
 - hydration level, 21–22, 31
 - lack of turnover of, 40
 - in ligamentum nuchae of ungulate mammals, 11
 - limitations in flight, 22–23
 - medical applications, 366–70
 - microfibrillar component, 39
 - models, 61–63
 - oscillator frequency, 90
 - polypeptides, 45–49
 - preparation, 62
 - prevention of calcification by, 369
 - random chain network theory, 57
 - recombinant polypeptide self-assembly, 45–46
 - resilin compared to, 269
 - self-aggregation of, 44–45
 - structural models, 40, 343
 - synthesis, 62, 341
 - temperature effects, 21, 22, 44, 59–61, 79–81
 - tensile properties, 16–19, 22, 24, 191
 - torsion angles, 87–88
 - tropoelastin, 39–44, 58, 61–62, 324, 339, 341
 - elastin binding protein (EBP), 39, 41–42
 - elastin polypeptides (EP), 45–49
 - elastoidin, 304–5
 - elastomeric force
 - from decrease in freedom of motion, 89–90
 - internal energy and entropy
 - components, 55–56
 - loss from thermal denaturation, 79–81
 - from a single chain, 78–79
 - solvent entropy changes and, 81–82

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

Index

383

- electron microscopy
 - scanning, 116–18, 125–26, 368
 - transmission, 116, 118–19, 126, 128–32, 164–65, 308–9, 311
- Enallagma cyathigerum*, 265
- endocytosis, spectrins and, 218
- energy, internal, 55–56
- energy dissipation, 190–91. *See also* hysteresis
- energy storage
 - calculations of elastic, 25–26
 - in flight, 6–7
 - in running, 4–6
 - Storage Modulus, 21
 - in swimming, 7–10
- tendon collagen, 27–29
- entropy
 - β -spirals, 82–84, 89–90
 - change on extension, 57, 87–89
 - in elastin elasticity, 345
 - in elastomeric force, 55–56, 78–79
 - historical explanations for elasticity, 57–58, 75–77
 - oscillator frequency and, 90
 - random chain network theory, 77–81
 - of resilin elasticity, 261, 270, 346
 - solvent, 58, 81–82
 - in spider silk elasticity, 149
 - statistical mechanical expression for, 56
 - tendon deformation, 175
 - as a volume in configuration space, 89
- epithelial cells, spectrins in, 216, 219, 230–32
- erythrocytes, spectrins and, 216, 219–22, 226–27, 230
- evolution of elastomers, 213–14, 223, 284, 290
- extensibility
 - of collagen, 26, 325
 - ionic strength and, 234
 - of mussel byssus, 191
 - reversibility in microfibrils, 106–9
 - of spectrins, 224–27
 - of spider silks, 312
 - from stress-strain tests, 17, 19
 - of tendons, 176
 - of titin, 246–52
 - units, 16
- fatigue lifetime, 23–25, 27–29
- feedback loops, 314
- fibrillin, 94–114. *See also* microfibrils
 - cross-linking, 322, 328–30
 - domains in, 342
 - elasticity of, 347–48
 - importance of, 96
 - isoforms of, 39, 95–98
 - mass per unit length, 108
 - in microfibril cross-section, 101, 108
 - molecular assembly, 98–101
 - in untensioned microfibrils, 101–5, 108
- fibrillogenesis, 205
- fibroin, 355, 370
- fibrous composites, 356–60
- fireflies, 265
- fish, cartilaginous, 304
- flagelliform silks. *See also* spider silks
 - domain sequences, 339
 - proteins in, 141–42, 147, 149, 155
 - water as plasticizer on, 160
- flea beetles, 2
- fleas, 1–2, 264
- flies, 220, 232, 235
- flight systems
 - in birds, 7, 22–23
 - in insects, 6–7, 23, 259–60, 264–65
 - resilin in, 259, 264–65
- Flory, Paul, 57, 58, 59, 75, 77–81, 345
- fluorescence, of resilin, 263, 264, 270, 273
- force control, 12
- force *vs.* extension curves
 - elastins, 64–69
 - spectrins, 224–25, 230–31
 - titins, 246, 248–49
- Forficula auricularia*, 265
- fracture resistance, 361
- Frank-Starling mechanism, 252–53
- Fratzl, Peter, 175–88
- fruit flies. *See Drosophila melanogaster*
- furin processing, 100
- γ -glutamyl- ϵ -lysine cross-links, 328–29, 333
- Gaub, H., 54–93
- gelsolin, 233
- genome stability, 221
- genomic sequences, 141–42, 266–68
- gliadins, 280–81, 283–85
- glue proteins, 332, 359–60
- glutamine, 284, 287, 293–94
- glutaraldehyde, 369, 373

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

384

Index

- gluten, 279–301
 β -spirals, 290–91, 293
 cross-linking, 322, 330–31, 335
 disulphide bonds, 280–81, 283, 292–93, 294, 330–31, 335
 elasticity of, 284, 286, 292–94, 296, 330, 347
 evolution and selection, 284, 290
 HMW glutenin subunits, 284–86, 288, 290–97, 330, 335, 339–41
 “loop and train” model, 293–94
 network composition, 279
 non-repetitive domains, 291
 proteins in, 283–86, 340–41
 repeated sequences, 284–90, 339, 344
 synthesis in wheat grains, 279–83
 temperature effects, 290
 in transgenic wheat, 294–97
 glutenins, 280–81, 283–85, 292–94, 296–97, 344. *See also* gluten
 glycine, 200, 205, 263, 268–69, 271, 287
 glycophorin C, 227, 229
 glycoproteins, 162–63
 Golgi apparatus
 gluten and, 281–82
 spectrins and, 218–19, 235
 spider silks and, 127–28, 131–32
 Gosline, John, 15–38, 136, 138, 160, 191, 312, 341, 343, 346
 Guerette, Paul, 15–38
 GVGIP, 65–67, 71–73
 GVGVP, 65–69, 72. *See also* poly(GVGVP)
- hair cells, 216–17, 232–33
 Halford, Nigel G., 279–1
Halotis rufescens, 353–54
 “hand-shaking” signatures, 204–5
 Hayes, L., 54–93
 heart failure, 252–53
 Helmholtz free energy, 55
Henia, 360
 high-tensile steel, properties of, 19
 hinge ligaments, 10
 histidine, 202–5
 Hooke’s law, 20
 horses, 5
 hovering moth, 6
 Hugel, T., 54–93
 humans
 cataracts, 323
 cushioning impacts in running, 11–12
 elastin in, 41–42, 45–46
 medical uses of elastomers, 366–77
 spectrins, 222
 tendon elasticity, 5
 humidity. *See* hydration level
 hummingbirds, 7, 22
Hydra, 199
 hydration level. *See also* water
 of dragline silks, 35–36
 of elastin, 20–22
 of gluten, 293
 of liquid crystal elastomers, 305
 of resilin, 20–22, 261, 269
 temperature effects on, 59–61, 353
 water as plasticizer, 159–65
 hydrogen bonds
 in fibrillin, 329
 in gluten, 293–94, 296, 335
 in resilin, 269
 in spider silks, 149, 335
 in tendon collagen, 184
 in titins, 249
 in water plasticization, 163–64
 hydrophobicity, 271–72, 313, 322, 334–35, 346
 hydroxylation, 326–27
 4-hydroxyproline, 200
 hysteresis
 effect of water on, 160
 in mussel byssus, 190–91
 in spider silks, 148–49, 154, 191
 in titins, 249
- inertial work, 6
 insect flight, 6–7, 23, 259–60, 264–65
 inverse temperature transition, 59
 ionic strength, 234, 246–47
 iron, 203, 333
 ischemic injury, 221
 isodesmosine, 43
 isoelectric focusing (IEF), 280
- jellyfish, 8
 Joule and Thomson correlation, 54
- kangaroo rats, 5
 kangaroos, 5
 Keeley, F. W., 39–53
 keratin, 191, 328–29
 Kevlar, material properties of, 19
 Kiely, Cay M., 94–114, 342, 345, 347

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

Index

385

- Knight, David P., 115–35, 152–74, 302–20, 358, 359
- knockout technology, 220
- lamellar liquid crystal elastomers (LLCEs), 304–12. *See also* liquid crystal elastomers
- lamprey cartilage, 328
- lamprin, 42, 45, 322, 328
- latent transforming growth factor- β
binding proteins (LTBPs), 97
- Lee, David, 94–114
- Lewis, R., 136–51, 342
- ligamentum nuchae, 11
- Lillie, Margo, 15–38
- liquid crystal elastomers (LCEs), 302–20
cross-linking, 303–6, 312
director fields, 303
dragline silks as, 308–13
elasticity of, 303, 307–8, 312
exotic properties, 314–15
fibrillar collagen as, 304–8
lamellar, 304
mesogenic domains, 303–4
mesophases, 302
production of biomimetic materials, 314
spider dope precursors, 312
tensile properties, 314
- lobster aorta, 94–96
- locusts
catapult mechanisms, 2
flight mechanisms, 23
resilin in, 259, 261–64, 266–68, 270, 273, 341
- Loligo*, 355
- longissimus muscle, 6
- “loop and train” model, 293–94
- Loss Modulus, 21
- Loxosceles laeta*. *See also* spider silks
ampullate gland morphology, 120–22, 129–33
ampullate gland ultrastructure, 125–28
ampullate spigot morphology, 122–25
electron microscopy, 116–18, 126, 128–32
shape of ribbon, 115
spinning mechanism, 129–32
structure of retreat and ribbons, 116–20
- Lucas, Jared M., 189–212
- lysineonorleucine, 43
- lysyl oxidase, 39, 43, 48, 323–28
- magnesium, 198
- Manduca*, 6
- man-made elastomers. *See also* biomimetic applications
ceramics with elastomers, 355–56
fibrous composites, 356–60
joints in, 193–94
liquid crystal elastomers, 314
mechanical properties, 360–62
resilin, 270–71
silk on mineral substrates, 355–56
spider silks, 167–68
- Mantis*, 358
- Marfan syndrome, 95, 330
- maximal work function, 55
- mechanical resonance, 73–75
- medical uses, 366–77
branched triple helical peptides, 372–75
collagen, 371–72
elastin, 366–70
silks, 370–71
- merodesmosine, 43, 324
- mesoglea, 8, 10
- metal chelates, 202–5, 333–34
- Metridium*, 10
- mice, 217, 220–21
- microfibrils
antibody binding studies, 103–5
“beads-on-a-string” appearance, 94–96, 104
bundle extensibility, 109–10
extension of, 105–6
fibrillin in cross-section, 108
fibrillin molecular alignment in, 101–10
molecular alignment and reversible extensibility, 106–9
molecular composition, 97
untensioned, 101–6, 108
water plasticization of, 163–65
- M-line proteins, 244
- models
axial assembly, 204–5
elastin, 40, 61–63, 66–69
fibrillin in extensible microfibrils, 101–10
gluten “loop and train,” 293–94
mechanical, 206–7
oscillatory motion, 8–10
preCol assembly, 202

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

386

Index

models (*Contd.*)

spectrins, 225

spider dragline silk, 309

tendon elongation, 182–87

worm-like chain, 65

modulus. *See* elastic modulus

monoclonal antibodies, 103

mother-of-pearl, 354

moths, 265

mouse, 217, 220–21

muscles

force control, 12

model of oscillatory motion, 8–10

role of resilin in, 264

role of titin in, 243–46, 250–53

muscle speed parameter, 9

muscular dystrophy, 223

mussel byssus

amino acid sequences, 340

assembly, 202–6

axial sequence, 204–5

composition of, 195–96

cross-linking, 202–6, 322, 331–34

dehydration in, 359

description of, 189

domains, 199–200, 339

elasticity, 346

functional design, 29–31

identification of protein gradients,
200–2, 207

incremental modulus, 192–95

mechanical models, 206–7

prepepsinized collagens, 42, 196–205

register and density, 205–6

self-aggregation, 45

stress softening, 191–92

stress-strain tests, 16–19, 190–92

tensile properties, 189–92

mutations, spectrin, 216, 219–21, 232,
235

myosins, 216, 220, 226, 231–32, 244–45

Mytilus. *See* mussel byssus*Mytilus californianus*, 19, 30–31*Mytilus edulis*, 189, 195, 198, 201, 340*Mytilus galloprovincialis*, 31, 189, 190,
191, 193

nacre, 354

nanofibrils, 118–20, 130, 309–12, 315

Narayanan, A. S., 47, 48

natural rubber, 71, 72

Nephila. *See also* spider silks

byssal protein sequences, 198

conditions for manufacture, 167–68

electron micrographs of dragline silk,
165

liquid crystal elastomers from, 309, 312

temperature and spinning, 166–67

water plasticization of silk, 163–65

Nephila clavipes, 126–27, 138, 141–42, 144,
157*Nephila edulis*, 33, 119, 127–28, 168, 311*Nephila madagascariensis*, 141–42, 164

neuroglian, 217

nickel, 205

Northern blot, 140–41

Novex-3, 243

nylon, 363

oothecin, 42

open canalicular system (OCS), 216–17,
233orb web spiders. *See also* spider silks

composition differences in silks, 155–56

liquid crystal elastomers from, 308–12

protein sequences of silks, 143

spinning mechanisms, 129–33

types and uses of silks, 136–37, 153–56

typical web structure, 156–57

Ortlepp, Christine, 15–38

Oryctes rhinoceros, 263

oscillator frequency, 90

ostriches, 5

outer hair cell (OHC) membranes, 216,
232–33*Pachnoda marginata*, 264–65*Palamnaeus swammerdami*, 266

Parker, T., 54–93

Penella elegans, 265

pepsinization, 196

periostracum, 191

Periplaneta americana, 42, 264–67, 358,
362

peroxidase, 270–71, 321–23

persistence length, 65, 246

Petunia, 198PEVK regions, 243, 245, 248–49, 251,
344–45, 347

pharmaceutical applications, 371–72

PH domains, 217–18

phenolic tanning, 358–59

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

Index

387

- phospholipids, spectrins and, 217–18, 235
- Photinus pyralis*, 265
- photobleaching techniques, 227–28
- piezoelectricity, 314
- platelet adhesion, 366, 368, 373
- platelet plasma membranes, 233–34
- pleckstrin homology (PH), 213
- PNIPAM, 59–60
- poly(GVGIP), 71–75, 82–84, 86
 - acoustic absorption, 71
- poly(GVGVP)
 - β -spirals, 89–90
 - cross-linking, 63, 75
 - dielectric permittivity, 75–77
 - molecular structure, 82–84
 - temperature effects, 59–61, 79–81
 - torsional oscillations, 84–88
- polymerase chain reaction (PCR), 142
- Polyorchis*, 8
- polytetrafluoroethylene (PTFE), 367
- power amplifiers, 1–4
- preCol-D, 42, 197–98, 200–1, 203–4
- preCol-NG, 197–98, 200–1, 203–4
- preCol-P, 197–98, 200–1, 203–4, 346
- prepepsinized collagens (preCols), 196–205
 - assembly and cross-linking, 202–6
 - byssus threads, 331
 - description of, 196
 - domains and sequence transitions, 199–200
 - mechanical models, 206–7
 - protein gradient identification, 200–2
 - register and density, 205–6
 - structure, 197–98
- prestin, 216, 232–33
- Prochazka, F., 54–93
- procollagens, 307
- prolamins, 279–80, 284
- proline
 - in elastin, 324
 - in gluten, 284, 287
 - in resilin, 263, 268–69, 272
 - in spectrins, 223
 - in spider silks, 145, 149
 - thermal stability and, 353
 - in titins, 249
- prosthetics, man-made elastomers in, 362
- proteins. *See also under names of individual proteins*
 - in different spider silks, 155–56
 - elasticity and, 148
 - identification of gradients, 200–2, 207
 - in mussel byssus, 196–99
 - protein anchors, 234–35
 - sequences in spider silks, 138–44
 - three-dimensional structures in spider silks, 145–49
- protists, 315
- protoliasin, 333
- proximal thread matrix protein (PTMP-1), 197–99
- Pseudoips prasinana*, 265
- psoas muscle, 243, 251
- purified fibrous elastin, 61
- pyriform glands, 155
- pyrroloquinoline quinone (PQQ), 325
- quinones, 331–32
- quivering mutations, 221
- rabbit fleas, 264
- radius of gyration, 246
- random chain network theory, 57–58, 71, 77–81
- rats, tail tendons in, 42, 178–82, 186–87, 304–5, 326
- recombinant DNA technology
 - ampullate silk proteins, 140–41
 - elastin biosynthesis, 61–62, 367
 - gluten, 294–97
 - spectrins, 224
- red blood cells, spectrins and, 216, 219–22, 226–27, 230
- register, 205
- residual stresses, 193–94
- resilience
 - collagen, 26–27
 - formula for, 22
 - mussel byssus, 31
 - spider silks, 33
 - from stress-strain curves, 19
- resilin, 259–78
 - biosynthesis of, 270–71
 - with chitin, 260, 269, 274
 - compared to elastin, 269
 - compared to other cuticular proteins, 271–72
 - cross-linking, 261–62, 270, 274, 321–23
 - definition of, 262–63
 - domain structures and protein sequences, 339–41, 344

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

388

Index

resilin (*Contd.*)

elasticity of, 261, 269–70, 346
 functional design, 20–26
 genes for, 266–68, 274
 hydration level, 21
 modulus of, 23
 occurrence of, 2, 6, 23, 259–60, 263–66, 362
 physical properties of, 260–61
 precursors, 267–68
 stress-strain tests, 16–19
 temperature effects, 21, 272–73
 restriction digestion, 140–41
 return springs, 10–11
 Reuss estimates, 206–7
 reversibility, 65–66
 rhinoceros beetles, 263
 robotics, man-made elastomers in, 362
 Rock, Matthew J., 94–114
 rough endoplasmic reticulum (RER), 280–82
 RR consensus sequences, 268, 269
 rubber-like proteins. *See* elastin; resilin
 running, 4–6, 11–12, 27

sarcomeres, role of titin in, 243–46, 250–51, 253
 Savage, Ken, 15–38
 scallops, 7, 9, 10, 339
 scanning electron microscopy (SEM)
 of platelet adhesion, 368
 of spider silks, 116–18
 of spinnerets, 125–26
 scavenger receptor protein, 199
Schistocerca gregaria, 259, 266, 341. *See also* locusts
 scleroproteins, 203
Scolopendra morsitans, 266
 scorpions, 266
Scyliorhinus canicula, 205, 305–8, 357
 SDS-PAGE, 280, 283
 sea anemones, 10
 sea cucumbers, 94
 sea urchins, 197, 270, 322–23, 333, 354–55
 secretory pathway, spectrins and, 221
 Seitz, H., 54–93
 semilunar process, 2
 series compliance parameter, 9
 Sheiba, L., 54–93
 Sherratt, Michael J., 94–114
 Shewry, Peter R., 269, 279–301, 314, 338–51

Shuttleworth, C. Adrian, 94–114
 silk glands. *See also* spider silks
 function of, 136–37
 gross morphology, 120–22, 130–31
 spigot morphology, 120, 122–25
 ultrastructure, 125–29
 silkmoths, 42, 45
 silkworm silk, 153
 Sirichaisit, S., 167, 168
 skin analogues, 362
 soft elasticity, 303
 soleus muscle, 243, 251
 solvent entropy, 81–82
 sound-producing organs, 265
 Southern blotting, 140–41
 spectrin, 213–41
 ankyrin-independent membrane association, 217
 ankyrins and, 215–17, 222, 235
 apical contractile rings, 232
 atomic force microscopy, 223–25, 235
 β -spectrins, 215, 217–18
 cooperative unfolding, 226
 cross-linking, 216, 221, 226, 231, 322
 C-terminus, 217–18
 elasticity, 223, 225, 227–28, 347
 in erythrocyte membranes, 216, 226–27
 evolution of, 213–14, 223
 extensibility of, 224–27, 230–31
 genome stability and, 221
 in invertebrates and vertebrates, 214–15, 218
 mutations, 216, 219–21, 232, 235
 N-terminal actin-binding domain, 215
 outer hair cell membranes, 216, 232–33
 platelet plasma membranes, 233–34
 repeats, 215–17, 222–23
 spectrin-based membrane skeleton (SBMS), 213–14, 216, 218–22, 232–33
 structure, 213–14, 342, 345
 temperature effects, 227–30
 terminal webs, 230–32
 spider silks, 115–35
 ampullate gland and duct morphology, 120–22, 132–33
 ampullate spigot morphology, 120, 122–25
 β -sheet structure, 144–45, 146–48, 164
 composition differences in, 155–56
 conditions for silk manufacture, 167–68
 cross-linking, 322, 334–35

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

Index

389

- cushioning impacts, 12
- effect of water on, 35–36
- elasticity, 138, 148, 154, 312, 334–35, 346–47
- electron microscopy, 116–18, 126, 128–32, 164
- external conditions and, 156
- functional design, 32–36
- glycoprotein glue on, 162–63
- hysteresis, 148–49, 154, 191
- as liquid crystal elastomers, 308–12
- lumen protein, 137
- mechanical properties, 137–38
- medical applications, 362–63
- nanofibrils, 118–20, 130, 309–10
- orb web spiders *vs.* *Loxosceles*, 129, 132
- organic compounds on, 163
- protein sequences, 138–44, 198, 339–42
- spinning mechanism, 129–33, 136–37, 166–67
- spiral *vs.* radius silk properties, 32, 158–63
- stress-strain tests, 16–19
- structure-function relationships, 145–49, 343–44
- synthesizing, 153, 167–68
- types and uses of, 136–37, 153–56
- typical orb web structure, 156–57
- van der Waals adhesion, 118, 124, 128–29
- water as plasticizer, 159–65
- spidroins, 42, 45, 309–10, 313–14
- spigots, 120, 122–25, 129, 131
- Spillopsyllus*, 1–2
- Spillopsyllus cuniculi*, 264
- spinnerets, 120, 125–26
- spring capacity, 16
- spring constants, 16, 225, 227–29
- spring efficiency, 16
- spring steel, 25
- squat jumps, 3–4
- staining of resilin, 262–63
- stiffness
 - of bread dough, 281
 - of collagens, 361
 - incremental steps in, 192–93
 - of man-made materials, 360
 - of muscles, 251–52
 - of mussel byssus, 191, 192–93
 - of resilin, 272
 - of spectrins, 225
 - of spider silks, 36
 - from stress-strain tests, 18
 - of titins, 246
 - units, 16
- Storage Modulus, 21
- stratherin, 369
- strength
 - of mussel byssus, 191
 - of spider silks, 138, 154
 - from stress-strain curves, 17, 19, 26
 - of tendons, 176
 - units, 16
- stresses, residual, 194
- stress-in-life, fatigue lifetime and, 28
- stress softening, 191–92
- stress-strain curves
 - of collagen, 17–18, 26–27, 175–77, 180–82, 326
 - constructing, 16–18
 - of elastin, 18, 24
 - fabricated elastin membranes, 49
 - fatigue lifetime estimate from, 24
 - of liquid crystal elastomers, 303, 308, 312
 - of mussel byssus, 17–18, 30, 190–92
 - of resilin, 18, 260
 - of spider silks, 17–18, 32–36, 159, 161, 167
- stretchability, 154
- stretch activation, 252
- surface adsorption, thermal stability by, 353
- swimming, 7–10, 339
- Tatham, Arthur S., 279–301, 314, 338–51
- TB modules, 96–97, 106
- temperature
 - acoustic absorption and, 71
 - crystallization of cyclic analogues, 59
 - effects on elastin and resilin, 21, 22, 44, 59–61
 - filament formation with, 58
 - gluten and, 290
 - liquid crystal elastomers and, 305–6, 308
 - poly(GVGVP) composition in water and, 59–61
 - resilin and, 21, 272–73
 - solvent entropy changes, 81–82
 - spectrin deformation and, 227–30

Cambridge University Press

978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and Biological Roles

Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey

Index

[More information](#)

390

Index

- temperature (*Contd.*)
 spider silks and, 166–67
 thermal stability, 79–81, 352–53, 370
- tendon elasticity
 fatigue lifetime, 28–29
 force control, 12
 model of, 8–10
 running, 4–5
 safety factors in, 27
 in situ tensile testing, 180–82
 stress-strain curves, 175–76
 tensile properties, 191
 viscoelastic model for, 182–87
- tendons. *See also* tendon elasticity
 classification of, 27
 deformation mechanisms of collagen
 fibrils in, 175–78
 plantaris and digital extensor, 29
 structure of, 176
 tail, 28–29, 42, 178–82, 186–87, 304–5, 326
 X-ray diffraction, 178–79
- terminal web spectrin, 230–32
- termites, 265
- Termonia, Y., 309, 312
- Texeira, P. I. C., 302, 303
- thermal stability, 79–81, 352–53, 370
- thermoelasticity, 79–81
- thick filament organization, 244–45, 253
- Thomas, G. H., 213–41, 342, 347
- tissue repair, elastomers in, 367
- titin, 242–58
 A-band, 243–45, 251
 cross-linking, 322
 domain structure and protein
 sequences, 242–44, 339–41, 344–45
 elasticity, 347
 electron micrographs, 247
 I-band, 243–44, 245–46, 250–52, 339
 in situ extensibility, 249–52
 in vitro *vs.* in situ extensibility, 246–49
 PEVK regions, 243, 245, 248–49, 251, 344–45, 347
 role in muscle regulation, 252–53
 spectrins and, 223, 226
 tensile properties, 191
- tobacco, gliadin in, 281
- torsional oscillations, 84–88
- toughness
 of man-made materials, 360–61
 of mussel byssus, 190–91
- quantifying resistance to fracture, 361
 of spider silks, 33–36, 166
 from stress-strain curves, 18–19
 units, 16
- transglutaminase, 97, 100–1, 328–30
- transmission electron microscopy (TEM)
 of ampullate gland structure, 126, 128–32
 of Golgi apparatus, 132
 of liquid crystal elastomers, 308, 309
 of spider silks, 116, 118–19, 164–65, 311
- transparency, 314
- Trinick, J., 242–58
- trityrosine, 261–64, 266, 270, 321–23
- tropocollagens, 197, 205
- tropoelastin
 cross-linking, 41–44, 324
 domain structures, 339
 isolation of, 61–62
 microbial biosynthesis of, 62
 relation to elastin, 39
 structure, 40–41, 341
 temperature effects, 58–59
 in vivo assembly, 41–44
- Tskhovrebova, L., 242–58
- tymbals, 265
- Uloborus walckenaerius*, 157
- ultraviolet (UV) radiation, 323
- ungulate mammals, 11
- Urry, D. W., 40, 44, 54–93, 148, 269, 290, 343, 345, 346, 369, 370
- utrophin, 221, 233
- Vaccaro, Eleonora, 189–212
- van der Waals forces in adhesion, 118, 124, 128–29
- vertebral column, elastic compliance of, 6
- Vincent, J. F. V., 352–65
- viscoelastic model for tendon elongation, 182–87
- Voigt estimates, 206
- Vollrath, Fritz, 115–35, 152–74, 302–20, 346
- von Willebrand factor domains, 198–99
- VPGVG, 88, 269, 343, 370
- Waite, J. Herbert, 189–212, 340
- wallabies, 5, 28
- water. *See also* hydration level
 dragline silks in, 35–36
 hydrophobicity probes, 271–72

Cambridge University Press
978-0-521-12848-3 - Elastomeric Proteins: Structures, Biomechanical Properties, and
Biological Roles
Edited by Peter R. Shewry, Arthur S. Tatham and Allen J. Bailey
Index
[More information](#)

Index	391
liquid crystal elastomers and, 305	
plasticization by, 160–65	
thermal stability and, 353	
Western blots, 201	
wheat, gluten in, 280–81, 285–86, 294–97.	
<i>See also</i> gluten	
whelks, 332	
windlass mechanism, 158, 161	
work to fracture, 361	
worm-like chain (WLC) model, 65	
worms, spectrins in, 220	
X-ray diffraction	
of collagen, 178–79, 182–84	
of liquid crystal elastomers, 308,	
309	
of spider silks, 167	
Xu, J., 54–93	
Z-disk region, 243, 245	
zebrafish, 221	
zinc, 203–5, 333	
<i>zonula adherens</i> , 232	