

# Index

- absorption 294, 296
- accelerometer 13
- acquisition (spectrum) 51
- action 221
  - balance (equation) 257, 261, 288, 335
  - density (spectrum) 261
- advective 111, 343
- air 177
  - bubble 108
  - flow 178, 182, 183
  - motion 182
  - pressure 18, 178, 179
- airplane 19, 20, 21
- Airy (wave theory) 53, 107, 138
- aliasing 333
- alphabet, Greek 31
- altimeter
  - acoustic 22
  - laser 21
  - radar 22
- altimeter (radar)
  - footprint (satellite) 22
  - wave height 22
- amplitude
  - random 33, 45
  - response 53, 54, 55
  - spectrum 34, 45
- analysis
  - cross-spectral 324
  - spectral 324
- Anderson–Darling test 89
- anemometer, wind 146, 151
- annual-maximum approach (long-term statistics) 85, 98
- array
  - phase 17
  - slope 16
- atlas 105
- ATM (airborne topographic mapper) 21, 22
- auto-covariance (function) 42, 316, 324
- back scatter 262, 270
- back tracing 204
- balance (equation)
  - action 257, 261, 288, 335
  - energy 174, 200, 242, 289, 301
  - mass 112, 343
  - momentum 112, 114, 318, 344
  - of number of waves 339
  - wave number 340
- barrier 221
- basin (wave-, tank) 181, 183
- Battjes method 101
- Beaufort wind scale 190
- Berkhoff mild-slope equation 217
- Bernoulli equation 117
  - linearised 117
  - nonlinear 323
- biphase 271, 273, 274
- blocking, current-induced 264
- Boltzmann integral 185
- bore 281
- bottom
  - friction 109, 276, 295
  - roughness 279, 296
  - slope 74, 224, 243, 282
  - boundary condition 115, 116, 320, 323
- boundary condition
  - kinematic, bottom 115, 116, 320, 323
  - kinematic, surface 114, 116, 319, 323
  - dynamic, surface, bottom 115, 117, 130, 142, 170, 320
- boundary-element method 215, 240
- boundary layer
  - atmospheric 147, 183
  - atmospheric (internal) 148
  - bottom 109, 276, 278
- Boussinesq (equations, model) 198, 241
- Bragg scatter 20, 270
- breaking 188, 242, 276
  - criterion 189
  - index 282
  - wave types 242
- breakwater 210, 213, 266, 288, 296
- breeze 151, 181
- bunching 201, 203, 218, 260, 263, 335
- buoy 13
  - cloverleaf 15
  - heave 13, 14
  - pitch-and-roll 14
  - SMART 13, 14
  - spar 15
  - WAVEC 14
  - WAVERIDER (directional, GPS) 13, 14
- capacitance 16
- caustic 208
- censoring 92
- central limit theorem 312, 317
- characteristic (ray) 203, 341

- clapotis 222
- climate (wave) 7, 85, 87, 96, 105
- cloverleaf buoy 15
- cnoidal wave 142, 204
- coast
  - lateral 153, 154
  - slanting 154
  - upwind 147, 246
- confidence interval 330
- conservation (equations)
  - action 257, 261, 288, 335
  - energy 174, 200, 242, 289, 301
  - mass 112, 343
  - momentum 112, 114, 344
  - of number of waves 339
  - wave number 340
- continuity 108, 142
  - equation 112, 318, 343, 345
- convection 111
- convolution 332
- co-ordinates (grid)
  - Cartesian 170, 260, 298
  - spherical 174, 289
- Coriolis force (acceleration) 108, 345
- correlation coefficient 313
- Courant criterion 287
- covariance (auto-, function) 42, 316, 324
- crest 58, 62, 179, 339
  - maximum crest height 64, 79, 81, 84
- current 218, 335
  - induced refraction 221, 261, 335
  - meter 17
  - rip 226, 236
  - wave-current interaction 288
- cyclone (hurricane, typhoon) 147, 160, 187
- degrees of freedom 15, 330
- delta function 39, 217, 332
- depth
  - dimensionless 247, 291
  - induced refraction 147, 181, 198, 202, 217, 258, 263, 264, 288, 300
  - induced wave breaking 237, 281, 296
  - limited wave growth 246
- DIA (discrete-interaction approximation) 188, 196, 269, 292
- diamond pattern 166, 183
  - of quadruplets 185
  - of triads 183
- diffraction 30
  - diagrams 214, 266
  - parameter 115, 212, 266, 302
  - refraction 17, 217
- diffusion
  - coefficient 304
  - garden-sprinkler effect 176, 304
  - numerical 300, 301
- direction
  - bimodal directional distribution 166
  - directional distribution 162, 164, 259
  - directional spectrum 43
  - directional spreading 52, 163, 175, 212, 256
  - directional turning rate 174, 212, 263, 336
  - directional width 163, 256
- discrete-interaction approximation (DIA) 188, 196, 269, 292
- dispersion
  - direction 175, 177
  - frequency 128, 175
  - frequency-direction 177, 188
  - relationship 51, 123, 130, 218, 341
- dissipation
  - white-capping 173, 188, 276, 293, 294
  - bottom friction 109, 276, 295
  - (surf-)breaking 281, 285, 296
- distance meter 21
- distribution
  - chi-square ( $\chi^2$ ) 330
  - exponential 91, 98, 103, 104, 320
  - 1D Gauss 312
  - 2D Gauss 314
  - Fisher-Tippett I 101
  - Fisher-Tippett II 101
  - generalised extreme value (GEV) 98, 101
  - generalised Pareto 96, 98
  - Gram-Charlier 59
  - Gumbel 99, 101
  - joint 313
  - log-normal 91, 93, 98, 99
  - normal 312
  - Rayleigh 64, 68, 71, 91, 104, 254, 279
  - truncated Rayleigh 281, 291
  - Weibull 91, 99, 101, 103, 104, 299
  - wrapped-normal 166
- Donelan spectrum 157, 256
- Doppler (shift) 13, 218, 260, 335
- drag
  - coefficient 147, 278
  - law 278, 295
- droplet 190
- duration
  - limited (condition) 150
  - measurement 27, 326, 327, 329
  - wind 147, 148, 246
- echo-sounder (inverted) 17
- electrical resistance 15
- elevations, sea-surface
  - extreme 78
  - instantaneous 25, 57
- energy 131
  - balance equation 174, 200, 242, 289, 301
  - bunching 201, 218, 260, 335
  - density 39, 40, 132
  - density spectrum 40
  - dissipation 177, 188, 293
  - flow in spectrum 192, 284
  - flux 132
  - kinetic 132
  - potential 131
  - propagation 132, 174, 199, 299, 335
  - scale (spectrum) 158, 160, 254, 273
- ensemble 313

- equation  
   energy balance 174, 200, 242, 289, 301  
   mass balance 112, 343  
   momentum balance 112, 114, 235, 238, 298, 318, 344  
   of motion 319, 322, 323  
 equilibrium spectral level 193, 194, 308  
 Euler  
   equations 240, 319  
   Eulerian balance 172, 260  
 evolution (equation) 169  
 excitation 52  
 expectation 312  
   expected value 312  
 extreme-value theory 86, 96, 98  
  
 fetch 147  
   dimensionless 150, 247  
   equivalent 149  
   infinite 151  
   laws 152, 247  
   limited wave growth 150  
   limited wind-sea spectrum 160  
 Fisher–Tippett I distribution 101  
 Fisher–Tippett II distribution 101  
 FLIP 15  
 flow  
   energy flow in spectrum 192  
   air flow (separation) 178, 182, 183  
 flume (wind-wave) 31, 223, 283  
 Fourier  
   analysis 31, 324  
   1D, 2D and 3D Fourier transform 324  
   fast fourier transform (FFT) 43, 324  
   integral 325  
   series 325, 326  
   transform 42, 43, 326  
 forecast 146, 174  
 freak wave 83  
 free wave 115, 123  
 frequency  
   absolute 219, 220, 338, 339  
   aliasing 333  
   cut-off 294, 299  
   dimensionless peak 157, 159, 161, 162, 254  
   direction response 54  
   directional spectrum 43  
   dispersion 128, 175  
   eigen 13  
   mean 61, 192, 263, 294  
   mirror 332  
   Nyquist 61, 66, 332  
   peak 62, 158, 163, 166, 253, 272, 273, 290  
   Pierson–Moskowitz 159, 179  
   radian 41, 118, 261  
   relative 218, 220, 221, 261, 337  
   resolution 298, 327, 329  
   resonance 5, 184, 270, 272  
   response 53  
   shifting 186, 260, 263, 288, 337  
   spectrum 33, 36  
  
 FRF spectrum 255  
 friction  
   bottom 109, 276, 295  
   skin 279  
   surface 178, 182  
   velocity 147, 157, 179, 289  
   wind 147, 178  
  
 garden-sprinkler effect (GSE) 176, 304  
 Gauss  
   distribution 312, 314  
   Gaussian process 316  
   Gauss–Seidel model 41, 59, 140, 173, 317  
   instantaneous sea-surface elevation 57  
   probability density function 312, 314  
 generation  
   first-, second- and third-generation wave models 194  
   generation of waves by wind 177, 268, 289  
 Gerstner wave theory 123  
 global positioning system (GPS) 13  
 global scale 174  
 Gram–Charlier distribution 59  
 great-circle  
   definition 169  
   wave propagation 169, 174, 177  
 grid  
   boundary-fitting 307  
   curvilinear 305  
   nesting 306  
   rectangular 298  
 group 49, 75, 225, 239  
   groupiness 67, 77  
   groupiness parameter 67  
   velocity 125, 136, 168, 199  
 growth  
   curve 152, 153, 247, 249  
   exponential 180, 194, 195, 290  
   initial 177, 193, 247, 290  
   measurements 182, 272  
   wave growth by wind 177, 180, 193, 194, 195, 247, 290  
 GSE (garden-sprinkler effect) 176, 304  
 Gumbel distribution 99, 101  
 gustiness (wind) 148  
  
 harmonic  
   component 25, 31, 272  
   super 182, 272, 275  
   wave 118  
 heave  
   buoy 13, 14  
   motion 15  
 Helmholtz equations 216, 217  
 hindcast 105, 146  
 HISWA wave model 300  
 hole-in-the-sea 84  
 homogeneous  
   weakly 316  
 $H_{1/10}$  28  
 $H_{1/3}$  28

- hurricane (typhoon, cyclone) 5, 147, 160, 187  
 Huygens' principle 212, 216
- idealisations  
   of the water and its motions 108  
   of the wave generation 147, 246  
   of the wind 148  
 ILU-CGSTAB solver 305  
 initial-distribution approach of the long-term statistics 85, 87  
 instrument measurements 12, 29, 160  
 integral, order of 133, 228  
 interactions  
   quadruplet wave-wave 166, 183, 192, 196, 269, 285, 292  
   self-self 188, 272, 273  
   triad wave-wave 270, 283, 285, 293  
   wind-wave 173  
 Internet 105  
 interpretation of the variance density spectrum 38
- Jacobian 42  
 Jeffreys' theory 179  
 JONSWAP spectrum 160
- KdV (Korteweg-de Vries) equation 142  
 kinematics 119  
   kinematic surface boundary condition 114, 116, 142, 170, 319, 323  
 Kitaigorodskii  
   scaling 256  
   spectral tail 250  
 Kolmogorov-Smirnov test 89  
 Korteweg-de Vries equation 142  
 kurtosis 312
- Lagrangian approach 169, 174, 208, 209, 256  
 Laplace equation 115, 118, 119, 210, 215  
 laser 21  
 latitude 20, 142, 170, 174, 242, 289, 298  
 linearisation 113, 114, 115, 117, 323  
 linear system 52, 54  
 linear wave theory 197, 318, 337  
 L-moment 92, 312  
 log-normal distribution 91, 93, 98, 99  
 long-term statistics 85  
 longitude 170, 174, 289, 298  
 LTA (lumped-triad approximation) 274, 293  
 lumped-triad approximation (LTA) 274, 293
- marker-and-cell (MAC) 240  
 mass balance 112, 343  
 maximum  
   crest height 64, 79, 81, 84  
   individual wave height 82  
   likelihood 92  
   significant wave height 95, 98, 99, 100  
   surface elevation 65, 77, 78, 79  
 Miche criterion 189  
 mild-slope equation 217  
 Miles' theory 178, 179, 191, 290
- mirror frequency 332  
 Mitsuyasu spectrum 158  
 mode 79, 82  
   stationary 304  
 modulation (of capillary waves) 20, 123, 131  
 moments  
   of arbitrary functions 312  
   of probability density function 312  
   of spectra 57, 66  
 momentum  
   balance equation 112, 114, 318, 344  
   transfer 178, 227, 230  
   transport 225  
 motion  
   air 182  
   buoy 13  
   orbital 17, 20, 120, 122, 135  
   wave-induced particle 109, 114, 120, 121, 223, 229, 335
- National Data Buoy Centre (NDBC) 13  
 National Oceanic and Atmospheric Administration (NOAA) 13  
 Navier-Stokes equations 239, 319  
 NDBC (National Data Buoy Centre) 13  
 near-resonant triad wave-wave interactions 245, 271  
 nest (grid) 306  
 Newton's Laws 6, 112  
 NOAA (National Oceanic and Atmospheric Administration) 13  
 noise 55, 61, 66, 334  
 normal stress 233  
   normal radiation stress 230  
 numerics  
   accuracy 299, 300, 302, 303, 304  
   boundary-element method 215, 240  
   BSBT scheme 301  
   discretisation 146, 287, 301, 303, 304  
   explicit scheme 287, 304, 307  
   four-sweep technique 301  
   ILU-CGSTAB solver 305  
   implicit scheme 287, 299, 302, 304, 305, 306  
   limiter 307, 308  
   marker-and-cell (MAC) method 240  
   mesh-free 240  
   particle-tracking 240  
   Poisson solver 346  
   resolution 198, 257, 287, 298, 299, 304, 327, 329  
   S&L scheme 301, 303  
   SIP solver 305  
   SORDUP scheme 301, 304  
   stability 304, 305, 308  
   upwind scheme 300, 301, 302, 306  
   volume-of-fluid (VOF) method 240  
 Nyquist frequency 61, 66, 332
- observation  
   instrument 12, 29, 160  
   satellite 105  
   techniques (*in situ*) 12

- techniques (remote-sensing) 18
- visual 25, 28, 29, 105
- obstacle 198, 210, 215, 223, 268
- order of integral 133, 228
- orthogonal 210, 219, 335
- overshoot 194, 195
- Pareto distribution (generalised) 96, 98
- particle
  - path 121
  - velocity 120, 121, 189, 226, 227, 277, 319
  - wave-induced motion 109, 114, 120, 121, 223, 229, 335
- peak
  - enhancement 160, 254
  - frequency 62, 158, 163, 166, 253, 272, 273, 290
  - high-frequency 255, 272, 285
  - period 62, 150, 153, 249
  - primary 271, 272, 273
  - secondary 255, 271, 272, 273, 275, 276, 285
  - spectral 149, 159, 182, 186, 255, 272, 284
  - wave number 251, 293
- peak-over-threshold (POT) approach of long-term statistics 85, 95
- persistence 94
- phase 31
  - iso-phase line 203, 335
  - random 33, 45
  - random-phase/amplitude model 33, 42, 107, 168, 173, 262, 325
  - response 53
  - speed 119, 125, 127, 151, 180, 202, 211, 268, 272
- Phillips
  - constant 309
  - mechanism of wave generation by wind 177
  - spectrum 155, 251, 254
- photography
  - stereo- 19
- Pierson–Moskowitz
  - energy scale (spectrum) 158
  - frequency 159, 179
  - limit values 151, 154, 159, 162, 250
  - period 152
  - significant wave height 151
  - spectrum 158, 162, 195
- pitch motion 15
- pitch-and-roll buoy 14
- plotting position 91
- Poisson
  - equation 298, 309, 346
  - solver 346
- pole (gauge, staff) 15, 17
- POT (peak-over-threshold) approach of long-term statistics 95
- pressure
  - air 18, 178, 179
  - surface 115, 123, 129, 148, 178, 179, 182, 190
  - transducer 17
  - wave-induced 128, 136, 223, 227, 229, 230
  - wind (induced) 129, 178, 179, 181
- probability density function
  - chi-square ( $\chi^2$ ) 330
  - exponential 91, 98, 103, 104, 320
  - 1D Gauss 312
  - 2D Gauss 314
  - Fisher–Tippett I 101
  - Fisher–Tippett II 101
  - generalised extreme value (GEV) 98, 101
  - generalised Pareto 96, 98
  - Gram–Charlier 59
  - Gumbel 99, 101
  - joint 313
  - log-normal 91, 93, 98, 99
  - normal 312
- process
  - ergodic 58, 316
  - Gaussian 36, 43, 45, 56, 316
  - random 31, 314
  - realisation of a random 31, 314
  - stationary (random) 31, 314, 316
  - stationary, Gaussian process 36, 43, 56, 316
  - stochastic (random) 31, 314
- propagation
  - caustic 208
  - diffraction 17, 115, 191, 210, 212, 214, 217, 263, 266, 288, 302
  - energy 132, 171, 174, 199, 263, 299, 335
  - group 125, 136, 175
  - momentum 113, 225
  - scheme (numerical) 287, 299
  - swell 174
- pulse model for white-capping dissipation 190, 294
- quadruplet wave–wave interactions 166, 183, 192, 196, 269, 285, 292
- quantile function 312
- radar 21
  - altimeter (low-altitude) 22
  - altimeter (satellite) 22
  - clutter 20
  - ground-wave 21
  - HF 21
  - imaging 20
  - non-imaging 20
  - sky-wave 21
  - surface contouring 22
  - synthetic-aperture radar (SAR) 20, 123
- radiation stress 225, 234, 261, 296, 309, 345
- tensor 233
- radius to maximum wind 148
- random-phase/amplitude model 33, 42, 107, 168, 173, 262, 325
- random variables 310
- Rayleigh distribution 64, 68, 71, 91, 104, 254, 279
- ray (wave-) 168, 169, 203, 210, 217, 219, 257, 264, 335
- realisation
  - of a random variable 313
  - of a stochastic process 31, 314
- reflection 221, 264, 296

- refraction
  - coefficient
  - current-induced 221, 261, 335
  - depth-induced 147, 181, 198, 202, 217, 258, 263, 264, 288, 300
  - diffraction 17, 191, 210, 217, 288
- remote-sensing (techniques) 18
- resistance gauge (staff, pole) 15, 17
- resolution
  - directional 298
  - frequency (logarithmic) 298, 327, 329
  - geographic 198, 257, 287, 298, 299
  - spatial 198, 257, 287, 298, 299
  - spectral 304
- resonance
  - conditions 184, 270, 292
  - near-resonant wave–wave interactions 245, 271
  - resonant wave–wave interactions 183
  - wind-wave resonance mechanism 178
- response
  - function 53, 54, 101
  - spectrum 53
- return period
  - maximum significant wave height per storm 95
  - maximum significant wave height per year 98
  - significant wave height 54, 101
- rip current 225, 235
- ripple 130, 277
- rogue wave 83
- roll motion 15
- rotation 109, 115, 207, 297, 320, 338, 339, 346
- roughness
  - bottom 279, 296
  - sea surface 22
- sampling 32, 313, 330
- sand 276, 278, 295
- SAR (synthetic-aperture radar) 20, 123
- satellite 13, 18, 20, 21, 22, 29, 105
- scalar 232
- scaling 256, 293
- scatter
  - back 262, 270
  - Bragg 20, 270
  - ray 208
- scintillation 208
- season 87
  - seasonal scaling 92
- sea state
  - fully developed 151, 152, 155, 158, 247
  - mixed 25, 88, 187, 271, 299
  - swell 5, 25, 47, 62, 87, 174, 188, 196, 279, 295
  - wind sea 5, 25, 47, 62, 87, 196, 295
  - young 47, 149, 151, 152, 182, 249, 250, 255
- seiche 5
- set-down 225, 234, 296, 309
- set-up 225, 234, 296, 309
- seventh wave 77
- shallow-water equations 240, 241, 342
- shape
  - spectral shape parameters 160, 254, 255, 345
  - stabilisation 160, 186
  - universal spectral 157, 158, 160, 254, 255
- shear stress
  - bottom 277
  - radiation 232
  - wind 147
- sheet-flow 277, 279
- sheltering 179
- Shields parameter 279
- shifting (frequency) 13, 20, 186, 260, 263, 288, 337
- shoaling 198, 199, 201, 218, 258, 263
  - coefficient 201
- short-term statistics 56, 58, 101
- significant wave height
  - from spectrum 70
  - from time record 28
  - visually observed 25
- significant wave period
  - from spectrum 61
  - from time record 29
  - visually observed 25
- similarity (surf) 224, 242
- skewness 59, 312
- SMB (Sverdrup–Munk–Bretschneider) curves 152
- Snel's Law 207
- solitary wave 142
- soliton 144
- solver
  - ILU-CGSTAB 305
  - SIP 305
- Sommerfeld diffraction solution 213, 214, 266
- source term 169, 173, 192, 261, 284
  - absorption 294, 296
  - bottom friction 109, 276, 295
  - depth-induced (surf-)breaking 237, 281, 296
  - first-, second- and third-generation 194
  - quadruplet wave–wave interactions 166, 183, 192, 196, 269, 285, 292
  - reflection 296
  - scattering 270
  - transmission 296
  - triad wave–wave interactions 270, 283, 285, 293
  - white-capping 173, 188, 276, 293, 294
  - wind generation 177, 268, 289
- spectral analysis 324
  - cross 324
- spectrum
  - 1D 36, 47, 49
  - 2D 43, 49
  - 3D 50
  - action density 261
  - alternative definitions 41
  - amplitude 34, 45
  - definition 41
  - arbitrary-depth 250
  - bimodal 166, 273
  - deep-water 155, 162, 187
  - design 160, 187
  - directional 43

- Donelan 157
- energy density 39, 40
- fetch-limited 160
- finite-depth 250
- frequency 36
- frequency–direction 43
- FRF 255
- fully developed 158
- JONSWAP 160
- Mitsuyasu 158
- phase 31
- Phillips 254
- PM (Pierson–Moskowitz) 158
- spectral tail 155, 157, 187, 250, 253, 254, 255, 271, 276
- TMA 157, 255
- Toba 157, 255
- variance density 33, 36
- Wallops 158
- wave number 48
- spectrum
  - diagnostic range 299
  - prognostic range 300
- speed
  - propagation 125, 136
  - wind 146, 148, 157, 178, 180, 190, 289
- spreading
  - directional 148, 163, 165, 175, 212, 256
  - function 164
  - waves spreading across the ocean 175
- stability
  - atmospheric 154, 183
  - numerical 304, 305, 308
- standard deviation 38, 57, 312
- stationarity
  - stationary process 35, 36, 316
  - weakly stationary 316
- statistics
  - long-term 85
  - short-term 56
- steepness (wave) 138, 140, 189, 224, 294
- stereo-photography 19
- Stokes
  - theory 138, 139
  - wave 59, 139, 273
- storm 10, 82, 95, 160, 175, 187
  - surge 3
- streamline 142, 219, 335
- stress 233
  - normal 233
  - radiation 225
  - shear 233
  - tensor 232
- surf
  - beat 5, 239, 275
  - breaking 237, 281, 285, 296
  - similarity 224, 242
  - zone 225, 271
- surge
  - motion 15
  - storm 3
- SWAN wave model (numerical techniques) 298
  - negative source terms 307
  - numerical stability 308
  - positive source terms 307
  - wave-induced set-up 309
- SWAN wave model (physics) 288
  - action balance 288
  - bottom friction 295
  - depth-induced (surf-)breaking 296
  - quadruplet wave–wave interactions 269
  - reflection, transmission and absorption 296
  - triad wave–wave interactions 293
  - wave generation by wind 289
  - wave-induced set-up 296
  - white-capping 294
- sway motion 15
- swell 47, 62, 87, 188, 279, 295
  - origin of 5, 25, 174
  - propagation 174, 196
- tank (wave-, basin) 181, 183
- tension 233
  - surface 5, 20, 129
- tensor 233
- tide 218, 335
- time-domain analysis 25, 56
- TMA spectrum 157, 255
- Toba
  - constant 157, 255
  - law 152
  - spectrum 157, 255
- TOMAWAC wave model 287
- $T_{1/10}$  29
- $T_{1/3}$  29
- transmission 296
- trans-tidal wave 3
- travel time (swell) 6, 127
- triad wave–wave interaction 270, 283, 285, 293
- tsunami 5
- turbulence 109, 183
- typhoon (hurricane, cyclone) 5, 147, 160, 187
- up-wind fetch average 153
- Ursell parameter 138, 271
- variance
  - definition 312
  - density 312
  - density spectrum 36
- vector 233
- vegetation 261
- velocity
  - group 125, 136, 168, 199
  - orbital 120
  - potential function 115, 118, 143, 215, 240, 321
- viscosity
  - eddy 278, 295
  - kinematic 321
  - molecular 321
- voluntary observation fleet (VOF) 10
- volume of fluid (VOF) 240

- von Kármán constant 291
- vorticity 109, 115, 207, 297, 320, 338, 339, 346
- Wallops spectrum 158
- WAM wave model 196, 288
  - Cycle III 288
  - Cycle IV 288
- wave
  - age 304
  - atlas 105
  - climate 7, 85, 87, 96, 105
  - definition of 25
  - forecast 146, 174
  - hindcast 105, 146
  - linear wave theory 197, 318, 337
  - motion 120
  - nonlinear wave theories 137, 239, 242
  - prediction, *see* forecast
  - tank (basin) 181, 183
- wave (linear)
  - carrier 126
  - dispersive 125
  - harmonic 118
  - non-dispersive 125
  - standing 5, 215, 222, 268, 303
  - surface gravity 107
  - capillary 5, 20, 129
- wave (nonlinear)
  - cnoidal 142, 204
  - evolving 239
  - infra-gravity 5, 239, 272, 275, 285
  - permanent 137, 242
  - solitary 142
  - Stokes 59, 138, 139, 273
  - tidal 3
  - trans-tidal 3
  - trochoidal 141
- wave (descriptive)
  - arbitrary-depth water 120, 122, 128, 246, 255
  - deep water 58, 70, 120, 122, 129, 147, 158, 160
  - depth-limited 58, 73, 121, 122, 246, 255
  - duration-limited 150
  - fetch-limited 150
  - freak 83
  - free 115, 123
  - rogue 83
  - seventh 77
  - shallow-water 58, 73, 121, 122, 246, 255
  - unidirectional 212, 266, 272
- wave (instrument)
  - array 16, 17
  - buoy 13, 14, 15
  - follower 17, 182, 341
  - pole (gauge, staff) 15, 17
- wave (parameters, physical)
  - action 257, 261, 288, 335
  - direction (mean) 14, 17, 154, 163, 202, 213, 221
  - energy 131
  - group 49, 75, 225, 239
  - height 27
  - momentum 112
- wave (parameters, statistical)
  - annual maximum wave height 99
  - maximum individual wave height in storm 82
  - maximum significant wave height 95
  - mean wave height 27, 69
  - root-mean-square wave height 28, 69
  - significant 25, 28
  - spectrum 36
  - variance 38
- wave (geometry, single)
  - direction 213
  - frequency 118
  - height 118
  - length 118
  - number 118
  - period 118
- wave (geometry, compound)
  - crest 62
  - group 75
  - ray 203, 341
  - short-crestedness 14, 162
  - slope 14, 16, 272
  - steepness 138, 140, 189, 224, 294
- wave (physical processes, sources)
  - absorption 294, 296
  - breaking 188, 242, 276
  - current interaction 288
  - dissipation 188, 276, 281, 293
  - generation by wind 177, 268, 289
  - transmission 296
  - wave–wave interactions 183, 270
- wave (physical processes, properties)
  - diffraction 210
  - propagation 299
  - reflection 221
  - refraction 147, 202, 335
- wave (physical, compound)
  - decay 194
  - evolution 152, 155, 247, 250
  - growth 177, 180, 247
- wave (induced)
  - force 234
  - kinetic energy 132
  - orbital motion 122
  - potential energy 131
  - pressure 128
  - radiation stress 225
  - set-up/set-down/ currents 225
- wave (model)
  - Boussinesq 241
  - first-generation 194
  - second-generation 194
  - third-generation 194
- wave theory
  - Airy 107
  - cnoidal 142
  - Gerstner 123
  - nonlinear 137, 239, 242
  - Stokes 138, 139

|                             |                                   |
|-----------------------------|-----------------------------------|
| wavelet 324                 | sea 5                             |
| WAVERIDER 13, 14            | speed 146                         |
| directional 15              | WRT 196                           |
| Weibull distribution 91     |                                   |
| white-capping 188, 293      | Xnl 292, 293                      |
| white horse 190             |                                   |
| wind 146                    | yaw motion 15                     |
| direction 179, 195          | young sea 151                     |
| effect on surf breaking 282 |                                   |
| friction 178                | zero-crossing                     |
| friction velocity 147       | analysis 25, 56                   |
| induced pressure 108, 178   | mean zero-crossing wave period 61 |
| input 177                   | wave period 29                    |