

Cambridge University Press

978-0-521-13590-0 - Probit Analysis: A Statistical Treatment of the Sigmoid Response Curve

D. J. Finney

Index

[More information](#)

252

INDEX OF AUTHORS

- Abbott, 89–92, 107
- Bartlett, 186
- Behrens, 38–42
- Berkson, 47
- Bliss, 2, 6, 10, 14, 16, 20, 22, 31, 45–6, 57, 65, 67–8, 73, 76, 82–5, 89, 104, 114–19, 122–3, 125, 131, 137, 142, 145–7, 149, 162, 166, 168–9, 173, 184, 186
- Braun, 73, 83
- Brown, 44
- Burn, 2, 184
- Busvine, 57, 114
- Butler, 188
- Campbell, 25, 166
- Cattell, 2, 84
- Cheeseman, 39, 41
- Churchman, 40
- Clark, 4, 8, 10, 123, 147
- Clopper, 15
- Cochran, 56, 65–6, 73–4
- Coward, 2, 184
- De Beer, 29, 51
- Dimond, 153, 156–7, 159
- Durham, 15
- Epstein, 40
- Fechner, 10, 42–5
- Ferguson, 46
- Fertig, 33
- Fieller, 63, 184
- Filmer, 166
- Finney, 46, 67, 80, 85, 89, 92, 95, 104, 106, 113, 124, 130, 132, 147, 149, 176, 184–6
- Fisher, 6, 9, 15–16, 22, 24, 30–1, 33, 36, 46, 49, 56, 71, 83, 93, 100, 104, 134, 161, 164, 181, 184, 190–1, 196, 209, 211, 213
- Fryer, 198
- Gaddum, 6, 20, 38–40, 45
- Galton, 10
- Ganter, 117
- Garwood, 210
- Gridgeman, 185
- Hanson, 14
- Hazen, 44
- Hemmingsen, 10
- Irwin, 39, 41, 46, 63, 65, 184
- Kärber, 28, 39–42
- Langmuir, 10
- Lawley, 46
- Le Pelley, 149
- Litchfield, 33
- McCallan, 197
- Maclaurin, 210
- McLeod, 162
- Marks, 184
- Martin, 25, 65, 68, 73, 75–6, 79, 93, 99, 103, 131–3, 135–6, 201–2, 207
- Mather, 6, 15, 33, 36, 190
- Miller, 73, 83
- Montgomery, 155
- Moore, 82
- Morris, 89
- Moulton, 25
- Müller, 43–4
- Murray, 146, 162
- O’Kane, 45, 172–3
- Ostwald, 114
- Packard, 84
- Parker-Rhodes, 10, 16, 172–7, 179, 215
- Pearson, 15
- Peters, 117
- Potter, 103, 106, 113
- Richards, 105
- Richardson, 149
- Rose, 184
- Shackell, 45
- Shaw, 155

Cambridge University Press

978-0-521-13590-0 - Probit Analysis: A Statistical Treatment of the Sigmoid Response Curve

D. J. Finney

Index

[More information](#)

INDEX OF AUTHORS

253

- Stevens, 50–1
 Strand, 163
 Sullivan, 149
- Tattersfield, 2, 26, 65, 73, 75, 89, 103, 106, 113, 131, 197–8
 Taylor, 210
 Thomson, 44–5
 Trevan, 16–17
- Urban, 44–6
- Wadley, 25
 Weber, 10
 Whipple, 44
 Whitlock, 85
 Wilson, 47
 Wood, 185
 Worcester, 47
 Wright, 45
- Yates, 22, 30–1, 33, 49, 71, 82–3, 103, 134, 161, 164, 181, 191, 196

INDEX OF SUBJECTS

- Abbott's formula, 88–92, 107
 Accuracy, 23, 31, 50–3, 79, 134, 199–207
 Adsorption, 10, 114
 Ammonia, 163–5
 Antagonism, 123, 127, 146–7, 150, 156–9
 Anthelmintics, 85
Aphis rumicis, 65, 75–6, 82, 131, 201–7
 Assay, biological, 1–4, 8, 65, 82–5, 101–2, 162, 182–4
 Assay, chemical, 1
 Assay, physical, 1, 3–4, 8
 Association, 154–9
- Bacillus agri*, 172
 Balanced incomplete blocks, 82
 Batch variation, 15–16, 33, 160–5
 Behrens's method, 38–42
 Bias, 41, 43, 81–2, 91, 161–2, 167
 Binomial distribution, 14–16, 31, 89, 209
 Blood sugar, 1, 4, 183
Botrytis allii, 172
 'Break' in regression line, 68, 145
- Calandra granaria*, 57–61, 117–20
 'Cat' method, 1, 12
 Checks, 200–7
 χ^2 , analysis of, 71, 111, 164–5, 181
 χ^2 distribution, 6, 30, 33, 54–6, 117, 167
- χ^2 test, 24, 33, 54–61, 66, 71, 73, 80, 97–8, 111, 119–20, 129, 134–5, 145, 161, 164–5, 167–9, 178, 181, 198, 205, 211, 213
 Combination of data, 73, 76–81
 Computation, 6–7, 50–5, 79, 92–3, 104, 134, 138, 162, 167, 184, 199–208, 210
 Confounding, 83
 Constant Process, 43–4
 Controls, 75, 77, 79, 82, 88–99, 106, 186, 188, 192, 202
 Corrected probit, 48
 Correlated independent action, 137, 144–6
 Covariance, 63, 98–9, 112, 118–19, 181, 194
 Covariance, analysis of, 14, 169, 184
 Curvature, 25, 30, 38, 67, 115, 183–5
- Death, 2, 14, 26, 88
 Degrees of freedom, 30, 33, 56, 59, 71, 80, 161–2, 168, 181–2, 213
 Deguelin, 65, 67–72, 86, 126, 128–9, 132–6
 Derris, 65, 75–81, 93–9, 131–6
Derris elliptica, 75
Derris malaccensis, 201–7
 Digitalis, 1, 12
 Dissociation, 154–9
 Distribution function, 9
 Dosage, 12, 18–19, 29, 47, 65, 167–9, 173, 183

Cambridge University Press

978-0-521-13590-0 - Probit Analysis: A Statistical Treatment of the Sigmoid Response Curve

D. J. Finney

Index

[More information](#)

254

INDEX OF SUBJECTS

- Dose, 9, 12, 15, 18, 83, 101, 162, 165–9
 Dose-response relationship, 16, 20–30, 38, 41, 45–7, 48, 87, 104, 115–16, 121, 138–46, 153–9, 172–5, 183–5, 191–7
Drosophila melanogaster, 84
 Drugs, 1–2, 8, 12, 84, 147
- ED50, *see* Median effective dose
 Efficiency, 40, 209
 Elliptone, 65, 132
 Empirical probit, 23–4, 28, 48–54, 95–6, 105, 109, 166, 202
 Equivalent dose, 125, 135–6, 146
 Errors, arithmetical, 200–7
 Ethylene oxide, 57–61
 Expectation, 29–30, 33, 55–7, 96–7, 167
 Expected probit, 49–52, 62–3, 95, 105, 193, 202
 Extreme lethal dosages, method of, 38, 40
- Factorial design, 83, 100–21, 170–1, 197
 Fechner's Fundamental Table, 43
 Fiducial band, 61–4
 Fiducial limits, 33, 36–7, 51, 60–4, 66, 72, 85–6, 99, 113, 127–9, 161, 169, 184, 196–7, 207
 Fiducial probability, 36–7, 62
 Four-point assay, 67, 185
 Fungicidal tests, 2, 10, 14, 62, 88, 122, 124, 153–6, 160, 172–82
- g*, 63–4, 66, 72, 99, 127, 169, 196, 207
 Graphical methods, 22–30, 41–2, 48, 50, 70, 91, 105, 199
 Grasshopper, 169
 Grouping of observations, 56–7, 97, 166–9
 Growth curve, 47
- Heterogeneity, 33, 54–61, 66–7, 71, 73, 96, 111, 117–19, 134–5, 161–5, 168, 175, 178, 181, 198, 205, 211, 213
 Heterogeneity factor, 33, 60–1, 66–7, 71, 73, 85, 98, 111, 119, 161–5, 168, 176, 178, 182, 196, 198, 205, 213
 Heterogeneity of variances, 186
 History, 42–6
- Honeybee, 188–97
 Hormones, 1–2
 House-fly, 146, 148–50
 Hydrocyanic acid, 117–20
 Hydrogen sulphide, 176–8
- Independent action, 88, 122–3, 136–46
 Individual records, 38, 165–71
 Information, quantity of, 31
 Insecticidal tests, 1–2, 9–10, 14, 20, 25–30, 52–5, 57–62, 65, 67–82, 84, 88, 93–9, 101–4, 106–14, 117–20, 122, 124, 126, 128, 131–6, 146, 148–50, 160–6, 169, 172, 201–7
 Insulin, 1, 4, 183–4
 Interaction, 103, 116–21
 Interpolation, 31–2, 50–1, 90, 115, 151, 201
 Invariance, 31, 43
- Kärber's method, 28, 39–42
 Kill, 26
 Kill, average, 170–2
- Langmuir adsorption law, 10
 Latin square, 83, 188–90
 LD50, *see* Median lethal dose
 Least squares, method of, 76–81
 Likelihood, 209
 Limen, 8
 Lime sulphur, 188–97
 Limiting response, 186–7, 191–6
 Linearity, 27–8, 30, 38, 60, 67, 161–5, 183–5
 Logistic curve, 47
- Machine calculation, 51, 199–200
Macrosiphoniella sanborni, 26–30, 34–7, 52–5, 65, 67–72
Macrosporium sarcinaeforme, 153–6, 172, 176–82
 Malaccol, 132
 Mathematical theory, 7, 209–15
 Matrix inversion, 93, 96, 110, 119, 188, 194, 211, 213, 215
 Maximal non-lethal dose, 17
 Maximum likelihood estimation, 23, 46–7, 51–5, 91–9, 104, 115, 121, 160, 179–82, 187–8, 209–15
 Mean probit difference, 25, 85–6, 98, 113–14, 121, 126–9
 Median effective dose (ED50), 17–19, 22, 25, 32, 125, 130, 196–7

Cambridge University Press

978-0-521-13590-0 - Probit Analysis: A Statistical Treatment of the Sigmoid Response Curve

D. J. Finney

Index

[More information](#)

INDEX OF SUBJECTS

255

- Median lethal dose (LD50), 17–19, 24, 27–9, 34–42, 48, 55, 64, 75–81, 83, 98–9, 113, 131–6, 148–50, 167, 174–5, 206–7
- Mental tests, 8, 46
- Minimal effective dose, 17
- Minimal lethal dose, 17
- Mixed poisons, 67–72, 87, 122–53, 170, 197
- Mortality, classification of, 26, 75, 197–8, 202
- Müller weight, 43
- Natural mortality, 26, 75, 77, 79, 82, 88–99, 106, 202, 213–15
- Nomographs, 51
- Normal distribution, 6, 9–12, 33, 35, 46, 170, 173, 213
- Normal equivalent deviate, 20, 43–5
- Normal sigmoid curve, 12, 20–1, 27, 44, 47, 185, 191
- Normalizing transformation, 9–12, 18, 23–4, 47, 65, 86, 173, 185–6
- Oryzaephilus surinamensis*, 93–9
- Ostwald's equation, 114–15
- Ovicidal tests, 88–9
- Parallelism, 65–72, 86–7, 95–8, 103, 105, 109–12, 121, 124, 130, 208
- Parker-Rhodes equation, 172–82
- Φ (γ) process, 44, 47
- Planning of experiments, 5, 20, 40, 81–5, 100–3, 114–15, 129, 150–3, 161–2, 183–5
- Poison sandwich, 166
- Precision, 5, 18, 25, 31–6, 41, 43, 61, 74, 81, 83–5, 89, 166, 198
- Probability paper, 44–5
- Probit plane, 103–14, 169, 171
- Probit regression line, 22–30, 33, 48, 51–5, 85, 170–2, 201–6
- Probit regression line, provisional, 23–4, 32, 48, 51–2, 67, 70, 92, 95, 166–7, 179, 202, 208
- Probit transformation, 20–2, 43, 45, 47, 185–6, 209
- Psychophysics, 42–4, 46–7
- Pyrethrum, 106–14, 146, 148–50
- Qualitative factors, 103
- Quantitative factors, 20, 101–21, 169, 171
- Rabbit, 1, 4, 183
- Randomization, 161–2
- Randomized blocks, 83
- Randomness, 15
- Range, 49
- Rat, 1, 3–4, 183
- References, 216–21
- Regression, 6, 22–30, 45, 48–9, 51–5, 65, 93, 104–5, 109, 117, 120–1, 130–6, 148, 184, 187, 201, 212
- Rejection of data, 68, 146, 183
- Relative dosage value, 66, 70–80, 86, 113
- Relative potency, 19, 25, 46, 62, 65–87, 99, 113, 121, 124–9, 139–40, 151–2, 156–9, 197, 208
- Repellency tests, 188–97
- Response, 8
- Response curves, 12, 46–7
- Response curves, compound, 153–9
- Response, quantal, 2–3, 6, 8, 14–16, 42–7, 65, 168, 183, 185, 198, 211
- Response, quantitative, 2, 8, 183–97
- Response, semi-quantal, 197–8
- Response, variability of, 3–4, 8, 31, 186
- Right and Wrong Cases, Method of, 43
- Röntgen rays, 84
- Rotenone, 26–30, 34–7, 52–5, 65, 67–74, 77–80, 86, 101–2, 126, 128–9, 131–6, 148–50
- Sampling variation, 14–16, 27, 32–3, 91, 124
- Significance test, 30, 35–6, 112, 120, 129, 168, 175–6, 181, 191, 195–6
- Similar action, 72, 122–36, 140, 142, 146–53, 155
- Similar synergistic action, 146–51
- Slide rule, 30
- Sodium dithionite, 176–8
- Sodium fluoride, 169
- Sodium tetrathionate, 176–82
- Spore germination, 2, 88, 153–6, 172–82
- Statistic, 16
- Statistical methods, 4–7, 11, 14, 20, 25, 48
- Statistician, function of, 5
- Stimulus, 1, 8, 10, 17–19, 42, 65, 101–2, 184

Cambridge University Press

978-0-521-13590-0 - Probit Analysis: A Statistical Treatment of the Sigmoid Response Curve

D. J. Finney

Index

[More information](#)

256

INDEX OF SUBJECTS

- Subject, 3, 8, 12–19, 23–4, 42–3, 46–7, 65, 84, 101–2, 136, 160, 192
 Successive approximation, 79, 210
 Sumatrol, 132
 Susceptibility, correlation of, 15, 25, 137, 144–5
 Susceptibility, variation in, 3, 14–16, 62, 65, 74, 77, 81, 84
 Synergism, 122–3, 126–9, 131–2, 136, 146–53, 157
 Synergism, coefficient of, 148, 150

 Tables, 222–51
t-distribution, 6, 33, 60–1, 213
 Tetramethylthiuram disulphide, 153–6
 Threshold, 8, 44
 Threshold concentration, 114–15
 Tolerance, 8–19
 Tolerance distribution, 8–12, 18–19, 20–2, 29, 47, 65, 84, 170–3, 211
 Tolerance, measurement of, 12–14
 Tolerance variance, 17–19, 25, 48, 65, 86–7, 132, 138, 142
 Toxicarol, 65, 73, 132–6
Tribolium castaneum, 106–14
Tribolium confusum, 163–5

 Unweighted mean, 74, 76

 Variability, Theory of, 172–82
 Variance, 18–19, 31–3, 53, 55, 61, 63, 65–6, 74, 76, 85–7, 89, 96–9, 112, 114, 118–20, 127, 161, 181–2, 184, 186, 189–90, 194, 198, 205–6, 211
 Variance, analysis of, 14, 82, 164–5, 189–91
 Variance matrix, 96, 110, 118–19, 181, 188, 194, 211
 Variance ratio test, 71, 111, 129, 134–5, 164, 181, 187, 191, 196
 Variation, index of, 173–82
Venturia inaequalis, 155
 Vitamins, 1–2, 8, 183

 Weber-Fechner law, 10
 Weighing, 3
 Weight of observation, 16, 24, 31–3, 40, 43–4, 48, 73–4, 77–82, 131–3, 184
 Weighted mean, 73, 76
 Weighting coefficient, 31–3, 46, 52, 89–90, 95, 187, 193, 197, 203, 212
 Working probit, 48–52, 58, 91–2, 95, 109, 187, 193, 203, 212
 Working probit, maximum, 49–50, 58, 167
 Working probit, minimum, 49–50, 58, 167