

## Contents

<i>List of figures</i>	<i>page xi</i>
<i>List of contributors</i>	xiv
<i>Preface</i>	xvii
<b>Introduction</b>	<b>1</b>
<b>1 Lagrangian and Hamiltonian Formalism for Discrete Equations: Symmetries and First Integrals</b> <i>V. Dorodnitsyn and R. Kozlov</i>	<b>7</b>
1.1 Introduction	7
1.2 Invariance of Euler–Lagrange equations	9
1.3 Lagrangian formalism for second-order difference equations	11
1.4 Hamiltonian formalism for differential equations	16
1.4.1 Canonical Hamiltonian equations	16
1.4.2 The Legendre transformation	18
1.4.3 Invariance of canonical Hamiltonian equations	18
1.5 Discrete Hamiltonian formalism	21
1.5.1 Discrete Legendre transform	21
1.5.2 Variational formulation of the discrete Hamiltonian equations	23
1.5.3 Symplecticity of the discrete Hamiltonian equations	24
1.5.4 Invariance of the Hamiltonian action	27
1.5.5 Discrete Hamiltonian identity and discrete Noether theorem	28
1.5.6 Invariance of the discrete Hamiltonian equations	30
1.6 Examples	31
1.6.1 Nonlinear motion	31

vi	<i>Contents</i>	
	1.6.2 A nonlinear ODE	36
	1.6.3 Discrete harmonic oscillator	39
	1.6.4 Modified discrete harmonic oscillator (exact scheme)	43
	1.7 Conclusion	46
<b>2</b>	<b>Painlevé Equations: Continuous, Discrete and Ultradiscrete</b>	
	<i>B. Grammaticos and A. Ramani</i>	50
	2.1 Introduction	50
	2.2 A rough sketch of the top-down description of the Painlevé equations	51
	2.3 A succinct presentation of the bottom-up description of the Painlevé equations	57
	2.4 Properties of the, continuous and discrete, Painlevé equations: a parallel presentation	64
	2.4.1 Degeneration cascade	64
	2.4.2 Lax pairs	65
	2.4.3 Miura and Bäcklund relations	67
	2.4.4 Particular solutions	69
	2.4.5 Contiguity relations	72
	2.5 The ultradiscrete Painlevé equations	74
	2.5.1 Degeneration cascade	75
	2.5.2 Lax pairs	76
	2.5.3 Miura and Bäcklund relations	76
	2.5.4 Particular solutions	78
	2.5.5 Contiguity relations	78
	2.6 Conclusion	80
<b>3</b>	<b>Definitions and Predictions of Integrability for Difference Equations</b>	
	<i>J. Hietarinta</i>	83
	3.1 Preliminaries	83
	3.1.1 Points of view on integrability	83
	3.1.2 Preliminaries on discreteness and discrete integrability	84
	3.2 Conserved quantities	88
	3.2.1 Constants of motion for continuous ODE	88
	3.2.2 The standard discrete case	89
	3.2.3 The Hirota–Kimura–Yahagi (HKY) generalization	90
	3.3 Singularity confinement and algebraic entropy	91
	3.3.1 Singularity analysis for difference equations	91

<i>Contents</i>		vii
3.3.2	Singularity confinement in projective space	94
3.3.3	Singularity confinement is not sufficient	96
3.4	Integrability in 2D	97
3.4.1	Definitions and examples	97
3.4.2	Quadrilateral lattices	98
3.4.3	Continuum limit	100
3.4.4	Conservation laws	100
3.5	Singularity confinement in 2D	101
3.6	Algebraic entropy for 2D lattices	103
3.6.1	Default growth of degree and factorization	103
3.6.2	Search based on factorization	105
3.7	Consistency around a cube	106
3.7.1	Definition	106
3.7.2	Lax pair	107
3.7.3	CAC as a search method	108
3.8	Soliton solutions	109
3.8.1	Background solutions	109
3.8.2	1SS	110
3.8.3	NSS	111
3.9	Conclusions	112
<b>4</b>	<b>Orthogonal Polynomials, their Recursions, and Functional Equations</b>	
	<i>M. E. H. Ismail</i>	115
4.1	Introduction	115
4.2	Orthogonal polynomials	116
4.3	The spectral theorem	119
4.4	The Freud nonlinear recursions	121
4.5	Differential equations	122
4.6	$q$ -difference equations	125
4.7	The inverse problem	128
4.8	Applications	130
4.9	The Askey–Wilson polynomials	134
<b>5</b>	<b>Discrete Painlevé Equations and Orthogonal Polynomials</b>	
	<i>A. Its</i>	139
5.1	General setting	139
5.1.1	Orthogonal polynomials	140
5.1.2	Connections to integrable systems	140
5.1.3	The Riemann–Hilbert representation of the orthogonal polynomials	142
5.1.4	Discrete Painlevé equations	143

viii	<i>Contents</i>	
5.2	Examples	146
5.2.1	Gaussian weight	146
5.2.2	d-Painlevé I	147
5.2.3	d-Painlevé XXXIV	152
<b>6</b>	<b>Generalized Lie Symmetries for Difference Equations</b>	
	<i>D. Levi and R. I. Yamilov</i>	160
6.1	Introduction	160
6.1.1	Direct construction of generalized symmetries: an example	161
6.2	Generalized symmetries from the integrability properties	164
6.2.1	Toda Lattice	164
6.2.2	The symmetry algebra for the Toda Lattice	168
6.2.3	The continuous limit of the Toda symmetry algebras	170
6.2.4	Bäcklund transformations for the Toda equation	172
6.2.5	Bäcklund transformations vs. generalized symmetries	173
6.2.6	Generalized symmetries for $\text{PAE}$ 's	175
6.3	Formal symmetries and integrable lattice equations	177
6.3.1	Formal symmetries and further integrability conditions	182
6.3.2	Why integrable equations on the lattice must be symmetric	185
6.3.3	Example of classification problem	188
<b>7</b>	<b>Four Lectures on Discrete Systems</b> <i>S. P. Novikov</i>	191
7.1	Introduction	191
7.2	Discrete symmetries and completely integrable systems	191
7.3	Discretization of linear operators	193
7.4	Discrete $\text{GL}_n$ connections and triangle equation	195
7.5	New discretization of complex analysis	198
<b>8</b>	<b>Lectures on Moving Frames</b> <i>P. J. Olver</i>	207
8.1	Introduction	207
8.2	Equivariant moving frames	209
8.3	Moving frames on jet space and differential invariants	211
8.4	Equivalence and signatures	213
8.5	Joint invariants and joint differential invariants	215
8.6	Invariant numerical approximations	218
8.7	The invariant bicomplex	224
8.8	Generating differential invariants	231

<i>Contents</i>	<i>ix</i>
8.9 Invariant variational problems	235
8.10 Invariant curve flows	237
<b>9 Lattices of Compact Semisimple Lie Groups</b> <i>J. Patera</i>	247
9.1 Introduction	247
9.2 Motivating example	248
9.3 Simple Lie groups and simple Lie algebras	250
9.3.1 Simple roots	250
9.3.2 Standard bases in $\mathbb{R}^n$	251
9.3.3 Reflections and affine reflections in $\mathbb{R}^n$	252
9.3.4 Weyl group and Affine Weyl group	252
9.4 Lattice grids $F_M \subset F \subset \mathbb{R}^n$	254
9.4.1 Examples of $F_M$	255
9.5 $W$ -invariant functions orthogonal on $F_M$	256
9.6 Properties of elements of finite order	257
<b>10 Lectures on Discrete Differential Geometry</b> <i>Yu. B Suris</i>	259
10.1 Basic notions	260
10.2 Bäcklund transformations	264
10.3 Q-nets	266
10.4 Circular nets	268
10.5 Q-nets in quadrics	271
10.6 T-nets	273
10.7 A-nets	276
10.8 T-nets in quadrics	281
10.9 K-nets	283
10.10 Hirota equation for K-nets	286
<b>11 Symmetry Preserving Discretization of Differential Equations and Lie Point Symmetries of Differential-Difference Equations</b> <i>P. Winternitz</i>	292
11.1 Symmetry preserving discretization of ODEs	294
11.1.1 Formulation of the problem	294
11.1.2 Lie point symmetries of ordinary difference schemes	295
11.1.3 The continuous limit	299
11.2 Examples of symmetry preserving discretizations	300
11.2.1 Equations invariant under $SL_1(2, \mathbb{R})$	300
11.2.2 Equations invariant under $SL_2(2, \mathbb{R})$	303
11.2.3 Equations invariant under the similitude group of the Euclidean plane	304
11.3 Applications to numerical solutions of ODEs	306

11.3.1	General procedure for testing the numerical schemes	306
11.3.2	Numerical experiments for a third-order ODE invariant under $\mathbf{SL}_1(\mathbf{2}, \mathbb{R})$	307
11.3.3	Numerical experiments for ODEs invariant under $\mathbf{SL}_2(\mathbf{2}, \mathbb{R})$	310
11.3.4	Numerical experiments for third-order ODE invariant under $\mathbf{Sim}(\mathbf{2})$	313
11.4	Exact solutions of invariant difference schemes	314
11.4.1	Lagrangian formulation for second-order ODEs	315
11.4.2	Lagrangian formulation for second order difference equations	318
11.4.3	Example: Second-order ODE with three-dimensional solvable symmetry algebra	321
11.5	Lie point symmetries of differential-difference equations	326
11.5.1	Formulation of the problem	326
11.5.2	The evolutionary formalism and commuting flows for differential equations	327
11.5.3	The evolutionary formalism and commuting flows for differential-difference equations	328
11.5.4	General algorithm for calculating Lie point symmetries of a differential-difference equation	330
11.5.5	Theorems simplifying the calculation of symmetries of DAE	330
11.5.6	Volterra type equations and their generalizations	331
11.5.7	Toda type equations	333
11.5.8	Toda field theory type equations	333
11.6	Examples of symmetries of DAE	334
11.6.1	The YdKN equation	335
11.6.2	The Toda lattice	336
11.6.3	The two-dimensional Toda lattice equation	336

## List of figures

3.1	A difference equation may involve a different configuration of points in the lattice. Case (a) corresponds to (3.19), case (b) to (3.20) and (3.21) and case (c) to (3.22).	97
3.2	Evolution from any step-like arrangement of initial values is possible in the quadrilateral lattice, but any overhang could lead into a contradiction.	99
3.3	Propagation of singularities in a 2D map. Here $n$ grows in the SE direction and $m$ in the SW direction.	101
3.4	Arrangement for the ultra-local singularity confinement study.	102
3.5	Default degree growth for staircase or corner initial data in the case of a quadratic map (3.27). The origin is marked by a black disk.	104
3.6	The situation at first factorization with corner initial data.	105
3.7	The consistency cube	106
6.1	A square lattice	161
7.3	2nd-order ball $B_2(P)$	195
7.4	0-simplex in a point, 1-simplex is a line segment, 2-simplex in a triangle, 3-simplex is a tetrahedron.	196
7.6	Star $St(P)$	198
8.1	Signature of a canine ventricle	216
8.2	Four-point Euclidean curve invariants	218
8.3	Invariantized Runge–Kutta schemes for Ames' equation	223
10.1	The consistency principle of discrete differential geometry as conceptual basis of the differential geometry of special surfaces and of integrability.	260

xii	<i>List of figures</i>	
10.2	Left: an elementary square of a 2D system. Right: 3D consistency of a 2D system. Black circles mark the initial data; white circles mark the vertices uniquely determined by the initial data; white square marks the vertex where the consistency condition appears.	261
10.3	Initial data for a Goursat (left) and for a Cauchy (right) problem for a 2D system	262
10.4	Left: an elementary cube of a 3D system. Right: 4D consistency of a 3D system. Black circles mark the initial data; white circles mark the vertices uniquely determined by the initial data; white square marks the vertex where the consistency condition appears.	264
10.5	Left: construction of a BT for a 2D system. The transform is determined by the value $f^+$ marked by a black circle; values $f_1^+$ and $f_2^+$ marked by white circles are uniquely determined via the equation; value $f_{12}^+$ marked by the white square is well defined due to the consistency condition. Right: permutability of BTs. The common BT $f^{(12)}$ of $f^{(1)}$ and $f^{(2)}$ is uniquely defined via an algebraic relation.	265
10.6	Left: continuation of a BT $f^+$ from the coordinate axes. Middle: continuation of a common BT $f^{(12)}$ of two BTs $f^{(1)}, f^{(2)}$ from the origin. Right: superposition principle of BT's for a 3D system.	266
10.7	An elementary hexahedron of a circular net	269
10.8	Miquel theorem	270
10.9	3D system on an elementary cube; fields on faces.	274
10.10	Möbius theorem	278
10.11	3D system with points assigned to the even sublattice and planes assigned to the odd sublattice.	278
10.12	4D consistency of the 3D system with points on the even sublattice and planes on the odd sublattice.	279
10.13	Geometry of a Chebyshev quadrilateral.	284
11.1	Stencil for OAS with $K + 1$ points	299
11.2	Solution of (11.84) for the symmetry preserving scheme and the standard scheme, $h = 0.1$ on the interval $[0, 6]$ .	309
11.3	Solution for the symmetry preserving scheme, $h = 0.1, 0.01, 0.001$ . Example (11.84) on $[0, 6]$ . Absolute value of solution on $y$ axis, logarithmic scale.	309
11.4	Behavior of the symmetry preserving scheme near the singularity for (11.54)	311
11.5	Discretization errors for standard and symmetry preserving schemes for (11.56), $\alpha = -1$ for a regular solution	313



---

	<i>List of figures</i>	xiii
11.6	Behavior of the symmetry preserving scheme near a singularity for (11.56)	313
11.7	Discretization errors for the symmetry preserving scheme and the standard scheme, $h = 1$ .	315