

## Index of Definitions

- $\mathcal{S}^*$ -maximal, 322
- $\mathcal{S}_2^*$ -maximal, 276
- $\mathcal{S}_i$ -maximal, 154
- $\sigma$ -Hermitian
  - matrix, 17
- $\theta$ -semilinear map, 26
- $p$ -restricted
  - module, 270
  - weight, 269
- absolutely irreducible representation, 38
- adjoint module, 289, 294
- algebra
  - opposite, 38
- algebraically conjugate representations, 159
- almost simple group, x, 1
- alternating
  - form, 16
  - matrix, 17
- anti-symmetric
  - matrix, 17
  - square, 276
- anti-symmetric cube, 279
- automorphism, 6
  - diagonal, 33
  - field, 33
  - Frobenius, 11
  - graph, 33
  - inner, 6
  - outer, 7
- Case, 31
- Chevalley groups, 153
- Class
  - $\mathcal{C}_1$ , 59
  - $\mathcal{C}_2$ , 62
  - $\mathcal{C}_3$ , 65
  - $\mathcal{C}_4$ , 68
  - $\mathcal{C}_5$ , 69
  - $\mathcal{C}_6$ , 71
  - $\mathcal{C}_7$ , 72
  - $\mathcal{C}_8$ , 73
  - $\mathcal{S}$ , 56
  - $\mathcal{S}^*$ , 322
  - $\mathcal{S}_1$ , 153
  - $\mathcal{S}_2$ , 153
  - $\mathcal{S}_2^*$ , 275
- classical group, x
  - standard copy, 18
- complement
  - orthogonal, 15
- conformal
  - automorphism group, 29
  - group, 29
  - semilinear group, 29
- contragredient module, 38
- cross characteristic, 154
- defining characteristic case, 154
- degree
  - of representation, 37
- diagonal automorphism, 33
- Dickson determinant, 28
- dimension
  - of representation, 37
- endomorphism
  - Frobenius, 11
- equivalence
  - of representation, 38
- equivalent
  - forms, 14
- extraspecial normaliser group, 71
- faithful representation, 38
- field
  - perfect, 11
  - primitive element, 11

- splitting, 11
- field automorphism, 33
- form
  - $\sigma$ -sesquilinear, 13
  - alternating, 16
  - bilinear, 13
  - equivalent, 14
  - Hermitian, 16
  - induced, 45
  - isometric, 14
  - non-degenerate, 14
  - non-singular, 14
  - orthogonal, 16
  - polar, 14
  - preserved, 40
  - preserved absolutely, 40
  - preserved up to scalars, 40
  - quadratic, 13
  - quasi-symmetric, 15
  - reflexive, 15
  - similar, 14
  - symmetric, 13
  - symmetric bilinear, 16
  - symplectic, 16
  - type of, 23
  - unitary, 16
- Frobenius automorphism, 11
- Frobenius endomorphism, 11
- general linear group, 6
- generalised quadrangle, 360
- geometric subgroup, 56
- geometric type, xi
- graph automorphism, 33
- group
  - $C$ , 29
  - $\Omega$ , 29
  - almost simple, x, 1
  - classical, x
  - conformal, 29
  - conformal semilinear, 29
  - general, 27
  - general linear, 6
  - generally quasisimple, 29
  - of conformal isomorphisms, 29
  - of isometries, 14
  - of similarities, 14
  - orthogonal, 21, 23
  - perfect, x, 1
  - quasisimple, x, 1
  - semilinear, 30
  - simple, x
  - special, 27
  - symplectic, 19
  - unitary, 20
- Hermitian form, 16
- highest weight, 269, 272
- imprimitive subgroup, 62
- index
  - Witt, 15
- induced form, 45
- inner automorphism, 6
- irreducible representation, 38
- isoclinism, 7
- isometric
  - forms, 14
- isometry, 14
- isometry group, 14
- isotropic
  - vector, 15
- Kronecker product, 43
- Legendre symbol, 54
- map
  - $\theta$ -semilinear, 26
  - non-singular, 26
  - semilinear, 26
- matrix
  - $\sigma$ -Hermitian, 17
  - alternating, 17
  - anti-symmetric, 17
  - standard form, 18
  - symmetric, 17
- maximal flag, 60
- maximal subgroup
  - novel, 10
  - ordinary, 10
  - triviality, 8
  - type 1 novelty, 10
  - type 2 novelty, 10
  - Wilson novelty, 10
- module
  - $p$ -restricted, 270
  - adjoint, 289, 294
  - contragredient, 38
- non-degenerate
  - form, 14
  - subspace, 14
- non-singular
  - form, 14
  - map, 26
  - vector, 14, 15
- novel maximal subgroup, 10
- opposite algebra, 38
- ordinary maximal subgroup, 10

- orthogonal complement, 15
- orthogonal form, 16
- orthogonal group, 21, 23
- outer automorphism, 7
- parabolic subgroup, 59
- perfect field, 11
- perfect group,  $x$ , 1
- polynomial
  - Conway, 12
  - primitive, 11
- preservation
  - of forms, 40
  - of tensor decompositions, 43
- preserves
  - tensor induced decomposition, 71
  - tensor product, 67
- primes
  - Zsigmondy, 52
- primitive
  - field element, 11
  - polynomial, 11
- product
  - Kronecker, 43
  - tensor wreath, 72
- projective representation, 38
- quasi-equivalent representations, 39
- quasi-symmetric form, 15
- quasideterminant, 28
- quasishape, 169
- quasisimple group,  $x$ , 1
- reducible representation, 38
- reducible subgroup, 59
- reflection, 28
- reflexive form, 15
- representation
  - $p$ -restricted, 270
  - absolutely irreducible, 38
  - degree of, 37
  - dimension of, 37
  - equivalence of, 38
  - faithful, 38
  - irreducible, 38
  - projective, 38
  - quasi-equivalence of, 39
  - reducible, 38
- representations
  - algebraic conjugacy of, 159
  - weak equivalence of, 160
- scalar-normalising, 169
- Schur multiplier, 8
- semi-isometry, 26
- semi-similarity, 26
- semilinear
  - group, 30
  - map, 26
  - subgroup, 65
- similar
  - forms, 14
- similarity, 14
- similarity group, 14
- simple group,  $x$
- singular
  - vector, 14, 15
- socle, 1
- spinor norm, 28
- splitting field, 11
- stabiliser
  - of conjugacy class, 7
- standard form matrices, 18
- stem extension, 8
- subfield subgroup, 69
- subgroup
  - geometric,  $xi$ , 56
  - imprimitive, 62
  - parabolic, 59
  - reducible, 59
  - subfield, 69
  - tensor induced, 71
  - tensor product, 67
  - triviality, 8
- subspace
  - non-degenerate, 14
  - totally isotropic, 14
  - totally singular, 14
- Suzuki group, 366
- symmetric
  - cube, 279
  - matrix, 17
  - power, 279
  - square, 276
- symmetric bilinear form, 16
- symplectic
  - 2-group, 70
- symplectic form, 16
- symplectic group, 19
- tensor decompositions
  - preservation of, 43
- tensor induced, 71
- tensor product subgroup, 67
- tensor wreath product, 72
- torus, 271
- totally isotropic
  - subspace, 14

- totally singular
  - subspace, 14
- triviality, 8
- type 1 novelty, 10
- type 2 novelty, 10
- type of form, 23
- unitary form, 16
- unitary group, 20
- vector
  - isotropic, 15
  - non-singular, 14, 15
  - singular, 14, 15
- weakly equivalent representations, 160
- weight, 271
  - $p$ -restricted, 269
  - highest, 269, 272
  - of a module, 271
- Wilson novelty, 10
- Witt index, 15
- Zsigmondy primes, 52