LONDON MATHEMATICAL SOCIETY LECTURE NOTE SERIES

Managing Editor: Professor M. Reid, Mathematics Institute, University of Warwick, Coventry CV4 7AL. United Kingdom

The titles below are available from booksellers, or from Cambridge University Press at www.cambridge.org/mathematics.

- Stochastic partial differential equations, A. ETHERIDGE (ed.)
- Quadratic forms with applications to algebraic geometry and topology, A. PFISTER Surveys in combinatorics, 1995, P. ROWLINSON (ed.)

- Surveys in combinatorics, 1995, P. ROWLINSON (ed.) Algebraic set theory, A. JOYAL & I. MOERDIJK Harmonic approximation, S. J. GARDINER Advances in linear logic, J.-Y. GIRARD, Y. LAFONT & L. REGNIER (eds) Analytic semigroups and semilinear initial boundary value problems, K. TAIRA Computability, enumerability, unsolvability, S.B. COOPER, T.A. SLAMAN & S.S. WAINER (eds) A mathematical introduction to string theory, S. ALBEVERIO *et al* Novikov conjectures, index theorems and rigidity I, S.C. FERRY, A. RANICKI & J. ROSENBERG (eds) Ergodicit troir joingine dimensional systems. G DA PRATO & L ZABCZYK

- Ergodic theory of Z^{*a*} actions, M. POLLICOTT & K. SCHMIDT (eds) Ergodicity for infinite dimensional systems, G. DA PRATO & J. ZABCZYK Prolegomena to a middlebrow arithmetic of curves of genus 2, J.W.S. CASSELS & E.V. FLYNN Semigroup theory and its applications, K.H. HOFMANN & M.W. MISLOVE (eds) The descriptive set theory of Polish group actions, H. BECKER & A.S. KECHRIS Finite fields and applications, S. COHEN & H. NIEDERREITER (eds) Introduction to subfactors, V. JONES & V.S. SUNDER Number theory 1993–94, S. DAVID (ed.) The James forest, H. FETTER & B.G. DE BUEN Sieve methods, exponential sums, and their applications in number theory. G.P.H. CDEAVES

- Sieve methods, exponential sums, and their applications in number theory, G.R.H. GREAVES *et al* Representation theory and algebraic geometry, A. MARTSINKOVSKY & G. TODOROV (eds) Stable groups, F.O. WAGNER Surveys in combinatorics, 1997, R.A. BAILEY (ed.) Geometric Galois actions I, L. SCHNEPS & P. LOCHAK (eds) Geometric Galois actions II, L. SCHNEPS & P. LOCHAK (eds) Model theory of groups and automorphicm groups. D. EV/DMS (ed.)

- Geometric Galois actions II, L. SCHNEPS & P. LOCHAK (eds) Model theory of groups and automorphism groups, D. EVANS (ed.) Geometry, combinatorial designs and related structures, J.W.P. HIRSCHFE *p*-Automorphisms of finite *p*-groups, E. L. KHUKHRO Analytic number theory, Y. MOTOHASHI (ed.) Tame topology and O-minimal structures, L. VAN DEN DRIES The atlas of finite groups: ten years on, R. CURTIS & R. WILSON (eds) Characters and blocks of finite groups, G. NAVARRO Gröbner bases and applications, B. BUCHBERGER & F. WINKLER (eds) Geometry and aphyorphone theory. *B* VEODPLOU LP G. NIVELER J.W.P. HIRSCHFELD et al

- Geometry and cohomology in group theory, P. KROPHOLLER, G. NIBLO & R. STÖHR (eds)

- The *q*-Schur algebra, S. DONKIN Galois representations in arithmetic algebraic geometry, A.J. SCHOLL & R.L. TAYLOR (eds) Symmetries and integrability of difference equations, P.A. CLARKSON & F.W. NIJHOFF (eds)
- Aspects of Galois theory, H. VOLKLEIN *et al* An introduction to noncommutative differential geometry and its physical applications (2nd Edition), J. MADORE Sets and proofs, S.B. COOPER & J. TRUSS (eds)

- Sets and proofs. S.B. COOPER & J. TRUSS (eds) Models and computability, S.B. COOPER & J. TRUSS (eds) Groups St Andrews 1997 in Bath, I, C.M. CAMPBELL *et al* Groups St Andrews 1997 in Bath, II, C.M. CAMPBELL *et al* Analysis and logic, C.W. HENSON, J. IOVINO, A.S. KECHRIS & E. ODELL Singularity theory, B. BRUCE & D. MOND (eds) New trends in algebraic geometry, K. HULEK, F. CATANESE, C. PETERS & M. REID (eds) Elliptic curves in cryptography, I. BLAKE, G. SEROUSSI & N. SMART Surveys in combinatorics, 1999, J.D. LAMB & D.A. PREECE (eds) Spectral asymptotics in the semi-classical limit, M. DIMASSI & J. SJÖSTRAND Errodic theory and topological dynamics. M. B. BEKKA & M. MAYER

- Ergodic theory and topological dynamics, M.B. BEKKA & M. MAYER
- Singular perturbations of differential operators, S. ALBEVERIO & P. KURASOV Character theory for the odd order theorem, T. PETERFALVI Spectral theory and geometry, E.B. DAVIES & Y. SAFAROV (eds)

- The Mandelbrot set, theme and variations, T. LEI (ed.)
- Descriptive set theory and dynamical systems, M. FOREMAN *et al* Singularities of plane curves, E. CASAS-ALVERO

- Computational and geometric aspects of modern algebra, M.D. ATKINSON *et al* Global attractors in abstract parabolic problems, J.W. CHOLEWA & T. DLOTKO Topics in symbolic dynamics and applications, F. BLANCHARD, A. MAASS & A. NOGUEIRA (eds)
- Characters and automorphism groups of compact Riemann surfaces, T. BREUER

- Characters and automorphism groups of compact Riemann surfaces, T. BREUER Explicit birational geometry of 3-folds, A. CORTI & M. REID (eds) Auslander–Buchweitz approximations of equivariant modules, M. HASHIMOTO Nonlinear elasticity, Y. FU & R. OGDEN (eds) Foundations of computational mathematics, R. DEVORE, A. ISERLES & E. SÜLI (eds) Rational points on curves over finite fields, H. NIEDERREITER & C. XING Clifford algebras and spinors 2ed, P. LOUNESTO Topics on Riemann surfaces and Fuchsian groups, E. BUJALANCE *et al* Surveys in combinatorics, 2001, J. HIRSCHFELD (ed.) Aspects of Sobolev-type inequalities, L. SALOFF-COSTE Ouantum groups and Lie theory. A. PRESSLEY (ed.)

- Surveys in combinatorics, 2001, J. FILSCHPELD (ed.) Aspects of Sobolev-type inequalities, L. SALOFF-COSTE Quantum groups and Lie theory, A. PRESSLEY (ed.) Tits buildings and the model theory of groups, K. TENT (ed.) A quantum groups primer, S. MAJID

- Second order partial differential equations in Hilbert spaces, G. DA PRATO & J. ZABCZYK Introduction to operator space theory, G. PISIER Geometry and integrability, L. MASON & Y. NUTKU (eds) Lectures on invariant theory, I. DOLGACHEV The homotopy category of simply connected 4-manifolds, H.-J. BAUES

- Higher operands, higher categories, T. LEINSTER Kleinian groups and hyperbolic 3-manifolds, Y. KOMORI, V. MARKOVIC & C. SERIES (eds) Introduction to Möbius differential geometry, U. HERTRICH-JEROMIN Stable modules and the D(2)-problem, F.E.A. JOHNSON

- Stable includes and the D(2)-problem, F.E.A. JOHNSON M.J. ABLOWITZ, B. PRINARI & A.D. TRUBATCH Number theory and algebraic geometry, M. REID & A. SKOROBOGATOV (eds) Groups St Andrews 2001 in Oxford Vol. 1, C.M. CAMPBELL, E.F. ROBERTSON & G.C. SMITH (eds) Groups St Andrews 2001 in Oxford Vol. 2, C.M. CAMPBELL, E.F. ROBERTSON & G.C. SMITH (eds) Peyresq lectures on geometric mechanics and symmetry, J. MONTALDI & T. RATIU (eds) Surveys in combinatorics 2003, C.D. WENSLEY (ed.)

- Topology, geometry and quantum field theory. U.L. TILLMANN (ed.) Corings and comodules, T. BRZEZINSKI & R. WISBAUER Topics in dynamics and ergodic theory, S. BEZUGLYI & S. KOLYADA (eds)
- Groups: topological, combinatorial and arithmetic aspects, T. W. MÜLLER (ed.) Foundations of computational mathematics, Minneapolis 2002, FELIPE CUCKER *et al* (eds) Transcendental aspects of algebraic cycles, S. MÜLLER-STACH & C. PETERS (eds)
- Spectral generalizations of line graphs, D. CVETKOVIĆ, P. ROWLINSON & S. SIMIĆ Structured ring spectra, A. BAKER & B. RICHTER (eds)
- Linear logic in computer science, T. EHRHARD et al (eds)
- Advances in elliptic curve cryptography, I.F. BLAKE, G. SEROUSSI & N. SMART Perturbation of the boundary in boundary-value problems of partial differential equations, D. HENRY
- Double affine Hecke algebras, I. CHEREDNIK
- 322
- Double affine Hecke algebras, I. CHEREDNIK L-functions and Galois representations, D. BURNS, K. BUZZARD & J. NEKOVÁŘ (eds) Surveys in modern mathematics, V. PRASOLOV & Y. ILYASHENKO (eds) Recent perspectives in random matrix theory and number theory, F. MEZZADRI & N.C. SNAITH (eds) Poisson geometry, deformation quantisation and group representations, S. GUTT *et al* (eds) Singularities and computer algebra, C. LOSSEN & G. PFISTER (eds) Lectures on the Ricci flow, P. TOPPING Modular representations of finite groups of Lie type, J.E. HUMPHREYS Surveys in combinatorics 2005, B.S. WEBB (ed.) Fundamentals of hyperbolic manifolds, R.D. CANARY, A. MARDEN & D.B.A. EPSTEIN (eds) Spaces of Kleinian groups, Y. MINSKY, M. SAKUMA & C. SERIES (eds) Noncommutative localization in algebra and topology, A. RANICKI (ed.)
- 325

- Noncommutative localization in algebra and topology, A. RANICKI (ed.) Foundations of computational mathematics, Santander 2005, L. PARDO, A. PINKUS, E. SULI & M. TODD (eds) Handbook of tilting theory, L. ANGELERI HÜGEL, D. HAPPEL & H. KRAUSE (eds)

- Handbook of tilting theory, L. ANGELERI HUGEL, D. HAPPEL & H. KRAUSE (eds) Synthetic differential geometry (2nd Edition), A. KOCK The Navier–Stokes equations, P. G. DRAZIN & N. RILEY Lectures on the combinatorics of free probability, A. NICA & R. SPEICHER Integral closure of ideals, rings, and modules, I. SWANSON & C. HUNEKE Methods in Banach space theory, J.M.F. CASTILLO & W.B. JOHNSON (eds) Surveys in geometry and number theory, N. YOUNG (ed.) Groups St Andrews 2005 Vol. 1, C.M. CAMPBELL, M.R. QUICK, E.F. ROBERTSON & G.C. SMITH (eds) Ranks of elliptic curves and random matrix theory, J.B. CONREY, D.W. FARMER, F. MEZZADRI & N.C. SNATH (eds)
- N.C. SNAITH (eds)
- Elliptic cohomology, H.R. MILLER & D.C. RAVENEL (eds) Algebraic cycles and motives Vol. 1, J. NAGEL & C. PETERS (eds) Algebraic cycles and motives Vol. 2, J. NAGEL & C. PETERS (eds)

- Algebraic cycles and molytic geometry, A. NEEMAN Surveys in combinatorics, 2007, A. HILTON & J. TALBOT (eds)
- Surveys in contemporary mathematics, N. YOUNG & Y. (HOI (eds) Transcendental dynamics and complex analysis, P. RIPPON & G. STALLARD (eds)
- Model theory with applications to algebra and analysis Vol 1, Z. CHATZIDAKIS, D. MACPHERSON, A. PILLAY & A. WILKIE (eds) Model theory with applications to algebra and analysis Vol 2, Z. CHATZIDAKIS, D. MACPHERSON, A. PILLAY
- & A. WILKIE (eds)

- R.A. WILKIE (eds)
 Finite von Neumann algebras and masas, A. SINCLAIR & R. SMITH
 Number theory and polynomials, J. MCKEE & C. SMYTH (eds)
 Trends in stochastic analysis, J. BLATH, P. MORTERS & M. SCHEUTZOW (eds)
 Groups and analysis, K. TENT (ed)
 Non-equilibrium statistical mechanics and turbulence, J. CARDY, G. FALKOVICH & K. GAWEDZKI,
 NoN-MCHEWICO & C. ZAPROPONIKI (ed) S. NAZARENKO & O.V. ZABORONSKI (eds) Elliptic curves and big Galois representations, D. DELBOURGO Algebraic theory of differential equations, M.A.H MACCALLUM & A.V. MIKHAILOV (eds)

- Geometric and cohomological methods in group theory, M. BRIDSON, P. KROPHOLLER & I. LEARY (eds)
- Moduli spaces and vector bundles, L. BRAMBILA-PAZ, S.B. BRADLOW, O. GARCÍA-PRADA &
- S. RAMANAN (eds) Zariski geometries, B. ZILBER Words: Notes on verbal width in groups, D. SEGAL
- Words: Notes on Verbai widin in groups, D. SEGAL Differential tensor algebras and their module categories, R. BAUTISTA, L. SALMERÓN & R. ZUAZUA Foundations of computational mathematics, Hong Kong 2008, M.J. TODD, F. CUCKER & A. PINKUS (eds) Partial differential equations and fluid mechanics, J.C. ROBINSON & J.L. RODRIGO (eds) Surveys in combinatorics 2009, S. HUCZYNSKA, J.D. MITCHELL & C.M. RONEY-DOUGAL (eds) Highly oscillatory problems, B. ENGQUIST, A. FOKAS, E. HAIRER & A. ISERLES (eds) Random matrices: High dimensional phenomena, G. BLOWER Geometry of Riemann surfaces, F. P. GARDINER, G. GONZALEZ-DIEZ & C. KOUROUNIOTIS (eds)

- Epidemics and rumours in complex networks, M. DRAIEF & L. MASSOULIÉ

Theory of *p*-adic Distributions: Linear and Nonlinear Models

S. ALBEVERIO

Institut für Angewandte Mathematik, Universität Bonn, Endenicherallee 60, D-53115 Bonn, Germany; H. C. M., I.Z.K.S., SFB 611; BiBoS.

A. YU. KHRENNIKOV

International Center for Mathematical Modeling in Physics and Cognitive Sciences MSI, Växjö University, SE-351 95, Växjö, Sweden.

V. M. SHELKOVICH

Department of Mathematics, St. Petersburg State Architecture and Civil Engineering University, 2-ja Krasnoarmeiskaya 4, 190005, St. Petersburg, Russia.



> CAMBRIDGE UNIVERSITY PRESS Cambridge, New York, Melbourne, Madrid, Cape Town, Singapore, São Paulo, Delhi, Dubai, Tokyo

> > Cambridge University Press The Edinburgh Building, Cambridge CB2 8RU, UK

Published in the United States of America by Cambridge University Press, New York

www.cambridge.org Information on this title: www.cambridge.org/9780521148566

© S. Albeverio, A. Yu. Khrennikov and V. M. Shelkovich 2010

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 2010

Printed in the United Kingdom at the University Press, Cambridge

A catalogue record for this publication is available from the British Library

ISBN 978-0-521-14856-6 Paperback

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party internet websites referred to in this publication, and does not guarantee that any content on such websites is, or will remain, accurate or appropriate.

To Solvejg, Irina, Evgenia

Contents

	Preface	<i>page</i> xi
1	<i>p</i> -adic numbers	1
1.1	Introduction	1
1.2	Archimedean and non-Archimedean normed fields	1
1.3	Metrics and norms on the field of rational numbers	6
1.4	Construction of the completion of a normed field	10
1.5	Construction of the field of <i>p</i> -adic numbers \mathbb{Q}_p	14
1.6	Canonical expansion of <i>p</i> -adic numbers	15
1.7	The ring of <i>p</i> -adic integers \mathbb{Z}_p	19
1.8	Non-Archimedean topology of the field \mathbb{Q}_p	21
1.9	\mathbb{Q}_p in connection with \mathbb{R}	25
1.10	The space \mathbb{Q}_p^n	33
2	<i>p</i> -adic functions	35
2.1	Introduction	35
2.2	<i>p</i> -adic power series	35
2.3	Additive and multiplicative characters of the field \mathbb{Q}_p	40
3	<i>p</i> -adic integration theory	47
3.1	Introduction	47
3.2	The Haar measure and integrals	47
3.3	Some simple integrals	51
3.4	Change of variables	52
4	<i>p</i> -adic distributions	54
4.1	Introduction	54
4.2	Locally constant functions	54
4.3	The Bruhat–Schwartz test functions	56
4.4	The Bruhat–Schwartz distributions (generalized functions)	58
4.5	The direct product of distributions	63

Cambridge University Press	
978-0-521-14856-6 - Theory of p-adic Distributions: Linear and Nonlinear M	Models
S. Albeverio, A. Yu. Khrennikov and V. M. Shelkovich	
Frontmatter	
More information	

viii	Contents	
4.6	The Schwartz "kernel" theorem	64
4.7	The convolution of distributions	65
4.8	The Fourier transform of test functions	68
4.9	The Fourier transform of distributions	71
5	Some results from <i>p</i> -adic \mathcal{L}^1 - and \mathcal{L}^2 -theories	75
5.1	Introduction	75
5.2	\mathcal{L}^1 -theory	75
5.3	\mathcal{L}^2 -theory	77
6	The theory of associated and quasi associated homogeneous	
	<i>p</i> -adic distributions	80
6.1	Introduction	80
6.2	<i>p</i> -adic homogeneous distributions	80
6.3	<i>p</i> -adic quasi associated homogeneous distributions	83
6.4	The Fourier transform of <i>p</i> -adic quasi associated homogeneous	
<i>.</i> -	distributions	93
6.5	New type of p -adic Γ -functions	94
7	<i>p</i> -adic Lizorkin spaces of test functions and distributions	97
7.1	Introduction	97
7.2	The real case of Lizorkin spaces	98
7.3	<i>p</i> -adic Lizorkin spaces	99 102
7.4	Density of the Lizorkin spaces of test functions in $\mathcal{L}^{\rho}(\mathbb{Q}_p^n)$ The theorem of μ order means late	102
8 8.1	The theory of <i>p</i> -adic wavelets Introduction	106
8.1 8.2		106 111
8.2 8.3	<i>p</i> -adic Haar type wavelet basis via the real Haar wavelet basis	111
8.3 8.4	<i>p</i> -adic multiresolution analysis (one-dimensional case)	112
8.5	Construction of the <i>p</i> -adic Haar multiresolution analysis Description of one-dimensional 2-adic Haar wavelet bases	113
8.5 8.6	Description of one-dimensional <i>p</i> -adic Haar wavelet bases	121
8.0 8.7	<i>p</i> -adic refinable functions and multiresolution analysis	120
8.8	<i>p</i> -adic separable multidimensional MRA	140
8.9	Multidimensional <i>p</i> -adic Haar wavelet bases	151
	One non-Haar wavelet basis in $\mathcal{L}^2(\mathbb{Q}_p)$	151
8.11	One infinite family of non-Haar wavelet bases in $\mathcal{L}^2(\mathbb{Q}_p)$	161
8.12	Multidimensional non-Haar <i>p</i> -adic wavelets (Q_p)	166
8.13	The <i>p</i> -adic Shannon–Kotelnikov theorem	168
8.14		170
9	Pseudo-differential operators on the <i>p</i> -adic Lizorkin spaces	173
9.1	Introduction	173
9.2	<i>p</i> -adic multidimensional fractional operators	175
9.3	A class of pseudo-differential operators	182
	1 1 1	-

Cambridge University Press	
978-0-521-14856-6 - Theory of p-adic Distributions: Linear and Nonlinear M	Iodels
S. Albeverio, A. Yu. Khrennikov and V. M. Shelkovich	
Frontmatter	
More information	

	Contents	ix
9.4	Spectral theory of pseudo-differential operators	184
10	Pseudo-differential equations	193
	Introduction	193
	Simplest pseudo-differential equations	194
10.3	Linear evolutionary pseudo-differential equations of the first	107
10.4	order in time	197
10.4	Linear evolutionary pseudo-differential equations of the second order in time	202
10.5		202
10.5 11	Semi-linear evolutionary pseudo-differential equations A <i>p</i> -adic Schrödinger-type operator with point interactions	203
	Introduction	209
	The equation $D^{\alpha} - \lambda I = \delta_x$	209
	Definition of operator realizations of $D^{\alpha} + V$ in $\mathcal{L}_2(\mathbb{Q}_p)$	210
	Description of operator realizations of $D = V \ln \mathcal{L}_2(\mathbb{Q}_p)$ Description of operator realizations	210
	Spectral properties	218
	The case of η -self-adjoint operator realizations	219
	The Friedrichs extension	221
	Two points interaction	224
	One point interaction	224
11.)	Distributional asymptotics and <i>p</i> -adic Tauberian theorems	220
	Introduction	230
	Distributional asymptotics	230
	<i>p</i> -adic distributional quasi-asymptotics	231
	Tauberian theorems with respect to asymptotics	234
	Tauberian theorems with respect to quasi-asymptotics	240
13	Asymptotics of the <i>p</i> -adic singular Fourier integrals	247
	Introduction	247
	Asymptotics of singular Fourier integrals for the real case	249
	<i>p</i> -adic distributional asymptotic expansions	250
	Asymptotics of singular Fourier integrals $(\pi_1(x) \equiv 1)$	251
	Asymptotics of singular Fourier integrals $(\pi_1(x) \neq 1)$	259
	<i>p</i> -adic version of the Erdélyi lemma	261
14	Nonlinear theories of <i>p</i> -adic generalized functions	262
14.1	Introduction	262
14.2	Nonlinear theories of distributions (the real case)	264
14.3	Construction of the <i>p</i> -adic Colombeau–Egorov algebra	270
14.4	Properties of Colombeau–Egorov generalized functions	272
14.5	Fractional operators in the Colombeau–Egorov algebra	276
14.6	The algebra \mathcal{A}^* of <i>p</i> -adic asymptotic distributions	278
14.7	\mathcal{A}^* as a subalgebra of the Colombeau–Egorov algebra	284

X	Contents	
А	The theory of associated and quasi associated	
	homogeneous real distributions	285
A.1	Introduction	285
A.2	Definitions of associated homogeneous distributions and their	
	analysis	287
A.3	Symmetry of the class of distributions $\mathcal{AH}_0(\mathbb{R})$	295
A.4	Real quasi associated homogeneous distributions	298
A.5	Real multidimensional quasi associated homogeneous	
	distributions	308
A.6	The Fourier transform of real quasi associated homogeneous	
	distributions	313
A.7	New type of real Γ -functions	314
B	Two identities	317
С	Proof of a theorem on weak asymptotic expansions	319
D	One "natural" way to introduce a measure on \mathbb{Q}_p	331
	References	333
	Index	348

Preface

For a few hundred years theoretical physics has been developed on the basis of real and, later, complex numbers. This mathematical model of physical reality survived even in the process of the transition from classical to quantum physics – complex numbers became more important than real, but not essentially more so than in the Fourier analysis which was already being used, e.g., in classical electrodynamics and acoustics. However, in the last 20 years the field of *p*-adic numbers \mathbb{Q}_p (as well as its algebraic extensions, including the field of complex *p*-adic numbers \mathbb{C}_p) has been intensively used in theoretical and mathematical physics (see [1]–[3], [10]–[15], [24], [35], [38], [43], [44], [55], [64], [65], [77]–[79], [89], [94], [115]–[122], [123], [124], [133], [157], [158], [174], [198], [241]–[246] and the references therein). Thus, notwith-standing the fact that *p*-adic numbers were only discovered by K. Hensel around the end of the nineteenth century, the theory of *p*-adic numbers has already penetrated intensively into several areas of mathematics and its applications.

The starting point of applications of *p*-adic numbers to theoretical physics was an attempt to solve one of the most exciting problems of modern physics, namely, to combine consistently quantum mechanics and gravity, thus to create a theory of quantum gravity. In spite of the considerable success of some models, there is still no satisfactory general theory. In the physical literature one could even find discussions that one should not exclude the possibility that either quantum mechanics or gravitation theory is wrong, and radical new ideas are needed to solve the problems of quantum gravity. Physical models with *p*-adic space appeared as an attempt to provide a less radical approach to such problems (see [39], [40], [41], [77], [79]). The main idea behind *p*-adic theoretic physics (at least in the first period of its development) was that troubles with consistency of quantum mechanics and gravity are induced by the use of an infinitely

xii

Preface

divisible real continuum as the basic mathematical model of the underlying physical space-time. One should then look for new mathematical models of space-time and of structures defined on it. The fields of *p*-adic numbers provide an excellent new possibility. In the literature on applications of *p*-adic numbers in physics numerous arguments have been put forward in favor of the use of *p*-adic numbers. For example, in cosmology and string theory, speculations have been formulated according to which space-time at the so-called Planck scale (of the order of 10^{-23} cm) should be disordered and the Archimedean axiom might be violated for measurements which would be performed on such scales (see [115], [116], [245], [246]). Since the fields of *p*-adic numbers are disordered as well as non-Archimedean it seems appropriate to exploit such fields in this sense. We also mention the following argument [116], [241]. If one starts with the field of rational numbers 1 $\mathbb Q$ and wants to obtain a complete field with K valuation ("absolute value"), then, as a consequence of the famous Ostrovsky theorem (Theorem 1.3.2 in Chapter 1), there are only two possibilities for K: either K is the field of real numbers or K is one of the fields of *p*-adic numbers \mathbb{Q}_p .

p-adic based models can be considered as having given an important new contribution to string theory, gravity and cosmology. However, the most important consequence of this *p*-adic physical activity was that it induced a kind of "Carnot cycle": physics \rightarrow mathematics \rightarrow physics... Physical applications induce developments of new mathematical theories which in their turn induce new physical applications (which in their turn induce new mathematical theories and so on). p-adic string theory, gravity and cosmology stimulated development, and new applications of p-adic Fourier analysis, the theory of *p*-adic distributions and pseudo-differential equations, the theory of selfadjoint operators in $\mathcal{L}^2(\mathbb{Q}_p)$, as well as, e.g., the theory of stochastic differential equations over the field of *p*-adic numbers, Feynman path integration over p-adics, the theory of p-adic valued probabilities and dynamical systems (see, e.g., the monographs [36], [115], [130], [157], [162], [241] and the papers [11], [13], [32]–[34], [129]–[130], [249]–[251]). In their turn these mathematical theories provide new possibilities for physical applications of *p*-adic mathematics – e.g. in the theory of disordered systems (spin glasses) ([43], [44], [162], [164], [199]). Applications were, however, not only restricted to physics. There were also proposed *p*-adic models in psychology, cognitive and social sciences, and, e.g., in biology, image analysis (see, e.g., [116], [117]).

¹ We recall that in all real physical experiments measurements have only a finite precision. Therefore the result of any measurement is always a rational number, see [241], [116] for discussions.

Preface

xiii

Those new applications stimulated the development of new branches of *p*-adic analysis, in particular, the theory of *p*-adic wavelets ([21], [131], [132], [142], [143], [144], [146], [147], [148], [162], [163], [164], [165], [225]). The latter theory provides new possibilities for the study of *p*-adic pseudo-differential equations, surprisingly not only linear but also nonlinear ones ([23], [143], [162], [166]). The wavelet theory also gives a proper technique to solve the *p*-adic Schrödinger equation with point interactions ([31], [169]). And again the possibility to obtain wavelet-like solutions of the *p*-adic Schrödinger equation implied interesting physical consequences [133].

Further applications demonstrated that one should consider more general non-Archimedean models (e.g., for spin glasses, psychology, neurophysiology) and develop a corresponding analysis on general ultrametric spaces ([131], [132], [135]–[138], [162]).

Of course, one should never forget that mathematics has its own selfstimulating forces in the development of new concepts and formalisms. Concerning *p*-adic analysis we should mention the development of harmonic analysis on general locally compact groups as well as its applications inside mathematics ([203], [105]). However, many problems are intrinsically of a *p*-adic nature and they could not be formulated or even if formulated they could not be studied in such details without the *p*-adic framework. We remark that a part of *p*adic analysis was also developed intensively without reference to physics; see, e.g., Gouvêa [98], Katok [112], Koblitz [152], Robert [204], Schikhof [214], Taibleson [230]. Nevertheless, many fundamental developments in *p*-adic analysis, such as [115]–[118], [157], [241], were indeed stimulated by physics and other applications.

When one speaks about *p*-adic analysis and applications, one should always mention which kind of *p*-adic model is under consideration. There are two main frameworks: either concerned with the relevant maps going from \mathbb{Q}_p into \mathbb{C} , where \mathbb{C} is the field of complex numbers, or from \mathbb{Q}_p into \mathbb{Q}_p . The first stage of development of *p*-adic mathematical physics for the model with \mathbb{C} -valued maps as well as the corresponding analysis was presented in the excellent book by Vladimirov, Vololvich, and Zelenov [241] which became like a kind of "Bible" for physicists using *p*-adic models as well as for mathematicians looking for new problems connected with *p*-adics. Let us also mention the book by Kochubei [157], which is also basically concerned with applications, especially covering probabilistic aspects. Physical, cognitive and psychological models using \mathbb{Q}_p -valued maps as well as the corresponding analysis were presented in a series of monographs by one of the authors of this book [115]–[117]. The latter models are more extensively represented (at the book level) than the models based on maps from \mathbb{Q}_p into \mathbb{C} .

xiv

Preface

We think the time has come to present the new mathematical theories which were developed in connection with *p*-adic mathematical physics in a monograph which would, on the one hand, update the book [241] by presenting and using new recent results and, on the other hand, open new possibilities for the development of *p*-adic analysis for maps from \mathbb{Q}_p into \mathbb{C} . Our book should serve for such a purpose. In this book a wide-ranging survey of many important topics in *p*-adic analysis is presented. Moreover, it also gives a self-contained presentation of *p*-adic analysis itself.

The main attention is given to the development of *p*-adic distribution theory, including nonlinear models, Fourier and wavelet analysis, the theory of pseudo-differential operators and equations, Tauberian theorems, and asymptotic methods.

The book consists of fourteen chapters and four appendixes. Every chapter begins with a brief summary of its contents and a brief survey of related results. Chapters 1–5 cover standard material to introduce the reader to the theory of p-adic numbers, p-adic functions and p-adic distributions. These chapters are based first of all on the books by Vladimirov, Vololvich, Zelenov [241], Taible-son [230], and Katok [112], as well as on those by Koblitz [152], Gouvêa [98], Robert [204], and Schikhof [214]. The next nine chapters are more advanced and are based on the authors' original results (see References). These chapters represent new developments in p-adic theory of wavelets, and in p-adic pseudo-differential operators and equations. In each chapter we compare p-adic results with the corresponding results in the real case.

In Chapter 6, we develop the theory of *p*-adic associated homogeneous distributions and quasi associated homogeneous distributions. The results of this chapter are closely connected with the theory of real quasi associated homogeneous distributions, which is presented in Appendix A and gives the solution of an important problem. In Chapter 7, we introduce the *p*-adic Lizorkin spaces of test functions and distributions and study their properties. These spaces are invariant under pseudo-differential operators (in particular, fractional operators), and, consequently, they provide "natural" domains of definition for them (see Chapters 9, 10). We would like to recall that in the real case this type of space was introduced by P. I. Lizorkin [180]-[182]. In the real setting such spaces play a key role in some problems related to fractional operators and are used in applications [210], [211], [206]. In Chapter 8, we develop a padic wavelet theory, as well as a p-adic multiresolution analysis and construct wavelet bases. The wavelet theory plays a key role in applications of *p*-adic analysis and gives a new powerful technique for solving *p*-adic problems (see Chapters 9–11). In Chapter 9 one class of multidimensional pseudo-differential

Preface

хv

operators is studied. This class includes fractional operators. In this chapter the spectral theory of pseudo-differential operators is developed. We derive a criterion for multidimensional *p*-adic pseudo-differential operators to have multidimensional wavelets (constructed in Chapter 8) and characteristic functions of balls as eigenfunctions. In particular, the multidimensional wavelets are eigenfunctions of the Taibleson fractional operator. In Chapter 10, linear and nonlinear *p*-adic evolutionary pseudo-differential equations are studied. To solve the Cauchy problems we develop the "variable separation method" which is an analog of the classical Fourier method. This method is based on the fact that the wavelets constructed in Chapter 8 are eigenfunctions of pseudodifferential operators constructed in Chapter 9. In Chapter 11 we continue the investigation of *p*-adic Schrödinger-type operators with point interactions started by A. N. Kochubei [156], and study $D^{\alpha} + V_{Y}$, where D^{α} ($\alpha > 0$) is the operator of fractional differentiation (which was studied in Chapter 9) and V_Y is a singular potential containing the Dirac delta functions. In Chapter 12, we extend the notion of regular variation introduced by J. Karamata to the p-adic case and prove multidimensional Tauberian type theorems for distributions. In Chapter 13, we study the asymptotic behavior of p-adic singular Fourier integrals. All constructed asymptotic formulas have the stabi*lization* property (in contrast to the asymptotic formulas in the real setting). Theorems which give asymptotic expansions of singular Fourier integrals are related with the Abelian type theorems which were proved in Chapter 12. In Chapter 14, we develop the nonlinear theory of distributions (generalized functions). We construct the algebraic technique which allows us to solve both linear and nonlinear singular problems of the *p*-adic analysis related with the theory of distributions. Notwithstanding the fact that the real case problems related with the multiplication of distributions were studied in many books and papers (see [57], [66], [68], [86], [97], [108], [176]–[179], [194]–[197], [218]– [222]), p-adic analogs of above mentioned problems have not been studied so far.

In our opinion, our book could serve as a basic course on *p*-adics and its applications, as well as for graduate courses such as: "the theory of *p*-adic distributions", "*p*-adic harmonic analysis", "the theory of *p*-adic wavelets", "the theory of *p*-adic pseudo-differential operators".

This research was supported in part by the grant of Växjö University: "Mathematical Modelling". The first and the third authors (S. A. and V. S.) were also supported in part by DFG Project 436 RUS 113/809 and DFG Project 436 RUS 113/951. The third author (V. S.) was also supported in part by Grants 05-01-04002-NNIOa and 09-01-00162 of Russian Foundation for Basic Research.

xvi

Preface

We wish to thank Ya. I. Belopolskaya, R. L. Benedetto, B. G. Dragovich, Yu. N. Drozzinov, A. Escassut, W. Karwowski, A. V. Kosyak, S. V. Kozyrev, S. Kuzhel, Hassan A. Marić, G. Parisi, V. I. Polischook, M. A. Skopina, V. S. Vladimirov, I. V. Volovich, B. I. Zavialov, V. V. Zharinov, K. Yasuda for fruitful discussions. We also are greatly indebted to Evgenia Sorokina for careful reading of this book and elimination of misprints.

Sergio Albeverio, Andrei Khrennikov, Vladimir Shelkovich

Bonn-Växjö-St. Petersburg-Moscow