

Cambridge University Press

978-0-521-15282-2 - *Dictyostelium: Evolution, Cell Biology, and the Development of Multicellularity*

Richard H. Kessin

Index

[More information](#)

# Index

AAC repeats, 40  
 aardvark, 194  
 ABP-120, 73–5, 82  
**ACA**, *see* adenylyl cyclase of aggregation (ACA)  
*AcaA*, 94, 96, 112  
 null mutant, 112  
*Acanthamoeba*, 37, 49, 67, 78  
**ACB**, *see* adenylyl cyclase (ACB)  
*Acetobacter xylinum*, 197  
**ACG**, *see* adenylyl cyclase of germination (ACG)  
*acgA*, 218–19  
*acrA*, 206  
 null mutant, 206  
**Acrasiales**, 12, 16  
**Aerasidae**, 7, 35  
**Acrasieae**, 11–12  
 acrasin, 16–18, 98, 122  
**Acrasiomycetes**, 35  
*Acrasis rosea*, 7, 35  
 actin, 38, 70–87, 100, 162  
 binding proteins, 62, 65, 71–8, 81, 131  
 cytoskeleton, 60, 70–5, 78–80, 86, 101, 104, 118  
 filaments, 71–85, 194, 196  
 genes, 50, 71  
 related protein, 69  
*see also* F-actin; G-actin  
**Acytosteliaceae**, 7  
*Acytostelium leptosum*, 33  
 adaptation  
 evolutionary, 27  
 receptor, 98–101, 106–9, 114, 123, 127–35, 180

adaptins, 67  
 adenosine, 106, 109–10, 169  
**adenylyl cyclase (ACB)**, 112, 158, 203, 206  
**adenylyl cyclase of aggregation (ACA)**, 60, 91, 95–6, 106, 108, 112–15, 117, 127, 129, 158, 168–9, 203–4  
**adenylyl cyclase of germination (ACG)**, 64, 112, 117, 158, 218–19  
 adhesion, 15, 18–19, 29, 140, 142, 158–65  
 cell–cell, 60, 127, 158–62  
 plaques, 78, 84  
 to substrate, 60, 75, 78, 84, 162–3, 192  
**β-adrenergic receptor kinase**, 113  
*Aerobacter* (now *Klebsiella*) *aerogenes*, 13, 22  
 aggregate, 10, 13–14, 139–65  
 adhesion in, 139–65  
 and sheath formation, 4, 22, 140–5, 174, 180  
 size, 2, 13, 125–7  
 tip formation, 4, 139–41, 146, 156–7, 163–4, 166–71  
 transition from loose to tight, 69, 141–3, 163–4, 185  
 aggregation, 2–7, 9, 16–18, 27–9, 91, 93–138  
 centers, 2, 17–18, 127, 131, 135–8  
 chemotaxis and, 2–4, 15–18, 27–9, 84–5, 93–138  
 models of, 135–8  
 number of genes required for, 56  
 pattern, 2, 4, 126  
 size of territories, 2, 13, 125–7, 135–8  
 transition to loose mound, 141–3  
 aimless, 113–14, 117  
**ALCs**, *see* anterior-like cells  
 altruism, 20, 29

## 286 INDEX

- amino acid, 41, 62, 93, 218  
 catabolism, 184  
 sequence, 36, 46
- ammonia, 25, 167, 185–6, 188–9
- ammonium carbonate, 189
- ammonium phosphate, 216
- amoebae, emergence, 22
- anchor, *see* membrane anchor
- anterior-like cells (ALCs), 15, 167, 173–8, 184, 191–4
- antibiotics, 49, 60
- antisense, 52, 93, 125, 127, 162, 213  
 regulation, 213
- apical disc, 191, 193
- apoptotic cells, 198
- arthropods, 21, 28, 174
- ATP, 17, 76, 112
- ATPase, 61–2, 67
- AT-rich, 37, 40, 48, 51, 55, 184–5, 221
- auto-activation, 220
- autophagic vacuole, 69
- autophosphorylation, 62
- axenic, 53, 63–6, 76, 90–1, 152–3, 159, 162
- Bacillus anthracis*, 21
- Bacillus fluorescens liquifaciens*, 10
- Bacillus megatherium*, 13
- Bacillus subtilis*, 21
- bacteria, 1, 10–14, 18, 21–2, 33, 35–6, 41, 59, 62, 64–8, 90, 93, 128, 152, 158, 187
- basal disc, 167, 190–4
- bicarbonate transporter, 62
- biochemistry, 18–19
- bisphosphonate drugs, 66
- blasticidin, 50, 53
- bleomycin, 49–50
- 8-Br-cAMP, 200, 202, 208, 211
- CACA repeat, 184
- Caenorhabditis elegans*, 22, 95, 155
- caffeine, 114, 168–9
- calcineurin, 118
- calcium, 61, 73–4, 84, 86, 116, 118, 121, 159, 189  
 channel, 61, 118  
 chelator, 19  
 in cytoskeleton mobilization, 104, 116–18  
 homeostasis, 62  
 influx, 84, 103, 110, 116  
 phosphate, 50  
 binding proteins, 118  
 uptake, 121
- calmodulin, 62, 118
- cAMP, 2–4, 16–18, 25, 27, 35–6, 70, 76, 96–116, 121–38, 141–3, 148–9, 153, 156–8, 160, 164–5, 168–9, 178, 180, 182–4, 187, 189, 202–4, 219, 222
- cAMP binding, 99, 106, 108–9, 130
- cAMP-dependent protein kinase (*see also* PKA), 115–16
- cAMP gradient, 4, 70, 76, 84, 98, 125, 128–37
- cAMP propagation, 2
- cAMP pulses, 96, 105, 112–13, 136, 141–3, 160, 202
- cAMP receptor (*see also* cAR), 75, 90, 94, 99–111, 125, 131–7, 158, 202–3, 205
- cAMP relay, 109, 158, 169, 178–80
- cAMP response, 94, 96, 100, 103, 107, 109, 119, 128
- cAMP secretion, 100, 112
- cAMP signal transduction, 103–16
- cAMP signaling, 116, 130, 136, 165, 222
- cAMP wave, 113, 129, 130, 136–7
- Cap32/34, 72–3
- capping, 72, 80  
 protein, 73, 79–81, 84
- cAR1, 60, 91, 117, 105–36, 142–3, 153, 187  
 and calcium uptake, 116–18  
 induction of, 96, 127–8  
 overexpression, 108  
 phosphorylation of, 107–9, 131  
 purification, 108  
 structure of, 77, 105–110
- cAR2, 105, 110, 117–18, 144, 164, 176
- cAR3, 105, 110, 117–18, 142, 181
- cAR4, 105, 110, 117
- carA*, 90, 94, 108, 110, 142  
 null cells, 94, 108, 110, 182  
 promoter, 96
- carB*, 110, 151–2, 164  
 null mutant, 151
- carbohydrate metabolism, 138
- carbonic acid, 62
- carbonic anhydrase, 62
- carC*, 54, 110, 142
- carD*, 110
- CA-rich sequence, 184
- $\beta$ -catenin, 194–5
- cDNA, 41, 111, 220, 225–6  
 antisense, 127  
 library, 51, 58, 108, 163
- celA*, 220–2
- celA* mRNA, 220–1
- celB*, 220–1
- celB* mRNA, 220
- cell-autonomous (events), 152–5, 163, 203
- cell behavior in slug, 138, 166–87
- cell-counting mechanism, 127
- cell cycle, 5, 31, 55, 89–93, 146, 152–5, 186
- cell death, 198
- cell density, 93, 126, 204
- cell fate, 30–1, 38, 95, 152–4, 176
- cell migration, 87, 125, 127, 157, 167, 209
- cell motility, 70–88
- cell movement, 2, 16, 27, 70–1, 79, 82, 85, 88, 101, 105, 119, 133, 145, 169, 178, 180  
 in slugs, 180
- cell sorting, 66, 147, 156–8, 165
- cell-to-cell signaling, 60
- cell-type conversion during slug migration, 155, 177–8, 181, 209

## INDEX 287

- cell types, 5, 27, 116, 143, 151–2, 155, 173, 187, 191, 193, 202  
 conversion, 155, 177–8, 181, 189, 209  
 heterogeneity, 152, 173–4, 193  
 cell type-specific gene expression, 110–41  
 cell type-specific genes, 139–40, 143–6, 176  
 cellular slime mold, 1, 12, 21, 35, 68  
 cellulase, 140, 212, 218, 221–2  
 promoter, 222  
 cellulose, 4, 6, 9, 22, 29, 57, 59, 140–1, 148–9, 180, 189–94, 210–16  
 binding, 214–15, 221  
 synthesis, 25–7, 141, 150, 197–9, 214–15, 222  
 centrosome, 87–88  
 cGMP, 62, 84, 89, 101–4, 112, 116–22, 131  
 synthesis, 108, 112  
 channels, 61  
*cheaters* (see *chtA*), 31  
 chemotaxis, 16–18, 25, 27, 29, 98–138, 199  
 and macrocyst formation, 25  
 auto-induction response, 127–8  
 developmental regulation, 116  
 mobilization, 128–31  
 motility control during, 118–21  
 overview, 98–9  
 chimeras, 31–3, 125, 156, 186, 199–205  
 chimeric development, 30–33  
 chimeric genes, 110  
 chimeric mixture, 162  
 choline, 60  
 chromosomes, 30, 40–3, 51, 56–7, 85, 213, 226  
*chtA*, 31–3, 186  
 clathrin, 64–5, 71, 86  
 and cytokinesis, 86  
 clathrin-coated pits, 64  
 CLU1 gene homologue, 69  
 CMF, *see* conditioned-medium factor  
 cofilin, 72, 74, 131  
 comitin, 68, 75  
 competition among amoebae, 29, 32  
 complementation, 53, 55, 69, 75, 77, 163  
 analysis, 164  
 groups, 49–51, 56, 66, 163, 185, 209  
 conditioned medium, 91, 149, 153  
 conditioned-medium factor (CMF), 89, 99, 125–7  
 contact site A (*see* gp80), 127  
 overexpression, 160–1  
 “contact sites B”-mediated adhesion, 159  
*contigs*, 41  
 contractile vacuoles, 21, 61–3  
 cooperativity, 20, 30  
 evolution, 1, 29–30, 39  
*Copromyxa protea*, 7  
 coronin, 65, 86, 101, 131  
 null mutant, 65  
 cortical expansion model, 79, 81  
 cortical network, 74–5  
 cortical tension, 83, 85  
*cotA*, 144, 150, 184, 214  
*cotB*, 144–5, 150, 180, 184, 213–14  
*cotC*, 145, 184–5, 213–14  
*cotD*, 213  
*counin* gene, 127  
 CP2, 145, 174  
*cprB*, 145, 174, 176  
 CRAC, 103–4, 113–14, 117, 121, 132–5, 203  
 cross-linking, 75, 79, 81–2, 211  
 cross-linking proteins, 73–5, 82  
 crown, *see* macropinocytotic crown  
 Crown Group, 35–7  
 CRTF, 91, 96, 128  
*csaA*, 159–61  
 CudA, 186  
 culmination, 5, 11, 167–8, 174–5, 181–3, 185–6, 188–209  
 anatomic details, 193–5  
 defective mutants, 186, 208–9  
 early steps, 189–92  
 mid to late, 194  
 morphology, 209  
 prespore cells in, 199  
 stages, 5–6, 10, 190, 200  
 cycloheximide, 218  
 resistance, 56, 93  
 cysteine, 124, 213  
 cysteine proteinase, 25, 92, 144–5, 153, 174  
 cytokines, 182  
 cytokinesis, 70–2, 76–7, 84–6  
 cytokinins, 216  
 cytoplasm, 62, 115, 216  
 changes in, 216  
 cytoskeletal elements, 65–71, 75, 85, 101, 105, 116, 131, 162  
 cytoskeletal mutants, 66, 74  
 cytoskeleton (*see also* actin cytoskeleton;  
 microtubule cytoskeleton), 62, 66, 70–5,  
 78–80, 84, 98–104, 118–19, 121, 131,  
 135, 180, 186–8  
 mobilization, 66, 70, 98, 100, 121, 135  
 calcium in, 116–18  
 signaling, 84–5  
 Dauerlarvae, 22  
*DdMEK1*, 119  
*Ddmyb2*, 128  
*Ddp1* plasmids, 44–5, 51  
*Ddp2* plasmids, 44–5  
*DdSRF*, 208  
*dd-STATA*, 182–4, 189, 202  
 de-adaptation, *see* adaptation of receptor  
 de-differentiation, 155, 187, 203  
*de novo* nucleation, 79, 82  
 desensitization, 106, 112, 128  
 development  
 growth-specific events during, 92–3  
 growth transition to, 89–97  
 developmental  
 arrest, 163  
 cycles, 1, 9, 20, 25, 55, 184  
 events/programs, 41, 50, 89, 138, 187, 198, 222

Cambridge University Press

978-0-521-15282-2 - *Dictyostelium: Evolution, Cell Biology, and the Development of Multicellularity*

Richard H. Kessin

Index

[More information](#)**288 INDEX**

- developmental (*cont.*)  
 pathways, 35, 160  
 regulation, 18, 25, 49–50, 87–95, 109,  
 116–17, 122, 128–9, 140, 162, 164,  
 209–10  
 stage, 2, 186  
*DhkA*, 203–7  
*dhkA-D*, 203  
 null mutants, 203, 205  
*DhkB*, 203, 206, 219  
*DhkC*, 186, 203, 206  
*Dictyostelids*, 2, 7, 12, 20, 28, 30, 35, 37, 47,  
 148  
*Dictyostelium*, 7, 27, 38  
 articles for non-scientists, 224–5  
 books, 223–4  
 distribution of amoebae, 21  
 evolution, 20–39, 75, 136  
 haploid nature, 32, 55  
 resources, 223–6  
*Dictyostelium caveatum*, 14–15, 33–5, 171  
 parasitism, 33–5  
*Dictyostelium discoideum*  
 classical experiments of Kenneth Raper,  
 12–15  
 competitors and predators, 21–2  
 development, 1–2, 13  
 developmental stages, 5, 190  
 fate map, 14  
 growth, 2, 11, 13  
 history of research, 9–19  
 overview, 1–8  
 predators, 21–2  
*Dictyostelium firmibasis*, 45  
*Dictyostelium giganteum*, 6, 45  
*Dictyostelium lacteum*, 6  
*Dictyostelium minutum*, 33  
*Dictyostelium mucoroides*, 6, 9–12, 27, 31, 35,  
 45, 46, 57, 178–9  
*Dictyostelium polycephalum*, 29, 33  
*Dictyostelium purpureum*, 6, 22–3, 33, 44, 46  
*Dictyostelium rosarium*, 33  
*DIF*, *see* differentiation inducing factor  
 differentiation (*see also* de-differentiation;  
 spore differentiation; trans-differentiation), 29, 33, 87, 139–65, 183,  
 192, 202  
 markers, 139, 142, 144–65, 174, 177, 193,  
 205  
 differentiation inducing factor (DIF), 31, 118,  
 143, 147–52, 155–6, 174, 176, 183–4,  
 197, 202, 205  
 and prestalk gene expression, 151–2  
 bioassay, 148–9  
 hypothesis, 149, 152  
 responsive genes, 150  
 structure and biosynthesis, 148–9  
 dimethyl sulfoxide (DMSO), 218, 220–1  
*DIRS-1*, 46–7  
 discadeneine, 216–19  
 structure, 217  
 synthesis, 216–17  
*discoidin I*, 163  
 dissociated cells, 180, 187  
*DMSO*, *see* dimethylsulfoxide  
*DNA*, 44, 45, 50, 51, 198  
 polymorphism, 49  
 repair mechanisms, 49–50, 53  
 replication, 51, 92  
 synthesis, 49, 92  
*DokA*, 62–3, 203, 206  
 null mutant, 203  
 down-regulation, 106  
*Dpp1* plasmids, 44, 51  
*Dpp3* plasmids, 44  
*DRE*, 46–8  
*Drosophila*, 30, 47, 86, 95, 112, 144, 177  
*dynein*, 86–7  
*EcmA*, 51, 145, 173–6  
*ecmA*, 51, 144–52, 174–84, 191, 193  
 regulation, 183–4  
 promoter, 181–3, 193, 209  
 mRNA, 150  
*EcmA-β-gal*, 176  
*EcmB*, 173, 178  
*ecmB*, 174, 180–2, 190, 191, 193, 209  
 promoter, 178, 181, 184  
 mRNA, 150  
*E. coli*, *see* *Escherichia coli*  
*EDTA*, 159, 161  
*EF-1α*, *see* elongation factor  
*EGTA*, 159  
 electron-dense cell type, 195  
 electron microscopy, 64, 69, 212, 214  
 elongation factor 1α (EF-1α) sequences, 36–8,  
 74  
 embryonic cells, 59  
 embryonic organizer, 14–15  
 encapsulation (spores), 6, 199–209  
 encystment, 25  
 endocytosis, 65–6  
 endoplasmic reticulum (ER), 68, 75, 110, 159  
*Entamoeba histolytica*, 25, 67, 97, 185–6  
 epithelia, 59  
 epithelial cells, 194–5  
*ER*, *see* endoplasmic reticulum  
 erasure, 33  
*Erk2*, 117, 203  
*ErkB*, 114  
*Escherichia coli*, 13, 40, 51–4  
*ESTs*, *see* expressed sequence tags  
 ethanolamine, 60  
 eukaryotes, 18, 21, 28, 35, 37–8, 68–9, 86–7,  
 95, 97, 182  
 eukaryotic cells, *see* eukaryotes  
 eukaryotic evolution, 95  
 exocytosis, 199–214  
 expressed sequence tags, 202–3  
 extra-chromosomal palindromic sequence, 43–4  
 extra-chromosomal plasmids, 44  
 extra-chromosomal vectors, 50–51, 163

- F-actin, 68, 71–80  
  uncapping, 79–82
- F-actin-binding proteins, 72–4
- F-box protein, 186
- fate map, 14
- feeding, 9, 20, 22, 28, 33, 187, 220
- feeding zone, 93
- film resources, 225
- filopodia, 70–1, 75, 78, 84, 101, 133
- filopodin, 131
- fluid-phase markers, 64
- fluid-phase uptake, 64–5, 78
- folate, 21, 70, 111, 116, 119, 122, 128
- folic acid, 111, 122
- Fonticula alba*, 68
- Franke bibliographic database, 225
- frigid* mutant, 111
- frontal contraction model, 79
- fruiting bodies, 1–2, 5–7, 15, 20–2, 27–34, 55, 137, 167–72, 184–9, 192–3, 199, 216
- fruiting body size, 137
- fruiting stages, 11
- G1, 36, 92, 153
- G2, 92, 152–5
- G418, 50
- $\text{G}\alpha 1$ , 111, 117, 127
- $\text{G}\alpha 2$ , 111–21, 143
- $\text{G}\alpha 3$ , 111, 117
- $\text{G}\alpha 4$ , 111, 116–17, 164  
  null mutant, 111
- $\text{G}\alpha 5$ , 111, 117, 164
- $\text{G}\alpha 6$ , 7, 8, 117
- $\text{G}\beta$ , 111–17, 122, 131, 203  
  null mutant, 111–12, 116, 121, 128
- G-actin, 71–81, 84
- G-actin-binding proteins, 72
- G box-binding factor, *see* GBF
- G protein, 98–9, 109, 111–13, 116, 121–2, 127–8, 131–2, 164, 200, 204
- G protein-coupled receptors, 61, 108
- G protein-dependent signal transduction pathways, 111
- G-rich, 141, 185
- $\beta$ -galactosidase, 14, 50, 175, 177, 190, 208
- galuran, 200, 210–15
- GATA, 209
- GATC, 53
- GBF, 141–4, 148, 162, 164–5, 176, 181, 185, 202  
  null mutant, 141
- gbfA*, 164
- GC-rich sequence, 37
- GDP, 111, 114
- gene expression, 96, 110, 116, 141, 184, 221  
   $\text{celA}$ , 221–2  
  cell type-specific, 110, 181  
  CFM-induced, 127  
  reporter, 184, 221–2
- gene knockout, 50, 74
- gene regulation within prestalk and prespore zones, 180–5
- gene replacement, 50, 52–3
- genetic complexity of mound formation, 163–5
- genetic diversity, 28–30
- genetic heterogeneity, 28–9, 152
- genetic map, 40–1, 43, 46, 56–7, 226
- genetic marker, 53, 56–7, 139
- genetic nomenclature, 51
- genetics, 40–58, 70, 88  
  asexual, 49  
  molecular, 50–5  
  parasexual, 55–7, 163  
  sexual, 25, 49, 57–8
- genome, 40–58  
  AT-rich, 37, 40, 45, 48, 51, 55  
  DNA repair mechanisms, 49–50, 53  
  mobile elements, 45–6  
  sequence project, 41  
  size, 40  
  transposable elements, 44–8
- genomics, 58, 88
- germ line, 30
- germination, 9, 49, 55, 64, 93, 112, 158, 200, 203, 210, 216–22  
  auto-activation, 220  
  inhibitors, 203, 216–18
- GFP, *see* green fluorescent protein
- GFP, CRAC–, 132–3
- GFP- $\gamma$ -tubulin, 88
- giant cell, 25–7, 30, 33, 57
- Giardia lamblia*, 37
- glorin, 6, 16, 35, 105
- glucan chain, 197
- glucose, 66, 93, 152–3, 197
- glucuronidase, 50, 67
- glutamate dehydrogenase, 188
- glycan, 159
- glycogen, 18, 152, 192, 216
- glycogen phosphorylase, 150
- mRNA, 150
- glycogen synthase kinase-3 (GSK-3), 38, 183, 192, 195
- glycoprotein, 90, 105, 108, 124–5, 140, 193, 200, 211, 215
- glycosidases, 25, 90
- glycosylation, 68, 160, 215
- GMP-synthetase, 92
- Golgi, 68, 110, 159, 200
- gp24, 158–61
- gp64, 162
- gp80 (*see contact site A*), 127, 158–62
- gp150 (*see lagC*), 161–2, 164
- gpaD*, 164
- gpaE*, 164
- gradient (*see also* cAMP; heat; temperature)  
  DIF, 148  
  folate, 21, 70, 111, 122  
  inhibitor, 167–71  
  morphogen, 176  
  positional, 144–7

**290 INDEX**

- gradient-like expression, 184, 200  
 grafting experiments, 14  
 Gram-positive bacteria, 21  
 green fluorescent protein (GFP), 14, 26, 50, 52–3, 59, 71, 87–8, 108, 132–3, 157  
 Grimson's constriction, 193, 195  
 growth-specific events during development, 92–3  
 growth-specific genes, 44  
 growth transition to development, 89–97  
*GSK-3*, *see* glycogen synthase kinase-3  
*gskA*, 192, 208–9  
 GTP, 111–14  
 GTPase, 67, 84–6, 164, 200  
 GTP-binding protein, 61, 85, 99, 103, 105, 110–12, 121, 142  
 GTP $\gamma$ S, 85, 111–14, 121, 127, 129  
*guaA*, 92  
 guanylyl cyclase, 62, 85, 99, 107, 111–12, 114, 118–19, 121–2  
*Guttulina rosea*, 7  
*Guttulinopsis*, 7
- Hartmanella*, 7, 25  
 heat gradient, 5, 16, 22, 171–3  
 heat shock, 47, 218–19  
 heat-shock promoter, 47  
 heterologous gene expression, 45, 222  
 hisactophilin, 62, 75  
 histidine kinases, 62, 94, 105, 115, 186, 202–7, 219, 222  
 HM44, 151–2  
 homologous recombination, 52–4, 61, 74, 76, 78–9, 218  
 homophilic binding, 159–60  
 hunchback, 95  
 hybridization, 4  
   kinetics, 41  
   probe, 40  
 hygromycin, 50  
 hyperosmotic environment, 62  
 hyperosmotic stress, 62
- inositol tris-phosphate (IP<sub>3</sub>), 118  
 insertional mutagenesis, *see* mutagenesis  
 interaptin, 75  
 intramembranous particles (IMPs), 198  
 introns, 40–1, 55, 110  
 isotope dilution method, 129–30
- junctional complexes, 38, 194–6
- K7, 87, 122  
 karyotype, 57  
 KI-10, 119–20, 122  
 kin selection, 29–30, 55  
 kinesin, 86–7  
*Klebsiella aerogenes*, 13, 22–3  
 knockout mutants, 32, 72, 108, 162, 216, 221
- lagC* (*see* gp150), 142–3, 161–4  
 leukocyte, 98, 135  
 life cycle, 1, 21, 29, 185, 224–5  
 ligands for two-component sensors, 206–8  
 lipid glycan, 159  
 lipid membrane anchor, 160  
 long terminal repeat (LTR), 45  
 longer-interspersed nuclear-element (LINE), 45–7  
 loose aggregate, 3, 5, 69, 139–43, 146, 152, 155–6, 163–5, 181, 185, 202  
 loose mound, *see* loose aggregate  
 lysosomes, 67–8
- macrocysts, 10, 20, 22, 25–33, 36, 41, 49, 55, 57–8, 222  
 macropinocytosis, 64–6, 71, 161  
 macropinocytotic crown, 65, 78  
 Mangold/Spemann organizer, 5  
 mannose-6-phosphate, 67–8  
 mannosidase, 67–8, 90  
 MAP (MT-associated protein), 86  
 MAP kinases, 103, 114, 119, 176, 206  
 marker genes (*see also* genetic markers), 50  
 markers (*see also* differentiation; fluid-phase markers; genetic marker; selectable markers)  
   cell type-specific, 147, 163, 165, 174, 176  
   prespore, 142, 144–5, 155  
   prestalk, 142, 145, 148, 152–5, 173, 193, 205  
 mathematical simulations, 135–8  
 MDR, *see* multi-drug resistance  
 membranes, 59–69  
   anchor, 60, 73, 159–60, 210  
   transiently connecting plasma membranes, 61–4  
 Mexican hat, 5–6, 167, 189, 192  
 microcysts, 1, 20–1, 25, 28–9, 125, 222  
 micro-domain, 60, 123, 129  
 microtubule (MT) cytoskeleton, 51, 86–8  
 mitochondria, 35–7, 48–9, 69, 92, 216  
 mitochondrial DNA polymorphisms, 49  
 mitochondrial genome, 48–9  
*modB*, 214  
 model(s)  
   cortical expansion, 79–82  
   CRAC function, 113, 133  
   directional sensing, 135  
   encapsulation of prepore cells, 205–9, 214–15  
   fluid phase protein diffusion, 60  
   frontal contraction, 79  
   growth to development transition mechanism, 91–2  
   lateral inhibition, 155–6  
   mathematical, 135–8, 224  
   myosin, 76  
   pattern formation, 144–8, 152, 155–9, 169  
   prestalk differentiation, 182–3  
   tail contraction, 79  
   modeling, 135–8  
   molecular genetics, *see* genetics

- molecular phylogeny, 35–9  
 morphogenesis, 12, 13, 15, 139, 143, 174, 202  
 morphogenesis mutants, 54, 111, 163  
 mound formation, 138, 163–5, 180  
 mRNA (*see also* individual genes), 18, 51, 92, 95  
 MT, *see* microtubule  
 MT-associated protein (MAP), 86  
 MT-organizing center (MTOC), 87–8  
 mucin repeats, 213  
 mucopolysaccharide, 4, 6, 22  
 multicellular  
     development, 20, 141, 220  
     organism, 35, 59  
 multidrug-resistance transporter gene (MDR), 61  
 mutagenesis, 51–8, 60, 153  
     antisense, 52, 127  
     chemical, 52, 66, 163, 186  
     insertional (REMI), 31, 49, 52–6, 60–1, 66, 85, 95–6, 112–14, 163, 171, 186, 209  
     random, 110  
*Myb*, 91, 96, 222  
*Myb*-response element, 221–2  
*Mycetozoa*, 12, 37–8, 223  
*myoA*, 78  
*myoB*, 78  
*myoB* overexpression, 78  
 myosin, 32, 71, 108, 118–19  
     conventional, 76–7  
     cytoskeleton, 70  
     heavy chain kinase, 76, 131  
     light chain kinase, 84, 101, 119  
     motor, 76–9, 86–7  
     phosphorylation, 62, 76–7, 80, 84, 101, 108, 118, 121–2  
     small, 32, 75, 78  
     structure, 77  
     unconventional, 71, 78–9  
 myosin I, 65, 73, 78–82  
 myosin II, 62, 70, 76–9, 84–5, 100, 104, 118, 121, 199  
 myxobacteria, 30  
*Naegleria*, 36  
 nanos response element (NRE), 91, 95  
*NC4*, 12, 25–6, 57  
 nematodes, 21–4, 28, 30, 140, 188  
     protection from, 140, 188  
     repulsion of, 23  
 non-LTR elements, 45  
 non-phototactic mutant slugs, 172  
*NRE*, *see* nanos response element  
 5'-nucleotidase, 169  
 null mutants (*see also* individual genes), 54  
 organelles, 59–69, 85  
 organizer, 5, 14–15, 168  
 organizing tip, 139, 168  
 osmolarity effects, 216, 219  
 osmosensor, 112, 203  
 osmotic conditions, 21, 62  
 osmotic stress, 62, 122  
 overexpression, *see* individual genes  
 pacemaker cells, 17–18  
*Paramecium*, 67  
 parasexual genetics, 43, 49, 55–7, 163–4, 185  
 parasite, 30–1, 35, 45  
 parasitism, 20, 30–5  
     *D. caveatum*, 33–5  
 pattern formation, 95, 110, 143, 199  
     in mound, 144–50  
 PCR, 87, 219  
 PDE, *see* phosphodiesterase  
 PDI, *see* phosphodiesterase inhibitor  
*pdiA*, 94  
*pdsA*, 90, 92, 123, 150  
 peroxisomes, 69  
 pH, 62, 75, 80, 84, 185  
 PH, *see* Pleckstrin Homology  
 pH sensor, 75  
 phagocytes, 13, 64  
 phagocytosis, 10, 13, 33, 35, 55, 57, 60, 64–7, 74–5, 162  
 phagosome, 68, 71  
 phenotype, 31–3, 39, 54, 74–5, 78, 110, 142, 145, 151, 159, 161–2, 164, 183, 197, 221  
     aggregateless, 94–5, 112–13, 123  
 phosphatidylinositol 4,5-bisphosphate, *see* PIP<sub>2</sub>  
 phosphatidylserine, 60  
 phosphodiesterase (PDE)  
     cGMP-specific, 118–19, 122  
     cyclic nucleotide (cAMP), 16, 36, 60, 90–2, 94, 99, 107, 114–15, 117, 121–8, 137, 142, 144, 156, 165, 176, 184, 186–7, 202–6  
     inhibitor (PDI), 91, 94, 99, 115, 117, 121–2, 124–6, 137, 180  
     overexpression, 123  
     RegA, 114–15, 186, 203–6  
 phospholipase C (PLC), 79, 111, 117–18  
 phosphorylation  
     actin, 71  
     cAR1, 106–9, 128, 131  
     DokA, 62  
     ErkB, 114  
     glycoproteins, 68  
     myosin, 62, 76–7, 84, 101, 108, 118, 120–1  
     RegA, 115, 206  
     severing proteins, 74, 80  
 phylogeny, 35–9  
*Physarum*, 9, 35, 37–8  
 pianissimo, 113–14, 121, 133, 203  
 pimaricin, 60  
 pinosome, 64–5, 71  
 PIP<sub>2</sub>, 72–3, 79, 84  
 PKA, *see* protein kinase A  
 PKA phosphorylation site, 108, 209  
*pkaA*, 206  
 PKB, *see* protein kinase B

## 292 INDEX

- plasma membrane, 59–62, 72–5, 80, 82, 85, 99, 110–14, 118, 129, 132–3, 159, 194, 197, 200–1, 210–12, 215  
 channels and pumps, 61  
 plasmids, 44–5, 50–4  
*Plasmodium falciparum*, 97, 185  
 PLC, *see* phospholipase C  
 Pleckstrin Homology (PH) domain, 113, 133–5  
 polarity, 5, 71, 76, 113, 169, 195  
 polarity of movement, 131–5  
 polysaccharide synthesis, 18, 200  
 polyosomes, 92, 216  
*Polysphondylium*, 7, 170  
*Polysphondylium pallidum*, 6, 12, 14, 25, 28–9, 33–5, 49, 56–7, 162, 169–71  
*Polysphondylium violaceum*, 6, 16, 29, 33, 105  
 ponticulin, 75, 82  
 precursor cells, 5–6, 13, 15–16, 20, 103, 155, 174  
 predator(s), 10, 21, 28  
 prespore cells (*see also* prespore markers; prespore promoters), 5–6, 15–16, 49, 141–7, 159, 166–7, 173–4, 176–8, 183, 186, 188–9, 192–3, 199–201, 204–9  
 prespore gene, 141, 150  
 expression, 110, 148, 180–1  
 promoter, 144, 180–1, 184–5  
 prespore segments and prestalk tips, 177–8  
 prespore vesicles (PSVs), 150, 177, 200–1, 204, 208, 210–11  
 prespore zone, gene regulation, 180–5  
 prestalk cells (*see also* prestalk markers; prestalk promoters), 5, 154–6, 159, 167, 174, 175, 193, 198  
 prestalk gene, 116, 144, 151–2, 181, 183  
 expression, 110, 149, 151–4, 176, 180–1  
 promoters, 144, 180–1, 185  
 prestalk tips and prespore segments, 177–8  
 prestalk zone, 193, 194  
 gene regulation, 180–5  
 prestarvation factor (PSF), 89–91, 96  
 prey, 1, 10, 20–1, 34–5, 66, 98  
 profilin, 72–3, 79  
 promoter, 41, 45, 47, 50, 55, 96, 116, 141, 150, 160, 165, 180, 190, 202  
 actin, 50, 94  
 ALC-specific, 177  
*carA*, 96, 142  
*carC*, 142, 181  
*celA*, 221–2  
*celB*, 222  
*cotB*, 184  
*cotC*, 184  
 discoidin, 90  
*ecmA*, 149, 175, 178, 181, 184  
*ecmB*, 181–3, 193, 209  
 PDE, 92, 122–3, 144, 176, 180  
 prespore, 184–5, 199, 208  
 prestalk, 185  
*tagB*, 151  
 V4, 93  
 V18, 92  
 proportionality, 12–15, 29, 155  
 protein kinase A (PKA), 91–7, 108, 115–18, 128, 142, 148, 153, 157–8, 169, 180, 183, 187, 200, 203–11, 219  
 mRNA, 91, 94–6  
 null mutant, 94  
 overexpression, 94, 158, 169, 204, 208  
 targets, 208  
 protein kinase B (PKB), 133–5  
 protein sequence analysis, 36  
 protein synthesis, 33  
 proteinases, 25  
 Protista, 35, 37–8  
 Protostelids, 35, 37, 38  
*Protostelium*, 7  
 psB, 214  
 pseudoplasmodium, 5, 9, 12, 14–15, 167, 172  
 pseudopodia, 70–1, 84, 101  
 pseudopods, 72–84, 128–32, 179  
 PSF, *see* prestarvation factor  
*pspA*, 144  
 mRNA, 150  
*pstA*, 146–7, 175–94  
*pstAB*, 146, 175–84, 189, 192  
*pstB*, 167, 175–6, 183, 190  
*pstO*, 146–7, 175–94  
 PSV, *see* prespore vesicles  
 pterin, 16, 105, 143  
 receptor, 164  
*pufA* (pumilio/FBF), 91, 95  
 mRNA, 96  
 null mutant, 95  
 pumilio, 95  
 pumps, 61–3  
 purine biosynthetic enzymes, 92  
 pyrimidine biosynthetic genes, 38–9, 92
- RacE, 85  
*rasD*, 143–4, 176  
 RasD overexpression, 164, 176  
*RasG*, 85–6  
*RdeA*, 115, 186, 202–4, 206  
*rdeA*, 56, 206  
*rdeC*, 94  
 re-aggregation, 187  
*regA*, 115, 205–6  
 RegA, *see* phosphodiesterase  
 relay system, 2, 98, 180  
 relay theory, 17–18  
 REMI, *see* mutagenesis  
 REMI mutant, 35, 54–5, 96, 197, 205  
*rep* genes, 50  
 repeat(s)  
 AAC, 40  
 CACA, 184  
 long terminal, 45  
 mucin, 213  
 terminal, 46–7  
 tetrapeptide, 220

- replicating plasmids, 44–5  
 reporter gene, 141, 181  
 reporter-gene expression, 184, 221–2  
 restriction enzyme-mediated integration (REMI), *see* REMI  
 RFLP patterns, 12  
 ribosomal protein genes, 92  
 ribosomal RNA (rRNA), 36–7, 43–4, 69, 92  
 ribosomal sequence data, 36–7, 39  
 ribosomes, 92, 216–17  
*rtoA*, 153–4  
 ruffles, 65, 71, 85
- Saccharomyces cerevisiae*, 36, 93, 113, 122  
*Saccharomyces pombe*, 36, 122  
*Sappinia*, 7  
 scroll wave, 178–80  
 SDF-1, 203–4, 206–8  
 SDF-2, 203–4, 206–8  
 sea urchins, 30, 155  
 second messengers, 18, 99–105  
 selectable markers, 53, 56–7, 139  
 sequestration, 106  
 serpentine receptor genes, 110, 116  
*Serratia marcescens*, 14  
 severin, 73–4, 84, 118  
 severing, 72–4, 79–84  
 sexual genetics, 22, 25, 27–8, 49, 55–7, 60  
 sheath, 4, 22, 24, 139–41, 172, 174, 180, 187, 193, 197, 199  
 signal reception, 76, 131–2  
 signal relay, 89, 180  
 signal transduction, 18, 66, 69, 98–138, 142, 192, 219  
 pathways, 36, 38, 70, 75, 82, 91, 96, 98–138, 180, 206  
 signal transduction components beyond ACA, 114–15  
 signaling, mathematical simulations, 135–8  
 Skipper, 46–7  
 slime molds, 1, 8, 12, 21, 35  
 slug migration, 6, 171–2, 177–8, 183, 185, 188, 190  
     cell-type conversion during, 177–8  
 slugger mutants, 185–6, 189  
 slugs, 5, 14–15, 22, 24  
     cell movement in, 180  
     migration of, 6, 171–2, 177–8, 183, 185, 188, 190  
     morphology, 145–6, 175  
     movement toward light and heat, 171–3  
     prespore region, 15, 148, 155, 175–9, 186  
     prestalk region, 15, 148, 169, 173–81, 194  
     size, 12–13  
*smlA*, 127  
 social amoebae, 1, 8, 12, 20–1, 28–30, 33–6  
     ecology, 20–1  
 social insects, 29–30  
 soil, 1–2, 7, 20–2, 31, 33, 57, 59–61, 89, 161, 171–4, 192  
 soil amoebae, 12, 21, 25, 59, 61  
     bacteria, 21  
     creatures, 210  
     organisms, 49  
     predators, 21–2  
 sorocarp, 12, 14, 18, 216, 220  
 SP35, 213  
 SP52, 213  
 SP60, 145, 184, 213–14  
 SP65, 213  
 SP70, 184, 214  
 SP75, 213  
 SP85, 213–14  
 SP96, 145, 184, 213–15  
 spalten, 54, 164  
*spiA*, 145, 199–200, 208–9  
 spindle pole bodies, 87  
 spiral formation, 137  
 splice junctions, 41  
 spore coat, 64, 68, 184, 199–221  
     complex architecture, 210–11  
     proteins, 145, 154, 200, 211–15  
 spore-differentiation factor, *see* SDF  
 spore encapsulation, 6, 199–209  
 spore formation, 30–3, 201–22  
 spore germination (*see also* germination), 210–22  
     program, 219–22  
 spore wall, 69, 200, 212, 221  
 spores, 1–2, 6, 9, 13–15, 21–2, 27, 29–33, 56, 63, 69, 111, 125, 144, 152, 158, 170, 174–5, 186, 192, 198–222  
     cellulose synthesis in, 215  
     diploid, 56  
 sporogenous mutants, 204  
*stab*, 193  
 stalk cell(s), 6, 13, 20, 30–2, 69, 122–3, 144, 148–9, 153, 175, 178, 181, 192–9, 205, 208–9, 213  
     death, 198–9  
     de-repression, 198  
 stalk formation, 30, 195, 197–8, 201–4  
 stalk tube, 181, 183, 189–98, 208–9  
*stalky* mutants, 208–9  
 starvation, 1–5, 21–2, 25, 27, 89–98, 102–3, 116, 127, 152–5, 165  
     detection, 89–91  
     first events after, 93–7  
     response to, 22–7, 90  
 STAT proteins, 38–9, 182–4, 189, 202  
*stkA*, 208–9  
*stmF*, 119–22  
 stop codon, 40  
 streamer F mutant (*see also* *stmF*), 119–20, 122  
 stress fibers, 78, 84, 162  
 stress response, 47  
 substrate adhesion, 59, 75, 162–3, 192  
 suspended cells, 100–3  
*synag7* mutant, 113

## 294 INDEX

- Tag genes, 54
- tagB*, 42, 144, 151, 205
- null mutant, 151–2, 205
- suppression, 205
- TagB, 61
- tagC*, 42, 205
- TagC, 207
- tagD*, 42, 205
- talin, 75
- taxonomy, 35
- Tdd-1, 46–7
- Tdd-2, 46
- Tdd-3, 46
- temperature gradient, 171–3
- terminal complexes (TCs), 197–8, 215
- Tetrahymena*, 67
- thymidine, 50
- tight aggregate, elongation under control of tip, 166–7
- tight aggregate stage, 4–5, 10, 33, 54, 141, 151, 155, 158, 163–6, 181, 185, 197, 200–2, 205
- tip, 4, 14–15, 27, 34, 69, 145–6, 156, 166–71, 174, 177, 180, 187, 189, 191, 193, 200
- dominance properties, 168–9
- formation, 110–11, 168
- inhibition of formation of other tips, 167–71
- suppression, 169
- transplantation experiments, 167–8
- trans-differentiation, 174, 178, 208–9
- trehalose, 216
- trehalose-6-phosphate synthetase, 138
- tRNA, 48, 50–1
- tRNA genes, 44, 46–48
- TTG sequence, 90
- TTGA sequence, 181–4
- tubulins, 36, 38, 86–8
- two-component histidine kinases (*see also* histidine kinases), 115, 206, 219, 222
- two-component sensors, ligands for, 206–8
- two-dimensional polyacrylamide gel electrophoresis (2-D PAGE) analysis, 93
- UDPG, 197
- UDPG polysaccharide transferase, 200
- UDPG pyrophosphorylase, 138
- UMP-synthetase, 92
- uracil, 50
- uropod, 82–4, 129
- V4 expression, 93
- V4 mutant, 95
- V4 overexpression, 93
- V12 strain, 25–6, 57, 149
- V18 promoter, 92
- vacuolar H<sup>+</sup>-ATPase, 62, 67
- vacuolar system, 21
- vacuolated stalk cells, 6, 193–4
- vacuolization, 198–9
- Vibrio fisherii*, 36
- video microscopy, 78, 153, 156
- video resources, 225–6
- Wariai*, 176
- water regulation, 61
- wave propagation, 136–7
- Websites, 225–6
- wild populations, 28–9
- Xenopus*, 30
- Xeroderma pigmentosum, 50
- YACs, *see* yeast artificial chromosomes
- YakA, 91, 93, 95–7
- overexpression, 93
- yakA* null mutant, 95
- yeast, 21, 37–9, 45, 47, 51, 53, 59, 69, 87, 92, 95, 182, 200
- yeast artificial chromosomes (YACs), 41, 43
- ZAK1 kinase, 192