

Author index

- Ackley, S. F. 39, 51
 Adam, D. P. 127, 133, 134, 218
 Adem, J. 247, 248
 Addicott, W. O. 67
 Adler, R. F. 5
 Ahlmann, H. W. 114, 117
 Albert, J. M. 130, 268
 Albrecht, F. 44, 225
 Alexander, T. xxi, 330
 Ambe, Y. 160
 American Meteorological Society 333
 Anderson, J. B. 60, 62, 64
 Anderson, J. L. 295, 310–16
 Anderson, J. R. 173
 Andrews, J. T. 129, 154, 156, 220
 Angell, J. K. 160
 Arakawa, H. 256, 260
 Aristotle 294
 Armstrong, J. G. 140, 196
 Armstrong, R. L. 67
 Arnold, G. W. 297–300, 298, 300
 Arnold, P. W. 271
 Asakura, T. 326
 Ashkanasy, N. N. 145
 Ashton, T. S. 310
 Atkinson, B. W. 178
 Atwater, M. A. 176, 177
 Auer, A. H. 281
 Australian Academy of Sciences 297
 Australian Bureau of Meteorology 150

 Bacastow, R. 275, 276, 290, 291
 Baerreis, D. A. 278, 320, 322
 Bagehot, W. 312
 Ballantyne, E. R. 303, 304
 Bandy, O. L. 64, 67
 Barker, P. F. 61
 Barkov, N. I. 79
 Barrett, E. C. 4
 Barry, R. G. 144, 150–66, 154, 165, 222, 340
 Basinski, J. J. 100
 Bates, D. R. 271
 Batten, E. S. 242, 263
 Baxter, M. S. 273, 285
 Becker, G. E. 270
 Bennett, D. 298

 Berger, A. L. 216
 Berger, W. H. 58
 Berggren, R. 296
 Berggren, W. A. 54, 58, 68
 Berghthorsson, P. 158, 159, 324, 325
 Berkner, L. V. 205
 Berlage, H. P. 170
 Berry, F. A. 255
 Bigg, E. K. 279
 Birrer, W. M. 273
 Bischof, W. 284, 285, 286
 Bjerknes, J. 49, 170, 180, 339
 Blasing, T. J. 153, 320
 Blifford, I. H. 277
 Bliss, E. W. 170
 Bloom, A. L. 87, 127, 212, 214, 216
 Bobek, H. 97
 Boer, G. J. 180
 Boland, F. M. 36
 Bolin, B. 286
 Bowler, J. M. 83, 87, 88, 89, 90, 91, 92, 99, 105, 106
 Bradley, R. S. 150, 152, 159
 Braslau, N. 276
 Bray, J. R. 130, 218, 256–62, 256, 257, 260, 261, 262, 275
 Breeding, R. J. 279
 Brinkmann, W. A. R. 323
 Broadbent, F. E. 271
 Broecker, W. S. 212, 214, 218, 219, 274, 291
 Brookfield, H. C. 123
 Brooks, C. E. P. 364
 Brotak, E. A. 178
 Bryan, K. 49, 50, 249
 Bryson, R. A. xxi, 127, 129, 150, 152, 157, 158, 159, 161, 162, 164, 165, 171, 274, 278, 283, 295, 316–27, 317, 318, 320, 321, 322, 323, 325, 326, 327, 350, 354, 355, 356, 359
 Buch, H. S. 244
 Budd, W. F. xxii, 51, 77, 212, 214, 216, 217, 226, 227, 228–34, 228, 230, 232, 350, 352, 354, 359
 Budyko, M. I. 43–4, 216, 220, 247
 Bull, C. 230
 Bunting, A. H. 161

Author index

- Burdecki, F. 191
 Burrows, C. J. 6, 152, 158, 202
 Business Week 331
 Butzer, K. W. 99, 125
 Bye, J. A. T. 50
 Byerly, T. C. 271

 Cadle, R. D. 277, 279
 Caine, N. 89
 Calder, N. xxi, 334
 Campbell, N. A. 298
 Canterford, R. 146
 Capurro, L. R. A. 38
 Carpenter, R. 295, 310, 320, 321
 Castleman, A. W. 279
 Caviedes, C. N. 187
 Ceplecha, V. J. 111
 Changnon, S. A. Jr. 176, 177, 178
 Chapman, S. 270
 Chappell, J. 76, 87, 88, 203, 211–24, 212, 213, 214, 215, 216, 218, 219, 220, 222, 223, 224, 225, 350, 352, 353, 358
 Charlesworth, M. 295, 334–8
 Charlson, R. J. 279
 Charney, J. G. 238, 278
 Chervin, R. M. 263
 Chester, R. 279
 Chriss, T. 58
 Chuan, G. K. 176
 Chu Ko-Chen 158
 Churchill, D. M. 97–108
 Chylek, P. 276
 Ciesielski, P. F. 59, 62, 67
 Claiborne, R. 209, 295, 312
 Clapp, P. F. 30
 Clark, E. C. 279
 Clark, F. 271
 Clarke, A. J. 49
 Climap Project Members xix, 70, 71, 72, 108, 113
 Climate/Food Research Group 325
 Coakley, J. A. Jr 276
 Cole, W. A. 313
 Colhoun, E. A. 113
 Collis, R. T. H. 308, 329
 Coote, G. G. 176
 Copernicus, N. 337
 Cornish, E. A. 176, 196
 Costin, A. B. 89, 93, 95
 Coughlan, M. J. xxii, 135–50, 185, 194–9
 Court, A. 150
 Coventry, R. J. 99, 104
 Cox, M. D. 49
 Cramer, J. 291
 Crary, A. P. 226
 Crowe, B. L. 8
 Crutzen, P. J. 270, 272

 C.S.I.R.O. 47
 Currey, D. T. 101, 102, 106
 Curry, L. 174
 Curtin, D. G. 28–9

 Dalby, D. 161
 Dansgaard, W. 77, 80, 127, 154, 163, 171, 202, 212, 215, 295
 Darbyshire, J. 36
 Darmstadter, J. 289, 290
 Dave, J. V. 276
 Davies, J. L. 114, 116
 Davis, R. 316
 Deacon, E. L. 160, 196
 Deacon, G. E. R. 38–9, 50
 Deane, P. 313
 Degens, E. T. 125, 126
 Deirmendjian, D. 264
 Delany, A. C. 277, 278
 de Lisle, J. F. 160
 Delmas, R. 81
 Denman, K. L. 45
 Denmead, O. T. 279
 Denton, G. H. 59, 60, 67, 131, 158, 202
 Derbyshire, E. 90
 Devereux, I. 56, 57, 68
 Dickinson, R. E. 245, 247
 Dickson, R. R. 159
 Dinger, J. E. 277, 281
 Dobson, G. M. B. 265
 Dodson, J. R. 91, 92, 93, 95, 106
 Donn, W. L. 216, 234
 Dordick, I. L. 295
 Dorman, F. H. 56, 57
 Douglas, R. G. 56, 66
 Douglass, A. E. 153
 Downey, W. K. 28
 Dreimanis, A. 214, 215
 Dronia, A. H. 140, 159
 Duce, R. A. 280
 Düing, W. 48
 Dunbar, M. 159
 Duplessy, J. C. 212
 Durham, J. W. 66
 Dutton, J. A. 27
 Dzerdzeevski, B. L. 158, 165

 East, G. 311
 Ebdon, R. A. 341, 342
 Ehrlich, A. H. 334
 Ehrlich, P. R. 334
 Eichenlaub, V. 176
 Ekdahl, C. A. 275
 Elton, W. M. 176
 Emery, K. O. 113, 121, 122
 Emiliani, C. 63, 68, 69, 128, 213, 214, 215
 Ericson, D. B. 63, 218

Author index

- Eriksson, E. 277
 Evans, M. J. 196
 Ewing, M. 216, 234

 Faegri, K. 262
 Fairbridge, R. W. 200–11, 202, 203, 225, 353
 Fairhall, A. W. 276, 283
 Farmer, J. R. 273, 285
 Feddes, R. G. 255
 Feyerabend, P. I. 336
 Fletcher, J. O. 51, 225
 Flint, R. F. 3, 98, 262
 Flohn, H. 3, 4, 124–34, 127, 128, 131, 132, 133, 134, 161, 170, 171, 216, 217, 231, 233, 234, 309, 350, 358
 Foley, J. C. 146, 296
 Folland, C. K. 164, 346
 Frakes, L. A. 53–69, 54, 57, 58, 60, 61
 Freney, J. R. 269–82, 279
 Frenzel, B. 3, 318
 Freyer, H. D. 285, 286
 Fridriksson, S. 296
 Fritts, H. C. 153
 Fuller, J. F. C. 310

 Gaffney, D. O. 142, 143
 Galbally, I. E. 269–82, 270, 271, 280
 Galbraith, K. A. 297–300, 300
 Gale, W. A. 98
 Galloway, R. W. 89, 97–108, 97, 105, 113, 123, 124
 Gandrud, B. W. 279
 Gani, J. 137
 Garratt, J. R. 273, 274, 283, 284, 288
 Gates, W. L. 70, 108, 109, 225, 234, 248, 255
 Gebhart, R. 292
 Geitzenuer, K. R. 55, 62, 64
 Gentili, J. 140, 160, 175
 Geyh, M. A. 202
 Gibbs, W. J. 135–50, 141, 146, 296, 350, 356, 358
 Gilchrist, A. 243
 Gill, A. E. 45, 49, 50
 Gillette, D. A. 278
 Giovinetto, M. B. 60, 158, 232
 Godfrey, J. S. 31–52, 49
 Goldberg, R. D. 38–9
 Golson, J. 296
 Gordon, A. L. 36–9, 50
 Gow, A. J. 131
 Grams, G. W. 277, 278
 Gray, B. M. 163
 Gray, W. M. 7
 Green, J. S. A. 30, 234–49, 243, 356
 Gribbin, J. 283
 Griffin, I. J. 278
 Grobecker, A. J. 270, 272

 Grove, J. M. 261
 Guillen, O. 50
 Gunn, J. M. 5, 160, 198

 Hadley, G. 16
 Hahn, J. 271
 Hall, C. A. S. 274, 291
 Haltiner, G. J. 239, 240, 247
 Hamada, T. 99, 106
 Hamon, B. V. 31–52, 36
 Hare, F. K. 211
 Harman, J. R. 176
 Harris, S. 308
 Harrison-Church, R. J. 161
 Hart, D. 123
 Hartigan, P. J. xxi
 Hastenrath, S. 185–90
 Haude, W. 97
 Hayes, D. E. 54, 57, 58, 60, 61
 Hays, J. D. 63, 68, 73, 74, 76
 Hays, P. B. 271
 Healy, T. V. 279
 Hecky, R. E. 125, 126
 Hegel, G. W. F. 335
 Hehr, J. G. 176
 Hellerman, S. 41
 Her Majesty's Stationary Office 135
 Herdman, H. F. P. 38
 Hess, W. N. 6
 Hesstvedt, E. 131
 Hester, N. E. 272
 Hitchcock, D. R. 279
 Hobbs, P. V. 177
 Hoffert, M. I. 291
 Hoffman, E. J. 280
 Hoffman, G. 149
 Hollin, J. T. 67, 216, 217, 228
 Hollister, C. D. 61
 Holton, J. R. 341
 Holzman, B. G. 176
 Hope, G. S. 92, 94, 113, 123
 Hopkins, D. M. 66, 67
 Hoskins, W. G. 260
 Hosler, C. L. 6
 Hsü, K. J. 209
 Huddleston, P. 212, 214
 Huff, F. A. 6, 176, 177
 Hughes, T. 131, 132, 232
 Hunkins, K. 65, 217
 Hunt, B. G. 243, 249, 263–8, 263, 264, 265, 267, 268, 270, 355
 Hunt, H. A. 295
 Huntington, E. 294, 361
 Hurlburt, H. E. 49
 Huzayyin, S. 278

 Imbrie, J. 63, 70, 248

Author index

- International Federation of Institutes for
Advanced Study xxi, 308
Ives, J. D. 125, 127, 133
- Jaenicke, R. 277, 278
Jagannathan, P. 137, 160
Jäkel, D. 202
Jeffreys, H. 22–3
Jenne, R. L. 5, 152, 167, 194
Jennings, J. N. 89, 101
Jenssen, D. 77–81, 80, 226, 228, 230, 234
J.G. 158
Johnsen, S. J. 80, 125, 162, 163
Johnson, A. I. 152
Johnson, D. R. 27
Johnston, H. S. 270, 272
Joint Organizing Committee for GARP 13,
124, 245
Jones, D. M. A. 176
Jones, E. L. 312, 314
Jones, R. 296
Judson, S. 278
Julian, P. R. 152
Junge, C. E. 276, 277, 278, 279
- Kac, A. L. 341
Kachelhoffer, S. J. 51, 225
Kalma, J. D. 112, 123
Kalnický, R. A. 165, 171
Kaplan, L. D. 292
Karelsky, S. F. 138
Karlén, W. 158, 202
Karpovich, R. P. 55
Karrow, P. F. 214, 215
Keany, J. 62, 64, 65, 68
Keeling, C. D. 273, 274, 275, 276, 283, 285,
286, 288, 289, 290, 291
Keliher, T. E. 39, 51
Keller, J. L. 267
Kelley, J. J. 171, 273
Kellogg, W. W. 7, 129, 133, 134, 308
Kemp, E. M. 54, 55, 57, 59
Kemp, R. A. 140, 196
Kennett, J. P. 55, 56, 57, 58, 62, 64, 65, 68,
212, 214, 218, 261
Kershaw, A. P. 88, 93, 94
Kevan, S. 294
Kidson, E. xv, 142, 171
Kidson, J. W. 171, 173, 174, 180
Kington, J. A. 152
Kinzl, H. 261
Kipp, N. G. 70
Kirch, R. 159
Kirk, R. L. 296
Klein, C. 99, 103
Knapp, W. W. 38
Kondratyev, K. Ya. 12, 129, 270, 276
- Köppen, W. xv, 256, 260
Korshover, J. 160
Kraus, E. B. 33, 146, 160, 165, 171
Krey, P. W. 272
Krinsley, D. B. 98, 103
Krishnamurti, T. N. 170
Kruss, P. 226
Ku, T. L. 212
Kuhn, T. S. 336
Kukla, G. J. 159, 219, 326
Kukla, H. J. 159, 326
Kulkarni, R. N. 273
Kutzbach, J. E. 5, 129, 161, 162, 164
Kyle, A. C. 180
- Lagomarsino, R. J. 272
La Marche, V. C. Jr 157, 158, 162, 164, 357
Lamb, H. H. xxi, 3, 124, 127, 129, 130, 131,
149, 152, 156, 157, 158, 159, 160, 163,
164, 165, 166, 203, 218, 222, 223, 225,
234, 256, 260, 261, 264, 268, 274, 283,
295, 310, 313
Landsberg, H. E. 130, 136, 152, 196, 204,
256, 260, 268, 306, 307
Langbein, W. B. 97, 98
Lawrence, E. N. 178
Lawson, T. L. 159, 165
Lazrus, A. L. 279
Lee, C. H. 176
Lee, R. B. 296
Leetmaa, A. 48
Le Masurier, W. E. 55
Le Roy Ladurie, E. L. 152, 156, 257, 260,
261, 295, 311, 312, 313
Libby, L. M. 285, 286, 324
Lighthill, M. J. 48
Lindzen, R. S. 341
Lliboutry, L. 227
Lloyd, J. W. 160
Lockwood, G. A. 129
Lockwood, J. G. 176
Loewe, F. 141, 142, 203
London, J. 171, 273
Longley, R. W. 176
Lorenz, E. N. 25–7, 30, 124, 243, 245, 339,
356
Lorius, C. 80, 230
Lovelock, J. E. 272
Lumb, F. E. 161
Lysgaard, L. 158
- Mabbutt, J. A. 296
McConnell, J. C. 270
McCormick, R. A. 148
MacCracken, M. C. 130, 263
McElroy, M. B. 270, 272
Machta, L. 288, 290

Author index

- McInnes, B. 77, 217, 226, 228–34, 228, 234
 McIntyre, A. 70, 127, 214, 215
 Mackintosh, N. A. 38
 McMullen, T. B. 280
 Macphail, M. K. 93, 116
 McQuigg, J. D. 330
 Maher, J. V. 135–51, 141, 146
 Maksimov, I. V. 162
 Manabe, S. 129, 219, 222, 242, 243, 244, 245, 247, 249, 263, 264, 265, 275, 291, 292, 293
 Manley, G. 115, 152, 256, 260, 262, 295, 306, 307, 312, 360–3
 Margolis, S. V. 55, 58
 Margules, M. 24
 Marshall, L. C. 205
 Martin, H. A. 108–24, 117, 121
 Marx, K. 335
 Mason, B. J. 296
 Mass, C. 129
 Mathieu, G. 217
 Matson, M. 159
 Matthes, F. E. 261
 Matthews, R. K. 127
 Maunder, W. J. 295, 296, 297, 310, 327–34, 329, 330
 Maurer, H. 141
 Maury, M. F. 1, 108
 Meadows, D. H. 334
 Meadows, D. L. 334
 Meinardus, W. 38
 Mercer, J. H. 55, 67
 Mesarovic, M. 8
 Meszaros, A. 277, 279
 Milankovitch, M. 76, 219
 Miles, M. K. 164
 Miller, D. B. 255
 Miller, G. H. 154, 156
 Miller, J. M. 283
 Milton, D. 291
 Mitchell, J. M. Jr 6, 137, 140, 143, 158, 160, 166, 174, 256, 283, 326
 Miyake, M. 45
 Molina, M. J. 270, 272
 Möller, F. 292
 Moncrief, L. W. 8
 Monin, A. S. 161
 Moore, R. N. 110
 Morgan, V. 77
 Mörner, N. A. 125, 127, 202
 Morton, B. R. 366–75
 Muffatti, A. H. J. 347
 Müller, H. 128
 Mulvaney, D. J. 296
 Muncey, R. W. 303
 Murray, R. 46, 339
 Myers, A. L. 291
 Namias, J. 46, 165, 170, 190, 339
 National Academy of Sciences 13, 328
 National Oceanic and Atmospheric Administration 297
 Newell, R. E. 20, 22–4, 27, 30, 216, 218, 286
 Newman, J. E. 308
 Newton, C. W. 12, 23–4, 164
 Niiler, P. P. 45
 Nikolsky, G. A. 129
 Nix, H. A. 112, 123
 O'Brien, J. J. 49
 'O'Brien, John' xxi
 O'Brien, L. F. 307
 Oliver, J. 152, 363–6
 O'Mahony, G. 144, 196
 Oort, A. H. 242, 268
 Opdyke, N. D. 68, 73, 75, 76, 214, 215, 216
 Öpik, E. J. 216
 Orheim, O. 158
 Orvig, S. 7
 Osborne, P. J. 125
 Ostapoff, F. 37
 Oswald, G. K. A. 131
 Otterman, J. 278
 Paddock, P. 327
 Paddock, W. 327
 Painting, D. J. 159
 Palmén, E. 164
 Paltridge, G. W. 246, 249–55, 249, 250, 251, 252
 Pandolfi, L. J. 285, 286
 Paterson, M. P. 357
 Patzelt, G. 262
 Pearman, G. I. 198, 273, 274, 282–93, 283, 284, 286, 288
 Perry, A. H. 144, 165, 340
 Perry, R. A. 110
 Pestel, E. 8
 Peterson, J. A. 93, 94, 108–24, 116, 123
 Peyinghaus, W. 130
 Pickett, R. C. 308
 Pierrehumbert, C. L. 141, 146
 Pittock, A. B. 1–8, 138, 144, 146, 160, 164, 167–79, 170, 171, 173, 175, 176, 177
 Plass, G. N. 283, 289, 292, 293
 Plato 320
 Pollack, J. B. 256
 Pond, S. 40
 Post, J. D. 311
 Potter, G. L. 130, 263
 Priestley, C. H. B. xv–xvii, 23, 149, 173, 350
 Privett, D. W. 44
 Pruppacher, H. R. 281
 Quenzel, H. 277
 Quinn, W. H. 175, 190

Author index

- Radok, U. xxii, 226, 227
 Raikes, R. 311
 Raine, J. I. 93
 Rakipova, L. P. 292
 Ramage, C. S. 50
 Rao, K. N. 160
 Rapp, R. R. 7
 Rasmussen, R. A. 279, 280
 Rasmusson, E. M. 242
 Rasool, S. I. 292
 Ratcliffe, R. A. S. 46, 339–49, 339, 345
 Raynaud, D. 80, 81
 Reck, R. A. 263
 Reed, R. J. 265, 341
 Reid, G. C. 208, 209, 210
 Reitan, C. H. 256, 283, 293, 326
 Reiter, E. R. 131
 Renner, E. D. 270
 Revelle, R. 291
 Riley, J. P. 279
 Riordan, P. 146, 150
 Robertson, G. W. 330
 Robin, G. de Q. 131, 226
 Rockefeller Foundation 308
 Rodewald, M. 159, 326
 Rodgers, C. D. 236
 Rodhe, H. 161
 Rotty, R. M. 289
 Rowland, F. S. 270, 272
 Rowntree, P. R. 180
 Royal Meteorological Society 3
 Ruddiman, W. F. 65, 68
 Russell, H. C. xv
 Russell, J. S. 297
 Russell, P. B. 277, 278
 Russo, J. A. 329
 Rutford, R. H. 59
 Ryther, J. R. 271

 Salinger, M. J. 5, 160, 198
 Salmela, H. A. 150
 Saltzman, B. 244
 Sancetta, C. 214
 Sanchez, W. A. 5, 164
 Savin, S. M. 56, 66
 Sawyer, J. S. 163
 Sax, R. I. 6
 Scanes, P. S. 303
 Schermerhorn, V. P. 176
 Schlegel, H. G. 270
 Schmeltekopf, A. L. 272
 Schmidt, F. H. 178
 Schmidt-Ten Hoopen, K. J. 178
 Schneider, S. H. 7, 129, 245, 247, 263, 291, 292, 308
 Schofield, E. K. 108
 Schumm, S. A. 101

 Schurr, S. H. 289, 290
 Schutz, C. 255
 Schutz, K. 271
 Schwarzbach, M. 3, 66
 Schwerdtfeger, W. 51, 158, 196
 Sellers, W. D. 245, 247, 248, 292
 Semonin, R. G. 6
 Setlow, L. N. 55
 Shackleton, N. J. 56, 57, 58, 62, 68, 69–76, 73, 75, 76, 108, 128, 214, 215, 216, 352, 353
 Shakespeare, W. xvi
 Shapiro, R. 341
 Shaw, D. M. 216
 Shaw, N. 362
 Shulman, M. D. 178
 Shumskii, P. A. 114
 Shutts, G. J. 243
 Simpson, J. R. 279
 Simpson, R. 28
 Singh, G. 97–108, 105, 127, 150, 295, 323
 Slatyer, R. O. 104
 Slicher van Bath, B. H. 311
 S.M.I.C. Report 245, 276
 Smil, V. 291
 Smith, A. 335
 Smith, E. J. 6
 Smith, I. N. 226
 Sneath, P. H. A. 204
 Snyder, C. T. 97
 Sorenson, C. J. 321
 Stark, L. P. 167
 Starr, V. P. 27, 241, 268
 Stewart, J. 160
 Stommel, H. 46
 Streten, N. A. 170
 Strickler, R. F. 292
 Struik, G. J. 262
 Suess, H. E. 291
 Sutcliffe, J. 103
 Sverdrup, G. M. 277
 Szekiolda, K. H. 48

 Talwani, M. 68
 Tanaka, M. 161, 164
 Taulis, E. 158
 Taylor, J. A. 308, 330
 Taylor, T. G. xv, 295
 Ten Brink, N. W. 202
 Terada, K. 260
 Thom, B. G. 150
 Thomas, M. K. 159
 Thompson, P. N. 239
 Thorarinsson, S. 260
 Thunell, R. C. 261
 Titow, J. 314
 Tolstikov, E. I. 38–9, 43–4

Author index

- Touchebeuf de Lussigny, P. 99
 Trenberth, K. E. 46, 164, 171, 196, 198
 Troughton, J. H. 286
 Troup, A. J. 170
 Tsuchiya, M. 36
 Tucker, G. B. 5, 16–31, 30, 160, 198
 Tudor, E. R. 104, 106
 Turekian, K. K. 216
 Twomey, S. 281–2
 Tyson, B. J. 280
 Tyson, P. D. 161

 Uffen, R. J. 209
 Untersteiner, N. 234
 U.S. Committee for GARP 3, 124, 135, 166, 246
 U.S. Navy Hydrographic Office 39
 U.S. News and World Report 331
 Utterström, G. 314

 van der Hammen, T. 67, 125
 van Donk, J. 214, 216, 217, 218
 van Geel, B. 125
 van Loon, H. 5, 32, 163, 167, 185, 191–4, 191, 194
 van Mieghem, J. 27
 Vasari, Y. 125
 Veeh, H. H. 212, 213, 214
 Veitch, L. G. 144, 171
 Vella, P. 58
 Vernekar, A. D. 215, 216, 220, 221
 Veryard, R. G. 341, 342
 Vinogradov, O. W. 230
 Virji, H. 161
 Vishnyakova, O. N. 292
 Vissy, K. 277, 279
 vonder Haar, T. H. 5
 von Neumann, J. xvii
 Vowinckel, E. 7, 194
 Vulis, I. L. 161

 Wagner, A. J. 161
 Wahl, E. W. 159, 165, 171, 176, 274
 Walker, D. 82–97, 127, 296
 Walker, G. T. 170
 Walsh, P. J. 297, 301–8, 303
 Ward, F. 341
 Warner, J. 6, 281
 Warshaw, M. 7
 Watkins, N. D. 218
 Weare, B. C. 263
 Weaver, F. M. 59, 62, 67
 Webb, P. N. 67

 Webb, T. iii, 323
 Webber, P. J. 154
 Webster, P. J. 28–9, 267, 356
 Weeks, W. D. 145
 Weertman, J. 220, 227
 Weidick, A. 202
 Weinberg, A. M. 2
 Wendland, W. M. 162, 283, 317, 318
 Wen-Hsiung, S. 157, 158
 Went, F. W. 280
 Wetherald, R. T. 129, 219, 222, 247, 275, 291, 292, 293
 Weyl, P. K. 127, 216, 218, 224
 Whitaker, G. L. 99
 Whitby, T. W. 279
 White, C. 296
 White, R. M. 241
 Wiesberg, L. 285, 286
 Wiesnet, D. R. 159
 Wijnstra, T. A. 127
 Wilkinson, C. S. 104
 Willett, H. C. 196
 Williams, G. E. 205
 Williams, J. 163, 185, 191–4, 191, 194, 225, 234, 245
 Williams, L. D. 154, 156
 Wilson, A. T. 67, 131, 216, 228, 234, 352
 Wilson, J. W. 176, 177
 Winkler, P. 280
 Winstanley, D. 161, 164, 165, 171
 Winstanley, G. 164
 Wojciechowski, T. A. 281
 Woldstedt, P. 124
 Wolfe, J. A. 66, 67
 Wollin, G. 63, 210, 216, 218
 Woodcock, A. H. 277
 Woodroffe, A. 127, 222, 223
 Wooldridge, D. D. 297
 Wooster, W. A. 50
 World Meteorological Organization 3, 138, 284, 296, 297, 308, 329
 Wright, H. E. 310
 Wright, P. B. 144, 160, 171, 173, 180–4, 182
 Wurm, S. A. 296
 Wyrski, K. 50, 190

 Yamamoto, T. 157–8
 Yevjevich, V. 166, 175
 Young, S. B. 108

 Zillman, J. W. 39, 43, 45, 356
 Zotikov, I. A. 226

Subject index

Individual glaciers, lakes and mountains are listed under these headings

- Aboriginal Australians
 - antiquity of, 84
 - effect of climate on, 295–6, 319
 - use of fire, 87
- abrupt events, 124–34, 162, 202, 217, 228, 320, 351–2, 354
 - possible causes of, 129–34
- Adelaide, South Australia, 149, 182, 196, 197
- Adelie Coast, Antarctica, 60
- aerosol, 276–80
 - effect on atmosphere, 276–7
 - gas-to-particle conversion, 279–80
 - mineral dust, 278
 - sea salt, 277
 - size distribution, 277
 - volcanic, 129–31, 235, 245–6, 357, 358, 359
- Africa
 - climatic fluctuations in, 161
 - cultural end-points, 319
 - former glaciation, 206
 - Lake Kivu, 125–6
 - monsoon rainfall, 185–7
 - Sahara, 164; glaciated, 206
 - Sahel, 161, 165–6
 - and standing waves, 5
 - South Africa rainfall, 161–2
 - tropics, 125
- age determination, 53, 61, 67, 68, 76, 212–16
- agriculture, 296–300, 332–3, 340
- Agulhas Current, 35, 36
- Agung volcano, Bali, 131, 263
- air temperature
 - and pack-ice cover, 51
 - see also* temperature
- Alaska, 66, 67
 - CO₂ concentrations, 275
 - glacial record, 202, 210
 - Wrangell Mountains, 67
- albedo, 15, 369
 - at 18,000 years BP, 71, 113
 - of clouds and CCN, 235, 251, 280–2
 - desert, feedback mechanism, 238, 278
 - feedback effects, 210, 224
 - of ice and snow, 51, 210, 224
 - of land, 238
 - in models, 237, 247, 251, 263
 - planetary, 11
 - reduction by soot, 134
- Aletsch glacier, European Alps, 228
- Alice Springs, Australia, 198
- alkalinity of oceans, 206, 274
- Allerød interstadial, 125–7
- almost-intransitivity, 31, 124
- Amery ice shelf, Antarctica, 232
- analyses of variance in forecasting, 341
- angular momentum, 17, 22, 23–4
 - flux, 28
 - transfer, 237, 244
- annual cycle, 138, 142, 143
- anomalies
 - meso-scale patterns, 176–8
 - 500 mb, 342, 343, 345
 - 200 mb, 347, 348
- Antarctic
 - circumpolar current, 35, 36–7, 50, 372
 - convergence (Polar Front), 37, 38, 39, 50, 58, 59, 65, 67, 69, 225, 234, 372
 - divergence, 38, 39
 - ice amount, 4; need to monitor, 133
 - ice cores, 61, 77–81, 125
 - ice surges, 60, 129, 131–3, 216, 217, 228–33, 309, 352, 354
 - ocean, 37–9, 194
 - pack-ice, 38–9, 51, 352
 - shelf-ice, 132, 232
- Antarctica
 - Amery ice shelf, 232
 - Antarctic Peninsula, 5, 55, 61
 - Bellingshausen Sea, 51, 59
 - bottom water formation, 37, 51
 - Byrd Station, 78, 79, 80, 125
 - Cape Adare, 60
 - dating stratigraphy, 61, 67, 68
 - Dry Valleys, 59, 60, 61
 - East Antarctic, 59, 60, 65, 77
 - eccentricity of, 167
 - ice masses of, 225
 - ice reaches sea level, 55
 - instability of, 131, 232
 - Jones Mountains, 59
 - McMurdo Station, 191–2
 - major drainage basins, 230, 232

Subject index

- Marie Byrd Land, 55, 60
 meltwater lakes under, 131
 Mirny Station, 78, 230
 need to monitor, 133
 palaeoclimatic record, 53–69, 210
 plants eliminated, 55
 recent temperature trends, 191–4
 Ross Ice Shelf, 55, 60, 67, 69, 131
 Ross Sea, 54, 55, 58–60, 65, 66
 SANA Station, 191–2
 and sea-level fluctuations, 202
 snow accumulation, 127, 158
 South Pole, 158
 Taylor Valley, 59, 60
 Transantarctic Mountains, 59, 60, 65
 Victoria Land, 55, 60
 Vostok Station, 78, 79, 80, 148
 Weddell Sea, 60, 62, 64, 132
 West Antarctica, 59, 65, 67, 131, 230, 232, 233
 Wilkes Land, 55, 60, 230–1
 Wright Valley, 60
 anthropogenic effects, on climate, 134, 269–93 *passim*, 350–1, 358–9
 local, 140, 152, 176–8, 196–8, 306
 anticyclonicity, 138
 aphelion, 10, 219, 222
 Apia, Samoa, 182
 Arafura Plains/Shelf, 112, 123, 372
 Arafura Sea, 82, 123, 175, 296, 372
 Aragonite, 276
 Arctic, 65, 68
 Baffin Island, 133, 159; Barnes ice cap, 154–6
 Ellesmere Island, 125
 during Hypsithermal, 125
 dust in stratosphere of, 131
 ice amount, 4
 open/frozen theory of ice ages, 216, 217
 melting of sea-ice, 350–1
 Ocean, 4, 7, 217
 tree-line movement, 321
 Voring Plateau, 68
 aridity, 82, 210
 during Quaternary low sea-level periods, 85
 Asia, 148, 167, 170, 172
 climatic fluctuations in, 158, 160, 161
 connection to Australia, 209, 295
 Atherton Tableland, N. Queensland, 83, 93, 94
 Lynch's Crater, 88
 Atlantic Ocean, 68, 76, 184
 Atlantic–Pacific circulation, 185–90
 influence of temperature on glaciation, 127, 222–5
 Atlanticum, *see* climatic optimum, 76, 125
 Atmosphere, 14
 circulation fluctuations, 163–6
 composition and modification of, 269–93
 evolution of, 204–5, 208
 general circulation, 16–31
 mathematical modelling of, 234–55
 patterns of variability, 167–79
 teleconnections, 180–91
 Australasian subantarctic front, 38, 39
 Australia
 Aborigines; antiquity of, 84, effect of climatic change on, 295–6, 319; use of fire, 87
 Bureau of Meteorology, 142, 150
 climatic gradients, past and present, 110–24
 closed lake records, 97–107
 connection to Asia, 209, 295
 crop yields; dependence on climate, 297–300
 desert, 7
 drought, 141
 extreme climatic events, 146
 flora, adaptation to drought and fire, 86–7
 historical climatic variations, 160, 163
 Holocene climates, 92–5
 late-glacial climates, 92–4
 palaeoclimatology, 179; advantages and limitations for, 84–7; Holocene, 92–5; Quaternary, 87–97
 present climate, 82–4, 109, 111
 rainfall; patterns, 109, 168–75; variations of, 137, 141, 144, 160–1, 163, 168–9, 170–3, 174, 175, 182, 194–6
 runoff pattern, 111
 temperature variations, 142, 147, 194, 196–9
 vegetation; climatic information from, 86; pattern of, 110
 geographic locations are indexed individually
 auto-correlation, 137, 138–9, 143–5, 161, 174, 180
 available potential energy, 24–7
 Baffin Island
 Barnes ice cap, 154–6
 and initiation of a glaciation, 133
 during 'Little Ice Age', 129, 154–6
 winters in, 159
 Bakers Hill, West Australia, crop production in, 298–300
 balance requirements, 22
 Barbados, West Indies, 127; coral reef record, 212–15
 baroclinic
 eddies, 27
 waves, 237, 239, 243

Subject index

- baseline monitoring stations, 284
- Bassiana, 112, 122–4
- Bass Strait
 - CO₂ concentrations, 285, 286–9
 - effect of sea-level changes on, 112, 123
- Bellingshausen Sea, 51, 59
- Benguela Current, 35, 36, 190
- Bering Strait, 7, 127, 295
- biomass, 13, 15
 - and CO₂, 273–4, 290–1
- biosphere, 246
 - and climate, 269–82, 288
 - evolution of, 206, 211
 - response to increasing CO₂, 291
- bioturbation, 76
- blocking, 237, 243
- bogs, 124
- Bölling interstadial, 125
- Bombay, 182
- bottom water formation, 37, 51
- boundary conditions
 - for climate modelling, 245, 250, 355–6
 - ice-age, 70–1, 108
- boundary layer, 236, 247
- Brazil
 - Current, 35, 36
 - rainfall, 185–90
 - sea-level record, 202
- Brisbane, Queensland, 149, 196, 197
- British Columbia, 172
- British Isles, 159, 165
- British Meteorological Service, short-term
 - climatic forecasting, 339–46
- Brúarjökull glacier, Iceland, 228–30
- Brunhes palaeomagnetic epoch, 62, 64, 68, 69, 216
- buildings, thermal performance of, 301–8
- Byrd Station, Antarctica, 78, 79, 80, 125
- California
 - historical data, 152
 - palaeoclimate, 67
 - White Mountains, tree rings in, 157
- Cambrian geological period, 206
- Cameron Valley, New Zealand, 158
- Camooweal, Queensland, 198
- Camp Century, Greenland, 79, 80, 81, 125, 127, 155, 162, 163, 212–15, 217
- Camperdown, Victoria, rainfall, 102–3
- Canada, temperature fluctuations, 159, 182
 - tree line, Arctic, 321
- Canadian archipelago, 125
 - see also* Baffin Island, Ellesmere Island
- Canary Current, 189, 190
- Cape Town, South Africa, 182
- capital works and equipment, changes in, 309
- carbonate
 - abundance, 61, 62, 63, 64, 65, 68, 69
 - and alkalinity of ocean, 274
 - compensation depth, 58
 - dissolution, 65
 - sedimentation, 58, 59
- carbon dioxide, atmospheric, 246, 263, 273–6, 282–93
 - annual cycle, 286–8
 - and biomass, 273–4, 288
 - climatic effects of, 247–8, 275–6, 282–3, 291–3
 - concentration increase, 274–5, 284–5
 - and fossil fuel combustion, 275, 285, 289–91
 - fluxes of, 286–9
 - and ocean, 274–6, 288
 - predicted increase, 275–6, 289–91
 - in primeval atmosphere, 204
 - withdrawal in upper cretaceous, 207–8
- carboniferous geological period, 206–7
- Caribbean
 - deep-sea cores, 68–9, 212–15
 - region, 185–90
- catastrophic climatic change, 124–34, 202, 217, 228, 320, 334–8, 351–2, 354
 - see also* Antarctic ice-surges
- causes of climatic change, 211–25, 256–68, 368–70
 - of abrupt change, 129–34
 - see also* theories of climatic change
- cave
 - deposits, 117
 - speleothems, 212–13, 214, 217
- Cenozoic, 53–68, 208–11
 - geological time units of, 54
 - palaeotemperature record, 56
- Central America, 185–90
- Central England temperatures
 - spectrum, 161–2
 - variation of, 156–7
 - and volcanism, 256–62
- Center for Climatic and Environmental Assessment, 332
- centres of action, 164
- Chad, Africa, 186
 - see also* Lake Chad, 97, 99
- chalk, 208
- Challenger Plateau, 58, 59, 62
- characteristic patterns, 169, 171–4, 175, 176, 178
- Charlotte Pass, New South Wales, 148
- Chile
 - dendroclimatology, 158, 164
 - La Serena, 161
 - precipitation in, 158, 160–1
 - Santiago, 158, 164, 182

Subject index

- China, temperature record, 157–8
 chlorine compounds, effect on ozone, 272
 chronological control, 85, 212–16
 see also dating
 circular reasoning, 314
 circulation
 atmospheric, 16–31; Atlantic–Pacific, 185–90; effect of volcanic eruption simulated, 263–8; Hadley, 16–17, 131, 173, 180; indices of, 164, 170; models of, 70, 110, 234–53, 263–8, 356, 358, 371–4; patterns of variation, 167–79; variations in, 163–6; Walker, 170, 180–5; zonally averaged, 237, 242–3
 of oceans, 34–8; alternations of, 217–18
 circumpolar vortex, 17, 27, 163–4, 165
 cirques, 114–17
 CLIMAP, xix, 69–73, 108, 109
 climate
 and agriculture, 296–300
 of Australian region; present, 82–4, 109, 111, 143, 168–75; Holocene, 92–5, 104–7; Quaternary, 87–97
 boundary conditions, 70, 108, 356, 359
 and buildings, 295, 297, 301–8
 and culture, 294–7, 316–27
 and decision-makers, 329
 definitions, 1–3, 135–7, 328
 dependence on, 309
 early, 53–69, 205–7, 209
 and economics, 296–7, 308–9, 311–12, 313, 314, 315, 324–5, 327–34, 335
 and evolution, 204, 206–7, 208–9, 294–6, 334
 fluctuations of, *see* climatic variation
 and food, 2, 8, 150, 211, 256–60, 296–8, 308, 309, 310, 311–12, 313, 314, 324–7, 328, 331, 332–3, 357
 and historians, 310–16
 and history, 295, 296, 309, 310–27
 human influence on, 134, 176–8, 301, 306, 307, 311, 328, 350–1, 358–9
 and industry, 340
 intransitivity/transitivity of, 31, 124, 245–6, 339
 models of, *see* modelling of climate
 modification, *see* modification of climate
 of New Guinea, 82–4
 prediction of, 134, 211, 339–59, 374–5; *see also* forecasts
 and politics, 308, 310, 327–34
 stability of, 339, 352
 as a thermodynamic problem, 355–6
 as a variable resource, 327–9
 variability of, *see* climatic variability
 climatic change, 366
 abrupt, 124–34, 162, 202, 217, 354
 Australian rainfall and temperatures, 194–9
 catastrophic, 124–34, 202, 217, 320, 334–8, 351–2, 354
 Cenozoic record, 53–69, 208–11
 and the cryosphere, 15, 225, 233–4
 and cultural change, 316–27
 cumulative effects of, 314
 definitions, 1–2, 136, 328
 historical record, 163–6, 310–15
 impact on mankind, *see under* agriculture, cultures, economic, food, impact of climate, etc.
 instrumental record, 158–61, 163–6, 191–9
 and migrations, 313, 321, 324, 327
 Quaternary record, 61–134
 rate of, 124–34, 309
 theories of, 129–34, 211–25, 256–68, 368–70; *see also* ice ages, theories of times of, 317–19
 climatic data
 from CLIMAP, 69–76
 glacial, 77–8, 154–6
 historical, 152, 161, 166, 310–12
 homogeneity of, 138–40, 194, 196, 199
 instrumental, 138–40, 152
 lake records, 88, 90–5, 97–108, 125–6
 proxy, 153–6, 166
 reliability of, 138, 310–12
 tree rings, 153–4
 climatic disasters xv, 2, 8, 320, 334–8
 see also catastrophic change, climatic extremes, drought, floods
 climatic engineering, 7, 8, 134
 climatic extremes, 144–51
 rainfall, 146, 150–1
 statistics of, 145–6
 temperature (Australia), 147–9
 climatic gradients and sea-level changes, 110–11, 113–24
 climatic indices, 138, 163, 170, 182–4, 314, 348–9
 climatic interactions, global scale, 7, 167–71, 173–4, 179, 180–4, 308–9
 climatic normals, 137, 150, 159
 climatic optimum, 76, 125
 climatic record
 Antarctic and Southern Ocean, 53–69
 Australian region, 82–97
 CLIMAP, 69–76
 from closed lakes, 97–107, 125–6
 historical, 152, 163–6, 310–15
 from ice, 77–81
 inhomogeneities in, 138–40, 196, 199, 370
 instrumental, 2, 138–50, 152, 158–61, 163–6, 191–9
 knowledge of, 370–1
 proxy, 153–6, 157–66 *passim*

Subject index

- climatic state, 135, 162, 328
- climatic system, 9–16
- climatic trends, 210, 211, 268, 326
 - Antarctica, 191–4
 - attitudes to, 334–8, 370
 - Australia, 194–9
 - future, 350–9
 - see also* forecasts
- climatic variability, 137–44, 352
 - evidence of, 150–66
 - impact of, xvi, xx, 296, 307–8, 310, 313, 328, 330
 - indices of, 140–3, 314
 - spatial patterns of, 167–79, 308
- climatic variation
 - abrupt, 124–34
 - causes/sources of, 129–34, 368–70
 - local, 176–9
 - range and importance of, 330–2
 - spatial patterns, 167–79
 - statistical significance of, 173–5
 - times scales of, 368–70
 - see also* climatic change, climatic variability
- climatology
 - Australian, advantages and limitations, 84–7
 - history of, xv, 87, 360–2
 - present state of, 364–6
 - recent progress, 363–4
- Cloncurry, Queensland, 149
- closed lakes, 97–107
 - see details under* lakes, closed
- clouds, 14
 - albedo, 251, 282, 372
 - bands, 170
 - condensation nuclei, 280–1
 - cover, 235, 253–5, 301, 372
 - cumulonimbus, 236–7
 - in modelling, 247, 248, 251–5, 263, 372
 - seeding, 6
- clover production, dependence on climate, 298–300
- coal, 206
- coastline, Australian
 - relative stability of, 85
 - effect of sea-level changes on, 112–13
- coccoliths, 70, 207
 - see also* nanoplankton
- Colombian Cordillera, climatic variations
 - during late glacial time, 125
- commodities market and weather/climate, 332–4
- composition of atmosphere, 269–93
 - aerosol, 276–80
 - carbon dioxide, 204, 207–8, 247–8, 273–6, 282–93
 - cloud condensation nuclei, 280–2
 - ozone, 269–73
- computational stability, 238
- computer modelling
 - see* modelling, modelling of climate
- Connecticut, USA, 177
- conservation principles, 16, 249
 - in modelling, 240
- continental drift, 206, 209
- continentality, 201, 204, 207, 208, 210
- continental shelf, 58, 112–13
- continents, effect on atmospheric circulation, 5, 167, 209
- control of weather, climate, 6–7, 331
- convection and climate modelling, 235–7, 263
- cooling, climatic
 - see* climatic trends, climatic record
- cooling loads of buildings, 301–8
- coral reefs, frontispiece, 87, 202, 212–15
- cores
 - see* deep-sea cores, ice cores, lake cores
- Cordillera, American, 237
- Coriolis parameter, 49, 165
- cosmic rays, 209, 218
- Cretaceous, geological period, 207–8
- Crête, Greenland, 163
- crops
 - assessment of yield, 332–3
 - yield/production, 256–60, 262, 296–300, 310–15, 324–6, 330, 340
- cross-disciplinary studies
 - circular reasoning in, 314
 - hazards of, 310 ff
 - see also* interdisciplinary studies/collaboration
- Cromwell Current, 36
- cryosphere, 15, 77–81, 225–34, 245–6, 249
 - see also* glaciers, ice, snow cover
- CSIRO (Commonwealth Scientific and Industrial Research Organisation, Australia), 6
- cultural change
 - effect of climatic change on, 296, 316–27
 - times of maximum, 317–19
- cultures
 - Australian Aboriginal, 296
 - effects of climate on, 294–6, 316–27
 - ethnocentric views on climate, 294–5
 - Indus (Harappan), 322–4, 326
 - Mill Creek, 321–2, 326
 - Mycenae, 320–1, 326
- currents, ocean, 34–8
 - variability of, 46–50
- cycles
 - annual, 138, 142, 143, 357
 - climatic, 64, 68–9, 76, 128, 129, 200, 203, 205, 210–11

Subject index

- diurnal, 138, 142, 143, 357
- glacial, 207, 210, 214, 353
- global, and climate, 200–11
- Milankovitch, 128, 201, 219–22
- weather, 237
- sunspot, 196, 201, 237, 357, 362
- see also* periodicities
- cyclones
 - and high rainfall, 145
 - thermal steering of, 224
- cyclonicity, 138
- Darwin, Australia, 84, 149, 170, 182
- Darwinian selection, 206
- Darwinism, 335, 361
- data, *see* climatic record
- dating, 53, 59, 61, 67, 68, 76, 85, 212–16
 - accuracy of, 214
- Davis Strait, pack-ice in, 159
- Dead Sea, 99, 101
- debris in atmosphere, diffusion of
 - radioactive, 264
 - volcanic, 131–2, 263–8
- Deception Island, ice stratigraphy, 158
- deciles, 141
- decision-makers and climatological information, 329–32
- deep-sea cores, 57, 58, 59, 61, 62, 63, 73–6, 212–16, 217, 218
- definitions, xx, 1–3, 135–7, 328, 366–7
- deglaciation
 - New Guinea, 92–3
 - Northern Hemisphere, 76, 125
 - Snowy Mountains, 93
 - Southern Hemisphere, 76
 - Tasmania, 93, 116
- degree-day, 306, 307
- dendroclimatology, 153–4, 157, 158, 164, 166, 198, 286
 - potential for Australian studies, 95
- denitrification processes
 - role in ozone budget, 270–2
- deserts, 82, 84, 207, 238, 253, 278, 322–4
- determinism, scientific, 335–8, 361
- deterministic socio-economic mechanisms, 335
- diabase, 59
- adiabatic heating, 26
- diachronous change, 53, 65–9
- dinosaurs, 207–8
- disasters, climatic, xv, 2, 8, 334–8
 - see also* catastrophic climatic change
- diurnal cycle, 138, 142, 143, 357
- Djakarta, Indonesia, 182
- documentary evidence of weather/climate, 310 ff
- Doomsday science, 334–8
- downwelling, 48
- Drake Passage, 7, 50
- drought, 310, 357
 - in Africa, 161, 165–6, 185–90
 - in Australia, 141
 - in Central American–Caribbean region, 185–90
 - in Eastern Mediterranean, 320–1
 - economic effects, 332
 - in India, 323–4
 - in NE Brazil, 185–90
 - patterns of, 308
- Dryas, abrupt Younger Dryas fluctuation, 125
- Dry Valleys, Antarctica, 59, 60, 61
- dust veil index (DVI), 130–1
 - and climate, 257–62
 - and glaciation, 260–2
- dynamic height in ocean, 46–8
- dynamics in climate models, 16, 246, 355–6
- Early Cenozoic, 53–7
- earth
 - crustal evolution and history, 203–11
 - orbital characteristics, 10–11; effects of, 219–22
- East Antarctica, 59, 60, 65, 77
- East Australian Current, 35, 36, 46–8, 49
- easterlies
 - equatorial, and the QBO, 341–9
 - polar, 21
 - Trade Wind, 21–2, 203, 321
- East Wind Drift, Antarctic, 38
- eccentricity, orbital, 11, 222, 353
- economic
 - development and inadvertant climatic change, 351
 - effects of climate, 296–7, 309, 324–6, 327–34
 - history, 314–15
 - theories, 335
 - value; of climatic forecasts, 340; of climatic variations, 330; of meteorology, 331; of weather services in UK, 296
- Ecuador, 186, 190
- eddies
 - in East Australian Current, 47, 49
 - fluxes, 23–9
 - kinetic energy of, 244
 - moving (transient), 5, 21–30, 237
 - properties of, 367–8
 - standing, 5, 21–30
 - transport by, 241, 244, 248, 265
 - viscosity, negative, 27
- Eem–Sangamon interglacial, 132–3
- eigenvector
 - analysis, 144, 153, 165, 169, 171–4

Subject index

- eigenvector (*cont.*)
 - methods in forecasting, 340–3
- Ekman
 - divergence/drift, 49, 180
 - transport, 48
- El Azizia, North Africa, 149
- Ellesmere Island
 - Otto Glacier, 228, 230
 - sea-ice during Hypsithermal, 125
- El Niño, 49–50, 185–90
- empirical orthogonal functions, 144, 240
- empiricism in climate modelling, 243, 367, 371–2
- energy, atmospheric
 - available potential, 24–7
 - balance, 11
 - conservation principles, 16
 - cycle, 24–7
 - flow, prediction of, 250
 - kinetic, 24–7, 236; eddy kinetic, 244
 - in model validation, 243–4, 373
 - potential, 24, 25, 236, 237, 238
 - processes, 234–8, 244, 247, 248, 368–9
 - source, 9
- energy, use by mankind
 - building demands on, 304–8
 - crisis, 305
 - effect on climate, 351
 - from fossil fuels, 275, 289–90
- England, United Kingdom
 - farming, dependence on climate, 312–14
 - fuel demand and climate, 306
 - temperatures, Central England series, 157–8, 161–2, 163, 256–60
 - value of weather services, 296
- entropy, 200, 249–53
 - and earth's history, 200
 - exchange, 251–2
 - internal production, 252
 - minimum principle, 250–3
- Eocene, 54, 57
- equatorial currents in ocean, 35–6
- equatorial Kelvin waves, 49
- equatorial Pacific, 49–50, 167, 170, 180–4, 185–90
 - palaeoclimatology of, 63, 68, 74–6
- erosion, 109
- Esperance, Western Australia, crop production at, 298–300
- Eucla, Australia, excavation, 117–22
- Europe
 - climatic fluctuations in, 156–9, 163, 171; impact of, 330
 - geological history, 207
 - glaciers in, 228, 261
 - instrumental record in, 152
 - and temperature extremes, 148
- eustatic sea level
 - and environmental gradients, 108–24
 - variations of, 113, 121, 125, 127, 202, 212–16, 217
 - see also* sea-level change
- evaporation
 - from lakes, 100
 - from oceans, 41, 42, 45
- evolution, 204–9, 335
- exposure of instruments, 140
- extinctions, 208–9
- extra-terrestrial influences, 137, 196, 201, 237, 357, 362
 - see also* Milankovitch hypothesis
- extreme climatic events, 144–51, 320, 330
 - high temperatures, 147, 149
 - low temperatures, 147, 148
 - point rainfall, 150–1
 - see also* Catastrophic change, climatic extremes, drought, floods
- famines
 - and volcanic eruptions, 256–60
 - see also* food
- farming strategies, 297
- feedback processes, 108, 129, 133, 180, 182, 210–11, 224, 234, 237, 238, 246, 248
- Fedchenko glacier, Pamirs, 228
- Fennoscandian ice sheet, 125, 133, 215
- fertilisers, possible effect on atmospheric ozone, 272
- filters, numerical, 144
- finite-difference methods, 238–40
- finite resources, 8, 327, 330
- fire, effects on plant distributions, 86, 87, 95
- Flandrian transgression, 113, 123
- floods, 146, 188–90, 308, 311, 332
 - flash floods, 85
- floras, fossil, 67
- Florida, 190
- flow of ice, 226, 227, 230–4
 - Glen's Law, 227
- Food and Agriculture Organization, United Nations, 333
- food
 - demand for, 328
 - and economics, 311–13, 332
 - limits of cultivation, 311–12
 - management, 328
 - monitoring production, 333
 - and political power, 331
 - production/supply and climate, 2, 8, 150, 211, 256–60, 296–8, 308–9, 310, 314, 324–7, 328
 - reserves, 326–7
- foraminifera, 56, 58, 62, 63, 69, 70, 207, 217

Subject index

- forecasts
 - acceptability of, 358
 - of agricultural production, 332–3
 - dangers of, 357
 - economic importance of, 296, 330–2, 340
 - future climatic trends, 134, 350–9
 - future ice age, 225, 350
 - increase in CO₂, 275–6, 284–5, 359
 - meso-scale weather, 178
 - probability, 358, 364, 375
 - short-term climate, 339–49
 - of volcanism, 358
- forests
 - altitude limit, 82
 - boreal, 133
 - and CO₂ increase, 273
 - destruction by ice, 125
 - first, 206
 - fossil, Antarctica, 55
 - northern boundary, 128, 321
 - pollen evidence of, 88
 - sclerophyll (eucalypt), 82, 83
- fossil
 - biota, 103
 - flora, 67
 - forests, Antarctica, 55
 - fuel combustion, and CO₂ increase, 275, 289–90
 - fuel, usage of, 275, 289–90; variation with climate, 306
 - land forms, 103
 - pollen, 55, 103
 - shells, 56
 - strandlines, 97, 103
- Fourier analysis, 142, 162
- Fourier series, 240
- freedom
 - of information, 333
 - human, 336–8
- Freons, effects on atmospheric ozone, 272
- frequency distributions of climatic elements, 140–2
- Fuego volcano, Canary Is., 130, 131
- future climatic trends, 134, 350–9
- future ice age, 225, 350
 - and morality, 334–8
 - prevention of, 134
- galactic rotation and glacial cycles, 205
- GARP (Global Atmospheric Research Programme), 245
- gas content of ice, 80
- Gauss palaeomagnetic epoch, 58, 62, 69
- general circulation of the atmosphere, 16–31, 167, 170–1
- general circulation models, 245, 249, 256, 263
 - see also* modelling of climate
- geological/palaeoclimatological time units, 53–4
- geological record, 212–16
- geomagnetism, 218–19
- geostrophic balance, 239
- Germany, 66, 128
- GFDL (Geophysical Fluid Dynamics Laboratory), joint atmosphere-ocean model, 219
- Gilbert palaeomagnetic epoch, 58, 59, 62, 67
- glacial
 - advances and volcanism, 260–2
 - cycle, 207, 210, 214, 353
 - geomorphology, 154
 - marine sediments, 54
 - stages, definition, 3
 - striae, 59
 - surges, 60, 67, 77, 129, 131–3, 217, 226–30, 352, 354, 355; Antarctic, 230–3
 - tills/tillites, 59, 61, 205
- glaciation
 - abortive, 128
 - Antarctic, 53–69
 - causes, 129, 211–25
 - cirque floor levels, 114–17
 - first, 205
 - global comparisons, 68, 69
 - initiation of, 128, 133–4, 209, 222–4
 - limits, Baffin Island, 156
 - most recent, 70, 92
 - in New Guinea, 88, 92–3, 113
 - at sea level, 53, 54, 55, 66, 67, 69
 - snowlines, 114–17
 - in Snowy Mountains, Australia, 89, 93, 113
 - in Tasmania, 90, 93, 113–14, 116
 - temperate latitude, 68
 - termination, 134, 222–4
 - time needed, 128
- glaciations
 - Cambrian, 206
 - Cenozoic; early, 53–7; middle, 57–61
 - Eocene, 55
 - full glacial, 88–92, 94, 96
 - Oligocene, 54
 - Ordovician, 206
 - Palaeozoic, 206
 - Permian, 207
 - Pleistocene, 70–6, 88–92
 - Pliocene, 61–5
 - Proterozoic, 205
 - Quaternary, 61–5, 210
 - Saharan, 206
 - Upper Quaternary, 70–6, 88–92, 211–25
 - Wisconsin, 60, 88, 95, 125, 214–15
 - Würm, 60, 125, 127

Subject index

- glacier
 modelling, 77–81, 225–30
 surges, 226–30
- glaciers
 Aletsch, European Alps, 228
 Alpine, Europe, 225
 Brúarjökull, Iceland, 228–30
 Fedchenko, Pamirs, 228
 Greenland, 232
 Hintereis, European Alps, 228
 Medvezhii, USSR, 228–30
 Mt Carstenz, New Guinea, 82
 Mt Wilhelm, New Guinea, Quaternary, 93
 New Guinea, 84, 92
 Norway, 114–15
 Otto, Ellesmere Island, 228–30
 Snowy Mountains, Quaternary, 93
 Stor, Sweden, 228
 Vatnajökull, Iceland, 230
- glaciology, 154–5
- Glen's Law (ice-flow), 227
- Global Atmospheric Research Programme, xvi, 31, 166
- global averaging in climate models, 247–8
- global scale of climatic variations, 7–8, 167–71, 178–9
- God, 'hidden hand of', 335
- Gondwanaland, 82, 206–7
- gradients, environmental, 108–124
- grain
 crop models, 300, 325–6
 prices, 312, 315, 324–5
 yields, 296–8, 314, 324–6, 340
 and volcanic eruptions, 256–60
- gravity waves in atmospheric modelling, 239
- Great Australian Bight, 84, 112–13, 117
- Great Salt Lake, Utah, 99
- Greek civilisation
 climatic effects on, 310, 320–1
 views on ideal climate, 294
- 'greenhouse' effect, 205, 208
- Greenland
 Camp Century ice cores, 79, 80, 81, 125, 127, 155, 162, 163, 212–15, 217
 Crête ice core, 163
 flux of west coast glaciers, 233
 glacial readvances, 202
 ice sheet, 228
 modelling of ice sheet, 234
 outlet glaciers, 232
 sea-ice at climatic optimum (Hypsithermal), 125
 surging potential, 233
 Viking settlement, 156
- Green Revolution, effect on food reserves, 326–7
- grid-spacing in numerical models, 238
- grounding-line, Ross Ice Shelf, 131
- growing season, 153, 159; length of, 313
- Gulf of Alaska, 67
- Gulf of Carpentaria, Australia, 112, 123, 175, 296
- Gulf of Mexico, 189, 190, 212–14, 217
- Gulf Stream, 35, 36
 effect of eustatic change on salinity flux in, 224
 former position of, 70
 meanders of, 46
 temperature variations, 189, 190
- Hadley cell/circulation, 16–17, 131, 173, 180, 238
- Hampton Range, near Eucla, Australia, 117
- Harappan (Indus) culture, effect of climatic change on, 322–4
- harmonic analysis, 138, 142
- harvests, *see* crops, food
- Hawaii, sea-level record from coral reefs, 212
- heat budget of atmosphere, 23–4
see also latent heat, sensible heat
- heat budget of ocean, 41–5
 effect of pack-ice, 51
- heat flux
 atmosphere, zonal and meridional, 28–9
 between ocean and atmosphere, 41–4
- heating, diabatic, of atmosphere, 22
- heating loads of buildings, 301–8
- heat island, urban, 198, 306
- high-pressure belt, subtropical, 83
 latitude of, 4, 144, 168–9, 171–3, 175–6, 196
 trend, west coast of North America, 177
- Himalayas, 209, 237
- Hintereis glacier, European Alps, 228
- historians and climate, 310–16
- historical data on climate, 152, 161, 166, 310–12
 interpretation of, 312–14
 lake overflow, 102
 problems with, 310–12
- history
 and climate, 295, 296, 309, 310–27
 of climatology, xv, 294–5, 360–2, 364
- Hobart, Tasmania, 148, 196, 197
- Holocene, 54, 92–5, 104–7, 175, 309, 323, 326, 358
- Holstein Interglacial, 128
- homogeneity of climatic data, 138–40, 194, 196, 199
- Honolulu, Hawaii, 182
- Hudson Bay, Canada
 ice-sheet disintegration, 125
 snowfall for differing sea-ice boundaries, 222

Subject index

- Humboldt (Peru) Current, 35–6
- Huon Peninsula, New Guinea
coral and gravel terraces giving sea level
record, frontispiece, 87, 212
steady tectonic uplift, 85
- hyaloclastites, 55
- hydrogen isotope ratios in snow and ice,
77–81
- hydrology of lakes, 97 ff
- hydrosphere, evolution of, 211
see also lakes, oceans
- hydrostatic equilibrium, 239
- Hypsithermal (climatic optimum), 76, 125
- ice ages
atmospheric circulation during, 70, 108,
222–4
boundary conditions, 70–1, 108
definitions, 3
future, 225, 350
initiation of, 133–4, 209
new, 134, 334
prevention of, 134
see also glaciations
- ice ages, theories of
albedo feedback, 238, 278
alternately open and frozen Arctic, 216,
217
alternations of ocean circulation, 216,
217–18
Antarctic ice-surges, 60, 129, 131–3, 216,
217, 228–33, 309, 352, 354
continental drift, 209
galactic rotation, 205, 211
geomagnetism, 209–10, 216, 218–19
orogeny, 205, 209
solar variations, 211, 216
volcanism, 129–31, 216, 218–19, 260–2, 268
- ice, 15
amounts, 4; need to monitor, 133
bergs, 210
cap, flow model of, 212
cores, 77–81, 125, 127, 155, 158, 162, 163,
212–16, 217
cover, 4, 70–1, 108, 113, 369; in New
Guinea, 88; in Snowy Mountains, 113;
in Tasmania, 90, 113–14
flow, 77, 78, 226–8
gas content, 80
isotope ratios in, 77–81, 125, 127, 154–5,
162, 163, 202, 212–16, 217, 361
mass, modelling of, 225–34
rafting, 61, 67, 68, 70
sheets; expansion of, 58, 60, 67; profiles,
77, 78; velocities, 77, 78
surges, 60, 77, 129, 131–3, 216, 217, 228–33,
309, 352, 354
thermodynamics of, 226–7
- Iceland
Brúarjökull (glacier), 228–30
effect of climatic change on crops, 296,
324–6
temperatures, 157–9, 161, 162–3, 324
Vatnajökull (glacier), 230
- Idaho, rainfall and high pressure belt, 172
- ideology and science, 334–8
- impact of climate
on agriculture and food supplies, 2, 8, 150,
211, 256–60, 296–300, 308–9, 310, 314,
324–7, 328, 332–3, 340
on cultures, 296, 316–27; subjective views
on, 294–5
economic, 296–7, 309, 324–6, 327–34
political, 308–9, 327–34
- index cycle, 237
- India
climatic change and the Indus (Harappan)
culture, 322–4
recent rainfall variations, 161
- Indian middens, 202
- Indian Ocean
comparative distribution of siliceous and
carbonate oozes, 58
equatorial jet, 50
palaeo-climatic record, 59, 62, 71–4, 76
recent pressure tendencies, 194
and the Southern Oscillation, 182, 184
- Indonesian region, and the Southern Oscil-
lation, 170, 180, 182, 184
- Indus (Harappan) culture, effect of climatic
change on, 322–4
- industrialisation, 152
- information about weather and climate, 329
availability of, 333
and commodities market, 332
military aspects of, 333
value and use of, 331–2
- inhomogeneities in data, 138–40, 196, 199, 370
- initial value problem, 355–6
- Innisfail, Queensland, temperatures, 198–9
- insects and rapid warming, 125
- insolation changes due to orbital variations,
219–22
- Institute of Arctic and Alpine Research, 154
- instrumental record, 2, 138–50, 152, 158–61,
163–6, 191–9
- instrument exposure, 140
- intense weather events, 85
- interdisciplinary collaboration, xix, 7–8,
309–10, 365
see also cross-disciplinary studies
- interglacial stages
definition, 3
length of, 353

Subject index

- interhemispheric comparisons; of climatic record, 5–6, 65–9, 73–6, 108, 158–60, 164; of cultural history, 319
- interhemispheric differences, xx, 1, 3–6, 17, 167, 170, 174
- interhemispheric flux of CO₂, 286–7
- International Decade of Ocean Exploration (IDOE), 69
- International Southern Ocean Study, 50
- interstadials,
 - Alleröd and Bölling, 125
 - definition, 3
- Inter-Tropical Convergence Zone (ITCZ), 4, 189, 190
- intransitivity of climate, 31, 124, 245–6, 339
- Irian Jaya (Indonesian New Guinea), 123
- iron-ore deposits, 204
- isentropic surfaces, 24–6
- isostatic adjustment, 245–6
- isotope ratios
 - in deep-sea cores, 56, 57, 58, 62, 63, 64, 66, 68, 73–6, 212–16, 217, 218
 - elevation effects, 77–8
 - hydrogen, 77–81
 - in ice and snow, 77–81, 125, 127, 154, 155, 162, 163, 202, 212–16, 217, 361
 - oxygen, 56, 58, 62, 63, 64, 66, 67, 68, 73–6, 77–81, 154–5, 162, 163, 202, 212–16, 217, 218, 364
 - in sea water, 56, 57
 - sulphur, 207, 208
 - in tree rings, 273–4, 285–6, 361
- Japan
 - grain harvests, famines, and volcanic activity, 256–60
 - rainfall variations at Iwate, 157–8
 - warming in sixteenth century, 163
- jet stream
 - polar front, 225
 - sub-tropical; 17; effect of volcanic dust on, 267; latitude over Australia, 347; modelling of, 242–3
- Jones Mountains, Antarctica, 59
- Juneau, Alaska, 283
- Junge layer, stratospheric aerosol, 132
- kinetic energy, atmospheric, 24–7, 236; eddy, 244
- Krakatoa, volcano, Indonesia, 263, 264
- krypton–argon radiometric dating, 59, 61
- !Kung Bushmen, effect of rainfall variability on, 296
- Kuro Shio, current, 35, 36; variations of, 46
- Laboratory of Tree-Ring Research, Tucson, 153
- Labrador area, role in initiation of glaciation, 132, 222–4
- Labrador Sea, ice-rafting 3 m.y. ago, 67
- lag relationships
 - between hemispheres, 5–6, 73–6, 108
 - and the Southern Oscillation, 182–3, 184
- lake-breeze effect, 176
- lakes, closed, properties of
 - area, 101
 - bottom chemistry (L. Kivu), 126
 - discharge from, 100
 - evaporation rates, 100
 - hydrologic budget of, 97
 - levels of, 88, 90–5, 98–107, 125–6
 - marginal dunes, 92
 - pollen analysis, 88, 90, 91
 - salinities, 92, 93, 98, 104, 106–7
 - strandlines, 97, 101, 103
 - stratigraphy, 91, 100
- lakes, particular locations
 - Albacutya, Victoria, 366
 - Antarctic, 97
 - beneath Antarctic, 131
 - Bullenmerri, Victoria, 98, 101, 102, 103, 106–7
 - Chad (or Tchad), Africa, 97, 99
 - Dead Sea, 99, 101
 - Eyre, South Australia, 98
 - George, New South Wales, 88, 90, 93, 95, 99, 101, 103, 104–6
 - Gnotuk, Victoria, 98, 101, 104, 106–7
 - Great Salt Lake, Utah, 99
 - Keilambete, Victoria, 91, 92, 93, 95, 106
 - Kivu, Africa, 125–6
 - Lynch's Crater, N. Queensland, 88
 - Monaro, New South Wales, 98
 - Patagonia, 97
 - in Rajasthan, 322, 323
 - Tchad (or Chad), Africa, 97, 99
 - in Tibet, 97
 - in western United States, 97
 - Willandra, New South Wales, 83, 91, 92, 94
- Lambert–Amery basin, Antarctica, 230, 232
- land–sea distribution
 - changed by sea-level, 82, 112–13, 122–4, 175, 179, 296, 372
 - effects of, 4–5, 167
 - in numerical models, 249
- land surface, 15
- Lapland, glacial record, 202
- La Porte anomaly, 176–7
- latent heat, 5, 14, 22, 41–4, 179, 209, 236, 237, 238, 248–9, 251
- latitude, effects on temperature, 148–9
- latitude of subtropical high-pressure belt, 4, 144, 168–9, 171–3, 175–6, 177, 196

Subject index

- latitudinal displacement of circulation, 164–6, 168–9, 171–3
- Laurentide ice sheet, 125, 215
- lava flows, 61
- length scale, 367
- lichen, 154–6
- life
 - evolution of, 204–9, 335
 - first animal, 206
 - origins, 204
 - produces oxygen, 204
- limits
 - to growth, 8
 - to natural resources, 327, 330
- lithosphere, 200, 246
- 'Little Ice Age', 129, 154, 156, 163, 164, 171, 260, 262, 352, 355, 370
- littoral belt/zone, 201
- local climatic anomalies, 176–8
- longitude-dependent circulation, 27–30
- longitudinal displacements of circulation, 163–4, 170–1
- longitudinal dunes, 203
- Lynch's Crater, North Queensland, 88
- Macedonia, palaeobotany, 127
- McMurdo Station, Antarctica, 191–2
- magnetic field of earth
 - and climatic change, theory, 209–10, 216, 218–19
 - declination, 202
 - intensity, 210, 218–19
 - reversals, 61, 62, 208–9
- mankind
 - antiquity in Australia, 84
 - earliest record of agriculture in New Guinea, 84
 - impact of climatic change on, *see under* agriculture, cultures, economic, food, impact of climate, etc.
 - influence on climate, 269–93 *passim*, 350–1, 358–9; *see also* anthropogenic effects
- mantle convection, 200
- Marble Bar, Western Australia, 149
- Marie Byrd Land, Antarctica, 55, 59, 60
- marine biota, 206, 207
 - see also* coccoliths, foraminifera, nano-plankton
- mathematical modelling, *see* modelling
- Matyama palaeomagnetic epoch, 62, 64, 65, 68, 69, 216
- Mauna Loa, Hawaii, CO₂ measurements, 274–5, 283, 285, 287, 288–9
- mean deviation of climatic element, 141
- mean solar distance, variations of, 10, 215
- Medieval Warm Epoch, 156–7, 164
- Mediterranean,
 - climate in Roman times, 203
 - climatic change in eastern, 320–1
 - Icelandic faunas in, 210
 - salt lake in Miocene, 209
 - type of climate in Western Australia, 297
- Medvezhii Glacier, USSR, 228–30
- Melbourne
 - temperatures, 84, 148–9, 302
 - temperature trend, 196–7
 - thermal performance of buildings in, 303–6
- meridional
 - circulation of atmosphere, 13, 17, 20–1, 24, 131–2, 167, 237–8
 - circulation of ocean, 37, 238
 - distribution of eddy kinetic energy, 244
 - energy transfer, 12, 251–2
 - heat flux, 23–4, 28–30
 - temperature distribution, 242–3
 - transport of angular momentum, 23–4, 28, 244
 - transport of sensible heat, 241
 - transport of volcanic dust, 265–6
 - variation of heat balance in ocean, 44–5
- Merredin, Western Australia, crop production in, 298–300
- meso-scale climatic patterns, 172, 176–8
- Mesozoic, 207–8
- METROMEX, 176–7
- Michigan, USA, lake breezes, 176
- microfossils, 56, 64, 65, 68, 69, 88
- microplankton, 70
- middle Cenozoic, 57–61
- Middle East, rainfall trends, 161
- migrations and climate, 313, 321, 324, 327
- Milankovitch hypothesis, 128, 129, 201, 211, 219–22, 353–4
- military aspects of weather-climate information, 332–3
- military forts in US, precipitation records, 152
- Mill Creek culture, effect of climatic change on, 321–2
- minimum principle, 250–2
- Miocene, 54, 57–61, 66, 67, 69
- Mirny Station, Antarctica, 78, 230, 232
- modelling of Antarctic ice sheets, 230–3
- modelling of climate, 234–49
 - aims, 247
 - and albedo, 238
 - approaches to, 175–6, 371–2
 - and baroclinic waves, 237–8
 - basic considerations, 234–44
 - basic equations, 246–7
 - and convection, 236
 - eddy fluxes, 28–9
 - effect of CO₂ increase, 247–8, 291–3

Subject index

- modelling of climate (*cont.*)
 effect of higher resolution, 241–4
 effect of volcanic eruption, 263–8
 minimum entropy model, 249–55
 nature of, 355–6, 359
 need for, 354–5
 numerical techniques, 238–44
 performance of, 240–4
 retrospective, 70, 108, 374
 and seasonality, 219
 and sea-surface temperature, 238
 and snow cover, 238
 and solar radiation, 235
 and terrestrial radiation, 235
 types of model, 247–9; dynamic, 248–9;
 general circulation, 249; global average,
 247–8; thermodynamic, 248
 validation of 27, 373–4
 modelling of grain production, 300, 325–6
 modelling of Greenland ice sheet, 234
 modelling of 'ice-age' earth, 70, 108–9
 modelling of ice masses, 225–34, 249
 modelling of ocean currents, 49
 modelling of sheep production, 298–300
 modelling of surging glaciers, 228–30
 models of climatic impact on mankind,
 308–10
 modification of climate, 6–7, 269–93, 350–1,
 358–9
 by carbon dioxide, 273–6, 291–3
 by cloud condensation nuclei, 280–2
 inadvertant, 8, 176–8, 269–93
 intentional, 6–7, 134, 331
 local, 176–8
 by ozone reactions, 269–73
 by particulates (aerosol), 276–80
 urban/industrial, 152, 176–8
 modification of weather, evaluation of,
 178
 mollusks, 67
 monitoring
 Antarctic ice, 133
 baseline stations, 284
 CO₂ content, 283–6
 crop production, 333
 ozone, 272–3
 weather/climate, 331–3
 monsoons, 5, 82, 145, 161, 167, 322, 323–4,
 326
 moon, 206
 moraines, 123, 158
 moral values, 2, 8, 334–8, 375
 Mt Agung, Bali, eruption, 263
 Mt Albert Edward, Papua New Guinea, 89
 Mt Carstenz (Mt Jaya), Irian Jaya, 82, 89, 94,
 123
 Mt Cook, New Zealand, 158
 Mt Gambier, South Australia, 71, 93
 Mt Giluwe, Papua New Guinea, 89
 Mt Jaya (formerly Mt Carstenz), Irian Jaya,
 82, 89, 94, 123
 Mt Wilhelm, Papua New Guinea, 89, 93, 94,
 123
 multiple regression analysis, 153
 multivariate statistical techniques, 153
 Mycenae, effect of climatic change on, 320–1
 nanofossils, calcareous, 62, 64
 nanoplankton, 207
 national objectives, 321
 National Oceanic and Atmospheric Admini-
 stration (NOAA), 297, 333
 natural resources, 327–8
 natural selection, 335
 Netherlands, 67, 311
 Newfoundland–Labrador area, and glacial
 initiation, 222
 New Guinea (Irian Jaya and Papua New
 Guinea)
 advantages and limitation for palaeoclim-
 atology, 84–7
 agriculture in, 84
 cooling load on buildings, Port Moresby,
 303, 305
 coral reefs, 87, 212–16
 glaciation, 88, 92–3, 94, 113, 123
 highlands, 88, 89, 93
 Huon Peninsula, frontispiece, 85, 87, 127
 Mt Albert Edward, 89
 Mt Carstenz (Mt Jaya), 82, 89, 94, 123
 Mt Giluwe, 89
 Mt Wilhelm, 89, 93, 94, 123
 palaeotemperatures, 88–9
 pollen analyses, 88
 present climate, 82–4, 123, 295
 Quaternary climate, 87–97, 123, 175
 Sirunki, 89
 use of fire in, 87
 New Haven, Connecticut; and Southern
 Oscillation, 183; temperatures, 256,
 258–61
 New South Wales
 climates, 84
 palaeoclimates, 89, 92–5
 rainfall trends, 195
 New York, extreme low temperatures, 148
 New Zealand
 climatic fluctuations in, 160
 dairy production and climate, 296
 glacial record, 202
 palaeoclimatology, 58
 Southern Alps, glacial, 158
 temperature trends, 198, 257
 westerlies, 348–9

Subject index

- Nile River, Egypt
 discharge, 186
 floods, 202
 nitrogen oxides
 effect on ozone, 209, 270–2
 sources and sinks, 270–2
 'normal' climate, 137, 150, 159
 North America
 Alaska, 66, 67, 202, 210, 275
 Baffin Island, 129, 133, 154–6, 159
 British Columbia, 172
 California, 66, 67, 152, 157
 Canada, 125, 159, 182, 321
 climatic fluctuations in, 153–7, 159, 165, 177, 191
 climatic impact on, 330–1
 Connecticut, 177
 continental effects, 167, 209
 Davis Strait, 159
 deglaciation, 125
 dendroclimatology, 153, 157
 Ellesmere Island, 125, 228, 230
 Florida, 190
 former cultures, Mill Creek, 321–2, 326
 former glaciation, 154–6, 202, 210
 grain yields, 296–7, 325–6
 Great Salt Lake, Utah, 99
 high-pressure belt, west coast, 177
 Hudson Bay, 125, 222
 Idaho, 172
 and initiation of a glaciation, 133, 222–4
 Juneau, Alaska, 183
 Labrador area, 68, 132, 222–4
 lakes in western United States, 97
 Laurentide ice sheet, 125, 215
 Michigan, lake breezes, 176
 Newfoundland area, 222
 New Haven, Connecticut, 183, 256, 258–61
 New York, 148
 Oregon, 172
 palaeoclimate, 66, 67, 68, 202, 210, 321
 Philadelphia, 256–61
 precipitation records, 152
 St Louis, Missouri, 176–7
 United States, 182, 186, 331, 332
 Washington State, 172, 177
 White Mountains, tree rings, 157
 Wrangell Mountains, 67
 North Atlantic
 deep-sea cores, 214–15
 strong response to climatic fluctuations, 152
 teleconnections, 182, 188–9, 190
 temperatures and glaciation, 127, 222–5, 353
 temperatures and wheat prices, 324–5
 North Atlantic Current, 218
 Northern Hemisphere
 comparative climatic record, 5–6, 65–9, 73–6, 108, 158–60, 164
 cultural history, 319
 history and climate, 295
 temperatures and volcanism, 256–62
 Nullarbor Plain, Australia, 117–22
 fossil pollen ratios, 120–1
 late Quaternary climatic change, 121–2
 vegetation, 118–19
 numerical modelling, *see* modelling
 numerical techniques, 238–40
 obliquity, orbital, 11, 76, 222
 objectivity, scientific, xxi, 334–8
 observations, need for more, 362–3
 ocean–atmosphere interaction, 40–4
 ocean basins, geological history of, 200–11
 ocean cores, *see* deep-sea cores
 ocean currents, 34–8
 role of, 190, 238
 oceanicity: continentality ratio, 201
 oceans, 14
 alkalinity of, 206, 274
 alternations of circulation and ice-ages, 217–18
 circulation of, 34–8
 fronts, 38–9
 ignorance of, 357
 role in climate, 31–52, 238, 368
 role in CO₂ budget, 274, 290
 salinity of, 34
 surface temperature of, 32–3, 147
 variability of, 44–51
 vertical temperature structure of, 33–4
 water-mass boundaries, 215, 218
 Oligocene, 54, 57, 66, 69
 Onslow, Western Australia, 142
 ooze,
 carbonate, 58
 Pacific Ocean, 68
 siliceous, 58
 optimism, xxi–xxiii
 scientific, 334–5
 orbital motion of earth, 10–11, 76, 129, 214–16, 219–22, 224–5, 245–6, 362
 see also Milankovitch hypothesis
 Ordovician, 206
 Oregon, USA, 172
 Orgnac stalagmite, 212–13, 217
 origin of planets, 203
 Orinoco River, Venezuela, discharge, 186
 orogeny, 82, 205, 209, 246
 orographic effects
 large-scale, 5, 145, 167, 237
 meso-scale, 172, 176–8
 orthogonal functions, 240

Subject index

- Otto Glacier, Ellesmere Island, 228, 230
- oxygen
 biogenic origin in atmosphere, 204
 history of, in atmosphere, 204–8
 isotope ratios, 56, 58, 62, 63, 64, 66, 67, 68, 73–6, 77–81, 154–5, 162, 163, 202, 212–16, 217, 218, 364
- ozone in atmosphere, 204–5, 209, 269–73
 in climate model, 263
 destruction by chlorine compounds, 272
 destruction by nitrogen oxides, 209, 270–2
 and earth's magnetic field, 209
 effect of stratospheric aircraft, 272
 origin in primeval atmosphere, 204–5
 synoptic variations, 265
 trends of, 171, 272–3
- Pacific Ocean
 deep-sea cores, 63, 66, 68, 74–6
 eastern, 167, 170, 180, 182, 184, 185, 189, 190
 equatorial, 49, 63, 68, 74–6, 214–16
 north, 46, 66
 pressure anomalies off California, 153
 salinity during glacials, 127
 sea-surface temperature variations, 46
 south, 209, 330
 and Southern Oscillation, 167, 170, 180, 182
- pack-ice, *see* sea-ice
- Palaeocene, 54
- palaeoclimate, 53–134, 200–11, 211–25
 for details see under climatic change, climatic record, glaciations, ice ages, etc.
- palaeoclimatology in Australia, history of, 87
- palaeohydrology, of closed lakes, 97–108
- palaeomagnetic epochs, 61, 62, 68
- palaeotemperature
 Australia, Quaternary, 87–95, 105
 curves, 56, 63, 212–13
 from ice, 77–81
 maps, for 18,000 years BP, 71–2
 New Guinea, Quaternary, 87–95
 sea surface, 65, 70, 71, 72, 74
- Palaeozoic, 206, 207, 208
- palynology, *see* pollen analysis
- panel discussion on possible future climatic trends, 350–9
- Papua New Guinea, *see* New Guinea
- paramaterisation, 247–9, 372
- Patagonia, 67
- periglacial
 limits, 124
 processes and landforms, 89, 90, 114, 116
- perihelion, 10–11, 219
- periodicities, 200–203, 357, 362
 of Antarctic ice-surges, 217, 233
 in Australian rainfall, 196
 in CLIMAP record, 76
 in climatic record, 64, 68, 161–2, 166
 eleven-year, 129
 quasi-biennial, 166, 341–9
 of surging glaciers, 229, 230
 see also cycles
- Permian, 207
- persistence, 137, 138, 139, 143–4, 145, 161, 174, 180
- Peru, 49, 186, 190
- Peru (Humboldt) Current, 35, 36
- pessimism, xxi–xxiii
 scientific, 334–8
- Pharonic inscriptions, 202
- Philadelphia, USA, temperatures and volcanism, 256–61
- philosophical issues, 8, 334–8
- photosynthesis, 204
- physical basis of climate, 9–52
- Pioneer River, North Queensland, 145
- planetary waves, 5, 27–30, 133, 163–5, 167–75, 194, 237, 339
- planning and climatic information,
 economic, 138, 340
 of food security programmes, 328–9
- plant growth
 and CO₂ increase, 291
 factors affecting, 86
- plants
 effect on albedo, 238, 278
 pollen morphology of, 86
 some adapted to fire, 86–7
- plate tectonics, 206, 208
- Pleistocene, 54
 abrupt changes during, 125–9
 Australia, 87–94, 295
 glaciations, 211–25
 New Guinea, 87–94, 123, 295
 Rajasthan, 323
 synchronicity between hemispheres, 76
 Tasmania, 113–17
- Pleistocene, North Queensland, 145
- Pliocene, 54, 61–5, 67
- Poisson distribution, 130–1
- polarity epochs, geomagnetic, 61, 62
- Polar Front (Antarctic Convergence), 37, 38, 39, 50, 58, 59, 65, 67, 69, 225, 234, 372
- poleward transport, *see entries under* meridional
- political, 308, 310, 327–34
- pollen analyses, 317
 difficulties with, 86
 Eucla, Great Australian Bight, 117–21
 Holstein Interglacial record, 128
 Lake George, New South Wales, 88, 90, 103, 105

Subject index

- lake levels from, 90, 91, 103, 105
- Lynch's Crater, North Queensland, 88
- Mount Gambier, South Australia, 91
- New Guinea, 88
- potential for, 96
- Rajasthan, 323
- pollution
 - by aircraft, 272
 - chemical, and biomass, 273
 - effect on rainfall, 176–8
 - fertilisers, 272
 - fluorocarbons, 272
 - global, 8, 269–73
 - see also* carbon dioxide, 273–6, 282–93
- population growth, xv, 2, 8, 309, 326, 330, 359, 363
 - and doom, 334
 - in sixteenth century Europe, 315
- Port Hedland, Western Australia, 142
- Port Moresby, Papua New Guinea, thermal performance of buildings in, 303–6
- potential energy, 24–7, 236, 237, 238
- power (variance) spectrum, 143–4, 161–2, 196
- prayers for rain, number of, 312
- Precambrian, 204
- precipitation, *see* rainfall
- predictability of climate, xvi, 339, 355–6, 374–5
- predictions, *see* forecasts
- pressure trends, Southern Hemisphere, 191–4
- prices and climatic fluctuations
 - of commodities, 332
 - of grain, 312, 315
 - of shares, 332
 - of wheat, 324–5
- principal components, 144, 153, 165, 169, 171–4
- probability forecasts, 358, 364, 375
- productivity, biological, 65
- Proterozoic, 205–6
- proxy data, 153–6, 157–66 *passim*
- quasi-biennial oscillation (QBO)
 - in climatic record, 161, 166, 196
 - as forecasting aid, Northern Hemisphere, 341–6; Southern Hemisphere, 346–9
 - and rainfall over Australia, 196, 348
 - understanding of, 365
- Quaternary Period, 3, 61–5, 70–76, 88–124, 175, 210, 211–25, 260
 - in Australia–New Guinea region, 82–124
 - effect of sea-level changes, 108–24, 175
 - theories about, 211–25
 - and volcanism, 261
- Queensland
 - palaeoclimates, 93
 - plant ecology, 86
- Quixeramobim, Brazil, 183
- racial theories about climate, 294–5
- radiation
 - balance, 11–14, 21–2
 - in climate models, 247–9, 251, 263–4
 - and oceans, 31, 42, 44, 45
 - and orbital variations of earth, 212, 219–22
 - solar, 9, 235, 236, 301, 315, 368
 - terrestrial, 11–12, 21, 235–6, 248, 249, 263
 - see also* Milankovitch hypothesis, solar variability
- radiocarbon dates
 - as controls 85–6, 88–9, 91, 105, 120
 - as indicators of climatic and cultural change, 317–19
- radiolarian diversity, 62, 64, 70, 73, 74
- rafting of ice, 61, 67, 68, 70
- rainfall, Australia
 - Camperdown, Victoria, 102–3
 - frequency distribution of, 141
 - palaeoclimatic evidence, 87–107 *passim*
 - and quasi-biennial oscillation, 196, 348
 - spatial patterns, 168–73, 175
 - Stephens Creek, New South Wales, 100
 - synoptic origins, 82–4
 - trends and periodicities, 194–6
 - variability of, 109, 142–3
 - Yass district, New South Wales, 100
- rainfall
 - Brazil, 185–90
 - Central America–Caribbean, 185–90
 - in a climate model, 252–5
 - Eastern Mediterranean, 320–1
 - Ecuador–Peru, 186–90
 - effect on crop yields, 296, 297–300, 308, 325–6
 - effects of variations, 310, 313, 320–6 *passim*
 - global distribution, 253–5
 - Japan, 157–8
 - low latitudes, 160–1
 - palaeoclimatic evidence, 87–107 *passim*
 - pollution effects on, 176–7
 - and the quasi-biennial oscillation, 196, 348
 - Rajasthan, 323–4
 - Sahel, 185–90
 - topographic effects on, 176–7
 - trends, Australia, 194–6
 - urban effects on, 176–8
 - variations, 157–8, 160–1, 175
 - Washington State, United States, 172, 177
 - and water supplies, 309
 - Western United States, from military forts, 152

Subject index

- Rajasthan Desert, 127, 278, 322–4
 randomness, 161, 166, 174–5
 range of climatic element, 141
 rate of change, 124–34; economic importance of, 309
 red noise, 144, 161
 religion, science as substitute, 336
 responsibility, social, xxi, 2
 return period, 145
 risks in farming, and climate, 298–300
 Rossby waves, 133, 164–5
 Ross basin, Antarctica, 232
 Ross Ice Shelf, Antarctica, 55, 60, 67, 69
 Ross Sea, Antarctica, 54, 55, 57, 58, 59, 60, 65, 66
 runoff, 97, 100–1, 110–11
- Sahara desert
 climatic engineering, 7
 climatic record, 202
 glaciation (Ordovician), 206
 Holocene aridity, 210
 overgrazing and dust, 278
 sand dunes, 203
- Sahel, Africa, rainfall, 161, 165–6, 186, 190
- Sahul Shelf, 179
- St Louis, Missouri, urban effects on climate, 176–7
- salinity
 effect of ice formation, 51, 218
 of lakes, 92, 93, 98, 104, 106–7
 of oceans, 34, 127
- SANAE station, Antarctica, 191–2
- Sangamon interglacial, 132–3
- Santiago, Chile, 158, 164, 182
- satellites, 4
 cloud photography, 176, 365
 LANDSAT (ERTS–1) photographs, 154–5
 to monitor Antarctic ice, 133
 records of pack-ice, 51
- Scandinavia, sea-level record, 202
- science, ideology and human values, 334–8
- Scotia Sea, 61
- Scripps Institution of Oceanography, 283, 284
- sea-floor spreading, 201, 206, 208, 209
- sea-ice
 and air temperature, 51
 Antarctic, 4, 38–9, 51, 352
 Arctic, 3, 125, 350, 351
 boundary, and N. Hemisphere glaciation, 212, 222–4
 in Davis Strait, 159
 during climatic optimum, 125
 effect on albedo and heat budget, 51
 effect of glacial surge, 132
 front, 59, 62
- importance of, 51, 225
 need to monitor, 133
 in North Atlantic, 212, 222–4
- sea-level change
 Cenozoic, 67
 from coral reef terraces, 87, 212–15
 effect on Aborigines, 295–6
 effect on Southern Oscillation, 175
 and environmental gradients, 108–24
 equivalent ice volume, 354
 and glaciation, 210
 globally synchronous, 317
 Holocene, 201–3, 354
 and ice-surges, 132, 217
 interpretation in Australia, 84
 large oscillations of, 207
 Mesozoic, 208
 and Milankovitch hypothesis, 219–21
 in Northern Australia, 112
 present rate of rise, 132
 rapid, 127, 202–3, 217, 354
 and sea-floor spreading, 201
 in Southern Australia, 113
 time scale of, 246
 Upper Quaternary, 212–16; Australia, 112–13
- sea-level pressures
 anomalies off California, 153
 associated with droughts and floods in Central America and Caribbean, 188–90
 global departure patterns, 173–4
 instrument record, 152
 over North Atlantic, and glaciations, 222–4
 paramaterisation in thermodynamic models, 248
 reconstructing past patterns, 203, 222–4
 and Southern Oscillation, 170, 173–4, 181–2
 trends, Southern Hemisphere, 191–4
 trends, west coast of North America, 177
 typical daily and monthly maps, 18, 19
 variations, 163–5
 in volcanic eruption model, 268
- seasonal forecasting, 340–9
- seasonality
 Australian rainfall, 82–4, 96
 insolation, 219–22
- sea-surface temperatures
 around Australia, 147
 distribution, Southern Hemisphere, 32–3
 and drought/flood regimes in Central America and Caribbean, 189–90
 latitudinal variation in long term cooling rates, 66
 map for 18,000 years BP, 70–2
 mechanisms governing, 238
 North Atlantic, and glaciation, 127, 222–4, 353

Subject index

- palaeotemperature curves, 56–7, 74, 75
 - Pleistocene, 108
 - and Southern Oscillation, 182–4
 - use in predictions, 339–40
 - variability of, 44–50, 236
- Sêcas (droughts in N.E. Brazil), 185–90
- sediments
 - glacial marine, 57
 - lake, 88, 91, 105–6; potential of, 96
- Senegal, river, discharge, 186
- sensible heat, 5, 14, 22, 30, 41–4, 179, 236, 237, 238, 241, 248–9, 251
- serial correlation, 138–9
 - see also* auto-correlation
- sheer strain and stress, of ice, 227
- sheep production and climate, Western Australia, 298–300
- Siberian Arctic sea-ice, during climatic optimum, 125
- significance, statistical, of climatic variations, 2, 173–5
- silicoflagellate diversity, 62
- simulation, *see* modelling
- Sirunki, Papua New Guinea, 89
- snow cover, 70–1, 84, 113, 159, 219, 222, 238, 326
- snowline, 114–17, 154
- Snowy Mountains, New South Wales, 84
 - glaciation, 89, 93
 - Holocene vegetation, 94
- palaeoclimates of, 93, 94, 124
- soils, 85, 86, 92, 96, 112, 270–1
- solar
 - constant, 9, 11, 129, 251
 - particles, high-energy, 209
 - variability, 129, 201, 237, 245–6, 369
- Somali Current, 48
- sound waves, 239
- South America
 - Brazil, 183, 185–90, 202
 - Chile, 158, 160, 164, 182
 - climatic fluctuations, 158, 160, 164, 185–90
 - Colombia, palaeoclimate, 125
 - cultural endpoints and climatic change, 319
 - Ecuador, 186, 190
 - La Serena, Chile, 160
 - Orinoco River, discharge, 186
 - Peru, 49, 186, 190
 - peopling of, 296
 - pressure trends, 194
 - Quixeramobim, Brazil, 183
 - rainfall, 164, 171, 185–90
 - Santiago, Chile, 158, 164, 182
 - sea-level records, Brazil, 202
 - Sêcas (droughts), Brazil, 185–90
 - and standing waves, 5, 237
 - westerlies, 348–9
- South Atlantic Ocean
 - Halley's expedition, 360
 - pressure trends over, 194
 - sea-surface temperatures and regional drought/flood regimes, 189–90
- South Equatorial Current, 35–6, 190
- Southern Hemisphere
 - climatic fluctuations, 158, 160, 161–2, 164, 167–73, 191–9
 - comparison with Northern Hemisphere, xx, 3–6, 17, 65–9, 73–6, 108, 148, 158–60, 164, 174, 210
 - cultural end points, 318–19
 - leads or lags of climate with Northern Hemisphere, 5–6, 76, 108
 - palaeoclimatic records, 53–65, 73–6; Australia and New Guinea, 87–124, 175, 206
 - polar vortex, 17
 - short-term climatic forecasting, 346–9
 - see also* particular locations listed separately
- Southern Ocean
 - Cenozoic climates, 53–65
 - circulation, 35–7, 50
 - fronts in, 38–9
 - moderating influence on Australia, 148
 - pack-ice, 38–9, 51
 - palaeoclimatic record, 53–76 *passim*
 - Quaternary climatic record, 61–76 *passim*
 - surface temperatures, 32, 50
 - temperatures over, 194
- Southern Oscillation (Walker Circulation), 180–4, 357
 - and air temperature, 181–2
 - description, 170, 180–2
 - lag relationships, 182–3
 - mechanism, 166, 184, 365
 - and modelling, 176
 - and pack-ice, 51
 - in Quaternary, 175
 - and rainfall, 144, 168–9, 171, 172–3
 - and sea-level pressure, 173–4, 181–2
- South Pole
 - CO₂ concentrations at, 275, 286–9
 - migration of during Palaeozoic, 207
 - snow accumulation at, 158
- South West Monsoon, 48
- spatial correlations
 - in Atlantic-Pacific region, 186–7
 - of rainfall trends, 195
 - and statistical significance, 173–4
 - Southern Oscillation, 181–2
- spatial patterns of variation, 167–79
 - importance on world level, 308
 - meso-scale, 176–8
 - of sea-level pressure, 188–9

Subject index

- spatial patterns of variation (*cont.*)
 - of Southern Hemisphere temperature and pressure, 191–4
 - Southern Oscillation, 180–4
- spectral analyses, 76, 129, 161–2, 196
- speleothems, 212, 213, 214, 217
- stability of climate, 339, 352; dependence on, 309
 - see also* intransitivity of climate
- stadials, definition, 3
- standard deviation of climatic element, 141
- standing eddies, 23, 24
- standing/stationary waves, 5, 163–5, 167–75, 194, 237
- stationarity, 30, 137
- statistical properties of climatic record, 140–6, 161–2
 - see also* periodicities
- statistical significance of climatic variations, 2, 173–5
- statistics of extremes, 145–6
- stochastic processes, 166, 174–5
- stock exchange, 332
- strandlines, 97, 101, 103, 201
- stratigraphy, palaeomagnetic, 61, 62, 68
- stratosphere
 - absorption in, 243
 - circulation, 131–2, 267
 - Junge dust layer, 132
 - volcanic dust in, 131–2, 256–68 *passim*
- stromatolites, 204, 206
- Stor, glacier, Sweden, 228
- subatlantic climatic episode, 320
- subjectivity about climate, 294–5, 361
- subtropical convergence, in ocean, 38, 39, 50
- subtropical ridge, 17
 - see also* high-pressure belt
- sun, 9–10
- Sunda Shelf, 179
- sun–earth geometry, 10–11
- sunspots, 196, 201, 237, 357, 362
- supersonic aircraft, effect on ozone, 272
- suppression of information, 333
- surface stress, 22
- surge, glacial, *see* Antarctic ice surges, glacial surges
- Sydney
 - inhomogeneity in temperature record, 139–40
 - snow in, 361
 - temperature extreme, 149
 - temperature and Southern Oscillation, 183
 - temperature trend, 196–8
- synoptic pattern reconstruction, 203, 222–4
- synoptic systems, propagation of, 27
- Tahiti, and Southern Oscillation, 170
- Tambora, volcano, Indonesia, 268
- Tasmania
 - cirque distribution, 113–17
 - deglaciation, 93
 - glacial stage snowline, 113–17
 - glaciation, 85, 90, 113–17
 - late glacial stage climatic gradient, 113–17
 - limitations of glacial record, 85
 - tree-ring records and temperature trends, 198
- Tasman Sea
 - currents and sea-surface temperature, 46–8
 - palaeotemperature record, 56–7
- Taylor Valley, Antarctica, 59, 60
- technological change and crop production, 297
- technological ‘fix’, 8
- tectonic movements, 85, 87, 206, 208
- teleconnections, 178–9, 180–90
- temperature
 - Australia, trends of, 196–9
 - effective radiative, 11
 - effect of increasing CO₂, 273–6, 291–3
 - effect of small changes, 330
 - effect of urbanisation on, 140, 196–8, 306
 - effect on crop yields, 296–300, 325–6
 - effect on ice flow, 226, 230, 234
 - from glaciological data, 77–81
 - gradient, and baroclinic waves, 237
 - and historical events, 310–13
 - instrumental record, 152, 158–60
 - in modelling, 241–3, 247–53 *passim*, 256, 263, 268
 - palaeoclimatic evidence; Antarctica and the Southern Ocean, 53–76 *passim*; Australia and New Guinea, 87–97
 - palaeotemperature variations, 212
 - planetary, 11
 - and thermal performance of buildings, 300–8
 - variance spectrum, 161–2
 - variations, 156–61 *passim*
 - and volcanic eruptions, 256–62, 268
 - and water supply, 309
 - zonal mean distribution, 20
- temperature, sea-surface, *see* sea-surface temperature
- temperature trends
 - Antarctic, 191–4; Australia, urban and provincial, 196–9
 - global, 210
 - Southern Hemisphere, 160, 191–4
- terrestrial radiation, 11, 12, 21, 235–6, 248, 249, 263
- Tertiary Period, 54, 82
- tests, of micro-organisms, 58, 61

Subject index

- Tethys seaway, 209
 theories of climatic change and ice ages
 albedo feedback, 238, 278
 alternatively open and frozen Arctic, 216, 217
 alternations of ocean circulation, 217–18
 Antarctic ice-surges, 129, 131–3, 217, 228, 230–4, 309
 astronomical (Milankovitch), 128, 129, 201, 211, 219–22, 353–4
 continental drift, 209
 galactic rotation, 205, 211
 geomagnetism, 209–10, 216, 218–19
 orogeny, 205, 209
 solar variations, 211, 216
 volcanism, 216, 218–19, 260–2, 268
 thermal performance of buildings, and climate, 301–8
 thermocline, 41, 238
 thermodynamic equation, 246, 247
 thermodynamic models, 248; minimum entropy model, 249–55
 thermodynamics
 of convection, 236
 of ice masses, 226–7
 tides, 201, 206
 tills/tillites, 59, 61, 205
 time lags, 5–6, 76, 108, 182–3
 time scales,
 of climatic variations, 2, 366, 368–70
 comparable to human life, 124, 309
 correlations and uncertainties, 212–16
 of factors influencing climate, 245–6
 time-series analysis, 142–4, 165
 time-steps in modelling, 238, 239
 Timor, coral reef sea-level record, 212, 214
 Timor Sea, 175
 topographic effects, 7
 large-scale, 237
 meso-scale, 172, 176–8
 on snow accumulation, 114–17
 Torres Straits, effect of changing sea level, 112, 123, 295–6
 Trade Winds, 21, 41, 82, 189, 203, 295, 321
 Transantarctic Mountains, 59, 60, 65
 transfer function, 153
 transient (moving) eddies, 5, 21–30, 237
 transitivity of climate system, 31, 124, 245–6, 339
 tree-ring analysis, 153–4, 157, 158, 164, 166
 Australia, 198, 286; potential, 95
 California, 157
 Chile, 158, 164
 isotopic studies, 273–4, 285–6
 trends, 1–2, 152
 CO₂, 274–6, 284–5, 289–91
 ozone, 272–3
 pressure, Southern Hemisphere, 192–4
 rainfall, Australia, 194–6
 temperature, Antarctica, 191–4; Australia, 196–9; global, 210; Southern Hemisphere, 160
 Triassic, 207
 tropical circulations
 Atlantic–Pacific circulation, 185–90
 Hadley cell, 16–17, 131, 173, 180, 238
 Southern Oscillation, 166, 168–74 *passim*, 180–4
 tropical cyclones, 142, 145
 monsoons, 82, 145, 161, 167, 322, 323–4, 326
 variations, 160–1
 tropopause, 132
 Tunisia, rainfall variations, 161
 turbulence, analogy with climate, 367–8
 ultraviolet radiation, 204, 209, 269
 Ungava Plateau, North America, 132, 133
 see also Labrador, 222–4
 United States
 climatic fluctuations in, 159
 crop yields and climate, 296–7, 325–6
 dendroclimatology, 153–4
 east coast rainfall, 160
 early precipitation records, 152
 food power, 331
 Great Plains rainfall, 186
 interest in climatic assessment, 332–3
 La Porte anomaly, 176–7
 St. Louis (METROMEX) study, 176–7
 and Southern Oscillation, 182
 temperatures and volcanism, 256–61
 west coast rainfall, 171–2, 177
 see also listings under North America, and individual locations
 uplift, large-scale, 145
 see also orographic effects
 upwelling in oceans, 36, 38, 49, 180, 184
 uranium–thorium radiometric dating, 68, 212, 214
 urban effects
 on climatic records, 140, 152
 on rainfall, 176–8
 on temperature, 196–8, 306
 on thermal performance of buildings, 306–7
 see also anthropogenic effects
 utopianism, 335–8
 value, economic
 of climatic variations, 330
 of forecasts, 340
 of meteorology, 331
 of weather/climate information, 332–3

Subject index

- value, economic (*cont.*)
 - of weather services in UK, 296
 - see also* economic effects of climate
- values, moral/human, 8, 334–8
- variability of climate, short-term, 135–99, 352
 - Australian rainfall, 137, 141–3
 - Average Variability Index, 141
 - definitions, xx, 1, 136–7, 328
 - effect on heating requirements of buildings, 307–8
 - extremes, 144–51
 - forecasting, 339–49
 - impact on mankind, xvi, xxi, 296, 307–8, 310, 313, 328, 330
 - importance of, 309, 328
 - indices of, 140–2
 - mean deviation, 141
 - range, 141
 - Southern Oscillation, 180–4
 - spatial patterns of, 167–79
 - standard deviation, 141
 - stochastic, 137, 166, 175
 - variability index, 142–3
 - variations in Atlantic–Pacific circulation, 185–90
 - for long-term variability see* climatic change
 - see also* climatic variability, climatic variation
- variance (power) spectrum, 143–4, 161–2
- Vatnajökull, glacier, Iceland, 230
- vegetation
 - Australia and New Guinea, 82–4, 110
 - ecological information on, 86
 - Nullarbor Plain, 118–19
 - response to climatic change, 104–5, 125
 - see also* pollen analyses, forests
- Victoria, Australia
 - lake records, 92, 95, 101–4, 106–7
 - palaeoclimates, 92, 95, 124
 - palaeotemperature record, 56, 57
 - see also* Melbourne
- Victoria Land, Antarctica, 55, 60
- Viking settlement in Greenland, 156
- volcanic
 - debris, diffusion of, 265–6
 - dust, 129–31, 235, 245–6, 357, 358, 359
 - eruptions, effect modelled, 263–8
 - rocks, Antarctica, 55
- volcanism
 - and climatic change, 129–31, 245, 256–68
 - clustering of eruptions, 130–1
 - cyclicity of, 205
 - dust veil index (DVI), 130–1, 257–62
 - and glaciation, 129–31, 216, 218–19
 - and lower temperatures, 256–62
 - and poor harvests, 256–62
 - variation of, 235
- Voring Plateau, Arctic, 68
- vorticity equation, 23
- Vostok Station, Antarctica, 78, 79, 80, 148
- vulcanism, *see* volcanism
- Walker Circulation, 170, 173, 180–4
 - see also* Southern Oscillation
- Washington State, USA, rainfall variations, 171–2, 177
- water balance, 97–8, 103, 109, 110–11, 309
- water-mass boundaries, 215, 218
 - see also* oceans, fronts, 38–9
- water supply, 2
 - critical dependence on climate, 309
- water vapour, 235
- waves, atmospheric
 - baroclinic (eddies/waves), 27, 237, 239, 243
 - gravity, 239
 - Rossby waves, 133, 164–5
 - standing/stationary, 5, 163–5, 167–75, 194, 237
 - transient/moving (eddies), 5, 21–30, 237
- weather
 - as causal factor in history, 310
 - as variable resource, 327–9
- weather modification
 - evaluation of, 178
 - intentional, 6–7, 331
 - see also* modification of climate
- weather monitoring, implications of, 332–4
- weather-sensitive activities, 329
- Weddell Sea, 60, 62, 64, 132
- West Antarctica, 59, 65, 67, 230, 232, 233
- West Australian Current, 35, 36
- westerlies, 17–21, 22
 - and ice extent, 225, 234
 - jet stream, 17, 242–3, 267, 347
 - palaeoclimatic evidence, 203, 321
 - and the quasi-biennial oscillation, 342–9
 - variations in position, 165, 321
- Western Australia
 - palaeoclimates, 94–5
 - rainfall variability, 142–3
 - temperature extremes, 149
- western boundary currents, 34, 36
- West Wind Drift, 35, 36
- wheat production and climate, 296–8, 314, 324–6
 - model of, 325–6
 - prices, 324–5
- Whim Creek, Western Australia, 142
- White Mountains, California, tree-ring record, 157, 162

Subject index

- white noise, 144, 162
- white settlement, and climate, 295
- Wilkes Land, Antarctica, 55, 60, 230–1
- Willandra Lakes, New South Wales, 83, 91, 92, 94
- wind, *see* circulation, atmospheric; easterlies; westerlies
- wind stress on oceans, 40–1, 48
- Wisconsin glaciation, 60, 88, 95, 125, 214–15
- World Meteorological Organization
 - baseline monitoring network, 284
 - concern with droughts, 296
 - proposal for Agrometeorological Programme in Aid of Food Production, 333
- World Weather Watch, 333
- Wrangell Mountains, Alaska, 67
- Wright Valley, Antarctica, 60
- Würm glaciation, 60, 125, 127
- Younger Dryas readvance, 125
- zonal circulation, 17, 20–1
- zonal flux, 23
- zonally averaged circulation, 237, 242–3
- zonal mean temperature, 17, 20–1, 241–3
- zonal wind component, 17, 20–1, 241–2, 345, 347
 - effect of volcanic eruption, 267