

## Index

- $\Delta_j(\mathcal{R})$ , 169
- $A \triangle B$ , symmetric difference, 4
- $\alpha$ -cube of order  $m$ , 29
- $|\alpha|$ , diameter  $\alpha$ , 15
- Aaronson, J., 83, 154
- Aarts, J., 28
- Ahlfors, L. V., 204
- Akin, E., 65
- Alexander's horned sphere, 108
- Alexander, J. W., 108
- Alpern, S., xiv, xvi, 12, 25, 27, 38, 42, 45, 50, 54, 56, 58, 74, 75, 84, 86, 90, 95, 130, 138, 155, 157, 158, 160, 167, 175, 178, 184
- Andrea, S. A., 31, 32, 34
- annulus, 91
- Annulus theorem, 91
- antiperiodic, 5, 54
- Antoine, L., 158
- aperiodic matrix, 118
- Arnold, V. I., 35
- Asimov, D., 77
- automorphisms, 3, 7
- Baire category, 8  
   first, 9
- Banach, S., 89
- base, *see* skyscraper
- Berlanga, R., xvii, 88, 112, 113, 128, 133, 158, 188, 196–204
- Besicovitch, A. S., xiv, 22, 89
- Birkhoff, Garrett, 15
- Birkhoff, G. D., xii, xiii, 13, 36, 49, 50
- bounded set, 198
- Bourgin, D. G., 34, 71, 75, 76
- Brouwer  
   fixed point, 33, 56  
   plane translation, 31, 32
- Brouwer, L. E. J., 31–33, 36
- Brown map, 68, 112  
   topological, 66
- Brown, M., 65, 66, 68, 91, 112, 195, 196, 203, 204
- $c(I)$ , 122
- $c(I, K)$ , 122
- $ch$ , end charge, 123
- $\mathcal{C}(g, K, \delta)$ , basic C-O set, 83, 128
- Cairns, G., 22, 29
- chaotic, 27
- charge, 121, 126
- Choksi, J. R., xiv–xvii, 82, 83, 86, 94, 95, 154, 155, 160, 161, 167, 184, 186
- Christenson, C. O., 65
- clopen, 109
- column, *see* skyscraper, 168
- column distribution, 168
- compact-open topology, 83  
   on  $\mathcal{G}[X, \mu]$ , 83
- compressible end homeomorphism, 116
- conjugacy  
   infinite measure, 186  
   pointwise, 155, 174  
   pointwise–setwise, 187  
   setwise, 140, 144, 179
- conjugacy class, 54
- Conley, C. C., xviii, 32, 35
- consistent distribution, 180
- Cornfeld, I. P., 179
- critical set, 180
- $d$  metric on  $X$ , 65
- $d(A)$ , diameter of  $A$ , 28
- $d(\mathcal{P})$ , column distribution, 169
- Daalderop, F., 28
- Devaney, R. L., 23, 27
- Devaney-chaotic, 27
- dyadic cube, 13  
   order, 13

dyadic permutation, 13, 14  
     cyclic, 16  
     order, 14  
 dyadic rational, 29

$E[X]$ , ends, 106  
 $E^\infty[X]$ , infinite measure ends, 110  
 $e \sim_K e'$ , end equivalence, 108  
 $e(K)$ , 106  
 Edwards, R. D., xv, 12  
 Eigen, S. J., 167, 173  
 Elton, D., 29  
 end, 106  
     charge, 123  
     compactification, 107  
     homeomorphism, 115  
     infinite measured, 110  
     invariant, 122  
     measure on, 109  
 end preserving, 115  
 entropy  
     infinite measure, 154  
 Epstein, D. B. A., xvii, 88, 112, 113,  
     128, 133, 158, 188, 196–204  
 equidistributed set, 51  
 ergodic, 4, 48  
     end homeomorphism, 116  
     infinite measure, 82  
 ess sup, essential supremum, 8

$F^n$ ,  $n$ -face, 75  
 $\#(F)$ , cardinality of  $F$ , 43  
 $\bar{F}$ , complement of  $F$ , 43  
 $\|f\|$ , norm  $f$ , 8  
 $\|f - g\|$ , 8  
 Fathi, A., 32, 74  
 first return, 99, 162  
 Flucher, M., 31, 35  
 Fomin, S. V., 179  
 Franks, J., xviii, 14, 31, 35–37  
 Freedman, M. H., 91  
 Friedman, N. A., 82, 145, 162  
 Furstenberg, H., 121

$G_\delta$  set, 8  
 $\Gamma_1$ , critical sets, 180  
 $\mathcal{G}[X, \mu]$ , 4, 7  
 $\|g\|_K$ , 95  
 generic, 3  
 generic property, 8  
 Gluck, H., 91  
 Goffman, C., 63, 191  
 Greene, R. E., 110, 197

$h^*$ , induced end homeomorphism, 115  
 $\mathcal{H}_f[I^n]$ , 75  
 $\mathcal{H}[X]$ , 7

$\mathcal{H}[X, Y]$ , 8  
 Hall, P, 14  
 Halmos, P. R., xiii, xiv, 4, 16, 39, 42,  
     54, 74, 160, 166, 174, 175  
 Hilbert cube, 194  
 Hocking, J. G., 108  
 Hoel, P. G., 177  
 homeomorphic measures, 188  
 Hopf, E., xii

$(I^n, \lambda)$ ,  $n$ -dimensional volume measure  
     on  $n$ -cube, 7  
 $I^n$ , (unit)  $n$ -cube, 8  
 $I^\infty$ , Hilbert cube, 194  
 $I_\pm^n$ , 75  
 $I^n$ , 75  
 $\mathcal{I}_\sigma$ ,  $\sigma$ -invariant ends, 122  
 $id$ , identity map, 75  
 $I^n$ , unit  $n$ -cube, 3  
 incidence matrix, 120  
 incompressible end homeomorphism,  
     131  
 induced automorphism, 162  
 irreducible matrix, 118  
 isomorphism of measure spaces, 69

Jessup, B., 22

$\hat{K}$ , 198  
 $k$ -adic cubes, 17  
 Kakutani, S., xiv, xv, 82, 94, 95, 154,  
     160, 161, 166, 186  
 Katok, A. B., xiii, xiv, 54, 74  
 Keldyš, L. V., 158  
 Kirby, R. C., 91, 112  
 Kolganova, A., 29  
 Krengel, U., 83, 154

Lax, P. D., xiv, xv, xviii, 13–17, 19  
 Le Calvez, P., 35  
 Lebesgue space  
     finite, 4  
     infinite, 82  
 Li, Y., 36  
 Lin, Z., 36  
 Lind, D. A., xv  
 locally flat, 91  
 locally positive measure, 3  
 Lusin Theorem, 38, 47, 72, 113, 115

$\mathcal{M}[X, \mu]$ , 3  
 $\mathcal{M}_f[I^n, \mu]$ , 75  
 $\mathcal{M}[X, \mu]$ , 7  
 $\mathcal{M}[X, Y, \mu]$ , 8  
 $\mathcal{M}^0[I^n, \lambda]$ , 24  
 $\mathcal{M}_\sigma[X, \mu]$ , 117  
 $\mathcal{M}_\sigma^0[X, \mu]$ , 125

- $\mathcal{M}_\sigma^c[X, \mu]$ , 125  
 Mai, J. H., 90  
 manifold  
   compact, 64  
   Manhattan, 99  
   sigma compact, 81  
 Marriage Theorem, 15, 17  
 matrix  
   aperiodic, 118, 178  
   irreducible, 177  
   mixing, 178  
   period, 118, 178  
   permutation, 15  
 Mauldin, R. D., 89  
 maximal chaos, 27, 28  
 maximal dependence on initial  
   conditions, 28  
 maximum metric, 18  
 mean rotation vector, *see* rotation  
   vector  
 mean translation vector, 19  
 measure  
   homeomorphic, 62  
   noncompact, 128  
   locally finite, 62  
   locally positive, 62  
   nonatomic, 62  
   OU, 62  
   sigma finite, 81  
 metrically transitive, xii  
 mixing matrix, 118, 178  
 Montgomery, D., 31, 34, 71  
 Moser, J., 197  
*h*-moving set, 127  
 $\mu^*$ , measure on ends, 109  
  
 $N_K(e)$ , end neighborhood, 107  
*n*-cell, 112  
 Nicolau, M., 22  
 Nishiura, T., 63, 191  
 norm of homeomorphism, 8  
 nowhere dense, 8, 66  
  
 $\omega(f, \epsilon)$ , modulus of continuity, 193  
 order, dyadic cube, 13  
 order, dyadic permutation, 14  
 Oxtoby Ulam measure, *see* measure,  
   OU  
 Oxtoby, J. C., xi–xv, xvii, 8–10, 12–14,  
   22, 24, 42, 45, 47, 49–51, 54, 63, 66,  
   67, 158, 188, 189, 194, 197  
  
 $\mathbf{P}$ , matrix, 56  
 $\mathcal{P}$  label of  $x$ , 168  
 $\mathcal{P}_K$ , partition of  $E[X]$ , 109  
 $|\mathcal{P}|$ , diam. subdivision  $\mathcal{P}$ , 193  
 partition  
   skyscraper, 162  
   triangular, 162  
   partition metric, 168  
   Pedrick, G., 63, 191  
   period, 118  
   periodic atom in  $\mathcal{A}$ , 127  
   permutation matrix, 15  
   Perversi, P., 29  
   Petersen, K., 162  
   Plane Translation Theorem, 32  
   Poincaré recurrence, 33, 100  
   Poincaré, H., 32, 36  
   Poincaré's Last Geometric theorem, 36  
   Pollicott, M., 36  
   Port, S. C., 177  
   positive recurrent, 178  
   Prasad, V. S., xiv, xvi, 25, 27, 56, 63,  
     74, 83, 84, 86, 89, 90, 94, 130, 138,  
     154, 155, 157, 158, 160, 167, 173,  
     178, 184, 189, 194, 196  
   Prikhodcko, A. A., 167, 173  
  
 $Q(K)$ , 108  
 $\mathcal{Q}$ , clopen algebra, 109  
 quasi-dyadic  
   cube, 72  
 Quinn, F., 91, 112  
  
 $(R^n, \lambda)$ , 86  
 $R^1 \times I$ , strip, 18  
 $R^1 \times [0, 1]$ , strip, 99  
 $R^n$ , Euclidean  $n$ -space, 18  
 $\rho(f, g)$ , weak metric, 39  
 $\|\mathcal{R} - \mathcal{Q}\|$ , partition metric, 168  
 rectangular subdivision, 193  
 $\mu$ -recurrence, 99, 118  
 $\mu$ -recurrent, 33, 126  
 recurrent matrix, 118  
 relative  $n$ -cell, 112  
 residual, 9  
 return map, 99  
 Rokhlin tower, 55, 166  
 Rokhlin, V. I., 160, 166, 167  
 rotation vector, 19  
 rotationless, 18  
 Ryzhikov, V. V., 167, 173  
  
 $|S|$ , diameter of  $S$ , 57  
 Sachdeva, U., 82, 94  
 Sario, L., 204  
 Schweiger, F., 162  
 Scottish Café, 89  
 sensitive dependence on initial  
   conditions, 27  
 separating set, 113  
 Shiohama, K., 110, 197  
 Siebenmann, L., 112

Cambridge University Press

978-0-521-17243-1 - Typical Dynamics of Volume Preserving Homeomorphisms

Steve Alpern and V. S. Prasad

Index

[More information](#)

216

Sinai, Y. G., 179  
 singular points, 66  
 skyscraper, 82, 161  
   base, 148, 162  
   column, 148, 162  
   floor, 162  
   over  $A$ , 162  
   partition, 162  
   top, 148, 162  
 $\pi$ -skyscraper, 168  
   type  $j$ , 168  
 spatially periodic, 24  
 state  
   period, 121, 178  
   positive recurrent, 178  
   recurrent, 178  
 Steinhaus, H., 89  
 Stepin, A. M., xiii, xiv, 54, 74  
 stochastic, 56, 177  
   doubly, 15, 56  
   mixing, 56  
 Stone, C. J., 177  
 Stone, M. H., xii  
 strip manifold  
   flip on the, 104  
   right unit translation, 99  
   translation on the, 133  
 strong topology, 43  
 support, 11  
 sweep-out set, 162  
 $T^n$ ,  $n$ -torus, 13  
 $t(x, y)$ , unit translation, 99  
 $\mathbf{T} = \mathbf{T}(h, K)$ , incidence matrix, 120  
 Thouvenot, J.-P., xv  
 top, *see* skyscraper  
 topological weak mixing, 25, 26  
 totally ergodic, 175  
 transitive, 22, 89  
   spatially periodic, 22, 24  
 typical, 3

Index

typical property, 8  
 $U(f, g)$ , uniform metric (compact-open), 84  
 $u(f, g)$ , uniform metric, 8  
 Ulam, S., xi–xv, xvii, 8, 10, 12–14, 22, 42, 49–51, 54, 63, 66, 67, 89, 188, 197  
 unbounded set, 198  
 uniform metric  $u$ , 8  
 uniform metric (compact-open), 84  
 uniform topology, 8  
   noncompact, 83  
   on  $\mathcal{M}[R^2, \lambda]$ , 83  
 $v(h)$ , mean rotation vector, 19  
 $v_t(\hat{h})$ , mean translation vector, 19  
 variable rotation, 9  
 von Neumann, J., xvii, 15, 42, 63, 188  
 Voxman, W., 65  
 $\mathcal{W}(g, \delta, B_1, \dots, B_m)$ , 82  
 Waterman, D., 63, 191  
 weak metric, 39  
 weak mixing, 4, 87  
   componentwise, 121, 157  
   infinite measure, 154  
   topological, 26, 121  
 weak topology, 4  
   finite measure, 39  
   infinite measure, 82  
 Weiss, B., 63, 189, 194  
 White, H. E., 45, 47  
 Xu, X. Q., 22, 90  
 Young, G. S., 108  
 Yuri, M., 36  
 0-cube, 29  
 Zehnder, E., xviii, 32, 35