

Cambridge University Press

978-0-521-18007-8 - Chrysophytes: Aspects and Problems

Edited by Jorgen Kristiansen and Robert A. Andersen

Index

[More information](#)

## Index

- Acanthocystis*, 60  
*Acetabularia*, 147, 156  
 acritarchs, 318  
 actinomoad helioflagellate, 50, 51  
*Actinomonas*, 50  
*Actinomonas mirabilis*  
     (= *Pteridomonas*), 51  
 actinophryid heliozoa, 27  
 Actinophryida, 49–64  
 actinophryids, 49–64  
*Actinophrys*, 49  
*Actinophrys sol*, 52, **53**, **54**, **55**, 60  
 Actinopoda, 49  
*Actinosphaerium*, 49  
 Africa, 236  
 ameba, 7, 49–64, 75, **109**, 110, 111  
     amoeba, *see* ameba  
*Amphilitopyxis*, **284**  
 anisomycin, 156  
*Ankylochrysis*, 43, 44  
*Ankylochrysis lutea*, 44  
*Ankylonoton luteum*, 44  
*Antarctosaccion*, 43  
*Anthophysa*, 18  
*Antirrhinum majus*, 147  
*Apedinella*, 27, 40, 52, 60, 62  
*Apistonema*, 40  
 Archaeandaceae, 283  
 Archaeomonadaceae, 283, 300  
*Archaeomonadopsis*, 283  
*Archaeomonas*, 283, 301  
*Archaeomonas insignis*, 268  
*Archaeomonas vermiculosa*, 268  
*Archaeosphaeridium*, 283, 301  
*Arthrodesmus incus*, 170, 173  
*Artirrhinum*, 148  
 Asia, 236  
*Asplenium nidus*, 147  
*Asterionella formosa*, 169, 171, 173, 180,  
     219, 301  
 ATPase complex, 157  
 Aurospiraaceae, 40  
 Australia, 236  
 autofluorescence, 133–40  
 auxospore, 6  
 axoneme, axopodial, 50–4, **53**, **54**  
 axopodia, axoneme of, 50–4, **53**, **54**  
  
 B group vitamins, 185–95  
     produced by bacteria, 191  
 Bacillariophyceae, 5–7, 17, 25, 171, 172  
*Bacillus subtilis*, 144  
 bacteria, 185  
     coccoid, 110, **114**  
     endosymbiotic, **56**, **57**, 58  
     bacterial culturing methods, 185  
     Bangladesh, 236  
     basal body, 55  
     basal body associated crescent, **56**, **57**  
     *Beta*, 148  
     *Bicosoeca*, 29, 30, 32  
     *Bicosoeca maris*, 30  
     Bicosoecaceae, 30  
     Bicosoecales, 30  
     Bicosoecida, 30  
     Bicosoecophyceae, 30  
     biomass, phytoplankton, 243  
     biosynthesis,  
         nucleic acid, 144  
         protein, 144, 153, **154**, 155  
     biotin, in lake water, 185–95, **188**, **190–2**  
     *Bitrichia*, 8, **81**, 82  
     Bitter Springs biota, 273  
     bloom, *Uroglena*, 185–95  
     blooms and biotin, 185–95  
     blue-green algae, 169, 199  
         fossil, 273  
     *Botrydium granulatum*, 146, 147  
     <sup>14</sup>C primary productivity, 197–205  
     CCCP, 153  
     *Calycomonas*, 39  
     Cambrian Period, 260, 273–9  
     carbon fixation, 153, **154**, 197–205  
     carbon uptake, 197–205  
     *Carnegia*, **284**, 299  
     catalase, 153  
     *Catenocbrysis*, 8, 10, 71, 74, 230  
     cauliflower, 150  
     cell division, 79, 111, **112**, 144  
     cellulose, 46  
     Centrohelida, 49  
     centrohelidian heliozoa, 51  
     Chad, 236  
     *Chaetoceros gracilis*, 157, 158  
     *Chaetotyphla volvox*, **282**, 299  
     *Chattonella*, 28, 44  
     *Chattonella japonica*, 146, 147  
     *Chattonella subsalsa*, 28  
     cherts, 273  
     *Cblamydomonas*, 145, 170  
     *Cblamydomonas reinhardtii*, 147  
     chloramphenicol, 153, 155, 156  
     *Chlorococcum*, 220  
     Chloromonadophyceae, *see*  
         Raphidophyceae  
     Chlorophyceae, 170, 172, 179  
     chlorophyll *a*, 143, 243  
     chlorophyll *c*, 143

Note: Numbers in **boldface** indicate pages where illustrations occur.

- chlorophytes, 143  
 chloroplast, 108, 110, 143  
   division, 144  
   isolated, 153, 154  
 chloroplast DNA, 143–58  
   catenated, 148, **149**, 150  
   coiling, 148–52  
   conformational state, 148  
   copy number, 143, 146–8  
   domains, 148, 149  
   gene expression, 143, 152–8  
   histone proteins, 152  
   key ring, **149**  
   nucleoid, 151, 152  
   packaging, 143, 148  
   polyploidy, 146–8  
   restriction digest, 144  
   rosette, **149**  
   supercoiling, 148, **149**, 152  
   topoisomers, **149**, 150  
 choanoflagellates, 31  
 Choanoflagellida, 31  
 Chomeiji, Japan, 187  
*Chromophysomonas* (see also *Spiniferomonas*), 71, 115, 121, 130, 229, 230, 233, 245, **252**, 259, 262  
*Chromophysomonas abei*, 96, 262, 264, **265**  
*Chromophysomonas alata*, 262, 264, **265**  
*Chromophysomonas bilacunosa*, 262, 264, **265**, 266  
*Chromophysomonas bourrellyi*, 259  
*Chromophysomonas cornuta*, 247, 249, 253, 254, 256, 264, **265**, 266, 268  
*Chromophysomonas crucigera*, 264, **265**, 266  
*Chromophysomonas serrata*, 264, 266, **267**, 268  
*Chromophysomonas takabastii*, 264, 266, **267**  
*Chromophysomonas trioralis*, 247, 248, 250–6, 264, **267**, 268, 304  
 Chromophyta, 7  
 chromophytes, 49, 143  
 Chromoplantae, 7  
*Chromulina*, 7, 40, 113, 116, 117, 301  
*Chromulina nebulosa*, 116, 117, 281, **282**  
*Chromulina pascheri*, 282  
*Chromulina placentula*, 304  
 Chromulinales, 75–7  
*Chrysamoeba*, 75  
*Chrysamoeba nana*, 40  
*Chrysamoeba radians*, 115  
 Chrysamoebales, 78, 79  
*Chrysapis yserensis*, 40  
*Chrysastrella*, **284**  
*Chrysastrella paradoxa*, 302  
*Chrysoampbitrema*, **81**, 82  
*Chrysobotriella spondylomorum*, 40  
*Chrysocapsa*, 115  
*Chrysocbromulina*, 37  
 Chrysococcaceae, 77  
*Chrysococcus*, 9, 39, 76, **81**, 82  
*Chrysocrinus*, 76, 81  
*Chrysoderma*, 43, 44  
*Chrysoderma mucosa*, **42**, **45**  
*Chrysodidymus*, 236  
*Chrysodidymus synuroides*, 97  
 chrysolaminarin, 108, 110  
*Chrysolykos*, 8  
 Chrysomeridaceae, 43  
 Chrysomeridinae, 41, 43  
*Chrysomeris*, 17, 43  
*Chrysomeris ramosa*, 41, **42**  
 Chrysomonadaceae, 284  
 Chrysomonadina, 7  
 Chrysomonadinae, 12, 300  
*Chrysonepbros*, 43  
 Chrysophyceae, 3, 5, 12, 23, 39, 278  
   ameboid, 75  
   classification, 3–18, 23–33, 37–46, 71–4, 75–84  
   classification by Bold and Wynne, 14  
   classification by Bourrelly, 13  
   classification by Christensen, 14  
   classification by Ettl, 15  
   classification by Fott, 13  
   classification by Fritsch, 12  
   classification by Kristiansen, 15  
   classification by Pascher, 12  
   in sediments, 281–308  
   loricated, 75–84  
   marine, 37–46  
   New Zealand, 87–105  
   phylogeny, 3–18, 23–33, 49–64, 75–85  
   rhizopodial, 75–84  
   seasonal distribution, 165–81, **169**  
   sexual reproduction, 281  
   silica-scaled, 71–4, 87–105, 165–81, 197–205, 229–37, 241–57, 259–69, 273–8, 281–308  
   Southern Hemisphere, 87–105  
   tropical floras, 307  
   ultrastructural summary, 23–34  
 Chrysophyceae belt, 37  
 Chrysophyta, 3, 12  
 chrysophytes, atypical, 29  
 Chrysopodaceae, 75  
*Chrysopodocystis socialis*, 39  
 Chrysopyxidaceae, 79  
*Chrysopyxis*, 8, 75–83, **81**  
*Chrysopyxis iwanoffii*, 76, 82  
*Chrysosphaerella*, 10, 39, 41, 71–5, 115, 121, 130, 179, 197, 230, 245, 256  
*Chrysosphaerella brevispina*, 247, 248, 250, 251, 253–6  
*Chrysosphaerella coronacircumspina*, 245, 247, 248, 250–6, 304

- Chrysozooecia longispina*, 197–205  
*Chrysozooecia patelliformis*, 39  
*Chrysozooecia salina*, 39  
*Chrysozooecia tripus*, 39  
 Chrysostomataceae, 284, 300  
*Chrysostomum*, **284**  
*Chrysothylakion*, **81**, 82, 83  
*Chrysothylakion vorax*, 39  
*Chrysotila*, 37  
*Chrysotila lamellosa*, 38  
*Chrysotila stipitata*, 38  
*Chrysowaernella*, 12, 43  
*Chrysowaernella hieroglyphica*, 41, **42**  
*Ciliobryis*, 49–51, **53**, 60–3  
*Ciliobryis marina*, 27, 52, 61  
 classification, *see* Chrysophyceae, classification  
*Clathrulina*, 51  
*Clericia*, **284**  
*Clericia insignis*, 267, 268  
 cluster analysis, 243, **254**, **255**  
 coccolithophorids, 37  
*Codium*, 145  
*Codium fragile*, 147  
 collection methods, 88, 107, 208  
   cysts, 319  
   conductivity, 167  
*Conradiella*, 71, 74, 230  
*Coretbron*, 16  
 Craspedomonadophycidae, 31  
 Craspedophyceae, 31  
 crescent, basal body associated, **56**, **57**  
*Cribidia fasciculata*, 150, 152  
 cross-striated root, *see* rhizoplast  
*Crucigenia tetrapedia*, 170, 174  
*Cryptomonas*, 323  
*Cryptomonas erosa*, 170, 173, 177  
*Cryptomonas ovata*, 170, 173, 177  
 Cryptophyceae, 169, 170, 172  
*Cucumis sativus*, 147  
 culture, axenic, 185  
 culture medium, 108, 110, 133, 140, 187, 209  
   *Volvox*, 140  
   Zobell 2216, 187, 191  
 culture methods, 38, 108, 185, 187  
*Cyanidium caldarium*, 157  
 cyanobacteria, *see* blue-green algae  
*Cyanophora paradoxa*, 146, 147, 157  
 Cyanophyceae, 171, 172, 179  
*Cyatobobodo*, 31, 32  
 cycloheximide, 153, 155, 156  
 cyst, 4–7, 11–13, 16, 24, 27, 32, 41, 110–11, 207–22, 234–5, **267**, 281–308, **282**, **290**, 317–27  
   asexual vs sexual, 306  
*Chromophysomonas trioralis*, **267**, 268  
 classification, 300  
 classification by Deflandre, 283, 284  
   classification by Nygaard, 285  
   collection methods, 319  
   dinoflagellate, 318  
   dormancy, 216  
   emerging cell, 281, **282**  
   fossil, 274, 281–308, 319–21  
   future studies, 307  
   germination, 209, 210  
   helizoan 53, 62  
   in diatomites, 288  
   in geologic time, 306  
   index fossils, 299, 317  
   *Mallomonas*, **288**  
   marine, 301  
   outline for descriptions, 319–25  
   sample preparation, 291  
   sampling techniques, 291  
   sediment sampling localities, 286  
   shape, 281  
   standardized terminology, 317  
   structure, 281  
   *Synura*, **289**  
   universal listings, 321  
*Cysta teres*, 300, 323, 324  
  
*Daphnia catawba*, 180  
 DCMU, 153  
*Deflandreia*, **284**  
 Denmark, 236  
 Derepyxidaceae, 76  
*Derepyxis*, 75–84, **81**  
 desmids, 97  
 desmotheracid heliozoa, 51  
 Desmotheracida, 49  
*Diacronema*, 37  
 dialysis, 137  
 Diatomophyceae, *see* Bacillariophyceae  
 diatoms, 5, 169, 189  
*Dicrateria*, 37  
*Dictyocha*, 4, 10  
*Dictyocha fibula*, 26  
 Dictyochales, 8  
 Dictyochophyceae, 26  
 dictyosome, 58  
*Dictyota dichotoma*, 146, 147  
 digestive vacuole, 52  
 dimictic lake, 166  
*Dimorpha*, 50, 51, 60  
*Dimorphbella*, 50  
 Dinobryaceae, 78  
*Dinobryon*, 7, 8, 11, 30, 39, 137, 155, 165, 179, 180, 207–22, 301  
*Dinobryon borgei*, 281, 306  
*Dinobryon cylindricum*, 170, 172, 173–5, 179–81, 207–22, 281, 304  
   mating strains, 208  
   sexual reproduction, 207–22  
*Dinobryon divergens*, 217, 281–2, 304  
 Dinophyceae, 169

- discobolocysts, 139, 140  
*Distephanus speculum*, 26  
 distribution  
   geographical, 208  
   seasonal, 208, 234  
 division  
   cell, 144  
   chloroplast, 144  
 DNA, chloroplast, *see* chloroplast DNA  
 DY III culture medium, 209  
 Early Cambrian Period, 273–8  
*Echinopyxis*, 299  
*Echinospaerium*, 49, 60, 62  
*Echinospaerium nucleofilum*, **53**  
 ecology, 17  
*Elakatothrix gelatinosa*, 170, 173  
 emission spectrum, 137, **138**, **139**  
 encystment, 213–21  
 encystment vesicle, 216  
 endocyst, *see* cyst  
 endonuclease, 150  
 endosymbiosis, 27, 143  
 enzymatic digestion, 122, 126  
 epilimnion, 197, 217, 219  
*Epipyxis*, 8, 12  
 erythromycin, 156  
*Escherichia coli*, 144  
 Euchromulinaceae, 76, 77  
*Eudorina*, 113  
*Euglena gracilis*, 147, 177  
 euglenoids, 169  
 Euglenophyceae, 171, 172  
 eukaryote, early history, 278  
 Europe, 236  
 Eustigmatophyceae, 5, 29  
 eutrophication, 179, 185, 300–2, 305, 308  
 excystment, 214–22, 289  
 exocytosis, 140  
 extrusomes, 52, **53**, **54**, **55**, 58  
 Feulgen stain, 151  
 flagella, heterokont, 4, 5, 23  
 flagellar hairs, *see* mastigoneme  
 flagellar roots, 3, 24, 25, 28  
   multilayered structure, 28  
 flagellum, 50, 55, 110–1  
   length, 115  
 flora, New Zealand, 87–105  
 fluorescence  
   catecholamine, 133  
   emission, 133–40  
   excitation, 133–40  
   fluorescein, 133  
   Hocchst, 133  
   rhodamine, 133  
 fossils 273–8, 282–308, 317  
   blue-green algae, 273  
   cysts, 274  
   silica scales, 273–8, 303–6  
 Fucophyceae, *see* Phaeophyceae  
*Fucus*, 9  
 Funnel Creek Limestone, 273  
 gametogenesis, 219  
 gelatinous envelope, 110, 113  
 geology, 260  
*Giraudyopsis*, 12, 17, 43  
*Giraudyopsis stellifer*, 41, **42**, **45**  
 girdle lamella, absence of, 113  
*Gloeocystis*, 115  
*Gloeothamnion*, 40  
*Golenkinia*, 171  
 Golgi body, 58  
*Gonyostomum*, 28  
 green algae, 169  
 green light, in photosynthesis, 197–205  
 Greenland, 236  
*Griffithsia pacifica*, 157, 158  
 growth,  
   synchronous, 144  
   temperature effects, 207–22  
 Haptophyceae, *see* Prymnesiophyceae  
*Heliopsis*, **81**, 82, 83  
*Heliopsis acbromatica*, 39  
*Heliobrysis*, **81**, 82  
 helioflagellates, 49, **53**  
 heliozoa, 49–64  
 Heterokontae, *see* Xanthophyceae  
*Heterolagynion*, 76, 81–3, **81**  
*Heterophrys*, 60  
 Hill reaction, 153, **154**  
   photosynthesis, 153, **154**  
 histone proteins, 152  
*Holopedium gibberum*, 180  
 hot trichloroacetic acid-soluble material,  
   199  
*Hyalocylis*, **81**, 82, 83  
*Hydrurus*, 11  
 hypolimnion, 166, 168, 197  
 incubation, primary production, 198  
 International Statospore Working Group,  
   318  
 Isochrysidaceae, 76  
 Isochrysidales, 75  
*Isobrysis*, 37  
 Isochrysiophycidae, 31  
 isolated plastids, 153, 155  
 Jacks Lake, Canada, 198  
 Jensen staining method, 261  
*Kephyrion*, 39, 170, 175  
*Kephyriopsis ovum*, 170, 173–5, 180  
 kinetosome, *see* basal body  
 kingdoms, 63  
 Kitakomatsu, Japan, **186**, 187  
*Klebsiella aerogenes*, 52  
*Kybotion*, 75–83, **81**  
 Kybotionaceae, 76

- Lagyniaceae, 76–80  
*Lagynion*, 75–83, **81**  
*Lagynion cystodini*, 82  
*Lagynion fulvum*, 76  
*Lagynion macrotrachelum*, 82  
*Lagynion scherffellii*, 82  
Lake Biwa, Japan, 185–95, **186**  
lake, dimictic, 166  
Lake Lacawac, Pennsylvania, 165–81  
lake sediments, 235  
lakes, Oslo, Norway area, 259–69  
Lehman's DY III medium, 209  
lettuce, 148  
*Leucobrysis pascheri*, **282**  
leucoplast, 72  
leucosin, *see* chrysolaminarin  
*Leukapsis vorax*, 39  
light  
  blue, 139  
  green, *see* green light in photosynthesis  
  quality, 197–205, **200**  
  ultraviolet, 139, 140  
light attenuation, 166  
limestone, 273  
lipid content, 199, **202**  
*Litharchaeocystis*, 283  
*Litharchaeocystis costata*, 300  
*Litheuspbaerella*, 283  
lithologies, 273  
*Lithuropyxis*, 283  
lorica, 75  
low molecular weight organic compounds, 199, **202**
- Malaysia, 236  
Mallomonadaceae, 7, 9, 10, 32, 71–4, **73**,  
87–105, 121–31, 165–81, 229–37,  
241–57, 287, 303  
*Mallomonas*, 10, 11, 39, 71–4, **73**, 87–105,  
121, 128, 130, 165, 179, 180, 229–37,  
287, 301, 303, 305, 323  
*Mallomonas acaroides*, 170, 172, 173, 174,  
176, **178**, 180, 181, 229, 246, 248,  
250–5, 287, 304  
*Mallomonas acaroides* var. *striatula*, 304  
*Mallomonas actinoloma*, 244, 250  
*Mallomonas akrokomos*, 170, 173, **178**,  
180, 181, 246, 248, 250–6, 304  
*Mallomonas alata*, 91, 244, 246, 248, 250,  
251  
*Mallomonas annulata*, 94, 99, 246, 248,  
250–5  
*Mallomonas apochromatica*, 229  
*Mallomonas areolata*, 245, 246, 250, 251,  
**252**  
*Mallomonas calceolus*, 101, 104, 246, 250  
*Mallomonas canina*, 236  
*Mallomonas caudata*, 246, 248, 250–6,  
**288**, 303–5  
*Mallomonas conspersa*, 99, **100**, 101  
*Mallomonas crassisquama*, 231, 236, 246,  
248, 253, 254, 303–6  
*Mallomonas cratis*, 245, 245, 248, 250,  
251, **252**  
*Mallomonas cyathbellata*, 10  
*Mallomonas elliptica*, 99  
*Mallomonas elongata*, 306  
*Mallomonas eoa*, 91, 99, 104, 235, 302,  
304, 321–7, **323**  
*Mallomonas grata*, 102  
*Mallomonas grossa*, 97, **98**, 99, **100**  
*Mallomonas hamata*, 236, 305  
*Mallomonas heterospina*, 302, 304  
*Mallomonas hindonii*, 305  
*Mallomonas insignis*, 236, **282**, 304  
*Mallomonas intermedia*, 246, 248, 304  
*Mallomonas lelymene*, 236  
*Mallomonas maculata*, 91, 94, 96  
*Mallomonas mangofera*, 102, 104, 245,  
246, 248, **252**  
*Mallomonas minima*, 229  
*Mallomonas monograptus*, 246, 248, 250–  
6  
*Mallomonas multisetigera*, 104  
*Mallomonas multiunca*, 246, 248, 250–5  
*Mallomonas novae-zelandiae*, 89–91, 96  
*Mallomonas paludosa*, 234  
*Mallomonas papillosa*, 94, 104  
*Mallomonas perpussilla*, 94, **95**, 96  
*Mallomonas pillula*, 96  
*Mallomonas pillula* f. *valdiviana*, 96  
*Mallomonas plumosa*, 16, 91, 236  
*Mallomonas portae-ferreae*, 236  
*Mallomonas producta*, 229  
*Mallomonas pseudocoronata*, 236  
*Mallomonas pumilio*, 96, 104, 105, 244,  
304  
*Mallomonas pumilio* var. *munda*, 105,  
245, 246, 248, 250, 251  
*Mallomonas pumilio* var. *pumilio*, 304  
*Mallomonas punctifera*, 230, 245, 246,  
248, 305  
*Mallomonas reginae*, 245, 305  
*Mallomonas roscida*, **103**, 104, 105  
*Mallomonas schuemmlii*, 246  
*Mallomonas* section *Mallomonas*, 91, 94,  
96  
*Mallomonas* section *Paxillata*, 101  
*Mallomonas* section *Torquatae*, 103, 105  
*Mallomonas* series *Intermediae*, 91  
*Mallomonas* series *Mallomonas*, 91  
*Mallomonas* series *Paludosa*, 91  
*Mallomonas* series *Papillosae*, 91, 94, 96  
*Mallomonas striata*, 245, **287**, 304  
*Mallomonas striata* var. *serrata*, 245, 246,  
248, 250, 251, **252**  
*Mallomonas* subgenus *Mallomonopsis*,  
101

- Mallomonas teilingii*, 302, 304  
*Mallomonas tongarirensis*, 91, **92**, 93, 94  
*Mallomonas tonsurata*, 246, 248, 250–6  
*Mallomonas trummensis*, 250, 288  
*Mallomonas vannigera*, 236, **288**, 304  
*Mallomonas villosa*, 102, **103**, 104  
*Mallomonopsis*, 10, 71, 74, 121, 128, 130, 251, 255  
*Mallomonopsis oviformis*, 246, 248, 255  
*Mallomonopsis parvula*, 244, 246, 248, **252**  
*Mallomonopsis paxillata*, 244, 246, 248, **252**  
*Mallomonopsis salina*, 246, 248  
mannitol, 46  
mastigoneme, 17, 23, 58, **59**, 61, 62  
  origin of, 58  
medium, culture, *see* culture medium  
*Merismopedia tenuissima*, 171, 173, 174  
metalimnetic populations, 197–205  
metalimnion, 197–205  
methods  
  collecting, 88, 107, 208  
  culture, 108, 133, 185, 209  
  cyst collecting, 319  
  electron microscopy, 3, 88, 108, 122, 243  
  enzymatic, 110, 122, 126  
  fixation, 3, 52, 88, 108, 113, 122, 136, 166, 261  
  fixation, with Taxol, 52  
  fluorometry, 133  
  fossil preparation, 274, 291  
  light microscopy, 261, 274  
  sampling, 165, 198, 243, 261  
  water chemical analysis, 165–6, 243, 261  
*Micrampulla*, 283  
*Microcystis incerta*, 171–4  
microfossils, 273–8, 281–308  
*Microglena*, 39, 71, 74  
*Microsportella fiordensis*, 31  
mitochondria, 153, 157  
mitochondrial cristae  
  flattened, 62  
  tubular, 62–3  
*Monas*, 13  
morphology, 230  
mucocysts, 139, 140  
*Mucosphaera*, 116  
mucus, 110, 113  
mutualism, 193  
  
*Narcissus pseudonarcissus*, 147  
negative staining, 45, 52  
*Nematochrysis hieroglyphica*, 41  
*Nematochrysis sessilis*, 40  
Nematochrysoptidae, 43  
*Nematochrysoptis*, 12, 17, 43, 46  
*Nematochrysoptis roscoffensis*, 41, **42**  
*Neurospora*, 157  
  
New Zealand, flora, 87–105  
nomenclature, 63, 64  
Nonesuch Shale, 278  
North America, 236  
*Nostoc planktonicum*, 171, 173, 174  
*Notbofagus*, 96  
*Nuclearia*, 52, 53, 60, 62  
*Nuclearia moebiusi*, **53**  
nucleic acid synthesis, 144  
nucleus, 50  
*Nuphar lutea*, 241  
nutrient levels, in lakes, 167, 243, 244, 263  
*Nymphaea alba*, 243  
nymphaeids, 241–3  
*Nymphoides peltata*, 241, 243  
  
Ochromonadaceae, 72, **73**  
Ochromonadales, 41  
*Ocbromonas*, 4, 11, 16, 23–4, 27, 29, 39, 41, 60, 62–3, **73**, 130, 133–40, 155, 232, 301  
*Ocbromonas danica*, 133–40  
*Ocbromonas granularis*, 281  
*Ocbromonas minuta*, 137  
*Ocbromonas sphaerocystis*, 304  
*Ocbromonas tuberculata*, 137, 140, 304  
*Odontella sinensis*, 146, 147  
*Oenothera*, 148  
Okinoshima, Japan, 187  
oligomycin, 153  
oligotrophic lake, 165  
*Olisthodiscus*, 4, 10, 44  
*Olisthodiscus luteus*, 28, 44, 143–58, **145**  
*Oocystis lacustris*, 170, 173  
Oude Waal, 241–57  
*Outesia*, **284**  
  
*Palatinella*, 75  
paleobiology, 271–8, 281–308  
paleolimnology, 281–308, 317  
palmelloid, 115  
Paraphysomonadaceae, 10, 32, 71–4, **73**, 229–37, 259–69  
*Paraphysomonas*, 4, 18, 40, 41, 71–4, 121, 130, 229–30, 233, 237, 245, 253, 256, 259  
*Paraphysomonas bandaiensis*, 247, 249, 250–6  
*Paraphysomonas bourrellyi*, 245, 247, 249, 250, 251, 253, 254  
*Paraphysomonas butcheri*, 247, 249, 250, 253, 254, 304  
*Paraphysomonas canistrum*, 247  
*Paraphysomonas imperforata*, 247, 249, 250–5, 304  
*Paraphysomonas imperforata* f. no. 2, 247, 249, 250–5  
*Paraphysomonas takabashii*, 245, 247, 249, 251, **252**, 254  
*Paraphysomonas vacuolata*, 245, 247, 249, 250, **252**

- Paraphysomonas vestita*, 247, 249, 250–6  
*Pararchaeomonas*, 283  
*Pascherella yserensis*, 40  
*Pavlova*, 37  
 pea, 148  
 pectinase, 110  
*Pediastrum tetras*, 170, 174  
*Pedinella*, 4, 26, 40, 60  
*Pedinella hexacostata*, 60, 61  
 Pedinellaceae, 26, 40  
 pedinellids, 49, 51, 60–3  
*Pelagococcus subviridis*, 29, 39  
 periphyton, 190  
 peristome, 30  
 Permian Period, 260  
*Petunia hybrida*, 147  
 pH, lake water, 168, 244, 255  
*Phaeocystis*, 37  
 Phaeophyceae, 9, 17, 25  
*Phaeosaccion*, 9, 43, 46  
 Phaeosaccionaceae, 43  
*Phaeothamnion*, 7, 11  
 phage  
   lambda, 144  
   P2, 148  
   T4, 144  
 phagocytosis, 79, **112**, 113  
 Phalansteriida, 32  
*Phalansterium*, 31, 32  
 photosynthesis, Hill reaction, 153, **154**  
 phylogeny, 3–18, 23–33, 75–84  
 phytogeography, 235–7  
 Phytomastigophorea, 28  
 phytoplankton, 165–87, 199, 207–22,  
   229–37, 241–57, 259–61  
   enumeration, 166  
   geographical distribution, 208, 235–7  
   seasonal distribution, 208, 234  
   seasonal succession, 207, 234  
   vertical distribution, 165, 168–9, 195  
 pine, 153  
*Pisum sativum*, 147  
*Pitbophora*, 220  
 plankton, *see* phytoplankton  
*Platychrysis*, 37  
*Platytbecca*, 67, **81**, 82, 83  
*Pleurochrysis*, 40  
 Pocono Mountains, Pennsylvania, 165  
*Podocarpus*, 101  
*Podochrysis roscoffensis*, 39  
*Polylepidomonas*, 72, 130  
*Polypodochrysis teissleri*, 39  
*Porostylon*, **81**, 82  
*Porphyridium aeruginum*, 157  
*Porterinema*, 16  
*Poterioochromonas*, 9  
*Poterioochromonas malbamensis*, 137  
 Prasinophyceae, 29  
 Precambrian Period, 260  
*Prochloron*, 143  
 productivity, low light versus high light,  
   199  
 protein  
   histone, 152  
   membrane associated, 153, **154**, 155  
 protein synthesis, 144, 153, **154**, 155, 198–  
   9  
   under green light, 199, 204  
 Proterozoic Age, 273  
 Protista, 278  
 Protomyxidea, 49  
 protozoa, 3, 29–32, 40, 49–64  
 Prymnesiophyceae, 4, 9, 17, 25, 79, 80, 278  
 Prymnesiophyceae belt, 37  
*Prymnesium*, 26, 37  
 pseudocysts, 12  
 Pseudodendromonadida, 31  
*Pseudodendromonas*, 31, 32  
 Pseudoheliozoa, 49  
*Pseudokephyrion*, 8, 39, 170, 175, 178  
*Pseudomicrosportella ornata*, 31  
 pseudopalmelloid life form, 115  
*Pseudopedinella*, 27, 40, 60, 62  
 pseudopodia, 49 *ff*  
*Pteridomonas*, 27, 49–53, **53**, **56**, **57**, 60–  
   63  
*Pteris vittata*, 147  
*Pterosperma*, 4  
*Pulvinaria*, 43, 44, 46  
*Pulvinaria algicola*, 44  
*Pulvinaria feldmannii*, 39, **42**, 43–6  
*Pulvinaria giraudii*, 44  
 pyrenoid, 46  
  
*Quadrigula chodatii*, 170, 173  
  
 Radiolaria, 49  
 Raphidophyceae, 10, 25, 28, 44  
 reproduction, sexual, 131  
 restriction digest, chloroplast DNA, 144  
*Rhamnocybrysis*, 43  
 Rhine River, 241  
*Rbipidodendron*, 30, 32  
*Rbizaster*, 76, **81**, 82  
*Rbizochromulina*, 8  
*Rbizochromulina marina*, 27, 29, 40, 115  
 Rhizochrysidaceae, 77, 78  
 Rhizochrysidales, 76–9  
 Rhizochrysidinae, 75  
 Rhizomastigida, 49  
 rhizoplast, 24, 58  
 Rhizopodia, 10, 75  
*Rhizosolenia eriensis*, 301  
*Rhodomonas lacustris*, 170, 173, 174, 177,  
   179, 180  
 ribulose biphosphate carboxylase, 154,  
   156, 157  
 root, flagellar, *see* flagellar root  
 root, striated, *see* rhizoplast



- <sup>35</sup>S sulfate, 198  
*Saccobrysis*, 107–17  
*Saccobrysis breviciliata*, 107, 115, 116  
*Saccobrysis piriformis*, 107–17, **109**,  
**112**, **114**  
*Saccobrysis socialis*, 107, 115, 116  
*Salpingorbiza*, 76, **81**, **82**, **83**  
sampling methods, *see* methods, sampling  
Sarcinochrysidaceae, 43  
Sarcinochrysidales, 9, 32, 37–46  
Sarcinochrysidineae, 41, 43  
*Sarcinochrysis marina*, 41, **42**, **45**  
Sarcodina, 49  
scales  
  case construction, 121–31  
  exocytosis, 128  
  formation, 10, 121–31  
  fossil, 273–9, 281–308, 317  
  fossil collarlike, **277**, **278**  
  fossil imperforate, 275, **276**  
  fossil perforate, 275, **276**, **277**  
  in sediments, 303–8  
  microfossil, 273–9, 281–308  
  silica, 4, 5, 10, 16, 40–1, 71–4, 87–105,  
  **90**, **92**, **95**, **98**, **100**, **103**, 121–31,  
  **123–5**, **127**, **129**, 166, **178**, 229–37,  
  241–57, **252**, 259–69, **265**, 273–9,  
  **276**, **277**, **282**, **287**, **288**, 291, 303–8  
  unmineralized, 31, 39  
*Schroederia setigera*, 169–70, 173  
seasonal development, 245, 253  
seasonal distribution, 165–81, **169**  
seasonal succession of phytoplankton,  
  207, 234  
secchi disk, 167  
sexual reproduction, 131  
  *Dinobryon cylindricum*, 207–22  
sexuality, 3  
silica-scaled algae, *see* scales, silica  
silica scales, *see* scales, silica  
silica scales fossil, *see* scales, fossil  
Silurian Period, 260  
solar radiation, 140  
sorbitol, 153  
*Spbaerocarpos donellii*, 147  
*Sphaleromantis*, 4, 10, 39  
*Sphaleromantis marina*, 39  
*Sphaleromantis subsalsa*, 39  
spicules, 273  
*Spinacia oleracea*, 147  
spinach, 148, 150, 153, 155, 156  
*Spiniferomonas* ( *see also* *Chromophyso-*  
*monas*), 71–4, 229, 230, 233, 245, 259  
*Spiniferomonas andersonii*, 245  
*Spiniferomonas bourrellii*, 245, 259, 268  
*Spiniferomonas conica*, 245  
*Spiniferomonas trioralis* f. *cuspidata*, 268  
*Spiniferomonas trioralis* f. *trioralis*, 268  
  spiralkörper, *see* transitional helix  
Spongomonadida, 30  
*Spongomonas*, 30, 32  
staining, negative, 45, 52  
stalk, attaching, **53**, **56**, 58  
stalk, contractile, 58  
statospore, *see* cyst  
*Stenocalyx*, 8  
*Stephanoporos*, 78, **81**, **82**, **83**  
*Stichogloea doederleinii*, 170, 173, 174,  
  176, 179, 181  
*Sticholonche zanclea*, 51  
stomatocyst, *see* cyst  
storage product, 143  
stratification, thermal, 166  
stratigraphy, 235  
striated root, *see* rhizoplast  
*Styloceras*, **81**, **82**  
*Stylocbromonas minuta*, 31  
Stylochrysalidaceae, 79  
Stylococaceae, 76, 77  
*Stylococcus*, 75, 76, **81**, **82**, **83**  
*Stylomonas*, 50  
subcellular components, **202**  
subcellular extraction, 198, 199  
succession, phytoplankton, 165–81, 207,  
  241, 245–57  
sulfur uptake, 197–205, **201**  
sunlight, 136, 137  
swimming patterns, 115  
symbiosis, between alga and bacteria,  
  193  
symbiotic bacteria, **56**, **57**, 58  
synchronous growth, 144  
*Syncrypta*, 10  
*Syncrypta glomerifera*, 39  
Syncryptaceae, 76, 77, 78  
*Synura*, 10–11, 39, 71–4, 113, 121–31,  
  137, 165, 179–80, 229–37, 256, 287,  
  **289**, 323  
*Synura curtispina*, 91, 246, 248, 250–4,  
  256  
*Synura ecbinulata*, 246, 248, 305  
*Synura glabra* ( *see also* *S. petersenii* var.  
  *glabra*), 180, 232, 246, 248, 250–6  
*Synura lapponica*, 236, 305  
*Synura macracantha*, 232  
*Synura mammillosa*, 91, 104  
*Synura petersenii*, 99, 104, 121–31, **125**,  
  231–2, 234, 236, 246, 248, 250–6,  
  304, 305  
*Synura petersenii* f. *bjoerkii*, 232  
*Synura petersenii* f. *glabra*, 232  
*Synura petersenii* f. *kufferathii*, 232, 246,  
  250, 251  
*Synura petersenii* f. *macracantha*, 232  
*Synura petersenii* f. *praefracta*, 246, 248,  
  250–5



- Synura petersenii* var. *glabra* (see also *S. glabra*), 170, 173, 174, **178**, 179–81  
*Synura sphagnicola*, 91, 234  
*Synura spinosa*, 104, 170, **178**, 180, 181, 247–8, 251, 305  
*Synura spinosa* f. *curtispina* (see also *S. curtispina*), 232  
*Synura spinosa* f. *longispina*, 232  
*Synura spinosa* f. *mollispina*, 232  
*Synura spinosa* f. *spinosa*, 232  
*Synura uvella*, 170, 229–31, 247–8, 253–4, 256  
Synuraceae, see Mallomonadaceae  
*Tabellaria fenestrata*, 171  
Taxol, fixation with, 52  
Taxopodida, 49  
temperature effects, on growth, 207–22  
temperature effects, on sexual reproduction, 207–22  
*Tetradimorpha*, 50, 51, 60  
*Tetraedron caudatum*, 170, 173  
Tetrapionales, 39  
*Tballochrysis pascheri*, 40  
thiamine, in lake water, 185–95, **189**  
thylakoid stacking, 143  
Tindir Group limestone, 273  
topoisomerase, 150, **151**, **152**  
topoisomerase I, 150  
topoisomerase II, 151  
*Trachelomonas volvocina*, 171  
*Trachelomonas*, 299  
*Trachelostomum*, **284**  
transitional helix, 9, 24, 30, 55  
*Tribonema viride*, 146, 147  
Tribophyceae, see Xanthophyceae  
Triton X-100, 153  
*Tylochrysis*, see *Kybotion*  
ultracentrifugation, 146, 157  
ultrastructure  
  cell, 23–33, **114**, **125**, 126–31, **127**  
  scale formation, 121–31  
*Uroglena*, 7, 11, 165, 170, 173, 179, 180, 185–95  
*Uroglena americana*, 185–95, 304  
*Uroglena lindii*, 302, 304  
*Uroglena sonica*, 302  
*Uroglena volvox*, 304  
*Uroglenopsis* (see also *Uroglena*), 170, 172, 173, 179–81  
*Vacuolaria*, 28  
vacuole, digestive, 52  
vanadate, sodium, 134–6  
*Vaucheria*, 146, 147  
Vaucheriophyta, 5  
vertical migration, 198  
vesicles, autofluorescent, 133–40  
vitamin B<sub>12</sub>, in lake water, 185–95, **189**  
vitamin, B group, 185–95  
*Volvox*, 113  
*Volvox* medium, 140  
Waal River, The Netherlands, 241  
water chemistry data, 166, 262, **263**, 268  
water chemistry methods, see methods, water chemical  
water color, 168  
water temperature, and species distribution, **254**, 255, 257  
wheat germ, 15  
Xanthophyceae, 4, 5, 7, 17, 25, 28, 44  
yeast, 157  
*Zea mays*, 147  
ZoBell 2216 medium, 187, 191  
Zoomastigophorea, 28, 30–2  
zoospores, 76, 79, 80, 83, 110, 113