

INDEX

- Absidia corymbifera*, 431
Acaulospora spp., 52, 340, 441
 Acaulosporaceae, 52, 340
 acervulae, 198, 223
 acetyl-coenzyme A (acetyl-CoA), 47, 252, 477
 acetylenes, 264
 achlorophyllous orchids
 obligate mycoheterotrophs, 346
Achlya bisexualis, 138, 199
 growth mechanism, 160
 pheromones, 77
Achlya spp., 31, 75, 85
 acostromata, 60
 Acrasiales, 77
 Acrasiomycota, 77
 Acrasis spp., 77
Acremonium spp., 442
Acromyrmex spp., 396
 actin, 126
 actin-binding proteins (ABPs), 126
 actin filaments, 126
 actin gene mutations, 126
 actin-associated myosins, 127–33
 actins, 25
 activator-inhibitor model, 293
 active transport across a membrane, 249
 plasma membrane, 133
 actomyosin ring
 assembly during cell division, 145
 adhesins, 168–70
 affluent diet
 land required per person, 5
 aflatoxicosis, 330, 435–6
 aflatoxins, 56, 262, 330, 435–6
 African histoplasmosis, 428
 AFTOL study, 35, 45, 50, 51, 55, 56, 61
 Agaricaceae, 66
 Agaricales, 63–5, 66, 394
 Agaricomycetes, 66
 Agaricomycetidae, 63, 66
 Agaricomycotina, 62, 63–71
Agaricus bisporus, 71, 117, 195, 200, 245, 247, 252, 254, 263, 311
 brown spot disease, 443
 commercial cultivation technique, 276–8
 dry bubble disease, 443
 genome, 546
 hymenia development, 295
 La France disease, 196
 mycoparasite problems, 443–4
 wet bubble disease, 443
 white mould disease, 443
Agaricus bitorquis, 195
Agaricus brunnescens, 195
Agaricus spp.
 use of protein, 246
 agaritine, 263
 Agaromycotina
 AFTOL classification, 66–9
 agglutinins, 168
 agonomycetes, 198
 agricultural mycoides, 529
 agricultural soil
 area on the Earth, 5
 agricultural waste
 breakdown by fungi, 238
 cultivation of *Pleurotus* spp., 278
 lignocellulose biodegradation, 497–9
 remediation by fungi, 334–6
 agriculture
 affluent diet requirement, 5
 agricultural fungi, 15
 amount of land used to supply food, 5
 human dependence on fungi, 15
 losses to fungal diseases, 4
 losses to pests and diseases, 368–70
 mycorrhizal fungi in crop plants, 4
 origins of, 10–15
 role of fungi in herbivore digestion, 4
 ruminants and anaerobic chytrids, 400–5
 strobilurin fungicides, 4
 subsistence diet requirement, 5
Agrobacterium tumefaciens-mediated transformation (AMT), 389, 551
 agroclavine, 54
 AIDS patients
 candidiasis, 429
 cryptococcosis, 428
 opportunistic fungal infections, 429
 susceptibility to fungal infections, 429
 See also immunocompromised patients
Ajellomyces capsulatus, 428
Albugo candida, 379
Albugo spp., 31, 75
 alcohol, 4
 alcohol production
 fermentation research, 105–6
 alcoholic fermentations, 474–7
Aleuria spp., 60, 228
 alkaloids produced by endophytes, 360
 allergic aspergillosis, 430
 allergic reactions, 433
Allomyces macrogynus, 48, 199
Allomyces spp., 47–8
Allotropa spp., 343
 α -amanitin, 264
 α -tubulin, 25
Alternaria brassicicola, 383
 aluminium in soil minerals, 6
Amanita muscaria, 78, 263, 338, 347, 354
 toxins, 328–30
Amanita pantherina, 329
Amanita phalloides, 264
Amanita spp., 78, 347
 accumulation of metal ion, 327
 amatoxins, 433–4
 mycorrhizal fungi, 337, 338
 phallotoxin, 433–4
 poisoning, 433–4
 toxins, 264
Amanita virosa, 62
 amatoxins, 433–4
 amber
 fungal fossils, 32–3
 ambrosia beetles, 62
 and fungi, 399–400
Ambrosiella spp., 399, 400
 American Type Culture Collection (ATCC), 562
 Amoebidiales, 29, 52, 77
Amoebidium parasiticum, 415
 amorphous cellulose, 239
 amphibians
 cutaneous chytridiomycosis, 43, 422–4
 amphipathic structure of hydrophobins, 170
 amphotericin B, 431, 515–16
 amphotericin B liposomes (AmBisomes), 517
 amylases, 241, 242
 amyloglucosidases, 241
 amylopectins, 241
 amylose, 241
 anaerobic chytrids, 29, 45–6
 and ruminants, 400–5

- anaerobic early eukaryotes, 23
Anaeromyces spp., 401
 analogous organs, 63
 anamorph (asexual stage), 42
 anamorphic fungi, 198–9
 anastomosis. *See* hyphal fusion
 ang-kak, 274, 506
 anidulafungin, 521
 animal pathogens
 comparison with plant pathogens, 436–9
 Anisopidiales, 75
Anisopidium spp., 75
 ant agriculture
 coral fungus agriculture, 396
 demand for leaf material, 395–6
 Escovopsis fungal parasite, 397
 gardening ants, 393–8
 generalised higher agriculture, 396
 leaf-cutter agriculture, 396
 lower agriculture, 396
 molecular phylogenies of attine ants,
 396–7
 obligate symbiosis with the fungus, 396
 symbiotic *Streptomyces*, 397–8
 yeast agriculture, 396
 antheridiol, 199
 antibiotic resistance, 108
 antibiotics, 4, 55, 473, 512
 antibiotics production, 353
 antifeedants, 328
 antifungal agents
 azoles, 517–21
 cell wall as a target, 171–2
 fungal cell wall as target, 157
 polyenes, 514–17
 protective agents, 512
 systemic agents, 512–13
 targeting the cell wall, 521–2
 targeting the membrane, 512–21
 types of, 512
 antigens, 437
 antiporters, 249
 antitumour agents, 473
Antrodia vaillantii, 332
Antrodia xantha, 332
 ants and fungi, 279
Aphelenchoides composticola, 270
 apical growth of the hypha, 100
Apodachlyella spp., 75
 apoptosis, 185, 315–16, 465
 apothecia, 59, 228
 apple blotch, 370
 appressorium, 379
Apterostigma spp., 396
 aquatic fungi, 78
 arabanases, 241
 arabans, 240
Arabidopsis thaliana, 376
 arachidonic acid biotechnology, 482–3
 arbuscular endomycorrhizas, 337, 338–42
 arbuscular mycorrhizal fungi, 32, 50–2, 78,
 171, 441
 arbuscules, 51, 338
 arbutoid endomycorrhizas, 337, 343
Arbutus spp., 343
 Archaea, 24
Archaeospora spp., 340
 Archaeosporales, 340
 archiascomycetes, 56
Arctostaphylos spp., 343
Armillaria bulbosa, 195
Armillaria gallica, 71
Armillaria mellea, 227, 246, 251, 335, 344,
 346
Armillaria spp., 117, 195, 246, 370–2, 444
 genomes, 547
Armillariella spp., 444
 aromatic hydrocarbon pesticides, 334
 Arthoniomycetes, 60, 61
Arthrinium sphaerosperma, 522
Arthrotrichy oligospora, 406, 439
 arthropod endosymbiont fungi, 53
 arthropod pathogens
 Laboulbeniales, 416–17
 arthropod pests
 biological control, 421–2
 chemical pesticides, 421
 integrated pest management (IPM), 422
 microbial control agents, 422
 use of transgenic plants, 422
 arthrospores, 208
 Artiodactyla, 403
 and anaerobic chytrids, 400–5
 aryl alcohol oxidase, 245
 asci, 55, 228
 Pezizomycotina, 60–1
Ascobolus heterothallicus, 186
Ascobolus stercorarius, 186
 ascochlorins, 263
 ascolichens, 358
 ascoma morphologies
 Pezizomycotina, 59–60
 ascوماتا, 228
 Ascomycetes, 23, 29, 55
 Ascomycota, 29, 30, 35, 55–61, 78, 346,
 351, 438, 442
 asexual fungi, 56
 endophytes, 360
 important species, 55–6
 lichens, 79
 meiosis, 118
 morphology, 55
 septal pores, 99
 Woronin bodies, 99
 Ascomycotina, 50
 ascospores, 55, 228
 ascostromata, 59
Asellaria ligiae, 415
 Asellariales, 52, 53, 415
 asexual fungi, 180
Ashbya gossypii
 asynchronous nuclear division, 147
 aspartic proteinases, 247
 aspergillosis, 429–30, 430–1, 524
 aspergillosis disease of coral, 424
Aspergillus awamori, 502
Aspergillus flavus, 189
Aspergillus fumigatus, 262
 chitin synthase genes, 160
 genome, 544
Aspergillus giganteus, 484
Aspergillus lentulus, 431
Aspergillus nidulans, 42, 126, 127, 460,
 467–8
 conidiophores, 220–3
 duplication cycle, 92–3
 genome, 544
 het genes, 186
 heterokaryon formation, 186
 mitosis, 116, 117
 mitotic gene segregation, 189, 192–4
 mutations, 116
 negative autotropism, 96
 nuclear migration, 132
 nutritional selection for diploid strains,
 189, 192–4
 parasynchronous nuclear division, 148
Aspergillus niger, 92, 189, 468, 474, 477
Aspergillus oryzae, 189, 474, 484, 505, 506
Aspergillus sojae, 505
Aspergillus spp., 56, 60, 228, 262, 274
 aflatoxins, 330, 435–6
 aspergillosis, 429–30, 430–1
 in the home, 432
 proteinases, 246
Aspergillus sydowii
 infection of sea fans, 424
Aspergillus terreus, 55, 262, 431, 473
 Assembling the Fungal Tree of Life project.
 See AFTOL study
Asterodon ferruginosus, 301
Asterostroma spp., 332
 asthmatic reactions
 allergic aspergillosis, 430
 astral microtubules, 118, 146
 asynchronous division of nuclei, 146–8
 Atheliales, 66
 athlete's foot, 425
 atmospheric pollution
 chlorohydrocarbon release by wood-
 decay fungi, 336
 sensitivity of lichens to, 358
 sources of chloromethane, 336
 ATP, 121, 122
 ATP synthesis
 primary metabolism, 251, 253
 ATPase genes
 phylogenetic studies, 24–5
Atta spp., 396
 attine ants
 molecular phylogenies, 396–7
Aureobasidium spp., 60
Auricularia polytricha (wood ear fungus)
 trade, 273
 Auriculariales, 67
 aurora australis, 22
 aurora borealis, 22
 autotropism, 96–7
 mycelium growth, 87–8

- auxotrophs, 181
 avirulence gene, 437
 avoidance mechanism in hyphae, 96
 azoles, 514, 517–21
- Bacillus thuringiensis*, 422
 bacteria, 326
 and soil health, 7
 numbers in soil, 7
 oldest known fossils, 23
 bacterial artificial chromosome (BAC), 532
 bakanae disease of rice, 379
 baker's yeast, 55, 105
 bark beetles, 373, 399
 barley (*Hordeum*), 11
 barley powdery mildew (*Blumeria graminis hordei*), 371, 389
 barrage formation
 vegetative incompatibility response, 188
 basidia, 228, 291, 293
Basidiobolus ranarum, 55
Basidiobolus spp., 55
 basidiolichens, 358
 basidiomata, 228–31
 Basidiomycetes, 23, 29, 61, 62
 basidiomycetous yeasts, 63
 Basidiomycota, 29, 35, 59, 61–71, 78, 338, 344, 346
 basidiospores, 62
 commercially farmed fungi, 71
 dolipore septum, 99
 ectomycorrhizas, 78
 largest and longest-lived fungi, 71
 lichens, 79
 mating types, 205–10
 meiosis, 118
 mutualistic associations with insects, 62
 number of species, 61
 phylogeny, 62–9
 Basidiomycotina, 50
 basidiospores, 62, 228, 292, 380
Batrachochytrium dendrobatidis, 43, 401, 422–4
 Beadle, George, 106
 bean (*Phaseolus vulgaris*), 62
Beauveria bassiana, 419
 beech (*Fagus*), 346
 beer-making, 475–6
 beet leaf spot, 370
 beetles
 agriculture in beetles, 399–400
 ambrosia beetles and fungi, 399–400
 benomyl, 334, 522
 β-glucan
 fungal cell wall, 137
 β1,3-glucan, 158, 163
 β1,3-glucan synthase inhibitors, 172
 β1,3-glucan synthases, 163
 β-tubulin, 25
 biflagellate zoospores, 75
 big bang theory, 19–21
 bilberry (*Vaccinium*), 78
 biodiversity
 definition, 213
 biofilms, 28–9, 170
 biogeochemical transformations
 role of fungi, 9–10
 bioinformatics, 531
 analysis of large survey data sets, 563
 definition, 557
 effects of climate change on fungi, 563
 genomic data mining, 562
 genomics research data, 557
 mathematical modelling of hyphal growth, 566
 non-genomic data, 557
 biolistic transformation, 551
 biological control, 63
 arthropod pests, 421–2
 fungal pathogens of insects, 412
 mycoherbicide production, 492–3
 mycopesticide production, 492–3
 nematode-trapping fungi, 407
 Trichoderma spp., 444
 biological species
 compatibility systems, 189
 biological species concept, 71–4
 biology of incompatibility systems, 188–90
 bioluminescence in fungi, 246
 biopulping, 245
 bioremediation with fungi, 9–10, 238
 biotechnology
 use of fungal enzymes, 4
 See also whole organism biotechnology
 biotrophic fungi, 238, 327, 337, 338, 376–8
 bioweathering, 9
 bipolar heterothallism, 199
 Neurospora spp., 203
 birch (*Betula*), 346, 347, 354
 bird mycosis
 aspergillosis, 429
 bird's-nest fungi, 228
 birds of prey
 indirect dependence on fungi, 271–2
 bivalents formed during meiosis, 118
 black stem rust of wheat (*Puccinia graminis tritici*), 373–4
 Blastocladales, 29, 45, 46
Blastocladiella spp., 47, 48–9
 Blastocladiomycota, 29, 45, 46–50
 alternation of generations, 47
 free cell formation of zoospores, 48–50
 hormone production, 47–8
 life history, 47
 spore formation process, 48–50
 sporting meiosis, 47
Blastomyces dermatitidis, 150, 167, 428
 adhesin which potentiates infection, 170
 blastomycosis, 170, 428
 Blobel, Günter, 119
 blue-green algae, 254, 357
Blumeria fischeri, 389
Blumeria graminis, 371, 389
Blumeria spp., 382–3
 Boletales, 64, 66
Boletus edulis, 71, 344
Boletus elegans, 78, 338, 347
Boletus parasiticus, 442
Boletus spp., 78, 344, 347, 353
 mycorrhizal fungi, 337, 338
Bombardia spp., 60
 bootlace fungus. See *Armillaria* spp.
 Bordeaux mixture, 512
Botrytis cinerea, 183, 382, 383–4, 385, 493
Botrytis elliptica, 384
Botrytis fabae, 384
Botrytis spp., 384
 bovine spongiform encephalopathy (BSE), 196
 Bovril, 274
Brachiola spp., 413
 bracket fungi, 228, 229
 bread, 4
 bread-making, 499–501
 brefeldin, 264
 brefeldin A, 162
Bremia spp., 31
 brewer's yeast, 55, 105
Bridgeoporus nobilissimus, 71
 British Mycological Society, 562
 bromatia, 394
 bronchopulmonary aspergillosis, 430
 brown-rot fungi, 78, 238, 240
 Brundrett, Mark, 337
 Buchner, Eduard, 106
 budding yeast, 105, 116
 building structures
 cellar rot fungus, 332
 decay of structural timber, 331–3
 dry rot, 331–3
 wet rot, 332
 bulk flow of nutrients, 248
 Buller's drop, 229, 231
 buna shimeji (*Hypsizygos marmoreus*), 277
 buthiobate, 518
 button mushroom. See *Agaricus bisporus*
- C₃ and C₄ photosynthetic pathways, 404
Caecomyces spp., 401, 403
 cage fungi, 66
 calcium gradient in the hyphal tip, 141–2
Calluna (ling)
 mycorrhizas, 337, 341
Calvatia gigantea, 71
 Camembert cheese, 264
 campesterol, 512
 cancer therapy patients.
 See immunocompromised patients
Candida albicans, 59, 198, 425–6, 522, 525
 candidiasis, 429
 chitin synthase genes, 161
 phenotype switching, 429
 yeast-mycelial dimorphism, 150–1
Candida glabrata, 429
Candida spp., 55
 chlamydospores, 214
 genomes, 545
 candidiasis, 522
 Cantharellales, 66–9

- Cantharellus cibarius*, 71, 272, 273, 337
Cantharellus spp., 66
 carbendazim, 522
 carbohydrate catabolism, 251–2
 carbonation
 chemical weathering process, 6
 carotenes, 260
 carotenoid pigmentation, 168
 carotenoids, 258, 260
 caspofungin, 521
 catastrophe (microtubule switch), 126
 cell
 discovery of, 107
 cell and tissue differentiation
 ascomata, 228
 basidiomata, 228–31
 conidiation in *Neurospora crassa*, 223
 conidiomata, 223–5
 conidiophores of *Aspergillus nidulans*, 220–3
 diversity in relation to fungi, 214
 globose structures, 227–30
 linear structures, 225–7
 mycelial differentiation, 214–16
 rhizomorphs, 226–7
 rhythmic growth, 214–16
 sclerotia, 227–8
 spore formation, 216–20
 strand and cord formation, 225–7
 cell cycle, 115–16
 budding yeast cell cycle, 150
 checkpoints, 149
 control and coordination of events, 148–50
 control of nuclear division, 148
 genetic studies on yeasts, 149–50
 phases, 149
 research, 107
 cell death
 vegetative incompatibility, 185
 cell division
 fungi, animals and plants compared, 145–6
 cell inflation
 coordination in the fruit body, 304–5
 cell membrane, 107, 123–4
 cholesterol, 29
 ergosterol, 29
 structure, 123
 transport channels, 123
 cell organelles, 107
 cell polarity, 148
 cell structure
 eukaryotes, 107–8
 prokaryotes, 107–8
 cell targeting system, 48
 cell theory, 107
 cell-anchor receptors, 349
 cellar rot fungus, 332
 cellobiase, 240
 cellobiose oxidoreductases, 240
 cellular element term, 225
 cellulases, 240, 384
 cellulose, 238
 in cell walls, 29
 cellulose breakdown, 238, 239–40
 cellulosomes, 240
 Centraalbureau voor Schimmelcultures (CBS), 562
 central vacuole, 124
 centrosomes, 116
 cep. See *Boletus edulis*
 cephalosporins, 264–3
Cephalosporium acremonium, 474
Ceratocystis fagacearum, 148
Ceratocystis novo-ulmi. See Dutch elm disease
Ceratocystis spp., 400
Cercospora beticola, 372
Cercospora spp.
 leaf spot diseases, 372
Ceriporiopsis subvermispora, 245
 Chain, Ernst, 478, 480
 chanterelles, 71, 272, 273, 337
 chaperonins, 119, 120
 checkpoints in the cell cycle, 116, 149
 cheese, 4, 56
 blue cheeses, 275
 mould ripening, 275, 495, 503
 production, 501–5
 role of fungi in production, 274–5
 chemical attractants, 47–8
 chemical pesticides
 advantages and disadvantages, 421
 chemical safety information, 513
 chemical transformations
 use of fungi, 486–7
 chemical weathering, 6
 carbonation, 6
 hydration, 6
 hydrolysis, 6
 oxidation and reduction, 6
 chemo-organoheterotrophism, 326
 chemostat cultures, 470–3
 chemotropic hyphae
 Oomycota, 75
 Chernobyl incident, 327
 chestnut blight, 370
 chiasmata formed during meiosis, 118
 Chicxulub meteor impact
 effects on fungi, 37–8
 chimeras, 290
 chitin, 158, 160
 breakdown by fungi, 241
 fungal cell wall, 136–7
 in cell walls, 29
 measurement in soil, 7
 chitin synthase
 functions in the cell wall, 160–2
 genes, 160–1
 inhibitors, 171–2
 chitin synthesis inhibitors, 521–2
 chitinase, 241, 439
 chitosomes, 140, 161–2
 chlamydospores, 198, 214
 chloramphenicol, 195
 chlorinated biphenyl pesticides, 334
 chloroaromatics, 245, 336
Chlorociboria aeruginascens, 333
 chlorohydrocarbon release by wood-decay fungi, 336
 chloromethane, 245
 sources of atmospheric pollution, 336
 chloroplasts, 108, 121–2
 endosymbiont theory, 23, 121–2
 protein transport, 121
 Choanozoa, 30, 77
 chocolate production, 495
 cholesterol, 133, 259, 512
 in cell membranes, 29
 cholesterol levels
 use of statins to control, 4
 chromatids, 109–12, 116
 chromatin structure, 109–12
Chromocrea spinulosa, 202
 chromosome non-disjunction, 194
Chrysanthemoides monilifera, 63
Chrysosporium parvum, 442
 Chytridiales, 42, 45
 chytridiomycosis
 amphibians, 43, 422–4
 Chytridiomycota, 29, 30, 35, 42–5
 classification as true fungi, 43–5
 habitats, 42
 important species, 42–3
 phylogeny, 43–5
 reproduction, 42–4
 roles in food-web dynamics, 43
 water moulds, 75
 chytrids, 30, 42–5, 45–6
 ruminants and anaerobic chytrids, 400–5
Chytriumyces spp., 43
 cilia
 endosymbiont theory, 23, 121
 circadian rhythms
 clock genes and proteins, 215–16
 feedback loops, 215
 mycelial growth, 214–16
 oscillators, 215, 216
 citric acid biotechnology, 468, 477–8
 citrinin, 262
 clade
 definition, 28
 cladistics
 definition, 27–8
Cladobotryum dendroides, 444
Cladonia spp., 60
Cladosporium fulvum, 387
Cladosporium spp., 432, 440
 clamp connections, 142, 184, 185
 classification
 definition, 27
 classification of fungi. See natural classification of fungi
 clathrin coated pits, 123
Claviceps purpurea, 259, 263, 434
 clay minerals, 6
 clays
 fungal–clay interactions, 9

- cleavage plane in cell division, 146
cleavage polyadenylation specificity factor (CPSF), 111
cleistothecia, 59, 228
climate
 effects on soil formation, 6
climate change
 effects on fungi, 563
 impacts on mycorrhizas, 354–5
Clitocybe nebularis
 mycelial network, 267
Clitocybe spp., 263, 353
clock genes and proteins, 215–16
closed mitosis in fungi, 115
clotrimazole, 518
clouded agaric, clouded funnel (*Clitocybe nebularis*), 267
Coccidioides immitis, 428
Coccidioides posadasii, 161, 167, 428
Coccidioides spp., 60
coccidioidomycosis, 428, 522
Cochliobolus carbonum, 378
Cochliobolus heterostrophus, 203, 378
Cochliobolus victoriae, 378
Coelomomyces spp., 47, 418, 419
coelomycetes, 198
co-evolution of plant–pathogen disease systems, 387–9
coffee production, 495–6
collembola (springtails), 331
 grazing on fungi, 267–70
Colletotrichum graminicola, 161
Collybia tuberosa, 246
colonisation of solid substrata, 99
colony formation, 86–8
commercial applications
 mycorrhizas, 355–6
commercial exploitation of wild mushrooms, 272–4
commercial mushroom production, 71, 275–9
 mycoparasite problems, 443–4
common ancestor of a group, 28
comparative genomics, 547
compatibility and the individualistic mycelium, 180–1
compatibility test, 185
competitive interactions among fungi, 439–44
computer simulation of hyphal growth, 566
concentration gradients
 plasma membrane, 248
conidia, 53, 55
conidia production, 198
conidiation in *Neurospora crassa*, 223
conidiomata, 223–5
conidiophores, 53, 217–19
 Aspergillus nidulans
Coniferophyta, 343
coniferyl alcohol, 242
Coniophora puteana, 78
Coniothyrium minitans, 493
Coniophora puteana, 332
consensus model of hyphal tip extension, 139–40
conservation
 importance of records about fungi, 563
conservation patterns in genes, 24
convergent evolution, 24, 227
COPI coat protein complex, 122, 124
COPII vesicle coat proteins, 122, 124
copolymers, 240
Coprinellus pellucidus, 290
Coprinopsis bisporus, 200
Coprinopsis cinerea, 117, 180, 189, 195, 210, 227, 252, 255, 311, 312, 444, 454
 developmental commitment, 308–10
 genome, 546
 metabolic regulation, 305–8
 tetrapolar heterothallism, 206–10
Coprinopsis congregatus, 208
Coprinopsis fruit body
 coordination of cell inflation in the fruit body, 304–5
 hymenia development, 291–5
 making gills, 295–301
 mushroom mechanics, 305
 stem development, 301–4
Coprinopsis patouillardii, 208
Coprinopsis radiatus, 208
Coprinopsis spp., 170, 185
 use of protein, 246
Coprinus cinereus, 117
Copromyxa spp., 77
coral disease
 aspergillosis, 424
coral fungus
 ant agriculture, 396
Corallorhiza spp., 346
Cordyceps canadensis, 443
Cordyceps capitata, 443
Cordyceps militaris, 442, 443
Cordyceps spp., 60, 442, 443
Corticaceae, 66
Corticiales, 67
cortisone, 486
cosmid, 532
coumaryl alcohol, 242
Craterellus spp., 66
Cretaceous–Tertiary (K–T) extinction event
 effects on fungi, 37–8
crown rust of wild oats, 389
croziers, 142
Cryphonectria parasitica, 186, 205
Cryphonectria spp., 55
Crypticola spp., 75
cryptococcal meningitis, 62, 69
cryptococcosis, 428, 546
Cryptococcus neoformans, 327, 428
 genome, 546
 phenotype switching, 429
Cryptococcus spp., 62, 69
Cryptosporidium, 414
crystalline cellulose, 239
Cudonia spp., 60
Cunninghamella bertholletiae, 55
Cunninghamella echinulata, 55
Cunninghamella elegans, 55
Cunninghamella spp., 55
Currie, James, 477
cushion bracket, 336
cutaneous chytridiomycosis
 amphibians, 43, 422–4
cyanobacteria, 52, 340, 357
cyber fungi
 modelling and computer simulation, 566
 Neighbour-Sensing model of hyphal growth, 566
cyclic AMP (cAMP), 134
cyclin-dependent kinases, 56, 150
cyclins, 150
cyclopentanes, 264
cyclosporine, 4, 473
Cyllumyces spp., 401
Cymbidium spp., 344
Cyphomyrma spp., 396
cysteine proteinases, 247
cystesia, 295
cystidia, 228, 291, 292, 293
Cystofilobasidiales, 66
cytochromes, 25
cytokinesis
 comparison with septation, 145–6
cytoplasm, 107
cytoplasmic segregation, 194–7
 mitochondria, 194–6
 plasmids, 195–6
 prion proteins, 196
 virus-like particles, 196
cytoskeletal systems, 125–7
Dacrymycetales, 66
Dacrymycetes, 66
Dactylellina spp., 406
damping-off in seedlings, 327
dandruff, 62
Darwin, Charles, 7
data mining, 314–15, 562
databases of information about fungi, 562
deep divergences, 28
deep time, 26, 28
Dendryphiella spp., 254
dermatomycosis, 426–7
‘Destroying Angel’ (*Amanita virosa*), 62
Deuteromycetes, 23, 29, 56, 198
Deuteromycota, 56, 198
Deuteromycotina, 56, 198
developmental biology of fungi, 282–316
 activator–inhibitor model, 293
 apoptosis, 315–16
 basic principles, 316
 bulbangiocarpic development, 287
 comparison with other tissues and organisms, 310–11
 comparison with plants and animals, 283–5
 competence, 289–90
 coordination of cell inflation in the fruit body, 304–5

- developmental biology of fungi (*cont.*)
Coprinopsis cinerea, 289
Coprinopsis fruit body, 291–5, 295–301, 301–4, 304–5
 definition of development, 284
 definition of morphogenesis, 285
 degeneration, senescence and death, 315–16
 development and morphogenesis, 283
 development of a mushroom, 284
 developmental commitment, 308–10
 developmental variants, 311–12, 312–13
 differential growth, 283
 distinctive characteristics of fungi, 283–5
 endocarpic development, 288
 environmental influences, 290
 formal terminology of developmental biology, 283–5
 formation of multicellular structures, 283
 fruit body chimeras, 290
 fungal wall remodelling, 283
 fuzzy logic approach, 313–14
 genetic approaches, 311–15
 genomic data mining, 314–15
 geometric proportions of the stem, 286
 gymnocarpic development, 286
 gymnovelangiocarpic development, 287
 hymenia development, 291–5
 hyphal analysis, 301–4
 hyphal tuft (hyphal knot), 283
 making gills, 295–301
 making stems, 301–4
 metabolic regulation and morphogenesis, 305–8
 modular nature of fungi, 283
 morphogenetic field model, 293
 morphogenetic polarities, 291
 mushroom mechanics, 305
 observational and experimental basis, 285–6
 pattern formation, 283, 284
 patterning genes, 314
 pilangiocarpic development, 287
 placement of hyphal branches, 285
 polypore growth patterns, 300–1
 pore formation in polypores, 301
 primordia, 283
 programmed cell death, 315–16
 regional patterning (regional specification), 283, 290–1
 renewed fruiting, 315
 stipitangiocarpic development, 288
 terminology, 283
 tolerance of imprecision, 312–13
 tube formation in polypores, 301
 typical mushroom structure, 285–6
 velangiocarpic development, 289
 developmental variants, 311–12, 312–13
 Devonian Rhynie chert, 31, 403, 442
Diaporthe spp., 60
Dicranophora spp., 440
Dictylenchus myceliophagus, 270
 dictyosomes, 122, 124
 Dictyosteliales, 77
Dictyostelium spp., 77
Didymium spp., 77
 dieldrin, 334
 diffusion of nutrients
 facilitated diffusion, 133, 248–9
 simple diffusion, 248
 Dikarya, 29, 35
 dikaryon, 207
 definition, 180
 functional diploidy, 183–5
 maintaining the dikaryon state, 184–5
Dimargaris spp., 440, 442
 Dimargaritales, 52
 dimorphism
 yeast and mycelial growth forms, 150–1
 diploid state in fungi, 117
 dikaryon, 183–5
 diploid strains
 nutritional selection for, 189
 dipteran fly larvae (maggots), 270–1
 Diptercarpaceae, 346
 disease triangle, 374–6
Dispira spp., 440
 diterpenes, 259
Diversispora spp., 340
 diversity
 ascomata, 228
 basidiomata, 228–31
 biodiversity in fungi, 213
 complexity of the concept, 7
 conidiation in *Neurospora crassa*, 223
 conidiomata, 223–5
 conidiophores of *Aspergillus nidulans*, 220–3
 definition, 214
 ecosystem level aspects, 7
 globose structures, 227–30
 in relation to fungi, 214
 linear structures, 225–7
 mycelial differentiation, 214–16
 production and dispersal of spores, 214
 rhizomorphs, 226–7
 rhythmic growth, 214–16
 sclerotia, 227–8
 spore formation, 216–20
 stipes of fruiting bodies, 227
 strand and cord formation, 225–7
 DNA, 107
 chromatin structure, 109
 extrachromosomal, 108
 introns in fungal DNA, 114
 molecular processes in the nucleus, 109
 plasmids, 108
 prokaryotes, 107
 replication before meiosis I, 117
 DNA microarrays, 559
 DNA probes
 soil microbes, 8
 dolipore septum, 99
 Domain Archaea, 24, 26–8
 Domain Eubacteria, 24, 26–8
 Domain Eukaryota, 24, 26–8
 domains of the tree of life, 23–9
Donkioporia expansa, 332
 dormancy in spores, 86
 Dothidea, 60
 Dothideomycetes, 60, 61, 438
Dothidia spp., 60
 double-stranded RNA (dsRNA) virus, 196
 Douglas fir, 347
Drechlerella spp., 406
Drosophila (fruit fly), 206
Drosophila funebris, 270
Drosophila melanogaster, 115
 drug discovery approach (Ehrlich), 512
 drug targets, 107
 dry-rot fungus, 226, 331–3
Ducellieria spp., 75
Duddingtonia flagrans, 407
 duplication cycle in fungi, 92–3
 Dutch elm disease (*Ophiostoma novo-ulmi*), 370, 372–3
 role of elm bark beetles, 373, 399
 dynactin, 116, 117, 129
 dynein, 117, 129
 microtubule-associated dynein, 127–33
 molecular motors, 127–33
 dynein motors, 116, 127
 early-stage fungi, 354
 Earth
 axial tilt, 22, 23
 development of life on, 23–9
 effects of the solar wind, 22–3
 formation of, 21
 greening of the Earth, 28–9
 magnetic field (magnetosphere), 22–3
 molten iron core, 21, 22
 ozone layer, 22–3
 rate of rotation, 22
 seasons, 22, 23
 temperature range for liquid water, 21–2
 Theia–Earth impact, 22, 23
 Earth–Moon binary system, 22, 23
 earthworms
 Darwin's experiments on, 7
 numbers in soil, 7
 Eccliniales, 52, 77
 echinocandins, 172, 521–2
 ecological species concept, 74
 ecosystem diversity, 7
 ecosystem functions of fungi, 237–64
 bioluminescence in fungi, 246
 bioremediation, 238
 biotrophs, 238
 breakdown of agricultural wastes, 238
 breakdown of cellulose, 239–40
 breakdown of chitin, 241
 breakdown of glycogen, 242–3
 breakdown of hemicellulose, 241
 breakdown of pectins, 241
 breakdown of polysaccharides, 239–42
 breakdown of starch, 241–2
 breakdown of toxic wastes, 238
 external digestion in fungi, 237

- flow of nutrients, 247–51
 fungal nutritional modes, 238
 lignin degradation, 242–6
 necrotrophs, 238
 primary (intermediary) metabolism, 251–6
 production of esterases, 247
 production of extracellular enzymes, 239
 production of lipases, 247
 production of phosphatases, 247
 production of sulfatases, 247
 protein digestion, 246–7
 range of contributions, 238–9
 release of greenhouse gases, 245–6
 saprotrophs, 238
 secondary metabolites, 257
 transport and translocation of nutrients, 247–51
 wood-decay fungi, 238
- ecosystem mycology, 77–9, 325–61
 aquatic fungi, 78
 chemo-organoheterotrophism, 326
 chlorohydrocarbon release by wood-decay fungi, 336
 decay of structural timber, 331–3
 degradation of man-made polymers, 333–4
 ecosystem roles of fungi, 325–6
 effects of land management practices, 326
 endophytes, 79, 360–1
 environmental issues, 326
 epiphytes, 79, 361
 food contamination and deterioration, 328–31
 fungal contribution to soil structure, 326
 fungi as food for other organisms, 326
 fungi as predators, 326
 fungi as prey, 326
 fungi as recyclers, 326–8
 habitat creation by fungi, 326
 inorganic transformations, 327
 lichens, 79, 356–60
 mutualism, 325
 mycorrhizas, 78–9, 336–56
 nitrogen sources in plant litter, 327
 nutrient availability, 327
 parasitic fungi, 326
 pathogenic fungi, 326
 physical power of growing fungi, 328–30
 recalcitrant waste remediation, 334–6
 saprotrophic fungi, 326–8
 toxic waste remediation, 334–6
 toxins produced by fungi, 328–31
 waste remediation, 334–6
 wood-decay fungi, 78, 327
- ectendomycorrhizas, 338, 343, 346, 351
 ectomycorrhizas, 62, 78–9, 338, 346–51
 cell-anchor receptors, 349
 mobile signal ligands, 349
 nutrient exchange, 349–50
 ectotrophic mycorrhizas, 337
 edible mushrooms, 71
- edifenphos, 526
 Ehrlich, Paul
 drug discovery approach, 512
Elaphomyces muricatus, 443
Elaphomyces spp., 442
 electrochemical proton gradient, 133
Electrogella spp., 75
 electromagnetic radiation
 resistance to, 167
 electrophoresis technique, 115
 electroporation, 550
 element cycling, 9
 elements
 creation in stars, 20
 elm bark beetles, 373, 399
 Embden–Meyerhof–Parnass (EMP)
 pathway, 251
 emergence of new diseases, 424
Emericella spp., 42
Encephalitozoon cuniculi, 413
Encephalitozoon hellem, 413
Encephalitozoon intestinalis, 413
 endocytosis, 123
 endo-enzymes, 239
 endoglucanase, 240
 Endogonales, 52, 53
Endogone spp., 346
 endomembrane systems, 121–5
 endomycorrhizas, 51, 78, 337–9
Endophyllum spp., 62
 endophytic fungi, 79, 360–1
 endoplasmic reticulum (ER), 120, 122, 124, 163
 endospores, 228
 endosymbiont theory, 23, 121–2, 195
 endotrophic mycorrhizas, 337
 endoxylanases, 240
 enilconazole, 518
 enoki (*Flammulina velutipes*), 277
 enokitake (*Flammulina velutipes*), 71
Enterocytozoon bieneusi, 413
 Entner–Doudoroff (ED) pathway, 252
 entomogenous fungi, 417–21
Entomophthora muscae, 55, 421
Entomophthora spp., 419
 Entomophthorales, 52, 53, 417
 Entomophthoromycotina, 30, 52
Entrophospora spp., 52, 340
 environmental biotechnology
 use of fungi, 9–10
 enzymes secreted by fungi, 239
 immobilisation, 239
 medical uses, 4
 use in biotechnology, 4
- Epacridaceae, 341
Epacris spp., 341
 epidemiology of fungal infections, 430–2, 436–9
Epidermophyton spp., 426
 epigenetic phenomena
 phenotype switching, 429
 epigeous taxa, 66
 epiphytic fungi, 79, 361
- ergobasines, 435
 ergocristine, 263
 ergosterol, 133, 259–61
 in cell membranes, 29
 measurement in soil, 8
 target for antifungal agents, 512–21
 ergot alkaloids, 263, 473
 ergotamines, 435
 ergotism (ergot poisoning), 434–5
 ergotoxines, 435
Erica (heather)
 mycorrhizas, 337, 341
 Ericaceae
 mycorrhizas, 341–3
 Ericales, 343
 ericoid endomycorrhizas, 78, 337, 341–3
 ericoid mycorrhizas
 facultative symbiosis, 342
Erynia neoaphidis, 418
Erysiphe graminis, 327, 371
Erysiphe spp., 382
 erythromycin, 195
Erythrorchis spp., 345
Escherichia coli genome, 537
Escherichia spp., 106
 esterases, 247
 ethylenediamine tetra acetic acid (EDTA), 247
 euagarics clade, 63
 euascomycetes, 56, 59
 Eubacteria, 24
Eucalyptus spp., 346, 347
 Eucarya, 24
 Eukaryota, 24
 eukaryote cell biology
 contribution of fungal research, 105–7
 eukaryote/prokaryote distinction, 23
 eukaryotes
 cell structure, 107–8
 early anaerobic forms, 23
 first terrestrial eukaryotes, 37
 fungus as model eukaryote, 105–7
 modes of nutrition, 29
 primitive present-day forms, 23
 eukaryotic cells
 subcellular components, 109
 Euler–Chelpin, Hans von, 106
 Eumycota, 29
 EUROSCARF collection, 557
 Eurotiomycetes, 60, 61, 438
Eurychasma spp., 75
 evolutionary clock, 24
 evolutionary origins, 18–38
 big bang theory, 19–21
 collision during Earth's development, 21
 creation of the elements, 20
 development of life on Earth, 23–9
 domains of the tree of life, 23–9
 Earth–Moon binary system, 22, 23
 Earth's magnetic field (magnetosphere), 22–3
 effects of extinction events, 37–8
 formation of the Earth, 21–3

- evolutionary origins (*cont.*)
 formation of the Moon, 21, 23
 formation of the oceans, 21
 fossil fungi, 31–3
 fungal phylogeny, 35–8
 Goldilocks orbit of the Earth, 21–2
 greening of the Earth, 28–9
 heterokonts, 30–1
 Kingdom Fungi phylogenetic classification, 29–30
 location of the Earth's orbit, 21–2
 molecular phylogenetic studies, 33
 oldest known fossils, 23
 opisthokonts, 30
 phylogenetic classification systems, 23–9
Theia–Earth impact, 21, 23
 evolutionary species concept, 74
Exobasidium camelliae, 440
Exobasidium spp., 62
 exocytosis, 123
 exo-enzymes, 239
 exoglucanase, 240
Exophiala werneckii, 442
 exospores, 228
 exportins, 113
 extinction events
 effects on fungi, 37–8
 extracellular matrices, 159
 extracellular proteinases, 246–7
 extraradical mycelium, 349
 extreme environments, 8
- fabric manufacture
 enzymes used in, 483–4, 484–6
 facilitated diffusion, 248–9
 plasma membrane, 133
 facultative symbiosis
 ericoid mycorrhizas, 342
 FADH₂, 252, 253
 fats
 primary metabolism, 254–5
 fatty acid synthesis, 261–3
 feedback fixation, 222
 feedback loops
 circadian rhythms, 215
 fermentation processes. *See* whole organism biotechnology
 fermentation research, 105–6
 fermented foods, 274–5
 fibre hyphae, 225
 filamentous cell cycle, 216
 filamentous extension strategy, 86
 filamentous mould fungi in amber, 32–3
 filosomes, 141
 Filobasidiales, 66
Filobasidiella neoformans, 69
Filobasidiella spp., 62
 fir (*Abies*), 346
 fission yeast, 118
 flagella, 107
 endosymbiont theory, 23, 121
 flagellin, 107
 flagellum
 loss of, 35
Flammulina velutipes, 71
 flax rust (*Melampsora lini*), 371, 389
 Fleming, Alexander, 478, 480
 Florey, Howard, 478, 480
 fluconazole, 429, 518
 5-fluorocytosine, 522
 fluotrimazole, 518
 fly agaric. *See* *Amanita muscaria*
Folsomia candida, 270
Fomes annosus, 264
Fomes fomentarius, 273
 food contamination and deterioration, 328–31
 aflatoxins, 330
 food from fungi, 326
 ang-kak, 274
 birds of prey, 271–2
 button mushrooms (*Agaricus bisporus*), 276–8
 cells and mycelium as human food, 274
 cheeses, 274–5
 Collembola (springtails), 267–70
 commercial exploitation of wild mushrooms, 272–4
 commercial mushroom production, 275–9
 development of a fungal fruit body, 280
 fermented foods, 274–5, 504–6
 fermented meat products, 503–4
 fermented soy foods, 504–6
 fungi as food, 267–8
 fungi in food webs, 267–72
 gardening insects and fungi, 279–80
 gourmet fungi, 272–3
 gourmet mushrooms, 278
 industrial cultivation of fungi, 275–9
 larvae (maggots) of dipteran flies, 270–1
 lichens, 358
 microarthropod fungivores, 267
 mites, 270
 mushroom flies, 270–1
 mycelial networks at the soil–litter interface, 267
 myco-protein, 274
 nematodes, 270
 New Zealand wood ear fungus trade, 273
 nutritional value, 266
 oyster mushrooms (*Pleurotus* spp.), 278
 paddy straw mushroom (*Volvariella volvacea*), 279
 Quorn™ myco-protein, 274
 shiitake (*Lentinula edodes*), 278–9
 slugs and snails, 271
 small mammals, 271–2
 soy sauce, 274
 tempeh, 274
 truffles (*Tuber* spp.), 279
 wild harvests, 272–4
 yeast extracts, 274
 food web connected to soil, 7
 food webs
 fungi as food, 267–72
 foregut fermentation
 ruminants, 403
 forestry waste
 lignocellulose biodegradation, 497–9
 formin-homology (FH) proteins, 145
 formins, 126
 fossil fungi, 31–3, 51, 326, 407
 lichens, 357
 fossils
 oldest known fossils, 23
 Frank, Albert Bernhard, 336
 free cell formation of zoospores, 48–50
 Fries, Elias, 71
 fructose bisphosphatase, 254
 fruit bodies, 226
 ascomata, 228
 basidiomata, 228–31
 development, 167–8
 formation, 96–7, 184, 185
 gills or lamellae, 228–9
 pores, 228–9
Fugu rubripes (puffer fish), 114
Fuligo spp., 77
 fumigatin, 262
 functional genomics, 558
 fungal biodiversity
 in general, 8–9
 in soil, 7–8
 measurement challenges, 7–8
 number of undescribed fungi, 7–8, 8–9
 number which cannot be cultivated, 7–8
 fungal cell biology, 104–51
 cell cycle, 115–16
 cell membrane, 107
 cell plasma membrane, 123–4
 cell structure, 107–8
 cell wall, 136–7
 central vacuole, 124
 chloroplasts, 121–2
 chromatids, 109–12, 116
 chromatin structure, 109–12
 closed mitosis, 115
 contribution of yeast research, 105–7
 cytokinesis and septation, 144–50
 cytoplasm, 107
 cytoskeletal systems, 125–7
 DNA, 107, 108
 endomembrane systems, 121–5
 endoplasmic reticulum (ER), 120, 122, 124
 extrachromosomal DNA, 108
 fungus as model eukaryote, 105–7
 genetic material, 107, 108
 genome plasticity, 115
 Golgi apparatus, 120, 122–3, 123–5
 hyphal extension mechanisms, 105, 137–42
 hyphal fusion, 142–4
 intranuclear mitosis, 115
 karyotypes, 115
 meiotic nuclear division, 117–18
 mitochondria, 121–2
 mitotic nuclear division, 115–17

- molecular motors, 127–33
 movement, 127–33
 mRNA translation, 118–19
 mycelial growth mechanisms, 105
 mycelial interconnections, 142–4
 nature of the fungal cell, 99–100
 nuclear–cytoplasmic trafficking, 114
 nuclear genetics, 114–15
 nuclear migration, 116–17
 nucleolus, 112–13
 nucleus, 108–12
 number of nuclei per cell, 117
 organelles, 107
 peroxisomes, 120
 plasmalemma, 123–4
 plastids, 121–2
 ploidy and nuclear number, 117
 protein destruction, 121
 protein sorting/targeting mechanism, 119–21
 protein synthesis in the cytoplasm, 118–19
 RNA, 107
Saccharomyces cerevisiae as model organism, 105–7
 septal pores, 99
 septation and cytokinesis, 144–50
 signalling pathways, 134–5
 Spitzenkörper, 125
 subcellular components of eukaryotic cells, 109
 transmembrane proteins, 120
 transport vesicles, 124
 yeast–mycelial dimorphism, 150–1
 fungal cell wall, 136–7, 156–72
 active interface, 136
 adaptation to varying conditions, 157
 adhesins, 168–70
 adhesive properties, 158
 antigenic properties, 158
 as a clinical target, 171–2
 as a working organelle, 157
 β -glucan, 136, 137, 163
 functions of β 1,3-glucan synthases, 163
 carotenoid pigmentation, 168
 cell shape, 159
 cellulose, 29
 chitin, 29, 136–7, 158, 160
 dynamic structure, 136
 extracellular matrices, 159
 fibrillar polysaccharides, 157
 functions of chitin synthases, 160–2
 glomalin, 171
 glucans, 158, 162–3
 glycoproteins, 158, 163–5
 hydrophobic/hydrophilic properties, 158
 hydrophobins, 170–1
 hyphal tip extension, 165
 internal thickenings, 167–8
 maintenance of cell shape, 157
 mannans, 158
 mannoproteins, 137
 melanin pigmentation, 167
 molecules on the outer surface, 168–71
 outer surface, 168–71
 pigmentation, 167–8
 polysaccharides, 158–9
 protection against physical stress, 157
 proteins, 158, 163–5
 scaffold for proteins, 157
 secondary hyphal walls, 167–8
 structural components, 136–7
 structure and function, 157–60
 studies of model fungal systems, 157
 surface properties, 158
 target for antifungal agents, 157
 taxonomic significance, 158–9
 turgor pressure, 159
 two-phase system, 159–60
 wall architecture, 160
 wall synthesis and remodelling, 165–8
 fungal colonies
 morphological differentiation, 92–5
 fungal co-operative ventures, 393
 Fungal Genetics Stock Center (FGSC), 562
 Fungal Genome Initiative, 547
 fungal growth forms
 yeast–mycelial dimorphism, 150–1
 fungal individual
 definition, 188
 fungal individuals
 and incompatibility systems, 188–90
 fungal karyotypes, 115
 fungal life style
 contribution to eukaryote cell biology, 105–7
 exploitation of substrates, 86
 exploration and invasion, 85–6
 heterokaryosis, 180–1
 fungal nomenclature, 52
 fungal origins
 fossil evidence, 31–3
 molecular phylogenetic studies, 33
 fungal pathogens
 strains of varying pathogenicity, 186
 fungal pegs, 344
 fungal phylogeny, 35–8
 Fungal Records Database of Britain and Ireland (FRDBI), 562
 fungal species
 naming, 42
 naming of sexual and asexual stages, 42
 numbers of, 42
 fungal taxonomy
 principal taxonomic ranks, 28
 fungal toxins
 aflatoxins, 330
 Amanita muscaria, 328–30
 poisoning, 433–6
 potential as weapons, 331
 statins, 331
 strobilurins, 331
 fungi
 beneficial effects, 4
 contribution to human existence, 4
 databases of information about, 562
 importance of, 4–5
 mistaken ideas about, 4–5
 nature of fungi, 4–5
 pathogens, 5
 primitive biofilms, 28–9
 where and what they are, 4–5
 Fungi Imperfecti, 23, 29
 fungi in the home
 effects on health, 432–6
 fungicides
 strobilurins, 331
 fungicolous fungi, 439–44
 fungus as model eukaryote, 105–7
 fungus gardening. *See* ant agriculture;
 termite gardeners
 fusaric acid, 378
Fusarium moniliforme, 259, 379
Fusarium oxysporum, 148, 353, 384, 493
Fusarium solani, 432
Fusarium spp., 55, 327, 378, 442
 chlamydospores, 214
 genomes, 545
Fusarium venenatum, 56, 461, 473, 474, 487–92
 fuzzy logic approach, 313–14

 galactanases, 241
 galactans, 240
 galectins, 170
Galeola spp., 346
 gall wasps, 361
 gall-forming insects, 361
 gallic acid, 263
Ganoderma spp.
 cultivation, 279
 traditional herbal medicine, 279
 gardening insects and fungi, 279–80
 gasteromycetes, 288
Gastrodia elata, 344, 346
Gastrodia spp., 344, 346
 Geastrales, 66
Gelasinospora tetrasperma, 116, 208
 geldanamycin, 525
 gene ontology, 540
 gene-for-gene interactions, 387–9
 general transcription factors, 109–10
 genes
 conservation patterns, 24
 duplications, 24
 evolutionary clock, 24
 expression, 109–10
 rate of mutation, 24
 rate of mutational change, 24
 segregation during mitotic division, 189–94
 genetic approaches to development, 314–15
 developmental variants, 311–12, 312–13
 molecular genetics, 312–15
 genetic control of mating, 201
 mating type switching in budding yeast, 201–3
 genetic material

- genetic material (*cont.*)
 in eukaryotes, 107
 plasmids, 108
 genetic research
 cell cycle in yeasts, 149–50
 yeast breeding experiments, 106
 genetic variation
 co-evolution of plant–pathogen disease systems, 387–9
 parasexual cycle, 194
 genetics
 applied genetics, 388
 mapping panels, 529
 molecular studies of pathogen virulence, 389
 research, 106–7
 restriction mapping, 529
 steps in understanding fungal genetic structure, 531
 genome analysis
 fungal genome plasticity, 115
 fungal genome size, 114
 introns in fungal DNA, 114
 protein-coding genes, 115
 genomics, 531, 557
 annotating the genome, 540
 comparing genomes, 537
 comparison of fungal genomes, 547
 data mining, 314–15, 562
 functional genomics, 550
 Fungal Genome Initiative, 547
 manipulating genomes, 552
 recombinant vectors, 552
 reverse genetics, 550
 sequencing fungal genomes, 535
 targeted gene disruption, 550
 transformation of cells, 551
 genospecies, 189
Geoglossum spp., 60
 geological time, 28
 geomycology, 9–10
Geosiphon pyriformis, 52, 340
Geosiphon spp., 340
 Geosiphonaceae, 52
Geotrichum candidum, 460
 geranylpyrophosphate, 258
 germicidal UV (UV-C), 22–3
 giant puffball (*Calvatia gigantea*), 71
Gibberella fujikuroi, 185, 259, 379
 gibberellins, 259, 379
Gigaspora gigantea, 442
Gigaspora spp., 52, 340, 441
 Gigasporaceae, 52, 338, 340
Gilbertella persicaria, 49–50
 gills or lamellae of the fruit body, 63, 66–9, 228
Ginkgo, 343
Gliodadium spp., 440
Gliomastix spp., 442
 globose structures, 227–30
 Gloeophyllales, 67
 Glomales, 35, 50
 glomalin, 171
 Glomeraceae, 51, 340
 Glomerales, 51, 340
Glomerella cingulata, 202
 Glomeromycota, 29, 32, 35, 50–2, 78, 337, 338, 340, 441
 arbuscules, 51
 difficulty of studying, 50–1
 endomycorrhizal associations, 51
 importance to land plants, 51
 phylogeny, 51–2
 reproduction, 51
 vesicular-arbuscular mycorrhizas, 51
 glomeromycotan fossils, 31–2
Glomus spp., 52, 78, 340, 441
 glucanases, 439
 glucans, 158, 162–3
 glucoamylases, 241
 gluconeogenesis
 primary metabolism, 253–4
 glucose-stat cultures, 473
 glucosidases, 242
 glutamate decarboxylation loop, 253
 glutamate dehydrogenase, 254
 glutamine synthetase, 308
 glutamine synthetase/glutamate synthase system, 256
 glutaminyl hydroxybenzene (GHB), 263
 glycogen degradation, 242–3
 glycolysis, 251–2, 254
 glycoproteins
 fungal cell wall, 163–5
 glycosylphosphatidylinositol (GPI) anchors, 135, 164–5
 glyoxal oxidase, 243, 245
 Golgi apparatus, 120, 122–3, 123–5
 Gomphales, 66
 gomphoid–phalloid fungi, 66
 gongyliidia, 394
 gourmet fungi, 272–3
 gourmet mushrooms, 278
 GPI anchors, 135, 164–5
 G-protein-coupled receptors, 135
 G-proteins, 134–5, 206
Graphiola spp., 62
 grasses (Poaceae), 62
 C3 and C4 photosynthetic pathways, 404
 genome analysis, 114
 gravitropism, 231
 grazing animals
 and anaerobic fungi, 400–5
 Great Dying (extinction event)
 effects on fungi, 37–8
 greenhouse gases
 chlorohydrocarbon release by wood-decay fungi, 336
 chloromethane, 336
 fungal breakdown products, 245–6
 greening of the Earth, 28–9
 grey mould pathogen, 382, 383–4
 griseofulvin, 127, 262, 522, 526
 GTP (guanosine triphosphate), 252, 253
 GTP hydrolysis, 126
 Guinness Book of World Records
 largest and longest-lived fungi, 71
 gyrocyanin, 263
Gyromitra spp., 60
Gyroporus cyanescens, 263
 habitat creation by fungi, 326
 Haeckel, Ernst, 23
Haliphthoros spp., 75
 hallucinogenic toxins, 62
 hamathecium (hamathecial tissue), 60
 haploid nature of fungal mycelia, 179
 haploid nature of true fungi, 180–1
 haploid state in fungi, 117
 haploidisation, 194
Haptoglossa spp., 75
 Haptoglossales, 75
 Harden, Arthur, 106
 Harpellales, 52, 53, 415
 Hartig net, 338, 343, 344, 346, 347, 351
 Hartwell, Lee, 56
 Hartwell, Leland, 105, 107
 haustoria produced by plant pathogens, 371–2
 HC-toxin, 378
 heather (*Erica*), 78
 Heatley, Norman, 480
 heat-shock proteins, 98
Hebeloma mesophaeurn, 442
Helminthosporium maydis, 378
 hemiascomycetes, 56
 hemibiotrophic fungi, 376–8, 382
 hemicellulases, 384
 hemicellulose, 238
 hemicellulose breakdown, 238, 241
Hemitomes spp., 343
 herbal medicine
Ganoderma spp., 279
 herbivore digestion
 anaerobic chitrids, 45–6
 role of fungi, 4
 herbivore dung
 breakdown of, 238
Herpomyces spp., 60
het loci, 185–6, 188
Heterobasidium annosum, 69
Heterodera avenae, 407
 heterogeneous nuclear ribonucleoproteins (hnRNPs), 112
 heterokaryon, 117, 180
 breakdown, 183–4
 definition, 180
 phenotype, 181–3
 propagation of the state, 183
 heterokaryon formation, 181–3
 positive autotropism, 181
 vegetative compatibility, 185–8
 heterokaryon incompatibility.
 See vegetative compatibility
 heterokaryosis
 and hyphal anastomosis, 180–1
 benefits for fungi, 181
 consequences, 181–3

- expression of mutations, 181
- heterokaryotic mycelium, 117
- heterokonts
 - evolutionary origins, 30–1
- Heteropeza pygmaea*, 271
- heteroplasmic mixtures, 195
- heteroplasmons, 195
- heterothallic fungi, 180, 199–200
- Hevea brasiliensis*, 261
- hexatriylene, 264
- hexokinase, 253
- hexose monophosphate pathway, 252
- high mobility group (HMG) proteins, 205
- hindgut fermentation
 - non-ruminant herbivores, 403
- hispidin, 263
- histones
 - chromatin structure, 109
- Histoplasma capsulatum*, 150, 167, 428, 438
- Histoplasma* spp., 60
- histoplasmosis, 428, 522
- history of the fungi, 326
- HIV patients
 - Candida albicans* infections, 59, 150–1
 - See also immunocompromised patients
 - HIV-related opportunistic infections, 425–6
- HMG-CoA reductase inhibitors, 262, 331
- HMT toxin, 378
- Hodgkin, Dorothy, 478
- homeobox, 206
- homeodomain proteins, 206
- homeotic (*Ho*x) genes, 206
- Homo* genus
 - emergence in the Pliocene, 404
- homobasidiomycetes, 63
- homokaryon, 183, 207
 - definition, 180
- homologous organs, 63
- homothallic fungi, 180, 199, 200
- homotypic interactions, 168
- honey bee (*Apis mellifera*)
 - microsporidian parasite, 414
- honey fungus. See *Armillaria mellea*
- hoof fungus, 273
- Hooke, Robert, 107
- horizontal mitochondrial transmission, 195
- hormone production in fungi, 47–8
- hormones involved in sexual reproduction, 199
- host-selective toxins, 384
- host-specific toxins, 378
- Hubble Ultra Deep Field (HUDF), 20
- human dependence on fungi, 15
- human fungal infections
 - aflatoxicosis, 435–6
 - African histoplasmosis, 428
 - allergic reactions, 433
 - aspergillosis, 429–30, 430–1
 - athlete's foot, 425
 - blastomycosis, 428
 - Candida albicans*, 150–1
 - candidiasis, 425–6, 429
 - clinical groupings, 426–32
 - coccidioidomycosis, 428
 - cryptococcal meningitis, 62
 - cryptococcosis, 428
 - cutaneous mycoses, 426
 - dermatomycosis, 426–7
 - effects of fungi in the home, 432–6
 - epidemiology, 430–2
 - ergotism (ergot poisoning), 434–5
 - fungernails, 426
 - fusariosis, 432
 - histoplasmosis, 428
 - HIV-related opportunistic infections, 425–6
 - infant pulmonary haemorrhage, 432
 - infantile pneumonia, 431
 - ingestion of toxins, 433–6
 - microsporidiosis, 413
 - mycetoma (madura foot), 427
 - mycoses, 424–6
 - North American histoplasmosis, 428
 - onychomycosis, 426
 - opportunistic infections, 5, 54, 55, 59, 425–6, 428
 - opportunistic systemic mycoses, 428–30
 - Piedraia hortae*, 426
 - pneumocystis pneumonia (PCP), 431
 - pneumocystosis, 431
 - poisoning from fungal toxins, 433–6
 - resistance in fungal pathogens, 430–1
 - ringworm, 425
 - rose-handler's disease, 427
 - sick building syndrome, 432
 - sporotrichosis, 427
 - St Anthony's fire, 434–5
 - subcutaneous mycoses, 426–7
 - superficial mycoses (tinea), 426
 - systemic mycoses, 427–30
 - thrush, 429
 - toenails, 426
 - Trichosporon cutaneum*, 426
 - valley fever, 428
 - zygomycosis, 431–2
- human genetics
 - gene assignments to chromosomes, 194
- human genome, 114
- humic substances (humus), 6
- Hunt, Tim, 56, 105
- Hyaloraphidium curvatum*, 30
- hybridisation array analysis, 558
- hydration
 - chemical weathering process, 6
- hydrogen peroxide, 384
- hydrogenosomes, 45, 46, 402
- hydrolysis
 - chemical weathering process, 6
- hydrophobins, 137, 170–1
 - amphipathic structure, 170
- hymenia development, 291–5
- hymenium, 228
- Hymenochaetales, 66
- Hymenochaetales, 66, 67
- Hymenochaete corrugata*, 227
- hymenomycetes, 62, 63
- commercially farmed fungi, 71
- Hymenoscyphus ericae*, 78, 337
- Hymenoscyphus* spp., 60
- hypermycoparasite fungi, 443
- hypersensitive response, 388
- hyphae
 - quantity in soil, 7
- hyphal analysis, 301–4
- hyphal branching, 97–9
 - and septation, 97–8
 - branch initiation, 97–9
 - pattern of branching, 97
- hyphal differentiation, 92–5
- hyphal extension
 - definition, 88
 - mechanisms, 105
- hyphal fusion, 96–7, 117, 142–4
 - and mycelium functioning, 181
 - heterokaryon formation, 181–3
 - heterokaryosis, 180–1
 - non-sexual fusions, 181
 - ping-pong signalling mechanism, 142–3
 - potential hazards, 185
 - pre-contact behaviour, 142
 - role of the Spitzenkörper, 142
 - self-signalling between hyphal tips, 142–3
 - stages in the process, 142
 - vegetative compatibility, 185–8
- hyphal growth
 - apical growth process, 100
 - autotropic reactions, 96–7
 - autotropism, 87–8
 - avoidance mechanism, 96
 - branch initiation, 97–9
 - branching, 97–9
 - branching processes, 86–8
 - colonisation of solid substrata, 99
 - computer simulation, 564
 - distinction between growth and extension, 88
 - duplication cycle, 92–3
 - emergence of germ tubes (hyphal tips), 86
 - germ tube extension, 87
 - germination of spores, 86–7
 - hyphal fusion, 87, 96–7
 - mathematical modelling, 564
 - mode of growth, 86, 88–91, 94–7
 - negative autotropism, 96
 - Neighbour-Sensing model, 564
 - nuclear migration regulation, 93–4
 - nuclear mitosis, 93–4
 - pattern of branching, 97
 - positive autotropism, 96–7
 - rates of growth, 86–8
 - septation, 92–3, 99–100
 - size-detecting mechanism, 93
 - synchronous mitosis, 93
 - types of septa, 99
 - viscoelastic cell wall, 100
- hyphal growth kinetics, 88–91
 - mathematical models, 94–7

- hyphal tip extension, 137–42
 cell wall, 165
 consensus model, 139–40
 hyphoid model, 138–9
 steady state (soft spot) model, 139
 tip-high calcium gradient, 141–2
 turgor pressure, 137–8
 hyphal tuft (hyphal knot), 283
 Hyphochytriomycota, 29, 75, 77
Hyphochytrium spp., 77
 hyphoid model of hyphal tip extension, 138–9
 hyphomycetes, 198
Hypocrea spp., 60
 Hypocreales, 60
 hypogeous taxa, 66
Hypsizygus tessulatus, 71
 Hysterangiales, 66
 hysterothecia, 60
- ibotenic acid, 329
 Iceman (Neolithic traveller)
 fungal products found with, 273
 igneous rocks, 6
 imazalil, 518
 imidazoles, 518
 immune system response
 effects of hydrophobin, 170
 immunocompromised patients
 aspergillosis, 430–1
 candidiasis, 425–6
 cryptococcal meningitis, 62
 cryptococcosis, 428
 epidemiology of fungal infections, 430–2
 fusariosis, 432
 microsporidiosis, 413
 opportunistic infections, 5, 54, 55, 59,
 150–1
 opportunistic systemic mycoses,
 428–30
 pneumocystis pneumonia (PCP), 431
 pneumocystosis, 431
 zygomycosis, 431–2
 imperfect fungi, 194, 198–9
 importins, 113
 incompatibility mechanisms, 117
 incompatibility systems
 fungal individuality, 188–90
 infant pulmonary haemorrhage, 432
 infantile pneumonia, 431
 ink cap mushroom. *See Coprinopsis
 cinerea*
Inocybe spp., 263
Inonotus spp., 245
 inorganic transformations, 327
 insects, 326
 entomogenous fungi, 417–21
 fungal pathogens, 412
 gardening insects, 279–80
 Laboulbeniales pathogens, 416–17
 mutualistic associations with fungi, 62
 pathogenic gut fungi (Trichomycetes),
 414–16
 insertional mutagenesis, 389
 integrated pest management (IPM), 422
 intermediary metabolism. *See* primary
 metabolism
 intermediate filaments (cytoskeleton), 126
 International Programme on Chemical
 Safety, 513
 interzonal microtubules, 146
 intracellular proteinases, 246
 intranuclear mitosis, 115
 introns in fungal DNA, 114
 invertebrates
 fungal toxins, 330
 ion channels, 133–4
 ion pumps, 249
 ionising radiation
 resistance to, 167
 IQGAP proteins, 145
 iron core of the Earth, 21, 22
 iron-binding compounds, 264
 itraconazole, 518
- Jirovec, Otto, 56, 431
- K-selected species, 354
 karyogamy, 117, 118, 198
 karyopherins, 113
 ketoconazole, 518
 Kickxellales, 52
 Kickxellomycotina, 30, 52, 442
 killer phenomenon
Kluyveromyces lactis, 196
 kinesins, 128–9
 microtubule-associated kinesins, 127–33
 molecular motors, 127–33
 kinetochores, 116, 118
 King Oyster (*Pleurotus eryngii*), 277
 Kingdom Animalia, 23, 30
 Kingdom Chromista, 29, 30–1, 75–7, 158,
 160
 Kingdom Fungi, 4–5, 23
 anaerobic chytrids, 45–6
 Ascomycota, 55–61
 Basidiomycota, 61–71
 Blastocladiomycota, 46–50
 Chytridiomycota, 42–5
 chytrids, 42–5, 45–6
 common ancestor with animals and
 plants, 29
 distinctions from animals and plants, 29
 Glomeromycota, 50–2
 members of the Kingdom, 42
 monophyletic group, 29–30
 Neocallimastigomycota, 45–6
 phylogenetic classification, 29–30
 phylogeny, 35–8
 tree of life, 35–8
 Zygomycota, 52–5
 Kingdom Monera, 23
 Kingdom Plantae, 23
 Kingdom Protista, 23
 Kingdom Protozoa, 77
Kluyveromyces lactis, 502
 killer phenomenon, 196
 Koch's postulates, 424
 Kornberg, Roger D., 107
 Krebs (TCA) cycle, 252, 477
 kuru, 196
- La France disease, 196
 Laboulbeniales, 60, 416–17
 Laboulbeniomycetes, 60
Labyrinthula spp., 77
 Labyrinthulales, 77
 Labyrinthulomycota, 77
Laccaria proxima, 354
 laccases, 243, 245
Lacrymaria spp., 261
 lactarinic acid, 261
Lactarius rufus, 261
Lactarius spp., 261
Lagena spp., 75
Lagenisma spp., 75
 Lagenismatales, 75
 land management practices
 effects on fungal populations, 326
 larch (*Larix*), 347, 351
 mycorrhizal associations, 338
 large ribosomal RNA subunit, 33
 largest fungal structures, 71
 late stage fungi, 354
 lateral gene transfer, 24
 latex, 264
 Law, Barbara, 478
 leaching
 weathering process, 6
 leaf and stem blotch of mature plants, 327
 leaf spot diseases, 223, 372
 leaf-cutter ants, 62
Lecanactis abietina, 60
Lecanora spp., 60
 Lecanoromycetes, 60, 61, 416
 Lederberg, Joshua, 106
Lempholemma spp., 60
Lentinula edodes, 71, 195, 254, 277, 311,
 312, 444
 cultivation, 278–9
 mycorrhizas, 344
Leotia spp., 60
 Leotiomycetes, 60, 61, 438
Leptolegnia spp., 75
Leptolegniella spp., 75
 Leptomitales, 75, 512
Leptomitus spp., 75
Leucoagaricus gongylophorus, 396
Leucoagaricus spp., 396
 Leucocoprineae, 396
Leucocoprinus gongylophorus, 279
Leucocoprinus spp., 396
 lichenised fungi, 55, 59
 lichens, 79, 170, 171, 325, 356–60
 as food, 358
 chemical produced by, 358
 cyanobacteria associations, 357
 fossils, 357
 fungal species involved, 358

- nature of the symbiotic relationship, 357–8
reproduction, 357
sensitivity to atmospheric pollution, 358
taxonomy, 358
thallus morphology, 356
tolerance of extreme conditions, 358
- Lichinomycetes, 60
- lignin, 78, 238
composition and structure, 242–4
resistance to microbial degradation, 242–3
- lignin breakdown, 238, 242–6, 327
chlorohydrocarbon release, 336
- lignin peroxidase, 243, 244–5
- ligninases, 384
- lignocellulose, 78
- Lindgren, Carl, 106
- linear structures, 225–7
- ling (*Calluna*), 78
- lingzhi, 279
- lipases, 247
- lipophilic yeasts, 62
- liquid chromatography, 559
- litter-trapping rhizomorph networks, 227
- liver cancer, 330, 436
- LL-Z1272 α (antibiotic), 263
- Lobaria* spp., 60
- Loma salmonae*, 414
- longest-lived fungi, 71
- longest-lived mycelium, 71
- long-term plasmogamy, 231
- lovastatin, 262, 473
- luciferase, 246
- luciferin, 246
- lycopene, 261
- lysergic acid amide, 263
- lysosomal proteolysis, 121
- macroconidia, 223
- Macrotermitinae termites, 398–9
- macrovesicles, 161–2
- Madurella grisea*, 426
- Madurella mycetomatis*, 426
- magic bullet concept, 512
- Magnaporthe grisea*, 203, 327, 370, 379, 389
genome, 546
- Magnaporthe oryzae*, 382, 389
- Magnaporthe* spp., 55
- magnetosphere (Earth's magnetic field), 22–3
- maize (*Zea mays*), 62
- Malassezia globosa*, 62
- Malassezia* spp., 62
- manganese peroxidase, 243, 245
- man-made polymers
microbial degradation, 333–4
- mannanases, 240
- mannans, 158, 240
- mannitol, 254, 311
- mannoproteins, 137, 163
- MAP kinase, 143, 206
- MAP kinase signalling pathway, 135
- maple leaf spot, 370
- Marasmiellus* spp., 32
- Marasmius* spp., 32, 227
- Marmite, 274
- Mars, 22
- mass flow of nutrients, 248
- mass spectrometry, 559
- Massospora* spp., 417
- mathematical models
fungal growth, 94–7
hyphal growth, 564
- mating in budding yeast, 200–1
- mating proteins, 168
- mating strategies of *Neurospora* spp., 203
- mating systems, 199–200
- mating type factors, 62, 185, 186, 199
biology of, 210–11
- mating type genes, 203–5
- mating type loci, 203–5
- mating type pheromones, 199
- mating types, 199
Basidiomycota, 205–10
Neurospora crassa, 186–8
Neurospora spp., 203–5
switching, 200
switching in budding yeast, 201–3
tetrapolar heterothallism, 206–10
- matsutake, 71, 272, 273
- Megaselia halterata*, 271
- Megaselia nigra*, 271
- meiocyte, 228
- meiosis
stage in sexual reproduction, 198
- meiotic nuclear division, 117–18
- Melampsora lini*, 371
- melanin, 167, 382
- mellein, 262
- membrane transport. *See* transport of nutrients
- Mendel, Gregor, 106
- Mesomycetozoa, 77, 415
- messenger RNA. *See* mRNA
- metabolic pathways research, 106, 107
- metabolic regulation and morphogenesis, 305–8
- metabolomics, 557
- metacaspases, 385
- metal cycling
role of fungi, 10
- metal ions
accumulation by fungi, 327
- metalaxyl, 522, 526
- metal–fungal interactions, 9
- metalloproteinases, 247
- metamorphic rocks, 6
- Metarhizium anisopliae*, 167, 419
- Metarhizium* spp., 420
- methanogenic rumen bacteria, 402
- methyl *p*-methoxycinnamate, 263
- 3-methylfuran, 432
- Mevastatin, 262
- mevinolin, 473
- micafungin, 521
- Michaelis constant, 464
- Michaelis–Menten kinetics, 249, 463
- miconazole, 518
- microarthropods, 326, 353
Collembola, 267–70
fungivores, 267
numbers in soil, 7
- microbial diversity
complexity of the concept, 7
in general, 8–9
in soil, 7–8
measurement challenges, 7–8
number which cannot be cultivated, 7–8
- microbial diversity in soil
chemical analysis, 8
chitin measurement, 7
counting numbers, 7
ergosterol measurement, 8
polymerase chain reaction (PCR), 8
RNA and DNA probes, 8
- microconidia, 223
- microfilaments, 126
- Microglossum* spp., 60
- Microsporidia, 29, 30, 35, 412–14
human pathogens, 413
phylogeny, 396–7
xenoma formation, 413
- microsporidial gill disease of salmon (MGDS), 414
- microsporidiosis, 413
- Microsporidium africanum*, 413
- Microsporidium ceylonensis*, 413
- Microsporium* spp., 247, 425, 426
- Microstroma* spp., 62
- microtubule motors, 127
- microtubule-associated dynein, 127–33
- microtubule-associated kinesins, 127–33
- microtubule-associated proteins (MAPs), 127
- microtubule-binding proteins, 127
- microtubules, 126–7
role in cell cleavage, 145
role in cytokinesis, 145–6
- microvesicles, 161–2
- mineral transformations
geomycology, 9–10
- minerals, 5
composition of rocks, 6
igneous rocks, 6
metamorphic rocks, 6
primary minerals, 5
secondary minerals, 5
sedimentary rocks, 6
- miso, 506
- mites
feeding on fungi, 270
numbers in soil, 7
- mitochondria, 23, 108, 121–2, 252
cytoplasmic segregation, 194–6
endosymbiont theory, 23, 121–2
protein coding genes, 25
mitochondrial DNA (mtDNA), 195

- mitochondrial inheritance, 33, 195
 mitochondrial mosaics, 195
 mitochondrial phenotypes, 195
 mitochondrial protein transport, 120
 mitochondrial ribosomes, 33, 195
 mitosis
 closed, 115
 intranuclear, 115
 mitosporic fungi, 198–9
 mitotic crossing-over, 194
 mitotic nuclear division, 115–17, 189–94
Mitrula spp., 60
 mobile signal ligands, 349
 molecular biology
 contribution of yeast research, 105–7
 molecular biotechnology, 566
 agricultural myocides, 529
 analysis of large survey data sets, 563
 annotating the genome, 540
 antifungal agents that target the cell wall, 521–2
 antifungal agents that target the membrane, 512–21
 antifungal resistance, 522–6
 azoles, 517–21, 523
 bioinformatics in mycology, 560
 clinical control of systemic mycoses, 522–6
 combinatorial therapy, 525–6
 computer simulation of hyphal growth, 564
 cyber fungi, 564
 effects of climate change on fungi, 563
 functional genomics, 550
 Fungal Genome Initiative, 547
 fungal genomes and their comparison, 547
 fungi as cell factories producing heterologous proteins, 554
 genomics, 531, 562
 improving fungal strains, 554
 manipulating genomes, 552
 manipulating very large data sets, 560
 mathematical modelling of hyphal growth, 566
 polyenes, 514–17, 523
 recombinant protein production by filamentous fungi, 557
 reverse genetics, 550
 sequencing fungal genomes, 535
 steps in understanding fungal genetic structure, 531
 strobilurins, 526–9
 synthetic biology, 560
 systems biology approach, 531
 targeted gene disruption, 550
 transformation of cells, 551
 vectors for DNA cloning, 552
 molecular machines, 109
 molecular motors, 127–33
 molecular phylogenetic approach, 74–5
 molecular studies of pathogen virulence, 389
Monascus purpureus, 506
Monascus spp., 274
Monilinia fructigena, 247
Monilinia spp., 60
 Monoblepharidales, 30, 45
 Monod equation, 463
 monokaryon, 207
 definition, 180
 monolignols, 242
 monophyletic group, 28
Monotropa spp., 343, 344
 monotropoid endomycorrhizas, 337, 343–4
Monotropopsis spp., 343
 Montropaceae, 337, 343
 Moon
 formation of, 21, 23
 influences on the Earth, 23
 stabilizing the Earth, 23
 tides on the Earth, 23
Morchella deliciosa, 272
Morchella elata, 272
Morchella esculenta, 56, 272
Morchella spp., 60, 272
 morels. *See* *Morchella*
 morphogenesis
 definition, 285
 morphogenetic field model, 293
 morphological species concept, 71
Mortierella ramanniana, 442
Mortierella spp., 55, 474, 483
Mortierella wolfii, 55
 Mortierellales, 52
 movement
 molecular motors, 127–33
 mRNA, 107
 protein synthesis in the cytoplasm, 118–19
 synthesis and processing, 109–12
 translation, 118–19
 mucopolysaccharides, 241
Mucor hiemalis
 negative autotropism, 96
Mucor miehei, 274
Mucor mucedo, 199
Mucor spp., 53–4, 59, 99
 Mucorales, 52
 Mucoromycotina, 30, 52, 442
 multiple uptake systems for nutrients, 249
 muscaridines, 263
 muscarines, 263
 muscimol, 329
 mushroom flies, 270–1
 mushroom fossils, 32
 mushroom poisoning, 264
 mushrooms, 62, 228, 229
 commercial mushroom production, 275–9
 cultivation, 474
 solid state fermentation, 495
 mutations
 expression in haploid fungi, 180
 expression in heterokaryotes, 181
 mutualism, 325
 agriculture in beetles, 399–400
 ambrosia beetles and fungi, 399–400
 fungal co-operative ventures, 393
 gardening ants, 393–8
 gardening insects, 279–80
 lichens, 357–8
 ruminants and anaerobic chytrids, 400–5
 termite gardeners, 398–9
 types of fungal relationships, 392–3
 See also mycorrhizas
 mycelial interconnections, 142–4
 mycelial networks at the soil–litter interface, 267
 mycelial senescence caused by plasmids, 195
 mycelium
 migratory role of strands, 226
 point growth, 226
 translocation routes, 225, 226
 mycelium differentiation, 214–16
 mycelium growth
 apical growth of the hypha, 100
 autotropic reactions, 96–7
 autotropism, 87–8
 circadian rhythms, 214–16
 colony formation, 86–8
 colony growth to maturity, 91–2
 distinction between growth and extension, 88
 ecological advantages on solid substrates, 100–1
 filamentous extension strategy, 86
 fungal life style, 86
 gradients in requirements for growth, 91–5
 heterogeneous growth under restricted conditions, 91–2
 hyphal branching, 97–9
 hyphal differentiation, 92–5
 hyphal fusions, 87
 hyphal mode of growth, 86, 88–91, 94–7
 mechanisms, 105
 morphological differentiation, 92–5
 phases of growth, 94
 polarised hyphal growth, 87
 rates of growth and development, 86–8
 regulatory mechanisms, 144
 restricted growth, 91–2
 septation, 99–100
 strand and cord formation, 225–7
 success of the growth habit, 100–1
 yeast–mycelial dimorphism, 150–1
 mycelium growth kinetics, 88–91
 mathematical models, 94–7
Mycena osmundicola, 344
Mycena spp., 246, 261, 344
 mycetoma (madura foot), 427
 mycobionts, 356
Mycogone pernicioso, 443–4
 mycoherbicide production, 492–3
 mycoheterotrophs, 343, 346
 mycoparasitic fungi, 439–44
 mycopesticide production, 492–3

- mycopesticides, 444
 myco-protein, 56
 production, 487–92
 mycorrhizas, 78–9, 170, 325, 336–56
 advantages of mycorrhizal associations, 351–4
 arbuscular endomycorrhizas, 337, 338–42
 arbuscular mycorrhizas, 78, 441
 arbutoid endomycorrhizas, 337, 343
 bi-directional nutrient transfer, 340–1
 changes in natural communities, 353–4
 commercial applications, 340, 355–6
 ectendomycorrhizas, 338, 343, 346, 351
 ectomycorrhizas, 78–9, 338, 346–51
 ectotrophic/endotrophic classification, 337
 endomycorrhizas, 78, 337–9
 ericoid endomycorrhizas, 78, 337, 341–3
 impact of climate change, 354–5
 importance for crop plants, 4
 inorganic transformations, 327
 monotropoid endomycorrhizas, 337, 343–4
 nature of the mutualist association, 336–7
 networks linking plant communities, 337
 non-mycorrhizal plant families, 337
 nutrient transfers, 351–3
 orchidaceous endomycorrhizas, 78, 337, 344–6
 redistribution of plant-derived carbohydrates, 353
 resistance to pathogen attack, 353
 strand formation, 226
 structure of natural communities, 353–4
 types of mycorrhiza, 337–8
 use of protein, 246
 vesicular-arbuscular mycorrhizas, 337
 water relations, 353
 ‘wood-wide-web’, 338
 mycoses, 424–6
 myosins, 128
 actin-associated myosins, 127–33
 molecular motors, 127–33
 Myxomycota, 77
 Myxomycotina, 23
 Myzocytiosidales, 75
 NAD, 254
 NADH, 121, 251, 256
 NADH₂, 252
 NADP, 254
 NADPH, 121, 251, 256
 NADPH₂, 252, 256
 NADP-linked glutamate dehydrogenase, 255–6, 308
 natto, 506
 natural classification of fungi, 41–79
 anaerobic chytrids, 45–6
 anamorph (asexual stage), 42
 Ascomycota, 55–61
 Basidiomycota, 61–71
 Blastocladiomycota, 46–50
 Chytridiomycota, 42–5, 45–6
 definition, 41
 ecosystem mycology, 77–9
 Glomeromycota, 50–2
 members of the Kingdom Fungi, 42
 naming of fungal species, 42
 naming of sexual and asexual stages, 42
 Neocallimastigomycota, 45–6
 number of species, 42
 slime moulds, 77
 species concept in fungi, 71–5
 teleomorph (sexual stage), 42
 untrue fungi, 75–7
 water moulds, 75–7
 Zygomycota, 52–5
 natural group, 28
 necrosis and ethylene inducing proteins (NEPs), 384
 necrotrophic fungi, 238, 327, 376–8, 383
Nectria haematococca, 132
 negative autotropism, 96, 181
 Neighbour-Sensing model of hyphal growth, 566
 nematodes, 326
 feeding on fungi, 270
 numbers in soil, 7
 nematode-trapping fungi, 405–8
 potential biological control, 407
 types of trapping device, 405
Nematophthora gynophila, 407
 nematophytes, 31–4
 Neocallimastigales, 29, 45, 401
 Neocallimastigomycota, 29, 45–6, 400–5
Neocallimastix frontalis, 46, 401, 402
Neocallimastix spp., 401
Neolecta spp., 56
Neolecta vitellina, 56
 Neolithic traveller (the Iceman)
 fungal products found with, 273
Neotiella spp., 117
 net blotch of barley, 370
Neurospora crassa, 86, 87, 115, 185, 454, 460
 asynchronous nuclear division, 147
 circadian system, 215
 conidiation, 223
 genome, 544
het genes, 186
het loci, 188
 heterokaryon formation, 186
 hyphal extension, 88–9, 140
 incompatibility response, 186–8
 mating types, 186–8, 199
 mitochondrial genes, 194
 mitochondrial phenotypes, 195
 mutations, 116
 negative autotropism, 96
 proteinases, 246
Neurospora spp., 60, 106, 228
 mating strategies, 203
 mating types, 203–5
Neurospora tetrasperma, 200
 new variant Creutzfeldt–Jakob disease (nvCJD), 196
 New Zealand wood ear fungus trade, 273
 nikkomycins, 171, 521, 526
 nitrate reductase, 256
 nitrogen
 primary metabolism, 254–7
 sources in the soil, 238–9
 nitrogen-fixing bacteria, 254
 N-linked oligosaccharides, 163–4
 Nobel Prize laureates, 119, 512
 yeast-related research, 105–7
 ‘noble rot’ of wine grapes, 382
 nomenclature
 definition, 27
 fungi, 52
Nomuraea rileyi, 419
 non-disjunction of chromosomes, 194
 non-mycorrhizal plant families, 337
 non-ruminant herbivores
 hindgut fermentation, 403
 North American histoplasmosis, 428
 Norway spruce (*Picea abies*), 347
Nosema apis, 414
Nosema bombycis, 412
Nosema ocularum, 413
Nosema sp., 414
Nostoc punctiforme, 52, 340
Nothofagus (Southern beech), 346
 nuclear-cytoplasmic trafficking, 114
 nuclear division patterns, 146–8
 nuclear export signal (NES), 113
 nuclear genetics, 114–15
 nuclear localisation signal (NLS), 113
 nuclear migration, 116–17
 regulation, 93–4
 nuclear mitosis, 93–4
 nuclear number and ploidy, 117
 nuclear pore complexes (NPC), 113–14, 121
 nuclear ribosomal DNA (rDNA)
 phylogenetic studies, 33
 nucleolus, 112–13
 nucleoporins, 113
 nucleus
 chromatin structure, 109–12
 control of nuclear division, 148
 DNA molecular processes, 109
 functions, 108–12
 gene expression, 109–10
 mRNA synthesis and processing, 109–12
 nuclear-cytoplasmic trafficking, 108
 nuclear import and export, 113–14
 nuclear pore complexes (NPC), 113–14
 number of nuclei per cell, 117
 protein transport from the cytoplasm, 121
 transcription factors, 109–10
 transporter proteins, 113
nud (nuclear distribution) genes, 117
 Nurse, Paul, 56, 105, 107
 nutrient cycling in soils, 6
 nutrient distribution in soils
 effects on fungal growth, 10

- nutrient transfer
 bi-directional transfer in mycorrhizas, 340–1
 ectomycorrhizas, 349–50
 transport and translocation, 247–51
 nutritat cultures, 473
 nutrition mode
 distinctions between eukaryotes, 29
 nutritional selection for diploid strains, 189
 nystatin, 515
- oak (*Quercus*), 346
 endophytic fungi, 361
 gall wasps, 361
 2-octen-1-ol, 432
 odours of fungi, 263, 328
 oidia, 208
 oligotrophic growth in fungi, 10
 O-linked oligosaccharides, 164
 Oliver, Steve, 105
 Olpidiopsidales, 75
Olpidiopsis spp., 75
Olpidium spp., 43
Omphalotus olearius, 246
Omphalotus spp., 246
 onychomycosis, 426
 oogoniol, 199
 Oomycota, 29, 50, 75–7, 85, 86, 138, 141
 growth mechanism, 160
Ophiostoma novo-ulmi. See Dutch elm disease
Ophiostoma spp., 399, 400
Ophiostoma stenoceras, 427
Ophiostoma ulmi, 150, 202
 Ophiostomatales, 399
 ophiostomatoid fungi, 399, 400
 opisthokonts, 105, 415
 evolutionary origins, 30
 opportunistic infections, 5, 54, 55, 59
Candida albicans, 150–1
 microsporidiosis, 413
 opportunistic pathogens, 424
Orbilia spp., 60
 Orbiliaceae, 405
 Orbiliomycetes, 60
 Orchidaceae, 78
 orchidaceous endomycorrhizas, 78, 337, 344–6
 ptyophagy, 346
 tolypophagy, 346
 organelles, 107
 organic matter, 5
 decomposing and stable stages, 6
 food source for soil organisms, 6
 ornithine acetyltransferase, 308
 ornithine carbamoyltransferase, 308
Orpinomyces spp., 46, 401
 orsellinic acid, 262
 oscillators
 circadian rhythms, 215, 216
 oudemansins, 331
 oxalate oxidase, 245
 oxalic acid, 384
- oxidation and reduction
 chemical weathering processes, 6
 oxidative burst, 384–5
 oxidative phosphorylation, 253
 oxygen in soil minerals, 6
 oyster mushrooms. See *Pleurotus* spp.
 ozone layer, 22–3
- Pacispora* spp., 340
 paddy straw mushroom. See *Volvariella volvacea*
Paecilomyces varioti, 263
Panellus stipticus, 246
Papularia sphaerosperma, 522
Paracoccidioides brasiliensis, 150, 161, 167
 Paraglomerales, 340
Paraglomus spp., 340
 paraphyses, 228, 291, 292
 parasexual cycle, 194
 parasitic fungi, 326
Parasola misera, 290
 parasynchronous division of nuclei, 146–8
 parentosome, 99
 parisin, 48
 PAS domain, 215
 Pasteur, Louis, 56, 105, 106, 500
 pathogen associated molecular patterns (PAMPs), 387
 pathogenic fungi, 5, 326
 pattern formation, 283
Paxillus panuoides, 332
 peach leaf curl, 56, 370
 peat formation, 6
 pectin lyases, 241
 pectinases, 241, 384
 pectins, 238
 breakdown, 241
Pellicularia sasakii, 521
 peloton, 345
Peltigera spp., 60
Peltula spp., 60
 penetration peg, 382
 penicillin, 55, 264–3, 512
 history and production, 478–82
Penicillium camemberti, 56, 264, 275, 493, 503
Penicillium chrysogenum, 55, 87, 189, 194, 468, 474, 480, 482
Penicillium citrinum, 55, 262
Penicillium cyclopium, 182
Penicillium digitatum, 189
Penicillium expansum, 189
Penicillium griseofulvum, 262
Penicillium nalgiovense, 503
Penicillium notatum, 478
Penicillium roqueforti, 56, 275, 493, 503
Penicillium spp., 60, 432
 penny bun. See *Boletus edulis*
 pentachlorophenol (PCP), 245, 334
 bioremediation by fungi, 334–6
 pentose phosphate pathway (PPP), 252, 311
 peptidases, 247
 peptide pheromones, 199
- perfect fungi, 198
 Perissodactyla, 403, 404
 perithecia, 59, 203, 224, 228
 Permian–Triassic extinction event
 effects on fungi, 37–8
 permittistat cultures, 473
 Peronosporales, 75
 peroxisomes, 23, 120, 144
 pest
 definition, 334
 pest management on plants, 376–7
 pesticides, 238, 368
 bioremediation by fungi, 334–6
 breakdown by fungi, 245
Peziza spp., 60
 Pezizomycetes, 60
 Pezizomycotina, 56, 59–61
 ascoma morphologies, 59–60
 ascus types, 60–1
 phylogeny, 60–1
 pH auxostat cultures, 473
 Phallales, 66
 phalloidin, 264
 Phallomycetidae, 66
 phalloxin, 433–4
Phanerochaete chrysosporium, 78, 240, 244–6, 484
 genome, 546
 pharmaceuticals, 473
 chemical transformation by laccases, 245
 whole organism biotechnology, 478–83
Phellinus contiguus, 300, 301, 332
Phellinus megaloporus, 332
Phellinus pomaceus, 336
Phellinus spp., 245
Phellinus tuberculatus, 336
Phellinus weirii, 69
 phenolics, 238
 phenotype of sexual reproduction, 199
 phenotype switching, 429
 phenylalanine, 263
 phenylpropanoid alcohols, 242
 pheromone response element (PRE), 206
 pheromones, 77, 201, 209–10
Phlyctocytrium spp., 43
 phosphatases, 247
 phosphate mobilization, 327
 phosphofructokinase, 253, 254
 photobionts, 356
 photosynthesis
 C₃ and C₄ pathways, 404
 phragmoplast, 146
 phycobionts, 356
Phycomyces blakesleeanus, 55
Phycomyces spp., 442
 Phycomycetes, 23, 29
 phylogenetic classification
 divergence of Archaea and Eukaryota, 26–8
 divergence of Eubacteria and Archaea, 26–8
 Kingdom Fungi, 29–30
 phylogenetic classification systems, 23–9

- phylogenetic species concept, 74–5
 phylogenetic studies
 ATPase genes, 24–5
 evolutionary clock, 24
 molecular studies, 33
 molecular techniques, 24–6
 protein sequences, 25–6
 range of molecules studied, 24–6
 ribosomal gene cluster, 25
 small subunit ribosomal RNA (SSU rRNA) genes, 24
 suitable genes for study, 24
 universal ancestor concept, 24
 phylogeny of fungi, 35–8
 Physarales, 77
Physarum spp., 77
 physical power of growing fungi, 328–30
 physical weathering, 6
 physiological species concept, 74
Physoderma spp., 47
 phytoalexins, 386, 387
 phytoanticipins, 386
 phytodebris, 31–4
Phytophthora cactorum, 514
Phytophthora infestans, 75, 368, 370, 376, 512, 522
Phytophthora megasperma, 75, 387
Phytophthora palmivora, 75
Phytophthora parasitica, 353
Phytophthora spp., 29, 30, 75, 384
Piedraia hortae, 426
 pigmentation of fungal cell walls, 167–8
Pilaira spp., 442
 pileipellis, 291
 pili, 107
Pilobolus spp., 442
 pine (*Pinus*), 346, 347, 349, 351, 354
 mycorrhizal associations, 338
Piptocephalis spp., 440, 442
Piptoporus betulinus, 78, 273
 PIR proteins, 165
Piromyces spp., 46, 401, 403
Pityopus spp., 343
 plant disease
 disease triangle, 374–6
 pathogen–host–environment relationships, 374–6
 plant pathogens, 367–89
 Armillaria spp., 370–2
 avoiding nutrient or water stress in plants, 376
 barley powdery mildew (*Blumeria graminis*), 371
 biological control methods, 377
 biotrophs, 376–8
 black stem rust of wheat (*Puccinia graminis tritici*), 373–4
 changing host metabolism, 378–9
 co-evolution of plant–pathogen disease systems, 387–9
 comparison with animal pathogens, 436–9
 defence mechanisms in plants, 384–5, 385–7
 direct penetration of the host cell wall, 382
 disease triangle, 374–6
 Dutch elm disease (*Ophiostoma novo-ulmi*), 372–3
 effects of pathogens on hosts, 377–9
 effects on plant hormones, 378–9
 enzymatic penetration of the host, 382–5
 flax rust (*Melampsora lini*), 371
 gene-for-gene interactions with plants, 387–9
 general short-term response in the host, 386
 genetic variation in pathogens and hosts, 387–9
 good sanitation to help control, 376
 headline crop diseases, 370
 hemibiotrophs, 376–8
 horizontal resistance, 387
 host penetration through stomata, 379–81
 host-selective toxins, 384
 host-specific toxins, 378
 hypersensitive response in the host, 384–5, 386, 388
 induction of programmed cell death, 384–5
 insertional mutagenesis, 389
 integrated pest management, 376–7
 leaf spot diseases (*Cercospora* spp.), 372
 losses to world agricultural production, 368–70
 molecular studies of pathogen virulence, 389
 necrotrophs, 376–8
 oxidative burst in the host, 384–5
 pathogen–host–environment relationships, 374–6
 pathogens that produce haustoria, 371–2
 pre-formed and induced defence mechanisms, 385–7
 rice blast fungus (*Magnaporthe grisea*), 370
 rust fungi, 371–2, 379–81
 smut fungi, 371–2
 symptoms of disease in plants, 377–9
 systemic acquired resistance in plants, 386–7
 tolerance in plants, 387
 using disease resistant cultivars, 376
 vertical resistance, 387
 plants
 benefits of mycorrhizal associations, 325
 dependence on mycorrhizal associations, 325
 plasma membrane, 133–6
 active transport processes, 133
 electrochemical proton gradient, 133
 facilitated diffusion, 133
 GPI-anchors, 135
 ion channels, 133–4
 ion pumping, 133
 signalling pathways, 134–5
 transport mechanisms, 133–4
 plasmalemma, 123–4
 plasmid DNA, 195–6
 plasmids, 108
 cytoplasmic segregation, 195–6
Plasmodiophora spp., 77
 Plasmodiophoromycota, 77
 plasmogamy, 198, 231
Plasmopara spp., 31
 plastics
 microbial degradation, 333–4
 plastids, 121–2
 Platypodinae, 399
 plectenchyma, 224–5
Pleistophora sp., 413
Pleospora spp., 60
Pleuroicospora spp., 343
Pleurotus ostreatus, 195, 406–7, 444
 genome, 546
Pleurotus pulmonarius, 311
 bioremediation of pentachlorophenol (PCP), 334–6
Pleurotus pulmonarius fruit body
 formation of gills, 297–8
Pleurotus spp., 71, 277
 cultivation, 278
 remediation of agricultural waste, 278
 ploidy and nuclear number, 117
 plus end tracking proteins (+TIPs), 127
Pneumocystis carinii, 30, 56, 431
 genome, 546
Pneumocystis jirovecii, 30, 56, 431
 pneumocystis pneumonia (PCP), 30, 56, 431
Pneumocystis spp., 30, 55, 56, 438
 pneumocystosis, 431, 522
Podospora anserina, 185, 186, 195, 203
 clock mutant, 215–16
 het loci, 188
 post-fusion incompatibility response, 188
 prion protein, 196
Podospora spp., 203, 210
 poisoning from fungal toxins, 433–6
 poly-A polymerase, 111
 polyacetylenes, 264
 polychlorinated biphenyls (PCBs), 245
 polyenes, 514–17, 523
 polygalacturonases, 241
 polyketides, 260, 261–3
 polymerase chain reaction (PCR), 25, 33
 soil microbes, 8
Polymyxa spp., 77
 polyoxins, 171
 polyoxorims, 521, 526
 polyphyletic group, 28
 Polyporaceae, 66
 Polyporales, 67
 polypores
 pore (tube) formation, 301
Polyporus hispidus, 263
Polyporus mylittae, 227
 polysaccharides
 breakdown by fungi, 239–42
Polystictus versicolor, 94

- Polystictus xanthopus*, 301
 polystyrene
 microbial degradation, 334
 polyurethanes
 microbial degradation, 334
Pontisma spp., 75
 poplar (*Populus*), 346
 porcini. *See* *Boletus edulis*
 pore space in soil, 6–7
 posaconazole, 524
 positive autotropism, 96–7, 181
 post-fusion incompatibility response, 185, 186, 188
 potato blight, 75, 368, 522
 powdery mildews, 327, 382–3, 389
 pravastatin, 473
 predatory fungi
 nematode-trapping fungi, 405–8
 pre-mRNA, 111, 113
 splicing, 111–12
 pre-ribosomal RNAs (pre-rRNAs), 112
 primary homothallism
 Neurospora spp., 203
 primary metabolism, 251–6
 acetyl-CoA, 252
 ATP synthesis, 251, 253
 basic function, 251
 catabolism of carbohydrate, 251–2
 Embden–Meyerhof–Parnass (EMP) pathway, 251
 Entner–Doudoroff (ED) pathway, 252
 excretion of excess nitrogen, 256–7
 fats, 254–5
 formation of NADH and NADPH, 251
 gluconeogenesis, 253–4
 glutamate decarboxylation loop, 253
 glutamine synthetase/glutamate synthase system, 256
 glycolysis, 251–2, 254
 hexose monophosphate pathway (HMP), 252
 Krebs (TCA) cycle, 252
 mannitol, 254
 NADP-GDH, 255–6
 nitrogen, 254–7
 oxidative phosphorylation, 253
 pentose phosphate pathway (PPP), 252
 protein as a carbon source, 256–7
 proton gradients, 253
 pyruvate formation, 251–2
 TCA (tricarboxylic acid) cycle, 252
 trehalose, 254
 urea production, 256–7
 primary pathways
 definition, 251
 primordium of a structure, 283
 prion proteins, 188
 propagation and transmission, 196
 prochloraz, 518
 profilin, 145
 programmed cell death, 185, 315–16, 376
 in cultures, 465–6
 prokaryote/eukaryote distinction, 23
 prokaryotes
 cell membrane, 107
 cell structure, 107–8
 DNA, 107
 extrachromosomal DNA, 108
 plasmids, 108
 prosenchyma, 225
 proteasomal proteolysis, 121
 proteasomes, 246
 protective antifungal agents, 512
 protein
 as nitrogen and carbon source, 246, 256–7, 327
 digestion by fungi, 246–7
 protein-coding genes, 33, 115
 protein prenylation, 135
 protein sequences
 phylogenetic studies, 25–6
 protein sorting/targeting mechanism, 119–21
 proteinaceous hereditary elements.
 See prion proteins
 proteinases, 246–7, 327
 extracellular, 246–7
 intracellular, 246
 proteins
 chloroplast protein transport, 121
 destruction, 121
 fungal cell wall, 163–5
 mitochondrial protein transport, 120
 mRNA translation, 118–19
 proteolysis, 121
 signal peptides, 119–20
 synthesis, 107
 synthesis in the cytoplasm, 118–19
 targeting peptides, 119–20
 transmembrane proteins, 120
 transport into the nucleus, 121
 proteome analysis, 559
 proteomics, 557
 protobasidia, 292
 proton gradients, 253
Prototaxites spp., 31–4
 protozoa
 numbers in soil, 7
 pseudoparenchyma, 225
 pseudorhizas, 227
 pseudosclerotial plate, 227
Pseudosphaerita spp., 75
 pseudothecia, 60
Psilocybe cubensis, 62
Psilocybe spp., 263
 psilocybin, 263
Pterospora spp., 343, 344
 Pterulaceae, 396
Puccinia coronata f. sp. *avenae*, 389
Puccinia graminis, 62, 199, 512
 genome, 557
Puccinia graminis tritici, 373–4
Puccinia spp., 62
 Pucciniales, 62–3
 Pucciniomycotina, 62–3
 puffballs, 66, 228, 288
 pullulanase, 242
 PVC
 microbial degradation, 334
 pycnidia, 198, 223–4
 pyrenomycetes, 60
 pyridines, 518
 pyrimidine analogues, 518
 pyrogallol, 263
Pyrola spp., 343
 Pyrolaceae, 343
Pyronema spp., 60
 pyruvate carboxylase, 253
 pyruvate formation
 glycolysis, 251–2
 pyruvate kinase, 253
 Pythiales, 75
Pythiogeton spp., 75
Pythium aphanidermatum, 75
Pythium spp., 30, 75, 199, 327, 331, 440
Pyxidiophora spp., 60
 Pyxidiophorales, 60
 Quorn™ myco-protein, 56, 274
 production, 473
 Quorn™ fermentation, 487–92
 Quorn™ fungus, 461
r-selected species, 354
Raffaelea spp., 399, 400
 rainfall
 effects on soil formation, 6
 Raistrick, Harold, 480
 Ran protein, 113
 RAS protein activation, 134–5
 ravuconazole, 524
 Rayner, Alan, 214
 reactive oxygen species (ROS), 384
 recalcitrant waste
 remediation by fungi, 334–6
 recombinant protein production by
 filamentous fungi, 557
 recombinant vectors, 552
 Red Data lists, 563
 red pepper mites (*Pygmephorus* spp.), 270
 regional patterning (regional specification), 283, 290–1
 reishi, 279
 remediation of agricultural/industrial
 wastes, 278, 334–6
 renewed fruiting, 315
 rescue (microtubule switch), 126
 resistance (R) proteins, 387
 resistance to antifungal agents, 430–1, 522–6
 resupinate fruit body, 332
 reverse genetics, 550, 554
 Rhipidiales, 75
Rhipidium spp., 75
Rhizanthella spp., 346
Rhizidiomyces spp., 77
Rhizoctonia solani, 69, 186, 440, 444
Rhizoctonia spp., 78, 91, 327, 337, 344, 345
 rhizomorpha, 226–7

- Rhizomucor pusillus*, 431
Rhizophlyctis spp., 43
 Rhizophydiales, 45
Rhizophyidium spp., 43
Rhizopus arrhizus, 54, 431
Rhizopus nigricans, 54
Rhizopus oligosporus, 54, 274
Rhizopus oryzae, 54
Rhizopus rot, 54
Rhizopus sexualis, 199
Rhizopus spp., 55, 247
Rhizopus stolonifer, 54
Rhododendron spp., 341
Rhodospiridium sphaerocarpum, 150
Rhodospiridium spp., 63
Rhodotorula spp., 63
Rhynchonectria spp., 60
 rhythmic growth
 mycelium, 214–16
 ribosomal DNA (rDNA) sequencing, 25
 ribosomal gene cluster
 externally transcribed spacer region (ETS), 25
 intergenic spacer regions (IGS), 25
 internally transcribed spacers (ITS), 25
 non-transcribed spacer region (NTS), 25
 phylogenetic studies, 25
 spacer regions, 25
 ribosomal protein factors, 25
 ribosomal RNA. *See* rRNA
 ribosome assembly, 112–13
 ribosomes, 107
 mitochondrial, 195
 mRNA translation, 118–19
 protein synthesis, 118–19
 rice
 bakanae disease, 379
 rice blast fungus, 327, 370, 379, 382, 389, 545
 rice sheath blight, 521
Rigidoporus ulmarius, 71
 ringworm, 425
 RNA, 107
 features of the universal ancestor, 24
 RNA polymerases, 109
 RNA probes
 soil microbes, 8
 RNA-processing machines, 111
 RNP machines, 118
ro (ropy) genes, 117
 rock surfaces
 fungal growth, 10
 rodents
 target of aflatoxins, 330
 root rots, 327
 root–soil interface
 importance of fungi, 10
 rose handler's disease, 427
 Royal Botanic Gardens, Kew, 71
Rozella spp., 35
 Rozellopsidales, 75
Rozellopsis spp., 75
 rRNA, 107, 109, 113
 transcription and processing, 112–13
 Ruminantia, 403
 ruminants
 anaerobic chytrids in, 45–6, 400–5
 digestion, 493–4
 evolution, 403–4
 foregut fermentation, 403
Ruminococcus albus, 402
Russula bella, 330
 Russulales, 67, 72
 rust fungi, 62–3, 199, 371–2, 373–4

Saccharomyces carlsbergensis, 476
Saccharomyces cerevisiae, 55, 56, 105, 116, 117, 127, 475
 actin gene mutations, 126
 bread-making, 499–501
 chitin synthases 161, 162
 chromosome and genome sequencing, 105
 fermentation, 105–6
 genome, 113, 537
 killer/immunity phenotype, 196
 mating process, 200–1
 mating types, 199, 200, 201–3
 mitochondrial genes, 194
 model organism for research, 105–7
 molecular motors, 128
 Sup35p prion protein, 196
 virus-like particles, 196
Saccharomyces ellipsoideus, 477
Saccharomyces rouxii, 505
Saccharomyces spp., 56–8
 Saccharomycetales, 56
 Saccharomycotina, 56–9
 salami, 495, 503–4
 Salilagenidiales, 75
Salmonella spp., 106
 Salvarsan, 512
Saprolegnia ferax, 138, 141
 growth mechanism, 160
Saprolegnia spp., 31, 75, 85
 Saprolegniales, 75, 514
 saprotrophic fungi, 62, 238, 326, 327
 decay of structural timber, 331–3
 dry rot, 331–3
 inorganic transformations, 327
 nitrogen sources in plant litter, 327
 physical power of growing fungi, 328–30
 range of substrate materials, 327
 release of chlorohydrocarbons, 336
 toxins produced by, 328–31
 waste remediation, 334–6
 sap-stain fungi, 333
Sarcodes spp., 343, 344
 satratoxins, 432
 Scheele, Karl William, 477
Schizophyllum commune, 170, 180, 189, 195, 210, 311
 genome, 546
 tetrapolar heterothallism, 206–10

Schizosaccharomyces pombe, 56, 93, 105, 118, 127, 475
 chitin synthase gene, 160
 mating types, 200
 molecular motors, 128
Schizosaccharomyces spp., 116
 Schleiden, Matthias Jakob, 107
 Schwann, Theodor, 107
Sclerocystis spp., 441
Scleroderma bovista, 328
Scleroderma citrinum, 442
Sclerospora spp., 75
 Sclerosporales, 75
 sclerotia, 198, 227–8
Sclerotinia sclerotiorum, 384, 385, 493
Sclerotinia spp., 60
Sclerotinia trifoliorum, 202
 Scolytinae, 399
 scrapie disease in sheep, 196
Scutellospora spp., 52, 340, 441
 seasons on the Earth, 23
 Sebaciales, 67
 seborrhoeic dermatitis, 62
 secondary homothallism
 Neurospora tetrasperma, 203
 secondary metabolism
 definition, 257
 secondary metabolites, 257
 aflatoxins, 262
 agaritine, 263
 Amanita toxins, 264
 carotenes, 260
 carotenoids, 258, 260
 cephalosporins, 264–3
 cyclopentanes, 264
 diterpenes, 259
 ergosterol, 259–61
 ergot alkaloids, 263
 fatty acid synthesis, 261–3
 gibberellins, 259
 growth inhibition, 91
 iron-binding compounds, 264
 latex, 264
 muscarines and muscaridines, 263
 nature of secondary metabolism, 257
 penicillins, 264–3
 polyacetylenes, 264
 polyketides, 260, 261–3
 precursors, 257
 sesquiterpenes, 259
 shikimate-chorismate derivatives, 263–1
 siderophores, 264
 statins, 263
 steroids, 258
 sterols, 259–61
 strobilurins, 263
 terpenes, 258–9
 triterpenes, 259
 zearalenone, 262
 secondary pathways
 definition, 251
 secretory vesicles, 161–2
 sedges (Cyperaceae), 62

- sedimentary rocks, 6
selective toxicity concept, 512
self/non-self recognition. *See* vegetative compatibility
self-fertilisation, 180
self-incompatibility, 180
self-sterility, 180
septation, 92–3, 99–100
 and branching, 97–8
 comparison with cytokinesis, 145–6
 formation of septa, 100
 multinucleate hyphae, 146–8
 nature of the fungal cell, 99–100
 orientation of septa, 100
 process, 144–5
 septal band, 147
 septal form, 144
 septal pores, 99
 types of septa, 99
septins, 145
Septoria spp., 223, 327
Sericomyces spp., 396
serine proteinases, 247
Serpula lacrymans, 78, 226, 250, 331–3
sesquiterpenes, 259
sex pheromones in fungi, 48
sexual behaviour
 creation of a dikaryon, 180
 creation of a monokaryon, 180
sexual reproduction, 198–211
 anamorphic fungi, 198–9
 biology of mating type factors, 210–11
 diversity of behaviours in fungi, 180
 duration of stages, 199
 fungi which lack sexual reproduction, 198–9
 genetic control of mating, 201
 heterothallic fungi, 180, 199–200
 homothallic fungi, 180, 199, 200
 hormones involved, 199
 hyphal fusion, 142
 incompatibility systems, 199
 karyogamy, 198
 mating in budding yeast, 200–1
 mating systems, 199–200
 mating type switching in budding yeast, 201–3
 mating types, 199
 mating types in Basidiomycota, 205–10
 mating types in *Neurospora* spp., 203–5
 meiosis, 198
 mitosporic fungi, 198–9
 morphology of structures involved, 199
 phenotype of sexual reproduction, 199
 plasmogamy, 198
 process, 199–200
 spore production, 199
 stages, 198
Sheehan, John, 478
shiitake. *See* *Lentinula edodes*
shikimate-chorismate derivatives, 263–1
shikimic acid pathway, 252
shimejitake (*Hypsizygus tessulatus*), 71
shiroshimeji (*Pleurotus ostreatus*), 277
shmoos, 118
Siberian Traps flood basalts, 37
sick building syndrome, 432
siderophores, 264
signal peptides, 119–20
signal recognition particle, 120
signalling pathways, 134–5
 GPI anchors, 135
 G-proteins, 134–5
 MAP kinase, 135, 143
 RAS protein activation, 134–5
 signal amplification, 135
silicon in soil minerals, 6
simvastatin, 473
sinapyl alcohol, 242
sirenin, 47, 48, 199
Siroplidium spp., 75
sitosterol, 512
slime moulds, 23, 29, 52
slugs and snails
 fungi as food, 271
small mammals
 fungi as food of, 271–2
small subunit ribosomal RNA (SSU rRNA)
 genes
 phylogenetic studies, 24, 33
smut fungi, 62, 371–2
SNARE proteins, 124, 146
snoRNA, 113
snoRNP, 113
snRNA, 112, 113
snRNP, 112
soft rots, 238, 384
soil
 amount of land used to supply food, 5
 association of fungi with, 5
 importance as a terrestrial habitat, 5
soil atmosphere, 5, 6–7
soil biota
 diversity and quantity, 7
 effects of soil formation on, 6
 microarthropod fungivores, 267
 microbial diversity in soil, 7–8
 organic matter food source, 6
soil components, 5–7
 clays, 6
 dynamic matrix, 7
 elements found in soil minerals, 6
 gaseous phase, 5
 humic substances (humus), 6
 liquid phase, 5
 minerals, 5–6
 organic matter, 5, 6
 pore space, 6–7
 sand, 6–7
 soil atmosphere, 5
 soil solution, 5, 6–7
 solid phase, 5–6
soil food web, 7
soil formation
 and rainfall, 6
 climatic effects, 6
 dynamic matrix, 7
 effects of living organisms, 6
 organic matter, 6
 soil tilth, 6
 temperature effects, 6
 weathering processes, 6
soil geochemistry
 geomycology, 9–10
soil solution, 5, 6–7
soil structure
 contribution of fungi, 11, 326
 effects of glomalin, 171
soil tilth, 6
soil types
 nutrient cycling, 6
 organic soil, 6
solar wind, 22–3
solid substrates
 advantages of mycelial growth, 100–1
somatic incompatibility. *See* vegetative compatibility
Sordaria brevicollis, 186
Sordaria spp., 60, 228
Sordariales, 522
sordarins, 522
Sordariomycetes, 60, 61, 438
Sordariomycetidae, 399
sorus, 62
soy foods, 504–6
soy sauce, 274, 495
 production, 504–6
soya bean (*Glycine max*), 387
spalting, 333
species concept in fungi, 71–5
 biological species concept, 71–4
 ecological species concept, 74
 evolutionary species concept, 74
 molecular phylogenetic approach, 74–5
 morphological species concept, 71
 phylogenetic species concept, 74–5
 physiological species concept, 74
spindle apparatus, 116
spindle checkpoint, 116
spindle pole body, 115, 116, 145
Spinellus spp., 440
Spitzenkörper, 125, 139, 141, 142, 161, 162
Spizellomycetales, 45
spliceosomes, 112
splicing of pre-mRNA, 111–12
Spongospora spp., 77
spores
 dispersal, 214
 dormancy, 86
 emergence of germ tubes (hyphal tips), 86
 formation, 216–20
 germination, 86–7
 initiation, 92
 multinucleate, 183
 production, 199, 214
 spherical growth stage, 86
 uninucleate, 183
Sporidiobolus spp., 63
Sporobolomyces spp., 63

- sporodochium, 223
 sporopollenin, 401
Sporothrix schenckii, 167, 427
 sporotrichosis, 427
 spruce (*Picea*), 346, 347, 351, 354
 squalene, 259
Squamanita odorata, 442
 SR proteins, 112
 St Anthony's fire, 434–5
Stachybotrys chartarum, 432–3
Stachybotrys elegans, 440
 stachylysin, 432
 starch breakdown, 241–2
 statins, 4, 55, 263, 331, 473
 steady state (soft spot) model of hyphal tip extension, 139
 Stemonitales, 77
Stemonitis spp., 77
 Stereaceae, 66
 steroids, 258
 derivatives, 473
 manufacture, 486–7
 sterols, 133, 199, 259–61, 512
 stigmasterol, 512
 stinkhorns, 66, 228, 288
 stinking smut, 62
 stipes of fruiting bodies, 227
 stramenopiles, 31
Streptomyces
 symbiosis with gardening ants, 397–8
Streptomyces cacaoi var. *asoensis*, 521
Streptomyces coelicolor genome, 536, 537
Streptomyces noursei, 515
Streptomyces tendae, 521
 streptomycete bacteria, 85, 86
 stringy oak rot, 332
 strobilurins, 4, 263, 331, 526–9
Strobilurus ohshimae, 331
 stromata, 198, 223–4
Strongwellsea spp., 418
 structural timber
 dry rot, 331–3
 effects of wood-decay fungi, 331–3
 subsistence diet
 land required per person, 5
 succinate dehydrogenase, 252
 sudden infant death syndrome (SIDS), 431
 sufu, 506
 sugar beet leaf disease (*Cercospora beticola*), 372
 sulfatases, 247
 sulfur in the soil, 239
 superoxide, 384
 surface tension catapult, 229
 symbiosis. *See* mutualism, mycorrhizas
 sympport, 249
 synchronous division of nuclei, 146–8
 synchronous mitosis
 hyphal growth, 93
Synchytrium spp., 43
 synnemata, 223
 syntaxins, 146
 synthetic biology, 560
 systematics
 definition, 27
 systemic acquired resistance in plants, 386–7
 systemic antifungal agents, 512–13
 systemic mycoses
 clinical control of, 522–6
 systems biology approach, 531, 557
 tannins, 238
Taphrina betulina, 56
Taphrina deformans, 56
Taphrina spp., 56–7
 Taphrinomycetes, 438
 Taphrinomycotina, 30, 56, 431
 targeting peptides, 119–20
Tarsonemus myceliophagus, 270
 TATA-box binding protein-associated factor(s) (TAFs), 109, 111
 Tatum, Edward, 106
 taxon
 definition, 27
 taxonomic ranks for fungi, 28
 taxonomy
 definition, 27
 fungal cell wall structure, 158–9
 fungi, 27
 TCA (tricarboxylic acid) cycle, 252, 477
 tea production, 496
 teleomorph (sexual stage), 42
 tempeh, 54, 274, 506
 temperature
 effects on soil formation, 6
 tendril hyphae, 225
 termites, 62
 and fungi, 279
 gardening, 279–80, 398–9
Termitomyces spp., 280, 398–9
Termitomyces titanicus, 398
 terpenes
 secondary metabolites, 258–9
 tetrapolar mating system, 205–6
Ustilago maydis, 205–6
 Thallophyta, 23
Thanatephorus cucumeris, 69
 Theia–Earth impact, 21, 22, 23
 Thelephorales, 69
 thigmotropism, 379
 Thraustochytriales, 77
Thraustochytrium spp., 77
 thrush (fungal infection), 429
 thyriothecia, 60
Tieghemomyces spp., 440
Tilletia spp., 62
Tilletia tritici, 264
 tinder bracket fungus, 273
 toadstools, 228
 tofu, 506
 tolypophagy, 346
 toxic waste
 breakdown by fungi, 238
 remediation by fungi, 334–6
 toxicity
 access to information about, 513
 toxins produced by fungi, 331, 433–6
Trachipleistophora anthropophtera, 413
Trachipleistophora hominis, 413
Trachymyrmex spp., 396
 trama, 292
Trametes versicolor, 78
 transcription factors, 109–10
 transcription research, 107
 transcriptome analysis, 559
 transcriptomics, 557
 transfer RNA. *See* tRNA
 transformation of cells, 551
 transgenic plants, 422
 translational triggering, 222
 translocase of inner membrane (TIM), 120
 translocase of outer membrane (TOM), 120
 transmembrane glycoproteins, 248
 transmembrane proteins, 120, 162
 transplant patients
 prevention of organ rejection, 4
 See also immunocompromised patients
 transport vesicles, 124
 transportation of nutrients, 247–51
 active transport, 249
 bulk flow, 248
 effects on water potential, 249–51
 facilitated diffusion, 248–9
 ion pumps, 249
 mass flow, 248
 simple diffusion, 248
 solute transport systems, 248
 transmembrane glycoproteins, 248
 transporter molecules, 248
 Trechisporales, 69
 Tree of Life Project, 26, 31
 trehalose, 254
Tremella spp., 208
 Tremellales, 66
 Tremellomycetes, 66
 triadimefon, 518
 triarimol, 518
 triazbutil, 518
 triazoles, 518
Trichloma spp., 353
Trichoderma harzianum, 493
Trichoderma pleuroticola, 444
Trichoderma pleurotum, 444
Trichoderma reesei, 240, 474
Trichoderma spp., 270, 440, 442, 444, 493
 biological control, 444
Trichoderma virens, 484
Trichoderma viride, 444
Trichoglossum spp., 60
Tricholoma fumosum, 338, 349
Tricholoma matsutake, 71, 272, 273
Tricholoma spp., 78, 338, 347
 Tricholomataceae, 246, 280, 398
 Trichomycetes, 53, 414–16
Trichophyton rubrum, 425
Trichophyton spp., 247, 425, 426
Trichosporon cutaneum, 426
 tricyclazole, 526

- trisporic acid, 199
 triterpenes, 259
 tRNA, 107, 109, 113, 118
 truffières (truffle groves), 279
 truffles, 56, 272, 288, 337, 346
 cultivation in truffle groves, 279
 See also *Tuber* spp.
 tryptophan, 263
Tuber magnatum, 56, 272
Tuber melanosporum, 56, 272
Tuber spp., 60
 See also truffles
Tubeufia spp., 60
 Tunbridge ware, 333
 turbidostat cultures, 472–3
 turgor pressure, 250
 two-dimensional gel electrophoresis, 559
 Tylopoda (pseudoruminants), 403
Tyrannosorus spp., 60
Tyromyces placentus, 332
 tyrosine, 263
- ubiquitin, 121
Ulocladium atrum, 493
 ultraviolet (UV) radiation, 22–3
 shielding from, 167
 unifactorial incompatibility, 199
 United Kingdom National Culture
 Collection, 562
 universal ancestor concept, 24
 universal common descent theory, 28
 untrue fungi, 75–7
 urea, 311
 osmotic metabolite, 308, 311
 production in fungi, 256–7
 Urediniomycetes, 62
 urediospores, 380
Uromyces appendiculatus, 62
Uromyces fabae
 host penetration through stomata, 379–
 81
Uromyces spp., 62, 379–81
Usnea spp., 60
 Ustilaginomycetes, 62
 Ustilaginomycotina, 62
Ustilago hordei, 389
Ustilago maydis, 62, 127, 132, 150
 genome, 546
 pheromone signalling, 209
 tetrapolar mating system, 205–6
Ustilago spp., 62, 371
Ustilago violacea, 195
- Vaccinium* (bilberry)
 mycorrhizas, 337, 341
 vacuoles, 128–9
 valley fever, 428
 variotin, 263
 Vegemite, 274
 vegetative compatibility, 180, 185–8
 compatibility test, 185
 het loci, 185–6, 188
 post-fusion incompatibility response,
 185, 186
 vegetative compatibility (v-c) group, 185
 vegetative compatibility reactions, 441
 vegetative incompatibility
 barrage formation, 188
 cell death caused by, 185
 clear zone formation, 188
 See also vegetative compatibility
- Venus, 22
 veratryl alcohol, 244, 245, 336
Verrucalvus spp., 75
 Vertalac, 422
 vertical mitochondrial transmission, 195
Verticillium dahliae, 185
Verticillium fungicola, 443–4
Verticillium lecanii, 418, 422
Verticillium spp., 60, 330, 442
 vesicles, 162
 in arbuscular mycorrhizas, 338
 types of, 161–2
 vesicular-arbuscular mycorrhizas (VAM),
 51, 326, 337, 338
 vessel hyphae, 225
 victorin, 378
 Virtual Library, 562
 virulence, 437
 virus-like particles
 cytoplasmic segregation, 196
Vittaforma corneae, 413
Volvariella bombycina, 312
Volvariella fruit body
 formation of gills, 296–7
Volvariella spp.
 use of protein, 246
Volvariella volvacea, 71, 210, 443
 cultivation, 279
 voriconazole, 431, 524
- Walksman, Selman, 480
 waste remediation by fungi, 334–6
 water distribution in soils
 effects on fungal growth, 10
 water moulds, 75–7
 water potential, 249–51
 water relationships in the fungal cell,
 249–51
 weathering processes, 6
 chemical weathering, 6
 leaching, 6
 physical weathering, 6
 wet-rot fungi, 332
 wheat
 black stem rust (*Puccinia graminis tritici*),
 373–4
 wheat (*Triticum*), 11
 white-rot fungi, 62, 78, 238, 240, 244–6,
 336, 345
 white rust, 379
 Whitfields ointment, 512
 Whittaker, R. H., 23
 whole organism biotechnology, 451–506
 alcoholic fermentations, 474–7
 ang-kak, 506
 arachidonic acid, 482–3
 autolysis in cultures, 465–6
 batch culture, 452–69
 beer-making, 475–6
 bioreactors, 496
 bread-making, 499–501
 cheese production, 501–5
 chemostats, 470–3
 chocolate production, 495
 citric acid biotechnology, 468, 477–8
 coffee production, 495–6
 culturing fungi, 452–6
 digestion of lignocellulosic residues,
 497–9
 evolution in fermenters, 487–92
 fabric manufacture, 483–4, 484–6
 fed-batch culture, 451–70
 fermented foods, 504–6
 fermented meat products, 503–4
 fermented soy foods, 504–6
 fermenter engineering, 458–60
 fermenter growth kinetics, 462–4
 fermenters, 451–2
 food processing, 484–6
 fungal biological control agents, 492–3
 fungal fermentations in submerged liquid
 cultures, 452
 fungal growth in liquid cultures, 460–3
 glucose-stats, 473
 growth as pellets, 466–9
 growth yield, 464–5
 mycoherbicides, 492–3
 mycopesticides, 492–3
 myco-protein, 487–92
 natural digestive fermentations in
 herbivores, 493–4
 nutrilstats, 473
 open (continuous) systems, 453
 oxygen demand of the culture, 456–8
 oxygen supply to the culture, 456–8
 penicillin history and production, 478–82
 permittistats, 473
 pH auxostats, 473
 pharmaceuticals, 473, 478–83
 programmed cell death in cultures, 465–6
 Quorn™ fermentation, 487–92
 range of uses of submerged
 fermentations, 473–4
 ruminant digestion, 493–4
 salami production, 503–4
 solid state fermentations, 494–7
 soy sauce, 504–6
 spore and inocula production, 492–3
 stationary phase, 465–6
 steroid manufacture, 486–7
 surface fermentation, 477
 tea production, 496
 turbidostat cultures, 472–3
 use of fungi to make chemical
 transformations, 486–7
 wine-making, 476–7
Wilcoxina spp., 351

- wild mushrooms
 commercial exploitation, 272–4
 willow (*Salix*), 346
 wine making, 476–7
 witches' broom disease of birch, 56
 Woese, Carl, 24
 wood ear fungus (*Auricularia polytricha*)
 trade, 273
 'wood-wide-web'
 ectomycorrhizas, 338
 mycorrhizas, 349
 wood-decay fungi, 78, 238, 327, 345
 chlorohydrocarbon release, 336
 decay of structural timber, 331–3
 dry rot, 331–3
 woodland mushrooms, 347
 ectomycorrhizas, 338
 World Data Centre for Microorganisms
 (WDCM), 562
 World Federation of Culture Collections,
 562
 world's largest individual organism, 370
- Woronin bodies, 99, 144
Wurzepilze, 336
Wurzelsymbiose, 336
- Xerocomus parasiticus*, 442
 xylanases, 241
 xylans, 240
Xylaria polymorpha, 78
Xylaria spp., 60
 xylosidase, 240
- yeast, 55, 56–9
 basidiomycetous, 63
 cell cycle genetic studies, 149–50
 cell cycle in budding yeast, 150
 definition, 105
 epiphytes, 79
 genome, 537
 lipophilic, 62
 number of protein coding genes, 115
 switching mating types, 200
 yeast artificial chromosome (YAC), 532, 552
- yeast research
 breeding experiments, 106
 contribution to eukaryote cell biology,
 105–7
 fermentation, 105–6
 genetics, 106
 yeast–mycelial dimorphism, 150–1
- zearalenone, 262
 zinc finger protein, 221
 zoonoses, 425
 Zoopagales, 52
 Zoopagomycotina, 30, 52, 442
 zoospores
 free cell formation, 48–50
 zygomycetes, 52
 zygomycosis, 53, 54, 431–2
 Zygomycota, 29, 30, 35, 50, 52–5, 414
 meiosis, 118
 polyphyletic nature, 52
 zygosporangium, 52
 zymogen, 136