

Index

Note: page numbers in *italics* refer to figures and tables

- aboriginal peoples 50
 acculturation 3, 61, 62, 63, 144
 access to mental health
 services 237
 childhood maltreatment
 113–14
 cultural identity 128
 definitions 64
 degree in CBT 277
 Japanese descent people in
 US 304
 LGBT individuals 220
 phases 162
 post-migration risk
 factor 103
 stresses 62–3
 substance use/abuse 165–7
 suicide/suicidal behaviour
 5–6, 163–5
 women 210
 acculturative stress 159–68,
 161, 161
 clinical implications 167–8
 demographic variables
 162–3
 globalisation 161
 levels 162–3
 α1-acid glycoprotein
 (AGP) 288
 adaptation 3
 children 199
 families 200
 adjustment, LGBT
 individuals 220
 adolescents 60
 identity development
 63, 64
 services 216
 adulthood, life cycle
 rituals/taboo 300
 adverse drug effects
 cultural attitudes 294
 ethnicity 292
 adversity effects on
 children 199
 advocate mode of
 interpretation 268

 Aetiology and Ethnicity in
 Schizophrenia and
 Other Psychoses
 (AESOP) study 108
 urbanicity 108–10
 Afro-Caribbeans
 cannabis use 5, 6
 depression rates 4, 82
 mood disorder rates 18
 psychosis 4, 18–19
 rates 79–80, 81
 stresses of migration 83
 treatment data use 88–9
 schizophrenia rates 81
 second-generation 18–19
 see also black and ethnic
 minorities (BME)
After the Door Has Been Opened
 (Canadian Task Force)
 326–7, 331
 age at migration 101
 alcohol abuse
 Chinese rural migrant
 workers 318
 pre-migration risk factor 100
 alienation 2, 144, 145–6
 psychotherapy use 275
 alternative medicine 12
 amisulpride 289
 amitriptyline 290
 antidepressant drugs
 pharmacodynamics 291
 pharmacokinetics 290
 prescribing 293
 antipsychotic drugs
 pharmacokinetics 289–90
 prescribing to African-
 Americans 293
 anxiety/anxiety disorders 5–6
 children 7, 202
 refugee 9
 loss/mourning 142
 medically unexplained
 symptoms
 association 306
 refugees 9–10, 48
 children 9

 anxiolytics 290
 aripiprazole 289
 arrival and isolation 61
 Asia, women domestic workers
 211–12
 Asian communities
 cultural identity/traditions 5–6
 psychosis 19–20
 second-generation 19–20
 see also South Asian people
 aspiration–achievement gap 3, 61
 psychosis risk 114
 assessment of elderly people
 185–6
 assimilation 62, 144, 162
 health ideas 237
 post-migration risk
 factor 102
 women 210
 asylum seekers 9, 10, 16, 45
 children 205
 common mental disorders
 34–5
 definition 263–4
 detained 34–5, 284
 epidemiology 47–8
 health status 149–50
 LGBT individuals 282–3
 psychotherapy 283–4
 PTSD 44
 racism 203
 status 263–4
 attachment figures 141
 Austrian Migration and Mental
 Health Survey 119

 bed occupancy, elderly people
 180–1
 behavioural therapies 274
 benzodiazepines 290
 bereavement
 alienation 145–6
 cultural 3
 period 300
 rituals/taboo 300
 see also cultural
 bereavement

- biculturalism 63, 64
 children 64
 bisexual individuals 225–6
 bisexual people *see* lesbian,
 gay, bisexual and
 transgendered (LGBT)
 individuals
 black and ethnic minorities
 (BME)
 common mental disorders
 33–4
 ethnic density 32
 psychosis
 misdiagnosis 28–9
 risk 29
 suicide risk 35
see also Afro-Caribbeans;
 Asian communities;
 South Asian people
 black community, gay men 223
 brutalisation of society 153
- Canada 323–33
 Boat People 329, 331
 children 328, 330–1
 demographics 324–5
 depression in immigrants 331
 discrimination 330
 discriminatory immigration
 policy 324
 employment problems 325
 ethnic communities 329–30
 family resilience 328
 healthcare responsibility for
 immigrants 325
 healthy migrant effect
 327–8
 immigrant integration 324
 immigrant mental health
 323–4
 emerging issues 331–2
 post-migration
 conditions 327
 research 326–31
 resilience 328–31
 risks 328–31
 immigration 324–5
 labour market 325
 mental health services 332
 multiculturalism 325
 participatory action
 research 331
 post-migration
 conditions 327
 pre-migration effects 328–9
 protective factors 329
- refugees 324–5, 326
 service utilisation 328
 settlement programmes 325
 social trends 324–5
 stress in immigrants 331
 Canadian Task Force on
 Immigrant and Refugee
 Mental Health 326
 cancer 306–7
 cannabis use 6
 psychosis 5, 30
 carbamazepine 290
 cardiovascular disease 304–5
 catechol-O-methyltransferase
 (COMT) gene, valine
 allele 31
 childbirth
 life cycle rituals/
 taboos 300
 outcomes 302
 childcare 300
 childhood factors, psychosis
 risk 30, 111–13
 children 6–7, 58, 196–206
 adaptation 7, 197, 199
 adversity 199
 anxiety 7, 202
 asylum seekers 205
 biculturalism 63, 64
 Canada 328, 330–1
 child migrant definition 197
 compounding factors 205
 detention 205
 discrimination 205
 ease of settlement by family
 203–4
 with families 196
 gene–environment
 interactions in adverse
 environments 112–13
 generalisation of experience
 of migration 198
 immigration to Hong Kong
 316–17
 interactional mechanisms
 113–14
 internalising problems 202
 language acquisition
 200, 205
 mental disorder
 vulnerability 60
 mental health
 conceptualisation 198
 factors 197
 risk factor 101
 migration process 198–200
- parental concerns 205–6
 parenting quality 112–13
 physical abuse 111–12
 prejudice 205
 problems experienced 206
 refugee 9, 48, 202–3, 205, 206
 research findings 201–3
 residency status 203–4
 reunion with families 201
 schooling 204
 Chinese migrants 318–19
 separation 197, 200–1, 204
 aberrant 111
 settling down 204
 social isolation 111
 social networks/support 204
 social standing 204–5
 socio-economic
 disadvantage 204–5
 stage of development 197
 stress in Chinese migrants
 318–19
 surrogate caregivers 200–1
 trafficked 196
 trauma 197, 202
 unaccompanied 196,
 202–3
- China 313–20
 under direction of Central
 Government 319–20
 economic progress 313
 Household Registration
 System 317, 318–19
 internal migration 313
 Open Door Policy 317
 resettlement 319–20
 rural migrant workers
 317–18
 rural to urban migration 313
 Three Gorges Dam
 construction 319–20
see also Hong Kong
 chronic fatigue syndrome 306
 cigarette smoke 294
 citalopram 291
 clinicians, training
 resources 338
 clomipramine 290
 clozapine 289, 291
 adverse effects 292
 prescribing to African
 Americans 293
 co-diagnostician role of
 intercultural mediators
 249–51
 coercive sanctions 61

- cognitive behavioural therapy (CBT) 277–8
 acculturation degree 277
 adaptation for migrants 277–8
 cultural influences 277–8
 early experiences of migrants 277–8
 South Asian women with somatic complaints 135–6
- collective trauma 149–56
 adverse personality development 153–4
 brutalisation of society 153
 causes 151–2
 consequences 152–4
 coping strategies 152
 dependence 153
 disasters 151–2
 families 150–1, 154–5
 family therapy 155
 immediate needs 153
 interventions 154–6
 justice advocacy 156
 relaxation methods 155–6, 156
 socialization 156
 survival 153
 testimony giving 156
 witnessing 156
- colleges, services for adolescents 216
- colonial societies 61
- common mental disorders (CMD) 5–6, 32–5
 asylum seekers 34–5
 black and ethnic minorities 33–4
 post-migratory factors 33–4
- communality, loss of 154
- communication
 across cultures 57, 245, 264–6
 difficulties 246–7
 across language 264–6
 contextual 248
 elderly people 185–6
 facilitation 245–6
 globalisation 56–7
 interpreter use 247
 levels 247
- community 149
 collective trauma 150–1
 collectivistic 154–5
 ethnic in Canada 329–30
 mental health service development 261
 provision 239
- socio-centric 145
- community interpreter 268
- community leaders, collective trauma 154
- complementary medicines 294–5
- compulsory admissions
 mental health services 241, 242
 schizophrenia 241, 242
- conduct disorder, refugee children 9
- conflict with alienation 145–6
- consanguinity, isolate populations 6
- constructionist mode of interpretation 268
- contextualist theory 251–4
- Convention Relating to the Status of Refugees (1951) 263
- coronary heart disease 304–5
- counselling for refugees 10
- Count Me In census 180–1
- countertransference, intercultural mediation 254–5
- couple therapy 280–2
 colour blindness of therapist 281–2
 differing cultural backgrounds 280, 281
 ethnicity 280–1
 host culture 281
 intercultural 280, 281
- cross-cultural psychiatry 235, 241
- cross-national migration 337–8
- cultural adaptation 144
- cultural adjustment 61, 62, 63
 post-migration risk factor 102
- cultural alienation
 foreign domestic workers 212
 South Asian women 213–14
- cultural attachment 142
- cultural awareness
 training 338
- cultural bereavement 3, 139–42
- cultural bereavement 3, 139–42
 cognitive models 142
 collective trauma 151
 grief 140, 141
- losses experienced 140–1
 psychoanalytic theories of loss/mourning 141–2
 symptoms 140
- cultural broker/bicultural worker 268
- cultural change 59, 63
- cultural clarification 247–8
 intercultural mediators 247–8
- cultural competence 11–12, 167, 245
 intercultural mediators 255–6
 mental health services 242
 mental health treatment 255
 resources 338
 training 245
- cultural congruity 145–6
- cultural difference in mental health treatment 255–6
- cultural factors 99
 ethnic inequalities 84–5
 pre-migration 69
- cultural identity 3, 64
 undermining in foreign domestic workers 212
- cultural interpretation 245–6
- cultural mediators in mental health services 237–8
see also intercultural mediators
- cultural memory 69
- cultural reductionism, intercultural mediators 250
- cultural sensitivity in service provision 216
- cultural separation 64
- culture 128–9
 access to mental health services 236–7
 bi-directionality 168
 communication across 264–6
 definition 129, 161
 egocentric 145
 family experience 200
 interactions with host culture 161–2
 language relationship 265
 life cycle 300
 physical illness 301
 psychopharmacology 293–5
 psychotherapy 131–2
 sociocentric 145

- culture conflict 139–40, 143–4
 culture gap, bridging 248–9
 culture shock 139–40,
 142–3, 144
 alienation 145–6
 post-migration risk
 factor 102
 cytochrome P450 (CYP)
 288–9, 294
- death 300
 deculturation 144
 post-migration risk factor 102
*Delivering Race Equality in
 Mental Health Care*
 (Department of Health)
 182–3
 delusions/delusional disorders
 contents 120–5
 prevalence 122
 dementia
 elderly people 174–5, 177
 NICE guidance 183
 demographic change in
 migrants 173
 demographic variables,
 acculturative stress 162–3
 dependence 153
 depression 5–6, 32–3
 Afro-Caribbeans, rates 4, 82
 Canadian immigrants 331
 cognitive models 142
 diagnosis 241
 elderly people 177
 entrapment theory 2
 infectious disease
 association 303
 loss/mourning 141
 low self-esteem 2
 major depression in refugees
 9–10
 medically unexplained
 symptoms association
 306
 poorly planned migration
 101
 postpartum 214–15, 300
 refugees 9–10, 48
 children 9
 South Asian people rates 84
 urbanicity 108
 desipramine 290
 detention
 asylum seekers 34–5, 284
 children 205
 post-migration 102
- refugees 284
 Vietnamese refugees in Hong
 Kong 314
 developing countries, rural to
 urban migration 33, 50
 diabetes mellitus 304
 diagnosis
 depression 241
 intercultural communication
 difficulties 246
 mental health services 240–2
 racial bias 241–2
 schizophrenia 241–2
 diagnostic instruments, elderly
 people 186–7
 diagnostic validity 240–1
 diet 305
 dietary systems 60
 disasters, collective trauma
 151–2
 discrimination 86–87
 Canada 330
 children 205, 318–19
 Chinese rural migrants 317
 children 318–19
 institutional 234, 242
 post-migration protective
 factor 104
 post-migration risk factor 103
 racial 110
 psychosis 4–5
 schizophrenia risk 118
 dissociation, psychotherapy use
 279–80
 distress
 Chinese rural migrant
 workers 318
 communication 8
 expression 128, 284
 idioms 132–5, 240–1
 medically unexplained
 symptoms 306
 physical health effects 299
 psychotherapy 279–80
 diversity issues in psychiatry
 262–3
 diversity of migrants 61
 domestic violence, South Asian
 women 215–16
 domestic workers
 in Asia 211–12
see also foreign domestic
 workers (FDWs)
 dopamine system,
 mesolimbic 118
 drug metabolism 287
- Eastern European
 immigrants 33
 Polish 262
 suicide risk 35
 eating disorders 6, 60
 economic deprivation,
 psychosis 109–10
 economic factors in
 migration 199
 economic inequalities 3–4, 58,
 79–92
 psychosis in Afro-Caribbeans
 80
 economic migrants 16, 45, 58,
 263
 ego-based therapies 274
 egocentric communities 145
 elderly people 7–8, 60, 173–88
 access to services 183–8
 admission rates to
 psychiatric care 180–1
 assessment methods 185–6
 bed occupancy 180–1
 communication 185–6
 Count Me In census 180–1
 dementia 174–5, 177
 demographic change in
 migrants 173
 depression 177
 diagnostic instruments
 186–7
 epidemiology 174–6
 family factors 177–8
 general practice factors
 178–9
 improvements in care 179–80
 mental disorders 174–5
 National Service Framework
 for Older People 182
 pathways to care 177–81
 patient factors 177–8
 policy issues 181–3
 public education campaigns
 187–8
 research 187
 schizophrenia 174
 screening 186–7
 secondary care 179
 service delivery 183–4
 service developments 184
 staff training 184
 suicide/suicidal behaviour
 175–6
 methods 175
 rates 176
 elders, collective trauma 154

- emotion
 expressed in culture conflict 143–4
 LGBT individuals 227
 mother tongue relationship 268–9
see also distress
- emotional expression,
 intercultural mediator receiving from patient 250–1, 258
- enculturation 63
- end of life, life cycle rituals/ taboos 300
- entrapment theory 2
- environmental factors 6
- epidemiology 15–36, 44–52
 assessment 45
 asylum seekers 47–8
 common mental disorders 32–5
 general immigrants 48–9
 internal migration 50
 methodology 45–6
 policy recommendations 35–6
 psychosis 44, 46–7
 psychotic disorders 16–32
 refugees 47–8
 research design 45
 suicide/suicidal behaviour 35
 time of investigation 45
- epigenetic processes,
 psychosis 32
- ethical principles, intercultural mediators 257
- ethnic density *see* population ethnic density
- ethnic groups, rate ratios 19
- ethnicity 69, 79–92
 adverse drug effects 292
 couple therapy 280–1
 cultural factors 84–5
 definition 161
 genetic differences 83–4, 287–8
 group psychotherapy 278
 inequalities 82–7, 231
 mental disorder prevalence 99–100
 mental health services 89–91, 231
 mental illness 81–2
 UK 81–2
 migration 83
 pharmacodynamics 291–2
 pharmacokinetics 288–9
 physical illness 301
 pre-migration 69
 prescribing practices 293
 psychosis 81–2, 85, 107–14
 socio-economic gradient 86
 treatment data use 87–9
- ethno-psychopharmacology 287–95
 adherence 294
 adverse drug effects 292
 cultural attitudes 294
 complementary medicines 294–5
 culture 293–5
 pharmacodynamics 291–2
 pharmacokinetics 288–9
 antidepressant drugs 290
 antipsychotic drugs 289–90
 anxiolytics 290
 cultural factors 294
 mood stabilisers 290
 prescribing practices 293
- European Union (EU)
 expansion 33, 61
 Polish migrants 262
 migration 160–1, 262
- Everybody's Business* (Department of Health) 182
- expectancy theory for placebo response 293–4
- expectations
 disappointed in foreign domestic workers 212
see also aspiration–achievement gap
- exploitation of migrant workers 60
 foreign domestic workers 212
- expressed emotion, culture conflict 143–4
- families 8
 adaptation 200
 care of elderly people 177–8
 collective trauma 150–1, 154–5
 collectivistic community 154
 cultural issues 200
 disruption 71
 dysfunction 200
 ease of settlement 203–4
- identity development of adolescents 64
 impact of migration 200
 power reversal 200
 resilience 328
 structure 63, 64
see also adolescents; children; elderly people
- family therapy, collective trauma 155
- feminization of migration 209–10
- fluoxetine 290
- foreign domestic workers (FDWs)
 admission rates to psychiatric hospitals 211–12
 Asia 211–12
 cultural identity undermining 212
 cultural isolation 212
 disappointed expectations 212
 exploitation 212
 Hong Kong 315–16
 poor mental health determinants 212–13, 213
- Forget Me Not* (Audit Commission) 182
- gay people *see* lesbian, gay, bisexual and transgendered (LGBT) individuals
- gender 209
 cultural attitudes of girls 300
 culture shock 143
 masculinity/femininity items 224
 pre-migration risk factor 100
 role expectations 300
 social inequality 58
 South Asian people 129, 132–5
see also women
- gender identity, LGBT individuals 223
- gene–environment interactions
 childhood adverse environment 112–13
 psychosis 31–2, 46
- general practice, factors in care of elderly 178–9

- genetic predisposition to psychosis 31, 46
 genetic variation, ethnicity 83–4, 287–8
 Geneva Convention (1951) 8–9
 girls, cultural attitudes 300
 globalisation 16, 44, 56–65, 161
 acculturative stress 161
 communications 56–7
 mental disorder prevalence 64–5
 political impact 57
 rural to urban migration 56
 social impact 57
 sociological theories 61–3
 grief
 bereavement 300
 cognitive models 142
 cultural bereavement 140, 141
 stages 141
 group psychotherapy 278
 multi-/mono-cultural 278
 guilt, loss/mourning 142
- hallucinations 125
 prevalence 123
 haloperidol 292
 health literacy, mental health services 238
 health status of migrants 149–50
 healthcare
 access 302
 services for elderly people 183–8
 barriers in women 214
 Canada 325
 delivery 59–60
 ethnic bias 167–8
 improvements for elderly people 179–80
 institutionalised racism 28–9
 pathways to care for psychosis 32
 provision for women 215–16
 racial bias 167–8
 refugees 10
 secondary for elderly people 179
 service delivery 183–4
 service developments 184
 service use 51
 treatment data use 87–9
 see also mental health services; pathways to care
- healthy migrant effect 210
 Canada 327–8
 help-seeking behaviour 11–12
 mental health services 236–7
 herbal medicines 294–5
 heterosexism 224, 225–6
 psychological 225
 HIV infection 302–3
 home, bonds 149
 homophobia, LGBT individuals'
 experience 224–6
 homosexual relationships
 condemnation by religious authorities 283
 illegality 282–3
 see also lesbian, gay, bisexual and transgendered (LGBT) individuals
 Hong Kong 313–17
 border control relaxation 316–17
 foreign domestic workers influx 315–16
 immigration pattern 313–14
 one-way permit scheme 316
 Vietnamese refugee migration 314–15
 hospitalisation 302
 see also compulsory admissions
 humanitarian protection 263–4
 hypovitaminosis D, prenatal and psychosis risk 30
- identity 128
 external global 60
 multiple 60
 personal 60
 South Asian women 133
 identity development 63
 adolescents 63, 64
 illegal immigration 101
 illness
 concept 234
 experience 234
 see also infectious diseases; lifestyle diseases; mental disorders; physical illness
 imipramine 290
 inadequacy feelings on arrival 61
 infant feeding 300
 infant mortality 302
 infectious diseases 302–3
 depression association 303
 hospitalisation 302
Inside Out (National Institute of Mental Health) 182
 institutional discrimination 234, 242
 institutional racism 90–1, 241
 integration 162
 health ideas 237
 women 210
 interactional mechanisms, psychosis 113–14
 intercultural mediation 246
 contextualist theory 251–4
 countertransference 254–5
 mental health 247–8
 mutuality 251
 professionalisation 257–8
 systems theory 251–4
 transference 254–5
 intercultural mediators 245–59
 absent presence 249
 clinician expectations 256–7
 clinician trust 258
 co-diagnostician role 249–51
 conduit model 247, 251
 cultural clarification 247–8
 cultural difference management 250
 cultural reductionism 250
 debriefing 257
 emotional expression of patient 250–1, 258
 ethical principles 257
 junior co-therapist role 252–4, 256, 257
 linguistic interpretation 251
 message clarifying/conversion 247
 misinterpretation avoidance 248
 neutrality 257
 participation 257
 psychotherapy 249
 relativist perspective 255–6
 role 247
 shift of meaning 250
 stress 258
 supervision 258
 therapeutic relationship role 248–54
 voice 257
 working with 256–7
 intercultural relationships
 advantages 282
 couple therapy 280, 281

- internal migration 44, 50
 China 313
- internalising problems,
 children 202
- internally displaced persons
 (IDP) 263–4
- International Study on
 Psychotic
 Symptoms 119
- interpersonal relationships,
 post-migration risk
 factor 102
- interpretation models
 248, 268
- interpreter use 11, 245
 benefits 267–8
 dilemmas 266–7
 good practice
 recommendations
 269–70
 medical 247
 mental health services 237, 261
 psychotherapy 279
 therapeutic alliance 268
 training 268
 transference 266–7
see also intercultural
 mediation
- intimate partner violence,
 South Asian women
 215–16
- irritable bowel syndrome
 (IBS) 306
- isolate populations 6
- isolation
 on arrival 61
 rural areas 204
- Israeli people 20–1
- Japanese descent people in
 United States
 acculturation 304
 cancer risk 306
- Jungian psychoanalysis 276–7
- justice advocacy, collective
 trauma 156
- khat use 6
- lamotrigine 290
- language
 acquisition by children
 200, 205
 barriers to mental health
 services 237
 communication across 264–6
- as control agent 266
 culture relationship 265
 dynamic medium 265–6
 group psychotherapy 278
 intercultural communication
 difficulties 246–7
 mother tongue relationship
 to emotion 268–9
 psychotherapy 279
 risk factor 101
 role in mental health
 provision 267
see also linguistic
 interpretation
- learned helplessness 153
- lesbian, gay, bisexual and
 transgendered (LGBT)
 individuals 8, 220–8
 acculturation 220
 adjustment 220
 attitudes of new society
 225–7
 black community 223
 coming out 222
 stages 222–3
 emotions 227
 gender identity 223
 homophobia experience
 224–5
 isolation in migrant
 communities 283
 issues 221
 love 226, 227
 negative attitudes
 towards 220
 numbers of migrants 221
 personal attitudes 221–2
 psychological morbidity 283
 psychotherapy 282–3
 sexual attraction 226
 sexual identity 221,
 222, 223
 therapeutic relationship 283
 violence against 227
- life cycle, culture 300
- lifestyle diseases 304–5
 spread 301
- lifestyles 60
- linguistic interpretation
 245–6, 247
 intercultural mediators 251
- linguistic mode of
 interpretation 268
- liquorice 294
- lithium 291–2
 adverse effects 292, 294
- loss
 Bowlby's model 141
 cultural bereavement 140–1
 experience 139
 psychoanalytic theories 141–2
 love, LGBT individuals 226, 227
- major depression, refugees
 9–10
- malaria 301
- marginalisation 162
 health ideas 237
- marriages of convenience
 226–7
- masculinity/femininity
 items 224
- medical care
 access 302
see also healthcare
- medical pluralism 237
- medically unexplained
 symptoms (MUS) 305–6
- medications 287
 adherence 294
 adverse drug effects 292
 cultural attitudes 294
 prescribing practices 293
see also ethno-
 psychopharmacology;
*named drugs and drug
 groups*
- memory suppression in
 refugees 328–9
- menopause, life cycle rituals/
 taboos 300
- mental disorders 3
 elderly people 174–5
 perception change 59–61
 pre-migration factors 69
 prevalence 64–5, 99–100
 refugees 9–10
 time of onset 3–4
- mental health services 261–70
 accessibility 235–9
 acculturation 237
 adaptation 231–43
 requirements 235–42
 appropriate 233
 Canada 332
 community provision 239
 compulsory admissions
 241, 242
 criticisms 89–91
 cultural competence 242
 cultural issues in access 236–7
 cultural mediators 237–8

- mental health services (cont.)
 cultural sensitivity in
 provision 216
 delivery 11
 development 234
 community and service
 users 261
 diagnosis 240–2
 entitlement 235–6
 ethnic factors 89–91
 health literacy 238
 help-seeking behaviour 236–7
 improvements
 needed 232
 strategies 91
 inequalities 231
 institutional racism 90–1, 241
 interpreter use 237, 261
 language barriers 237
 language role 267
 negative experiences 90
 outcome measurement 240
 partnership 233–5
 patient relationships 234
 preventive for women 216
 problem identification 236
 procedural evaluation 240
 provision 234–5
 quality 240–2
 evaluation 240
 reasons for low level 240
 service provider
 perceptions 239
 stage of entry 236
 statutory 90
 subjective measures 240
 treatment
 cultural difference 255–6
 suitability 242
 treatment data use 87–9
 under-utilisation 236
 use by immigrants 51, 100
 user involvement 232
 utilisation in Canada 328
 working across language and
 culture 264–6
- mental illness concept 234–5
 message clarifying/conversion
 247
 metropolitan industrial
 societies 61
 Mexican immigrants to US 49
 returning 49
 substance use/abuse 165–6
 suicide rate 163–5,
 164, 165
- migrants
 definition 1, 261–2
 forced 68, 75, 263
 groups 263
 returning 44
 status and mental health
 service inequalities 231
 voluntary 75
- migration
 changes in meaning/context
 16
 classification 45, 262
 definition 1, 57
 economic factors 58
 feminization 209–10
 generalisation of
 experience 198
 motivation 57
 pre-migration risk
 factor 101
 patterns 146
 poorly planned 101
 process 45, 57–8, 99, 198–200
 stress 29, 83
 reasons for 44–5, 58
 stages 1–2, 60–1, 68, 99
 types 199
- migration health 301
 migratory experience and
 psychosis 29
 mind–body dualism 299
 mobility, health impact on
 migrants 301
 mood disorders 69
 rates 18
see also depression
 mood stabilisers 290
- mourning, psychoanalytic
 theories 141–2
 multiple sclerosis 305
 Muslim communities, South
 Asian 84–5
 mutuality between clinician and
 mediator 251
- National Dementia
 Strategy 183
 National Institute for Clinical
 Excellence (NICE),
 dementia guidance
 183
 National Service Framework
 for Mental Health 182
 neighbourhood 149
 neurodevelopment, psychosis
 risk 29–30
- neurotic disorders 68
 pre-migration trauma 75
 nortriptyline 290
- obesity 304
 occupational accidents 302
 olanzapine 289
 old age
 life cycle rituals/taboo 300
see also elderly people
- pain, chronic 306
 parasitic diseases 303
 parenting
 impact on children 112–13
 interactional mechanisms
 113–14
 parents
 concerns about children
 205–6
 separation from children 201
 paroxetine 290
 pathways to care
 elderly people 177–81
 improvements
 179–80
 psychosis 32
see also healthcare; mental
 health services
- people trafficking
 children 196
 sexual exploitation 303
 personal factors,
 pre-migration 2
 personality change
 adverse in collective trauma
 153–4
 personality disorders 72–5
 pharmacodynamics, ethnicity
 291–2
 pharmacokinetics
 antidepressant drugs 290
 antipsychotic drugs 289–90
 anxiolytics 290
 cultural factors 294
 ethnicity 288–9
 mood stabilisers 290
 physical abuse of children
 111–12
 physical illness 2, 299–308
 culture 301
 ethnicity 301
 hospitalisation 302
 infectious diseases 302
 lifestyle diseases 305–7
 spread 301

- mental health association 299
 parasitic diseases 303
 post-migration risk
 factor 102
 risks 300–1
 placebo response, expectancy
 theory 293–4
 pluralism, host society 162
 policy making 338
 policy recommendations 35–6
 Polish migrants 262
 politics of immigration 61
 polycyclic aromatic
 hydrocarbons (PAH) 294
 population ethnic density
 post-migration risk
 factor 102
 psychosis protection 29, 32,
 46, 110
 suicide risk 35
 post-migration 1–2, 45,
 60–1, 68, 99
 detention 102
 loss 140–1
 post-migration factors 2
 common mental disorders
 33–4
 mental health factors 2
 protective factors 104
 psychosis 29
 risk factors 101–3
 post-traumatic stress disorder
 (PTSD) 6
 asylum seekers 44
 comorbidity amongst
 refugees 34
 cultural bereavement 140
 pre-migration trauma 75
 refugees 9–10, 34, 44, 48
 postpartum depression
 214–15, 300
 poverty 71
 Black people 86
 globalisation 57
 immigrants to Canada
 325, 328
 Mexican immigrants to
 US 49
 powerlessness 60
 pre-migration 1–2,
 60–1, 68–76, 99
 biological background
 Canadian immigrants 328–9
 ethnicity 69
 mental disorders 69
 trauma 75
 pre-migration factors 2
 cultural factors 69
 mental health factors 2
 protective factors 103
 risk factors 100–1
 pre-morbid personality
 traits 3
 pregnancy, life cycle rituals/
 taboos 300
 prejudice, children 205
 prescribing practices 293
 preventive services,
 women 216
 protective factors 103–4
 during migration 103
 post-migration 104
 pre-migration 103
 psychiatric in-patients,
 Count Me In census
 180–1
 psychiatry
 cross-cultural 235, 241
 diversity issues 262–3
 psychological hypotheses for
 psychosis 30–1
 psychological sophistication for
 psychotherapy 279
 psychopathology of psychoses
 117–25
 psychopharmacology 293–5
 see also ethno-
 psychopharmacology
 psychosis 5
 AESOP study 108
 Afro-Caribbeans 4,
 18–19
 rates 79–80, 81
 stresses of migration 83
 treatment data use
 88–9
 Asian communities 19–20
 aspiration–achievement
 gap 114
 black and ethnic
 minorities 29
 misdiagnosis 28–9
 cannabis use 5, 30
 childhood factors
 111–13
 childhood life events 30
 economic deprivation
 109–10
 epidemiology 15, 44, 46–7
 epigenetic processes 32
 ethnic origin 81–2
 ethnicity 85, 107–14
 gene–environment
 interactions 31–2, 46
 genetic predisposition 31, 46
 hypotheses 21–32, 22, 44
 interactional mechanisms
 113–14
 Israel 20–1
 migratory experience 29
 misdiagnosis 28–9
 neurodevelopmental factors
 29–30
 over-diagnosis issues
 17–18
 pathways to care 32
 policy recommendations
 35–6
 population ethnic density 29,
 32, 46, 110
 post-migratory factors 29
 predisposition to migrate
 21–8
 prenatal hypovitaminosis D 30
 psychological hypotheses
 30–1
 psychopathology 117–25
 racial discrimination 4–5
 rates 16–17
 in country of origin 28
 methodological advances
 17–18
 residence location 108–9
 restricted access to resources
 110–11
 risk 18–21, 47
 second-generation
 immigrants 18–19, 47
 social adversity association
 241
 social cohesion 29, 32, 46,
 109–11
 social fragmentation
 109–111
 sociodemographic
 differences 28
 substance misuse 5, 30
 United States 21
 urban density/urbanicity
 108–10
 psychotherapeutic encounter
 275–6
 psychotherapeutic mode of
 interpretation 268
 psychotherapy 274–85
 asylum seekers 283–4
 combination with patient's
 belief system 276

- psychotherapy (cont.)
 couple therapy 280–2
 cultural differences 276
 cultural specificity 274–5
 cultural types 131–2
 definition 275
 dissociation 279–80
 ego-based 274
 group 278
 individual 278–80
 intercultural mediator
 use 249
 interpreter use 279
 language barriers 279
 LGBT individuals 282–3
 mental distress 279–80
 non-Western cultures
 275–8
 patient dependence 279
 patient perception of
 therapist 279
 pitfalls with ethnic minorities
 282
 process 275
 psychological
 sophistication 279
 refugees 10, 283–4
 short-term interventions 277
 somatisation 279–80
 South Asian women 128–36
 therapeutic alliance 278
 therapist as guru 279
 western approach 276–7
 see also cognitive
 behavioural therapy
 (CBT)
- psychotic disorders 16–32
 psychotropic drugs, placebo
 effect 293–4
 puberty, life cycle rituals/
 taboos 300
 public education campaigns
 187–8
 Puerto Rican immigrants
 to US, substance
 use/misuse 166
- quetiapine 289
- race
 definition 161
 mental illness 81–2
 racial disadvantage 4–5
 social inequalities 3–4
 racial discrimination 110
 psychosis 4–5
- racial factors, group
 psychotherapy 278
- racial harassment, health
 outcomes 86–7
- racialised social
 relationships 4
- racism 86–7, 261–2, 287
 asylum seekers 203
 host society 162
 institutional 90–1, 241
- refugees 8–11, 16, 45
 anxiety/anxiety disorders
 9–10, 48
 children 9
 Canada 324–5, 326
 children 9, 48, 202–3,
 205, 206
 definition 263–4
 depression 48
 detention 284
 epidemiology 47–8
 health status 149–50
 healthcare access 10
 memory suppression
 328–9
 psychotherapy 10, 283–4
 PTSD 34, 44, 48
 comorbidity 34
 returning 49–50
 sexual violence 10
 trauma 48
 vulnerability 9
- region of origin, pre-migration
 risk factor 101
- reintegration of self,
 psychotherapy use 275
- rejection 144, 162
- relaxation methods, collective
 trauma 155–6, 156
- religious taboos 295
- residence location and
 psychosis 108–9
- residency status 203–4
- resources, restricted access
 110–11
- retirement, life cycle rituals/
 taboos 300
- returned immigrants
 49–50
- risperidone 289–90
- rituals, life cycle 300
- rural to urban migration
 50, 98, 159
 China 313
 developing countries 33
 globalisation 56
- St John's Wort 294
- schizophrenia 70, 117–18
 compulsory admissions
 241, 242
 delusions 120–5, 122
 diagnosis 241–2
 bias 241–2
 elderly people 174
 epidemiology 15
 hallucinations 123, 125
 misdiagnosis 28–9
 native comparison with
 migrants 119–25
 over-diagnosis issues 17–18
 phenomenology 118–19
 postmodern/modern
 countries 119–25
 prevalence 118
 rates 16–17, 107–8
 Afro-Caribbean
 populations 81
 in country of origin 28
 methodological advances
 17–18
 risk 18–21, 117, 118
 second-generation
 immigrants 18–19
 social defeat hypothesis 5
 subtypes 120, 121
 symptoms 118–19
 first rank 124, 125
 traditional countries
 119–25
- schooling
 children 204
 Chinese migrant children
 318–19
 services for adolescents 216
- second-generation immigrants,
 psychosis incidence
 18–19, 47
- selection hypothesis 21–8
- selective serotonin reuptake
 inhibitors (SSRIs)
 290, 291
 St John's Wort interactions 294
- self
 concept 61–2
 reintegration 275
 South Asian women 131–2
- self-esteem
 immigrant children to Hong
 Kong 316
 low 2
 post-migration risk
 factor 102

- self-harm behaviour 5–6
 separation 162
 children 197, 200–1, 204
 aberrant 111
 health ideas 237
 serotonin syndrome 294
 sertraline 290
 service provider 338
 perceptions in mental health
 services 239
 see also mental health
 services
 service users, mental health
 service development
 261
 severe acute respiratory
 syndrome (SARS)
 302–3
 sexual attraction, LGBT
 individuals 226
 sexual fantasies 221–2
 sexual identity
 LGBT individuals 221,
 222, 223
 masculinity/femininity
 items 224
 sexual violence
 refugees 10
 torture victims 10
 sexuality 227
 sexually transmitted
 diseases 303
 sickle cell anaemia 301
 social adversity, psychosis 241
 social capital 110–11
 social change 337–8
 social cohesion
 psychosis 109–11
 protection 29, 32
 suicide risk 35
 social defeat
 hypothesis 5
 schizophrenia risk 118
 social exclusion 60
 social fragmentation and
 psychosis 109–11
 social inequalities 3–4,
 79–92
 gender 58
 psychosis in Afro-
 Caribbeans 80
 social isolation of
 children 111
 social networks/support for
 children 204
 social relationships, racialised 4
 social standing of children
 204–5
 social stress, suicide/suicidal
 behaviour 5–6
 social structures 63
 social support
 Chinese rural migrant
 workers 318
 post-migration protective
 factor 104
 post-migration risk
 factor 102
 socialisation 63
 collective trauma 156
 society, brutalisation 153
 sociocentric communities 145
 socio-cultural factors,
 pre-migration 2
 socio-economic status
 children 204–5
 economic inequalities 3–4,
 58, 79–92
 psychosis in
 Afro-Caribbeans 80
 post-migration risk factor
 101–2
 pre-migration
 risk factor 101
 psychosis 28
 sociological theories,
 globalisation 61–3
 somatic complaints/
 somatisation
 items 133
 psychotherapy use
 279–80
 South Asian women 129–30,
 132–3, 134–5
 management 135–6
 symptoms 299
 South Asian people
 culture 129
 culture conflict 143
 depression rates 84
 gender roles 129, 132–5
 mental illness 81–2
 migration profile 129
 women
 case studies 130–1
 cultural alienation 213–14
 culture 129
 distress 132–5
 identity 133
 intimate partner violence
 215–16
 literature 129–31
 psychotherapy 128–36
 self 131–2
 somatic complaints
 129–30, 132–3, 134–6
 suicide rates 84–5, 129
 suicide/suicidal behaviour
 84, 214
 traditional practices 134
 staff training for elderly
 people 184
 statelessness 264
 stress
 acculturation 62–3
 aspiration/achievement
 discrepancies 3
 biological 2
 Canadian immigrants 331
 children of Chinese migrants
 318–19
 conceptualisation 167
 intercultural mediators
 258
 medically unexplained
 symptoms association
 306
 migration process
 29, 83
 resilience 69
 see also acculturative stress
 stress-related disorders 75
 stress–diathesis model 44
 substance misuse 6
 acculturation 165–7
 behavioural disorders 68
 Chinese rural migrant
 workers 318
 Mexican immigrants to US
 165–6
 pre-migration risk factor 100
 psychosis 5, 30
 suicide/suicidal behaviour 5–6,
 35, 50–1
 acculturation 5–6,
 163–5
 elderly people 175–6
 methods amongst elderly
 people 175
 Mexican immigrants to US
 163–5, 164, 165
 South Asian women 84–5,
 129, 214
 US rate 164, 166
 Texas 165
 survival 153
 systems theory, intercultural
 mediation 251–4

- taboos, life cycle 300
 talking therapies
 refugees 10
 see also cognitive behavioural therapy (CBT)
 tardive dyskinesia 293
 Tay–Sachs syndrome 301
 testimony giving, collective trauma 156
 therapeutic relationship
 external factors 280
 facilitation 245–6
 intercultural mediator role 248–54
 internal factors 280
 psychotherapy 278
 Three Gorges Dam construction (China) 319–20
 Tibetan Buddhism 276–7
 therapist as guru 279
 tolerance, host society 162
 torture victims 10
 sexual violence 10
 transference
 intercultural mediation 254–5
 interpreter use 266–7
 transgendered people *see* lesbian, gay, bisexual and transgendered (LGBT) individuals
 trauma
 children 197, 202
 family experience 150–1
 pre-migration risk factor 101
 refugees 48
 war 202
 see also collective trauma
 tricyclic antidepressants 290, 292
 trust 152
 tuberculosis 303

 UDP-glucuronosyltransferase (UGT) 288
 Unani medicine 295

 United Kingdom, migrant classification 262
 United Nations 9
 refugee definition 263
 United States
 general immigrant studies 49
 immigrant integration 324
 Japanese descent people
 acculturation 304
 cancer risk 306
 Mexican immigrants 49
 returning 49
 substance use/abuse 165–6
 suicide rate 163–5, 164, 165
 migration 161–1
 psychosis rates 21
 Puerto Rican immigrant
 substance abuse 166
 suicide rate 164, 166
 Mexican immigrants 163–5, 164, 165
 urban density and psychosis 109
 urbanicity 108–10
 depression 108
 psychosis 108–10
 urbanisation 159

 Vietnamese refugee migration
 to Canada 329, 331
 to Hong Kong 314–15
 violence
 domestic violence against South Asian women 215–16
 against LGBT individuals 227
 voluntary migrants 75
 vulnerability factors 98
 vulnerability models 146

 war, trauma in children 202
 war crimes 152
 western lifestyle 304

 witnessing, collective trauma 156
 women 8, 60, 209–17
 acculturation 210
 assessment 215–16
 assimilation 210
 barriers to care 214
 culture shock 143
 domestic workers in Asia 211–12
 factors contributing to mental health 210–11
 healthcare providers 215–16
 host culture expectations 281
 integration 210
 interventions 216
 mental health determinants 210–11
 postpartum depression 214–15
 preventive mental health services 216
 social inequality 58
 South Asian
 cultural alienation 213–14
 distress 132–5
 identity 133
 intimate partner violence 215–16
 literature 129–31
 psychotherapy 128–36
 self 131–2
 somatic complaints 129–30, 132–3, 134–6
 suicide rates 84–5, 129
 suicide/suicidal behaviour 214
 traditional practices 134
 understanding 215–16
 see also foreign domestic workers (FDWs)
 World Psychiatric Association Taskforce on Migration 15–36