

Index

- absolutely convex, 83
- absolutely convex hull, 84
- absorbing, 85
- accumulation point, 446
- adjoint, 272
- admissible topology, 235
- affine transformation, 445
- algebraic, 444
- algebraic base, 445
- algebraic closure, 444
- algebraic dual, 445
- algebraically closed, 444
- α -regular inductive sequence, 411
- almost Hahn–Banach property, 199
- analytic element, 65
- A-normed space, 203
- Approximation Theorem for linear forms, 243
- Ascoli Theorem, 143
- associated norm, 38
- associated topologies, 336
- automorphism, 444

- Baire Category Theorem, 104, 448
- Baire space, 448
- Banach disk, 414
- Banach space (over K), 15
- Banach’s Open Mapping Theorem, 21
- Banach–Dieudonné Theorem, 440
- Banach–Steinhaus Theorem, 22, 111, 256
- Banach–Stone Theorem, 79
- Banaschewski compactification, 55
- barrel, 255
- barrelled, 255
- barycenter, 240
- base, 31, 338, 442, 446
- base of continuous seminorms, 94

- Bessaga–Pelczynski Selection Principle, 234
- best approximation, 5
- bilinear form, 446
- bilinear map, 374, 446
- Bipolar Theorem, 215
- boundary, 446
- bounded away from 0, 443
- bounded map, 448
- bounded sequence, 112, 448
- bounded set, 112, 448
- bounded weak topology, 336

- C^1 -function, 70
- C^n -function, 72
- C^∞ -function, 72
- c-countably generated, 90
- c-compact, 154, 206, 244
- canonical norm on K^n , 20
- Cauchy net, 100, 449
- Cauchy sequence, 449
- Cauchy–Schwarz inequality, 38
- centre of a ball, 1
- characteristic, 444
- characteristic function, 446
- clopen, 447
- closed, 446
- closed ball, 1
- Closed Graph Theorem, 22, 111, 413
- closed linear hull, 449
- closed unit ball, 6, 15
- closed unit disk, 6
- closely related, 101
- closure, 446
- cluster point, 448
- codimension, 445
- coefficient functional, 338

- commutation relation, 80
- compact, 447
- compact open topology, 115
- compact operator, 334
- compactifying operator, 309
- compactoid inductive limit, 424
- compactoid inductive sequence, 424
- compactoid operator, 302
- compactoid regular inductive sequence, 441
- compactoid set, 143
- complement, 24, 105, 445
- complemented, 24, 105
- complete, 100, 449
- completed tensor product, 395
- completion, 100, 449
- complexification, 404
- connected, 447
- Continuity Lemma, 384
- continuous, 447
- continuously differentiable, 70
- convergence of filters, 447
- convergence of nets, 447
- convex, 87
- convex filter, 246
- convex hull, 88
- coordinate map, 338
- countable type, 28

- Decomposition Lemma, 236, 242
- degree, 444
- dense, 446
- dense valuation, 7
- derivative, 70
- diameter, 2
- Dieudonné-Schwartz Theorem, 412
- differentiable function, 70
- dimension, 445
- direct sum, 445
- directed set, 443
- discrete topological space, 446
- discrete topology, 446
- discrete valuation, 7
- disk, 62
- distance between sets, 2
- distributions, 371, 438
- divisible group, 444
- dual, 97
- dual of an inductive sequence, 415
- dual space, 17, 97
- dual-separating, 202, 210, 211

- Eberlein-Šmulian Theorem, 241
- edged, 84, 88
- edged hull, 84
- embedded, 447
- embedding, 17, 97, 444, 447
- entire function, 62
- equicontinuous, 449
- equivalent norms, 18
- equivalent seminorms, 92
- equivalent valuations, 6
- ε -dense, 91
- ε -topology, 335
- extreme point, 206
- extreme set, 206

- fenced disk, 63
- field extension, 444
- field homomorphisms, 444
- filter, 442
- finite rank, 445
- finite type, 182, 218
- Fréchet space, 108
- free simplex, 207
- Full Perturbation Lemma, 33
- functionals, 445
- fundamental sequence
- fundamental sequence of bounded sets, 295
- fundamental sequence of compact sets, 116
- fundamental sequence of complete bounded subsets, 126
- fundamental sequence of equicontinuous sets, 295

- gauge, 85
- germs of analytic functions, 125
- Goldstine Theorem, 276
- graph, 443
- Grothendieck, 413
- Grothendieck-Köthe counterexample, 432

- Hahn-Banach property, 199
- Hahn-Banach Theorem, 171, 173, 176, 178, 193, 205, 217
- Hasse derivatives, 131
- Hausdorff, 446
- hemicompact, 116
- Hilbert-like space, 40
- homeomorphic, 447
- homeomorphism, 447
- homomorphism, 444
- hyperplane, 445

- ideal, 444
- immediate valued field extension, 11
- indiscrete topology, 446
- inductive limit, 107
- inductive sequence, 107
- inductive system, 107
- inductive topology, 121
- inherited topology, 446
- inner product, 38
- interior, 446
- invariant metric, 108, 449
- invariant subspace, 445
- inverse, 444
- isolated, 446
- isometrical isomorphism, 448
- isometrically embedded, 448
- isometrically isomorphic, 17, 448
- isometry, 448
- isomorphic, 97, 444, 445
- isomorphism, 444, 445
- isosceles triangle principle, 3

- K -algebra, 446
- k_0 -space, 117
- Köthe dual, 350
- Köthe sequence space associated to a matrix, 356
- Köthe space, 349
- Krein–Milman compactoids, 206
- Krein–Milman Theorem, 206
- Kronecker delta, 446
- Krull valuation, 13

- Lagrange polynomials, 187
- (LF)-space, 435
- limit, 447
- linear hull, 445
- linear manifold, 445
- linearly homeomorphic, 17
- Liouville Theorem, 64
- Lipschitz, 448
- Lipschitz constant, 448
- Lipschitz norm, 16
- (LM)-space, 435
- local convergence, 305
- locally compact, 448
- locally constant, 47
- locally convex direct sum, 101
- locally convex direct sum topology, 101
- locally convex space, 93
- locally convex topology, 93

- Mackey Convergence Condition, 426
- Mackey space, 235
- Mackey topology, 235
- Mahler base, 79
- maximal convex filter, 246
- maximal ideal, 444
- maximal valued field, 11
- measure, 51
- measures, 263
- mercury drop behaviour, 3
- metric, 1
- metric space, 1
- metrizable, 447
- metrizable locally convex space, 108
- Minkowski function, 85
- Montel, 312
- multiplicative group of a field, 7

- \mathbb{N} -compact, 448
- n -th derivative, 70
- n -th difference quotient, 71
- n -th Hasse derivative, 72
- natural map, 8
- neighbourhood, 446
- neighbourhood base, 446
- nested collection, 442
- net, 442
- non-Archimedean valuation, 6
- non-Archimedean valued field, 6
- non-measurable cardinality, 443
- norm, 15
- normable, 96
- normal topology, 351
- normed direct sum, 21
- normed product, 21
- normed space (over K), 15
- nuclear, 312, 320
- null sequence, 449

- of countable type, 175
- of finite type, 218
- (O.P.)-space, 240
- open, 446
- open ball, 1
- open map, 447
- Open Mapping Theorem, 21, 111, 308
- open unit ball, 6, 15
- open unit disk, 6
- operator, 302
- Orlicz–Pettis space, 240
- orthocomplemented, 24
- orthogonal, 23

- orthogonal base, 29
- “orthogonal” base, 338
- orthogonal complement, 24
- orthogonal indexed system, 25
- orthogonal projection, 24
- orthogonal sequence, 25
- “orthogonal” sequence, 162
- orthogonal set, 24
- orthogonal system, 24
- “orthogonal” system, 26
- orthogonal with respect to p , 162
- orthonormal base, 29
- orthonormal system, 24
- orthoprojection, 24
- overconvergent power series, 125

- p -adic complex number, 10
- p -adic Fourier Transform, 438
- p -adic integer, 9
- p -adic Laplace Transform, 438
- p -adic metric, 2
- p -adic number, 9
- p -adic valuation, 8
- p -open, 92
- p -topology, 92
- partition, 442
- perfect sequence space, 350
- Perturbation Lemma, 25, 33, 42
- φ -null set, 263
- π -topology, 335
- pointwise bounded, 256, 449
- pointwise convergence, 114, 449
- polar inductive limit, 259, 422, 438
- polar inductive sequence, 438
- polar seminorm, 193
- polar set, 196
- polar space, 193
- polar topology, 193
- polar topology associated to τ , 208
- polarly barrelled, 256
- power series, 62
- precompact, 143, 449
- prime field, 444
- principal, 442
- Principle of van Rooij, 23
- Product Lemma, 305
- product of locally convex spaces, 99
- product topology, 448
- projection, 24, 105, 445
- projective limit, 106
- projective sequence, 106
- projective system, 106

- projective tensor product, 384
- property (*), 240
- pseudocompact, 267
- Pull Back Principle, 155, 156, 323

- quasicomplete, 113
- quotient, 448
- quotient map, 445, 448
- quotient norm, 17
- quotient seminorm, 98
- quotient space, 17, 445
- quotient topology, 17, 98, 448

- radius, 1
- Radon measures, 437
- rapidly decreasing at infinity, 143
- rapidly decreasing sequences, 371
- reflexive, 275
- regular inductive limit, 411
- regular inductive sequence, 411
- relatively closed, 447
- relatively compact, 448
- relatively open, 447
- residue class field, 7
- resolution, 435
- restriction topology, 446
- Riesz Representation Theorem, 52
- Riesz Theorem, 145
- rigid analytic function, 126
- ring, 442

- saturated, 93
- Schauder base, 31, 163
- Schwartz space, 334
- semi-metric, 2
- semi-Montel, 311
- semicompact inductive sequence, 439
- semicompact operator, 334
- seminorm, 83
- seminorm of countable type, 175
- seminorm of finite type, 218
- semireflexive, 275
- separable, 28, 447
- separate the points, 443
- separation of convex sets, 204, 240
- sequence space, 125, 350
- sequentially closed, 447
- sequentially complete, 114, 449
- sequentially continuous, 447
- sequentially retractive inductive sequence, 441
- sides of a hyperplane, 205
- σ -compact, 448

- simple convergence, 114
- small, 443
- solid norm, 19
- solid seminorm, 83
- spherical completion, 11
- spherically complete, 4
- splitting lemma, 389, 392
- step function, 47
- steps, 107
- Stone–Čech compactification, 55
- strict inductive limit, 411
- strict inductive sequence, 411
- strict topology, 119
- strictly differentiable, 70
- strictly of countable type, 176
- strong topology, 272
- strong triangle inequality, 2, 6
- stronger topology, 446
- strongest locally convex topology, 103, 113, 195, 216, 220, 319
- strongly polar, 201
- subbase, 446
- subring, 444
- subspace, 447
- sum, 16, 41
- sum of subspaces, 445
- summable, 16, 41, 449
- support, 449
- support of a measure, 263

- t -frame, 166
- t -frame sequence, 166
- t -orthogonal, 27
- t -orthogonal base, 29
- t -orthogonal indexed system, 30
- t -orthogonal sequence, 30
- t -orthogonal set, 27
- t -orthogonal with respect to p , 162
- t -orthogonal system, 27
- Taylor formula, 72
- tensor product, 374
- tensor product of seminorms, 378
- Tietze–Urysohn Extension Lemma, 49, 222
- topological base, 31
- topological field, 5
- topological space, 446
- topological vector space, 15, 91
- topology, 446
- topology of countable type, 175
- topology of countable type associated to τ , 207
- topology of finite type, 218
- topology of finite type associated to τ , 209

- totally disconnected, 447
- translate, 446
- translation, 445
- transseparable, 175
- trivial metric, 3
- trivial valuation, 7
- twist map, 375
- Tychonov Theorem, 448

- ultrafilter, 442
- ultrametric, 2
- ultrametric space, 2
- ultrametrizable, 447
- unconditional summation, 16
- Uniform Boundedness Principle, 22, 111, 256
- uniform convergence, 449
- uniform convergence on bounded sets, 272, 390
- uniform convergence on compact sets, 115, 396
- uniform convergence on compact sets of difference quotients, 128
- uniform convergence on compactoids, 315
- uniformizing element, 7
- uniformly continuous, 448, 449
- union, 446
- unit disk, 6
- unit sphere, 6
- unit vectors, 29
- upper half plane, 127

- valuation, 5
- value group, 7, 13
- valued field, 5
- valued field extension, 7, 56
- vanish at infinity, 48, 119
- vanishing at infinity, 139
- Volume Function, 165

- W -topology, 118, 133
- weak Hahn–Banach property, 199, 212
- weak star topology, 272
- weak topology, 182, 211
- weaker topology, 446
- weakly compact, 232
- weakly convergent sequence, 228
- weakly precompact, 232
- weakly strict, 438
- Weierstrass Theorem, 11, 190
- weight functions, 118

- zero-dimensional, 447