

Index

- 1/ N expansion, 13, 31, 185, 188, 193, 195, 197, 200, 228, 247, 300, 329, 334, 351
- leading order, 329, 332, 336, 338, 345, 392, 422, 485
- next-to-leading order, 13, 195, 196, 220, 336, 346, 519, 535
- $O(N)\lambda\Phi^4$ theory, 31, 126, 188, 195, 197, 200, 228, 240, 241, 300
- $\lambda\Phi^4$ theory, 39, 71, 80, 83, 101, 121, 233, 295
- ie prescription, 319, 321, 333, 483, 499, 516, 526
- Abraham–Lorentz–Dirac (ALD) equation, 15, 17, 279, 352
- Abraham–Lorentz–Dirac–Langevin equation, 16
- adiabatic
 - n th adiabatic order number state, 286
 - frequency corrections, 286
 - iterative-time WKB approximation, 284
 - nonadiabaticity parameter, 287, 300, 310
 - see regularization, adiabatic
 - see vacuum, adiabatic
- AdS-CFT / holography, 144, 330, 431
- alternative quantum theories (AQTs), 20
 - Diosi–Penrose, 21
 - Ghirardi–Remini–Weber–Pearle, 21
- analog gravity, 434, 549
 - Hawking effect, 5
 - anti-time ordering, 320, 332
 - averaged null energy condition (ANEC), 5
- background field method, 47, 86, 115, 244, 311
- backreaction, 5, 15, 38, 61, 100, 150, 312, 352, 423
 - $\lambda\Phi^4$ theory, 313
 - ALD equation, 17
 - cosmological particle creation, 5, 91, 283, 292, 294
 - with fluctuations, 391
 - early universe quantum processes, 3, 266
 - effect of spacetime dynamics, 310
 - effect on spacetime dynamics, 3, 80, 265
 - evaporating black holes, 437
- fluctuation–dissipation relation, 437, 448
- from fermionic particle production, 262
- gravitational perturbations, 393
- Hawking radiation on black holes, 4, 33, 427, 453
 - see black hole backreaction
- inflaton fluctuation field, 295
- interacting field, 62, 64
- isotropization and homogenization, 292, 294
- linear response theory, shortcoming, 450
- necessity of self-consistency, 5, 9, 18
- superhorizon fluctuations, 224
- trace anomaly, 73, 273
- vacuum energy, 266, 269, 270
- via effective action, 5, 80, 265, 393
- via equation of motion, 5, 265, 292
- Bianchi identity, 526, 528
- biscalar, 150
 - de Sitter-invariant, 470, 520, 523, 531, 536
 - Lorentz-invariant, 536
- bitensor, 150
 - coincident limit, 155
 - de Sitter-invariant, 468, 471, 520, 524
 - end-point expansion, 156
 - geometric properties, 154
 - Lorentz-invariant, 537
 - maximally symmetric, 471, 520
 - of parallel transport, 155
- black hole
 - 2D dilaton gravity, 428, 456
 - apparent horizon, 453
 - as fast scrambler, 430
 - Bekenstein–Hawking entropy, 428, 432
 - Birkhoff’s theorem, 455
 - breakdown of predictability, 429
 - Callen–Giddings–Harvey–Strominger (CGHS), 428
 - complementarity principle, 430
 - Eddington–Finkelstein coordinates, 440
 - end state, 5, 33, 427, 429
 - eternal, 427
 - evaporating, 5, 427, 452
 - firewall, 426, 430
 - fuzzball, 430

- black hole (cont.)
 - information loss, 5, 33, 429
 - membrane, stretched horizon, 430
 - negative energy density, 426
 - negative energy flux, 457
 - negative specific heat, 429
 - nonequilibrium thermodynamics, 434, 440, 451
 - particle creation, 426
 - phase transition, 429
 - quantum, 425, 428, 430
 - quasi-static/stationary, 426
 - regularized stress-energy tensor, 435
 - remnant, 430
- black hole backreaction, 423
 - black hole interior, 425
 - far field case, 439, 444
 - in quasi-thermal equilibrium, 439
 - isothermal compressibility, 440
 - near-horizon case, 439, 447
 - susceptibility function, 440
- black hole fluctuations, 426, 452
- Bogoliubov transformation, 41
- Boltzmann–Einstein hierarchy, 548
- Brownian motion
 - quantum, 11, 209, 451
- Casimir effect, 3, 117, 120, 141, 266
 - dynamical, 5
- closed-time-path (CTP), 320
 - see* effective action, ‘in-in’
 - see* Green function, Schwinger–Keldysh ‘in-in’ or CTP
- nonequilibrium dynamics, 106
- coarse-graining, 2
- complex time path, 108
- conformal
 - coupling, 379, 391, 394
 - field, 379
 - action, 485
 - early universe, 391, 483
 - general, 509, 534
 - flatness, 395
 - transformation, 394
- conformal anomaly
 - see* trace anomaly
- conformal transformation, 45, 46, 154, 164, 170
- correlation function, 193, 195, 196, 211, 214, 215, 219, 223, 233, 246, 249, 250, 297, 301
 - autocorrelation, 133, 134
 - Boltzmann–BBGKY hierarchy, 31
 - Boltzmann–BBGKY hierarchy, 544
 - correlation hierarchy, 31, 232, 240, 249, 256
- Einstein tensor correlation, 375, 385
 - de Sitter space, 481
 - order reduction, 386
- from regularized effective action, 133
- Gaussian stochastic tensor, 416
- graviton, 225
- metric correlation, 344, 378, 386
 - conformal field, 387
 - one-loop, 332
- quantum metric fluctuations, 344, 345, 347, 349, 351, 420, 483
- Ricci tensor correlation
 - de Sitter space, 526, 531
 - Minkowski, 538
 - one-loop, 531, 538
 - stress-energy tensor correlation, 533
- Ricci–Weyl tensors correlation
 - de Sitter space, 526, 531
 - Minkowski, 538
 - one-loop, 531, 538
- Riemann tensor correlation, 34
 - conformal field theory, 534
 - de Sitter space, 519, 534
 - de Sitter-invariant, 523
 - gauge-invariant, 522, 535
 - local observable, 519, 535
 - Minkowski, 520
- scalar metric fluctuations, 416
 - one-loop, 508
- spherically symmetric fluctuations, 457
- stochastic field, 367
- stochastic metric fluctuations, 344, 345, 348, 420
- stochastic variables, 189, 196
 - see* noise kernel
- stress-energy tensor, 133, 134, 147
- tensor metric fluctuations, 494
 - one-loop, 498, 499, 505, 508
 - power spectrum, 500
 - tree level, 494
- vector metric fluctuations
 - one-loop, 508
- Weyl tensor correlation
 - de Sitter space, 482, 526
 - Minkowski, 537
 - one-loop, 527, 537
 - super/sub-horizon scales, 529
- Weyl tensor, linearized, 226
- correlation length, 198
- cosmological constant, 53, 122, 271, 276, 470, 485
 - effective, 489
- cosmological singularity, 272
 - quantum effects, 274, 277, 280
- cosmological solutions

- ‘velocity-dominated’, 90
- Belinsky–Khalatnikov–Lifshitz, 90
 - see* universe, Friedmann–Lemaître–Robertson–Walker (FLRW)
- inhomogeneous Kasner, 90
 - Kasner, 90
 - Misner, 91
- cosmology
 - $f(R)$ gravity, 274, 275, 281, 282
 - see* backreaction – cosmological particle creation, early universe quantum processes
 - chaotic, 3
 - de Sitter space, 467, 483, 520
 - FLRW background, 394
 - inflationary, 295, 410
 - see* inflation
 - metric perturbations, 394
 - quantum, 6, 15
 - semiclassical, 15
 - standard model, 44
 - structure formation, 32, 410
- critical phenomena, 186
 - anomalous dimension, 195
 - broken-symmetry state, 199
 - Coleman–Hohenberg–Mermin–Wagner theorem, 199, 205
 - critical point, 199
 - finite size effect, 197
 - generalized susceptibility function, 199
 - inflationary cosmology, 186
 - Kadanoff–Migdal transformation, 208
 - spontaneous symmetry breaking, 200
- curvature perturbation
 - gauge-invariant variable, 420
 - superhorizon, 421
- curvature tensor
 - conformally related, 407
 - metric perturbations, 406
 - Ricci, 53, 72, 330, 340
 - Riemann, 53, 72, 330, 340
 - scalar, 72, 330, 340
 - Weyl, 8, 53, 54, 96, 271, 294, 340
- de Sitter space, 117, 179
 - Bunch–Davies vacuum, 417, 479, 526
 - see* vacuum, Bunch–Davies
 - conformal diagram, 469
 - cosmological constant, 470
 - Euclidean, 114, 126, 127
 - Poincaré patch, 417, 469, 489, 521, 525
 - static, 114
- decoherence, 5, 14
 - environment-induced, 6, 210
- gravitational, 20
 - in cosmology, 209
 - in quantum gravity, 21
- decoupling theorem, 185, 198
- density matrix, 89, 106, 108, 240, 328
- dissipation kernel, 367, 372, 445, 447
- dissipative dynamics, 5, 264
 - nonlocal, 10, 246, 278, 439, 449, 450
 - quantum, 18, 100, 294
- divergences infrared (IR)
 - see* infrared behavior, Chapter 6
- divergences ultraviolet (UV)
 - see* regularization/renormalization
- effective action, 37, 114, 126, 318
 - ‘in-in’, 2, 7, 38, 85, 89, 96, 229, 242, 266, 321, 325, 327, 354, 394, 423
 - conformal field theory, 509, 512
 - via Bogoliubov coefficients, 440
 - for metric perturbations, 331, 397, 486
 - quasi-static black holes, 442
 - scalar, vector, tensor parts, 492
- ‘in-out’, 7, 38, 46, 48, 79, 91, 319
- coarse-grained (CGEA), 16, 153, 256, 311, 313
- CTP, 325, 327, 330, 354, 356
 - see* effective action, ‘in-in’
- first metric variation, 133
- master, 233, 240, 249
- nPI formalism, 237
- one-loop, 330
- one-particle-irreducible (1PI), 29, 108, 231, 264
- quasilocal, 38, 64, 69, 224
- second metric variation, 113, 133, 135
- stochastic, 16, 359, 398, 449
- two-particle-irreducible (2PI), 29, 185, 193, 194, 197, 201, 229, 232, 237, 243, 256, 296
- Vilkovisky–DeWitt, 29, 78
- effective field, 48, 114, 319
- effective field theory, 12, 279, 282, 352, 541
 - low energy, 330
- effective geometry, 49, 62, 79, 80, 94
- effective mass, 66, 70, 71, 115, 121, 188, 199, 204, 216, 250, 255, 302
- effective potential, 37, 114, 121, 187, 199, 204
 - Coleman–Weinberg, 37, 78, 125, 281
- Einstein equation
 - scalar metric perturbations, 413
- Einstein–Hilbert action, 331
- Einstein–Langevin equation, 10, 343, 359, 361, 449, 455, 459, 545
 - dimensional regularization, 371
- FLRW background, 398

- Einstein–Langevin equation (cont.)
 - gauge-invariant, 344
 - Minkowski spacetime, 367, 371, 373
 - nonrelativistic weak field limit, 26
 - scalar metric perturbations, 412, 415, 419
 - solutions, 374
- emergence, 542
 - deductive-predictive theories, 543
 - nondeductive theories, 543
- emergent gravity, 540, 541
 - ‘top-down’ approach, 542
 - from micro to macro, 542
- equation of state, 288, 298
- Euler density, 340, 396, 485, 510
- event horizon, 5, 426
- Fermion fields, 346, 510
- Feynman graphs, 92, 96, 202, 219, 231, 236, 244, 334, 335
 - connected, 318
 - one-particle-irreducible, 319
 - stochastic process, 213
- Feynman rules, 58, 103, 220
 - Schwinger–Keldysh ‘in-in’ or CTP, 85
- Feynman–Vernon
 - functional identity, 16
 - influence functional, 354
 - see* influence functional
- fluctuation-dissipation
 - kernel, 11
 - relation (FDR), 11, 18, 437
- fluctuations, 2, 13
 - black hole horizon, 4, 452, 457, 458
 - Einstein tensor, 375
 - energy density, 140
 - energy flux, 457
 - fluctuation operator, 197, 202
 - inflaton field, 32, 411
 - metric, 344, 349, 382, 385, 399, 418
 - metric correlation, 345, 349, 418
 - Newtonian force, 26
 - spacetime conductance, 546
 - stress-energy tensor, 342, 348, 365, 398
- Fokker–Planck equation, 196, 210, 223, 253
- Friedmann equations
 - inflaton mean field, 412
- gap equation, 196, 214, 236, 239, 246, 250, 254, 264, 301
- Gauss–Bonnet identity, 52, 340, 356
- Gaussian path integral, 359, 396
- Gaussian stochastic field, 348, 349, 398
- Gaussian stochastic tensor, 359
 - properties, 343
- general relativity, 2
- as effective field theory, 12, 327, 340, 355, 431, 485, 540, 546
- geometro-hydrodynamics, 434
- spacetime thermodynamics, 434
- generating functional, 47, 82, 106, 108, 216, 318, 320, 328, 332
 - $1/N$ expansion, 247
 - CTP, 229, 233, 320, 332
 - for $O(N)$ theory in curved spacetime, 242
 - for connected graphs, 229
 - one-loop, 329
 - two-particle-irreducible, 201, 238
- geometrodynamics, 9
- grand unification theory (GUT), 37
- gravitational action, 328, 340, 395, 485
 - renormalized, 397
- gravitational coupling, 328, 334
 - rescaled, 330, 335, 485
- gravitational perturbations, 111
- gravitational quantum physics (GQP), 1, 20
- gravitational waves
 - background, 392
- graviton loops, 336
- graviton propagator, 346
 - dressed, 336
 - conformal fields, 499
- Green function
 - advanced, 212
 - Dyson, 84, 324, 326
 - Euclidean, 68, 127
 - Feynman, 57, 84, 115, 324, 326
 - Gaussian approximation, 165, 166, 439
 - momentum space representation, 59, 69
 - renormalized, 167
 - retarded, 212, 255, 263, 455
 - Riemann normal coordinate expansion, 68
 - Schwinger–Keldysh ‘in-in’ or CTP, 84, 96, 443, 447
 - Wightman function, 84, 163
- Hadamard
 - ‘HaMiDeW’ coefficients, 65, 72, 120, 166, 252
 - expansion, 161, 166
 - function, 158
 - kernels, 263
 - state, 340
- harmonic analysis, 64
 - group theoretical methods, 64
 - homogeneous/symmetric spaces, 64, 120
- harmonic gauge, 382
- Hartree approximation, 23, 249, 252
- Hartree–Fock approximation, 245, 262
- Hartree–Fock–Bogoliubov approximation, 247

Index

595

- Hawking radiation, 3, 179, 426, 440
 - grey-body factor, 454
- Hawking–Hertog–Reall
 - prescription, 384
- heat kernel, 71, 115, 251
- Heisenberg
 - operator, 419
 - picture, 318, 338, 347, 366
 - uncertainty principle, 341
- higher derivative gravity, 353
- histories
 - coarse-grained, 19
 - consistent, 6, 14
 - decoherent, 6
 - fine-grained, 19
- Hubble parameter, 469, 489, 520, 529, 536
- induced gravity, 37
- inflation
 - (p)reheating, 38, 256, 295, 310
 - ‘chaotic’: Linde, 4, 280, 310
 - ‘flatness’ problem, 268
 - ‘new’, 4, 37, 186, 280
 - ‘old’: Guth, 4, 37, 186, 280
 - ‘slow-roll’, 38, 280, 295, 299, 309, 417
 - cosmological perturbations, 410
 - inflaton dynamics, 264, 296, 301
 - inflaton fluctuation field, 301, 310, 411
 - Starobinsky, 31, 33, 274, 276, 280, 282
 - stochastic, 189, 193, 209, 280, 311
 - structure formation, 410
 - trace-anomaly-induced, 33, 353
- influence action, 329, 355, 356, 396
 - imaginary part, 358, 401
 - metric perturbations, 394, 405
 - renormalized, 397, 512
- influence functional, 2, 89, 112, 153, 256, 354, 355, 444, 449
- infrared behavior, 185
 - $\lambda\Phi^4$ theory, 188
 - curvature & topology effects, 187, 195, 197, 204
 - curvature-field coupling effects, 187, 199
 - daisy or cactus diagrams, 193, 195, 200, 201, 203, 204, 220
 - dimensional reduction, 190, 197, 221
 - dynamical finite size effect, 189, 199, 208, 223
 - dynamical mass, 211
 - effective infrared dimension (EIRD), 188, 197, 198, 221
 - Euclidean zero-mode dominance, 188–190, 194, 197, 253, 255
 - finite size effect, 188
 - in Einstein universe, 125
- in Euclidean de Sitter (EdS), 189, 194, 196
- in Lorentzian de Sitter (LdS), 189, 194, 215, 467
 - infrared divergence, 190, 192, 194, 200
 - infrared logarithm, 192, 193
 - infrared-safe observable, 483, 535
 - resummation method, 190, 213, 214
 - stochastic approach, 189, 194, 211, 223, 253, 255
- integro-differential equation, 8, 95, 230, 235, 278, 291, 311
- Kaluza–Klein theory, 37, 114, 198, 269
- kernels for vacuum state, 362, 367
- Killing vector, 43
- Klein–Gordon equation, 338
 - inflaton field, 413
 - inflaton mean field, 419
 - Wightman function, 475
- Kramers equation, 214
- Langevin equation, 16, 348
 - see Einstein–Langevin equation, ALD–Langevin equation
- Laplace–Beltrami operator, 37, 43, 65, 102, 115, 121
- Legendre transformation, 319, 321
- Lifshitz equation, 46, 64
- Lorentz gauge, 345, 382
- matter fields action, 328, 338
- mean field theory, 13
- Mellin transform, 115, 135
- mesoscopic behavior of spacetimes, 463
- metric
 - de Sitter, 469, 488, 522
 - FLRW, 394, 469
 - Minkowski, 365, 536
 - optical, 119, 164
 - optical Schwarzschild, 150, 169
 - ultra-static, 151, 164, 166
 - Vaidya, 427
- metric fluctuations
 - active, 350
 - see black hole fluctuations
 - conformal field, 387
 - evaporating black hole, 455, 459, 460
 - from backreaction of quantum processes, 426
- induced, 4, 152, 345, 350, 385, 428, 455, 481
 - secular terms, 501
- intrinsic, 345, 350, 382, 428, 455, 481
 - secular terms, 501
- operational meaning, 457

- metric fluctuations (cont.)
 - passive, 350
 - scale-invariant spectrum, 418
 - stochastic, 386, 449
 - de Sitter space, 502
- metric perturbations, 328, 330, 343, 357, 367
 - Bardeen gauge-invariant variables, 411
 - classification, 489
 - FLRW background, 394
 - gauge-fixing, 491
- metric stochasticity, 462
- Minkowski space
 - stability, 381
- moving mirror, 5
- Newton–Schrödinger equation (NSE), 2, 20
 - many-particle NSE not from SCE, 24
 - not from GR+QFT, 22
- noise
 - colored, 2, 9, 278, 439
 - quantum, 44
- noise kernel, 4, 113, 144, 150, 154, 159, 342, 361, 367, 372, 398, 438, 444, 447, 455
 - in de Sitter and AdS spacetimes, 178
 - de Sitter space, 473
 - conformal fields, 502
 - massless limit discontinuity, 477
 - super/sub-horizon scales, 475
 - de Sitter-invariant, 473
 - hot flat space, 178
 - in Minkowski spacetime, 176
 - inflaton fluctuating field, 414
 - near de Sitter horizon, 181
 - near Schwarzschild horizon, 457, 460
 - optical Schwarzschild metric, 175
 - positive semi-definite, 343
 - smearing/test function, 177
 - trace of, 150
 - under conformal transformation, 175
 - via covariant derivative of the Green functions, 170
- nonequilibrium dynamics, 101, 106, 112, 255, 266
- nonlinear sigma model, 207, 463
- nonMarkovian dynamics, 2, 8, 80, 209, 292
- nonperturbative effect, 187
- open quantum systems, 2, 111, 278, 311
- open system, 6, 100
- operator
 - invariant, 114
 - see* Laplace–Beltrami operator
 - small fluctuation, 115, 131
- order reduction, 15, 277, 308, 350, 352, 353, 488
- prescription, 384
- particle creation, 3, 89, 100, 295
 - creation and annihilation operators, 40
 - fermion field, 262, 264
 - graviton in FLRW universe, 288
 - in anisotropic universe, 292
 - in inhomogeneous universe, 294, 401
 - interacting field, 62, 106
 - probability density, 64
 - S-matrix, 40
- particle model, 40
- path ordering, 321, 332
- phase transition
 - Hawking–Page, 429
 - see* infrared behavior
 - nucleation, 187, 280
 - spinodal decomposition, 187, 280
- Plana sum formula, 123
- Planck energy, 271
- Planck length, 37, 328, 340
- Planck mass, 38, 271, 328
- Planck time, 37
- point separation
 - covariance, 151
 - spacetime structure, 151
- pointer basis, 14
- power spectrum
 - super/sub-horizon scales, 500
- probability distribution functional, 359
- projector, 370, 402, 497
- propagator, 323, 325, 326
 - CTP, 333, 396
 - Dyson, 396
 - Feynman, 362, 366, 396
 - graviton, 345
 - de Sitter space, 497
 - one-loop, 499, 516
 - retarded, 347
 - scalar metric fluctuations, 416
 - tensor metric fluctuations, 502
- quantization
 - canonical, 43, 283, 318, 338, 495
 - Fock space, 43
 - second, 44
- quantum chromodynamics, 1
- quantum cosmology
 - anomaly/instanton-driven inflation, 282
 - minisuperspace, 15, 266, 312
 - Wheeler–DeWitt equation, 28, 312
- quantum electrodynamics, 1
 - non-relativistic limit, 25

- quantum entanglement, 20
 - gravitational, 20
 - gravitational cat ('gravcat') state, 26
 - Schrödinger's cat, 26
- quantum field theory (QFT), 2
 - boundary value (in-out) formulation, 38, 80
 - commutation relation, 40
 - curved spacetime (CST), 2, 28, 42, 87, 150, 237, 271, 326, 338
 - dynamical spacetimes, 283
 - Euclidean, 118
 - expectation values, 38, 79, 246
 - finite temperature (thermal field), 106
 - initial value (in-in) formulation, 38, 80
 - interacting field, 56, 328, 484
 - interaction picture, 318
 - Klein–Gordon equation, 39, 50, 190, 338
 - mean field, 232, 233, 239, 240, 246
 - nonequilibrium, 89, 233
 - nonlocality, 431
 - path integral representation, 83
 - transition amplitude, 38, 79
 - variance, 232, 234, 240, 257, 262, 296, 302–305, 309
- quantum gravity, 1, 428, 540, 541
 - 'bottom-up' approach, 543
 - asymptotic safety, 1
 - Boltzmann–Einstein Hierarchy, 548
 - canonical, 1, 425
 - causal dynamical triangulation, 1
 - causal sets, 1
 - effective theory approach, 548
 - from macro to micro, 544
 - graviton loop, 190, 193, 226, 227
 - group field theory, 1
 - kinetic theory approach, 31, 548
 - loops, 1
 - perturbative: graviton, 1, 225
 - simplices: Regge calculus, 1
 - spin network, 1
 - string theory, 1, 271
 - tensor network, 541
- quantum information, 20
 - black hole, 430, 432
 - entangled states, 432
 - entanglement entropy, 433, 541
 - gravitational, 21
 - Page time, 432
 - relativistic, 21
 - tensor network, 545
- quantum mechanics
 - 'many-world' interpretation, 28
 - emergent: trace dynamics, 21
 - macroscopic, 22
- radiation reaction, 17, 19
 - gravitational, 353, 424
- regularization
 - adiabatic, 3, 42, 283, 286, 303
 - dimensional, 3, 73, 92, 116, 175, 250, 339, 361, 365, 397, 443
 - momentum integrals, 408
 - n-wave, 284
 - Pauli–Villars, 399
 - point-separation, 3, 150
 - see* point-separation regularization
 - see* zeta function regularization
- renormalization
 - 'in-in' effective action, 101
 - conditions, 74
 - consistent procedure, 252
 - counter action, 51, 54, 60, 73, 88, 94, 329, 395, 485, 511
 - higher-order curvature terms, 74
 - one-loop effective Lagrangian, 77
 - parameters, 74, 340, 396, 399, 485, 500, 513, 534
 - quantum fields in curved spacetime, 88
 - tensor counterterm, 339
- renormalization group (RG), 186, 196, 513
 - functional, 237
 - nonperturbative, 190, 194, 221
 - RG equations, 65, 75
 - RG-improved effective Lagrangian, 78
- representation function, 117
 - hyperspherical harmonics, 145
- Riemann normal coordinate, 68, 159
- runaway solutions, 352
- scalar fields action, 338
- scalar quantum electrodynamics (SQED), 130, 188, 207
- Schrödinger equation, 23, 25, 318
- Schwinger process, 5
- Schwinger proper time formalism, 114
- Schwinger–DeWitt
 - see* effective action, in-out
 - proper-time formalism, 64, 74, 165, 251
- Schwinger–Dyson equation, 31, 194, 195, 213, 240, 247, 319, 344, 544
- Schwinger–Keldysh
 - see* effective action, 'in-in'
 - see* Green function, Schwinger–Keldysh
 - 'in-in' or CTP

- semiclassical Einstein equation (SCE), 3, 53, 55, 102, 154, 239, 246, 249, 265, 271, 272, 331, 340, 441
- black hole in quasi-equilibrium, 439
- FLRW background, 400
- nonrelativistic limit, 24
- renormalized, 307
- self-consistency, 5
- solutions, 273, 275
- semiclassical gravity, 3, 6, 88, 150, 228, 239, 265, 270, 355
- applicability, 427
- as mean field theory, 10
- axiomatic approach, 338
- effective geometry, 49, 62, 79, 94
- validity, 4, 349
- semiclassical solution

 - de Sitter, 488
 - Minkowski, 365
 - plane waves, 365
 - stability, 351, 381

- smearing function, 6, 457
- space

 - anti-de Sitter (AdS), 117, 133, 144
 - cylindrical, 114
 - hyperbolic, 144
 - Schwarzschild–AdS, 425

- spacetime

 - fractal structures, 547
 - maximally-symmetric, 117
 - Reissner–Nordström, 114, 425, 436, 437
 - Schwarzschild, 114, 423, 435, 436, 439–441, 447, 458, 460, 462
 - ultrastatic, 144

- spinodal decomposition, 264
- spinor field, 255
- stochastic Boltzmann equation, 546
- stochastic gravity, 1, 4, 10, 150, 152
 - as effective field theory, 13
 - advantages and limitations, 549
 - axiomatic approach, 12, 342
 - functional approach, 12
 - influence action, 357
- stochastic processes, 14
 - quantum, 11
- stochastic spacetime, 463
- stress-energy
 - autocorrelation, 139
 - bitensor, 4, 135, 137, 153
 - correlation function, 31, 113, 132, 137, 147
 - see* noise kernel
 - fluctuations, 28, 153, 456, 460
- stress-energy tensor, 41, 134, 139, 214, 239, 298, 303, 304, 306, 356
- coincidence limit, 163, 248
- conformal field, 399
- fluctuations, 341, 344, 348
- higher moments, 547
- in Schwarzschild spacetime, 454
- inflaton field, 413
- minimally coupled field, 412, 473
- operator, 339, 362, 366
- point separated, 158
- renormalized, 366
- scalar field, 339, 365, 374
- symmetry breaking
 - see* infrared behavior
- Synge's theorem, 155, 163
- thermal field theory, 109, 116
 - basis of 14 tensors, 444
 - closed-time-path contour, 111
 - closed-time-path effective action, 106, 112
 - ctp effective action two fields, 111
 - energy density, 120, 268
 - graviton polarization tensor, 446
 - hot flat space, 133, 144, 169
 - imaginary time formalism, 106, 114
 - in hot flat space, 439
 - infrared behavior, 185
 - Kubo–Martin–Schwinger (KMS) relation, 110, 118
 - real time formalism, 106
 - thermal density matrix, 443
 - thermal Green function, 118
 - thermal propagator, 109, 443
- thermalization, 249, 295, 311
- time ordering, 318, 332, 358
- trace anomaly, 31, 51, 52, 72, 93, 105, 267, 270, 308, 510
 - FLRW background, 400
- trans-Planckian physics, 4, 462
- universe
 - 'puff', 267
 - Bianchi, 3, 7, 45, 89
 - de Sitter, 4
 - see* de Sitter space
 - Einstein, 117, 121, 266
 - Friedmann–Lemaître–Robertson–Walker (FLRW), 4, 44, 90
 - Kantowski–Sachs, 425
 - large scale structure, 392
 - mixmaster, 89, 117, 312
 - Taub, 90, 117, 269
- Unruh effect, 5, 117
- vacuum, 40, 43, 318
 - adiabatic, 42, 283, 284, 286, 319, 321, 329
 - asymptotic, 319, 333

Index 599

- Boulware, 431, 452
Bunch–Davies, 151, 193, 223, 275, 417,
 479, 526
conformal, 46, 51
de Sitter-invariant, 474
 interacting theory, 483, 526
Euclidean, 127, 417
false, 199
fluctuations, 3, 42, 266
Gibbons–Hawking, 151, 179
Hartle–Hawking, 117, 151, 179, 441
inequivalence, 44
instability, 42, 79
Minkowski, 365
n-point functions, 229
persistence amplitude, 46, 79, 80, 318
polarization, 3, 101
true, 199
Unruh, 431, 454
vacuum energy density, 51, 117, 267
 adiabatic regularized, 287
 fluctuations, 139, 177
 variance, 143
vacuum expectation value, 51, 158, 271
 stress-energy bitensor, 168
 stress-energy fluctuations, 139
 stress-energy tensor, 101, 113, 132, 135,
 144, 265
vacuum polarization, 273, 456
Van Vleck–Morette determinant, 156
viscosity function, 8, 298
- Wald’s axioms, 3, 54, 161, 175, 340
wave equation
 in curved spacetime, 37
 in dynamical spacetime, 40
wave function
 collapse, 20, 23
 of the Universe, 312
Weinberg angle, 269
Weyl ordering, 339, 358
Wick’s theorem, 97, 159, 474
Wightman function, 324, 326, 362, 366, 396,
 474
Wigner function, 214
world function, 155, 156, 168
wormholes
 traversable, 6
Wronskian, 40, 289, 309
- Yukawa coupling, 228
Yukawa theory, 207, 256
- zeta function
 generalized, 115, 127
 Riemann, 115, 120
 reflection formula, 143
 second variation, 133, 138
zeta function regularization, 3, 113, 116, 123,
 251
1-loop effective potential, 124