

Index

- adjusted count R-squared, 164, 165
- adjusted deviance residuals, 47
- Agresti (2002), 128–129
- AIC, *see* Akaike information criterion
- Aitchison and Silvey, 117–120
- Akaike information criterion, (AIC), 45
- anchoring vignette restriction, 226
- anchoring vignettes, 219–222
 - in ordered probit model, 222–226
 - log likelihood and model identification, 226–227
 - multiple self-assessment equations, 230–232
- Anderson (1984), 134
- Anderson and Philips (1981), 132
- APE, *see* average partial effects
- assessed ordered categorical variables, 181–182
- average partial effects (APE)
 - binary choice model, 36–37
 - example, 148
- Bank Rate model (Eichengreen *et al.*), 286–287
- Bayes Information Criterion (BIC), 164
- Bellemare *et al.* (2002) model, 327
- Ben-Akiva and Lerman fit measure, 48
- bias reduction estimators, for binary choice models, 269–270
- BIC, *see* Bayes Information Criterion
- binary choice model
 - application to health satisfaction, 28–30
 - case-control studies, 97–98
 - definitions, 9
 - development of, 117
 - endogeneity of an RHS variable, 80–83
 - endogenous sampling, 96
 - estimation and inference, 16
 - goodness of fit measures, 39–43
 - hypothesis testing, 39
 - literature, 9
 - panel data, 57
 - parameter heterogeneity, 75–80
 - partial effects, 31, 32
 - probability models, 12
 - random utility formulation, 10–11, *see also*
 - bivariate probit models; multivariate probit models
- bivariate ordered probit models, 291–294
 - applications, 295–297
 - panel data version, 297–298, *see also* sample
 - selected bivariate ordered probit model; bivariate semi-ordered probit model
- bivariate Poisson regression model, 296
- bivariate probit models, 83–85
 - marginal effects, 88–89
 - sample selection model, 91–93
 - testing for zero correlation, 86–87
 - tetrachoric correlation, 85–86, *see also* recursive
 - bivariate probit models
- bivariate semi-ordered probit model, 295
- BLISS (software), 116
- Bliss, C., probit analysis, 111–116
- Brant test, 188, 206
- Burnett bivariate probit model, 90–91
- Burr type II distribution, 203
- case-control studies, binary choice model, 97–98
- CDF, *see* cumulative density function
- censoring, 1
- characteristics, 2
- choice-based sampling, 96
- Chow test, 154
- classification problem, 254
- cluster corrected covariance matrix, for binary
 - choice estimator, 58
- compensating variation, 197
- complementary log log distribution, in binary
 - choice, 13–14
- conditional mean estimation, in random
 - parameters models, 247
- continuation ratio model, 120, 130
- count R-squared, 164, 165
- Cramer fit measure, 48

- cumulative density function (CDF), 14
 cumulative odds model, 129, 131
- deviance residuals, 47
 DIF (differential item functioning), 219–220,
 see also anchoring vignettes
 dummy variables
 partial effect in binary choice model, 31–32
 with empty cells, 46
 DVD ratings model, 1
- effects model, 57
 Mundlak's correction for probit and logit
 models, 71–72
 pooled estimation, 57–59
 testing for fixed or random effects, 57–74
 testing for heterogeneity, *see* fixed-effects model;
 random-effects model
 Efron fit measure, 46–47
 Eichengreen *et al.* Bank Rate model, 286–287
 elasticities of probabilities, 33–34
 EM algorithm, *see* expectation maximization
 algorithm
 endogenous sampling, binary choice model, 96
 expectation maximization (EM) algorithm,
 250–254
- finite mixture model, 248
 finite sample AIC (Akaike information
 criterion), 164
 Finney, probit analysis, 116
 fit measures, 39–43
 adjusted count R-squared, 164, 165
 AIC (Akaike information criterion), 45
 based on predicted probabilities, 48
 BIC (Bayes Information Criterion), 164
 count R-squared, 164, 165
 dummy variables with empty cells, 46
 example use, 167
 finite sample AIC (Akaike information
 criterion), 164
 Hannan-Quinn IC, 164
 Log AIC (Akaike information criterion), 45, 164
 model's ability to predict, 49–52
 perfect prediction, 45
 ROC plots, 53–54
 specification test, 53
 fitted probabilities, binary choice model, 38
 fixed effects model, 57, 59–66
 Fortran, 122–123
- Generalized Linear Models (GLIM) approach, 117
 generalized ordered choice model with random
 thresholds, 262–267
- generalized ordered logit model, 192
 generalized ordered probit model, 189–192
 generalized probit model, 209–214
 generalized residual, 183, 202
 German Socioeconomic Panel (GSOEP) data,
 28, 136
 Gibbs sampling, 22–23
 GMM estimation, random effects model, 68
 GOLogit, 189, 215–216, 233
 Gompertz distribution, in binary choice, 13–14
 GOProbit, 194, 233
 grouped data, 9–10
 binary choice estimation with iteratively
 reweighted least squares, 16–26
 example, 170
 GSOEP, *see* German Socioeconomic Panel data
 Gurland *et al.*, minimum chi squared estimation
 of an ordered response, 123–125
- Hannan-Quinn IC, 164
 happiness, equating with utility, 101–102
 Hausman heterogeneity test, 73
 Heckman and Singer semiparametric approach,
 random effects model, 68–71
 heterogeneity
 and thresholds, 219–222, *see also* individual
 heterogeneity
 heterogeneous scaling of random utility,
 232–236
 individually heterogeneous marginal
 utilities, 237
 testing in effects models, 72–74
 heterogeneous thresholds model, 210
 heteroscedastic ordered choice model, 232–233
 heteroscedastic ordered probit model, 240
 semiparametric estimator for, 321–322
 heteroscedasticity, 54–56, 202–203
 Hierarchical Ordered Probit (HOPIT)
 model, 214–219
 equivalence to vignette model, 238
 homogeneity of strata, testing for, 155
 HOPIT, *see* Hierarchical Ordered Probit model
 equivalence to vignette model, 238
- identification through functional form, 215
 IMDb.com, 2, 3
 incidental parameters problem, 60–62
 individual choice data, 9
 individual heterogeneity, 208–209
 inflation models, 302–306
- Kay and Little fit measure, 48
 Krinsky and Robb method, 37–38

- Lagrange multiplier (LM) test, 41–42, 55, 200–203
- latent-class modeling, 247–248
 application, 255
 endogenous class assignment, 258–261
 estimation by maximum likelihood, 249–254
 estimation of class assignments, 254
 latent-class model extension, 254–255
 ordered choice model, 248–249
- latent continuous variable, 134–135
- latent regression, 11
- likelihood function, 16–17
- likelihood ratio index, 44
- likelihood ratio tests, 40–41
 example, 153
 testing homogeneity of strata in data, 155
- LIMDEP (software), 233
- linear probability model (LPM), 13
- LM test, *see* Lagrange multiplier test
- log AIC (Akaike information criterion), 45, 163
- log likelihood maximization, 19–20
 Bayesian estimation by Gibbs sampling and MCMC, 21–24
 EM algorithm, 20–21
 method of scoring, 19–20
 Newton's method, 19
- logistic model, 131
- logit model, 16
- LPM, *see* linear probability model
- marginal effects, standard errors, 37–38
- Markov Chain Monte Carlo (MCMC) approach, 23–24, 109
 issues with, 179
- maximum likelihood estimation (MLE), 16–18
 covariance matrix estimation, 26–28
 example, 156
 issues with, 175
 random effects model, 67, *see also* log likelihood maximization
- McCullagh
 1980 paper, 5, 102, 110
 and Nelder (1989), 24
 cumulative odds model, 127–129
- McKelvey and Zavoina, xiii, xiv, 5, 99, 110, 127
 fit measure, 47–48, 162
- McFadden likelihood ratio index, 44
- MCMC approach, *see* Markov Chain Monte Carlo approach
- MCS (minimum chi squared estimator), 26, 115–116
- minimum chi squared estimator, *see* MCS
- missing data models, 20
- missing variables, LM test for, 200–202
- MLE, *see* maximum likelihood estimation
- multiple equations, 290–291
- multivariate ordered probit model, 299–301
- multivariate probit models, 93–96
- negative probabilities, 152, 190
- Netflix, ratings model, 1–5
- NLOGIT (software), 13–14, 27, 108, 152, 153
- nonparallel regressions, 132–134
- nonparametric duration model, 329–330
 application, 333–336
 unobserved heterogeneity, 331–333
- nonparametric specifications of binary choice, 13
- normalizations, impacts of different, 171
- odds ratios, 33
 standard error, 36
- ordered choice model
 definitions, 5
 dynamic models, 285–289
 introductions to, 6–7
 issues with, 181
 functional form issues, 181–182
 methodological issues, 198
 parameter heterogeneity, 281–285
 spatial autocorrelation, 289
 specification tests, 198–199
 against logistic and normal distributions, 203–205
 heteroscedasticity, 203
 missing variables, 199–203
 unspecified alternatives, 206–207
 testing for random or fixed effects, 278–281
 with fixed effects, 275
 with random effects, 268–274
- ordered choice regression model
 antecedents, 111
 development of, xiii
 social science data and regression analysis for binary outcomes, 116–117
 software for, 179, 180, *see also* self-assessed health status application of ordered choice regression model
- ordered logit model, 108, *see also* generalized ordered logit model
- ordered probit model, 5–6, 99
 analysis of data on ordered choices, 109–110
 anchoring vignettes, 222–226
 Bayesian (MCMC) estimation, 175–179
 log likelihood function, 108–109
 ordered choice as outcome of utility maximization, 103–105

- ordered probit model (*Cont.*)
 probabilities, 108
 underlying latent regression model, 99–103,
see also bivariate ordered probit models;
 multivariate ordered probit model; sample
 selected ordered probit model
 with endogenous treatment effects, 319
- ordered regression model, 130–132
 related models, 132
- ownership propensity, 103
- panel data
 bivariate ordered probit models, 297–298
 fixed effects, 268–274
 random effects, 268–274
 testing for random or fixed effects, 278–281
- panel probit model, 94
- parallel regression assumption, 182–184
 Brant test, 184–188, 206
- parallel regressions, 182–184
- parameter heterogeneity, binary choice model,
 75–80
- parameter variation, 239
- partial effects
 binary choice model, 31
 choice invariant ratios, 197–198
 example, 146, 157
 generalized ordered choice model, 193
- partial proportional odds model, 215–216
- Pearson residual, 47
- Pearson's Tables for Statisticians and
 Biometricians*, 111–113
- perfect prediction, 45
 example, 171
- polychoric correlation coefficient, 294
- pooled estimation
 effects model, 57–59
 random effects model, 66–67
- probit analysis, origin of, 111
- probit model, 11–16
- probits, 111
- proportional odds model/restriction, 128–129,
 184, 215–216
- pseudo R-squared, 44, 161–162, 163, 165
- QMLE, *see* quasi-maximum likelihood
 estimators
- quasi-maximum likelihood estimators
 (QMLE), 27
- random effects model, 57, 66
 GMM estimation, 68
 Heckman and Singer semiparametric
 approach, 68–71
- maximum likelihood estimator, 67
 pooled estimator, 66–67
- random parameters models, 239
 conditional mean estimation, 245–247
 implied heteroscedasticity, 239–240
 maximum simulated likelihood
 estimation, 240–243
 variance heterogeneity, 241
- random utility function, 2, 3
- random-effects ordered response model, 275
- receiver operating characteristic (ROC) plots,
 53–54
- recursive bivariate probit models, 90–91
- response consistency, 222, *see also* anchoring
 vignettes
- retrospective studies, 97
- robust covariance matrix estimation,
 example, 156
- ROC plots, *see* receiver operating characteristic
 plots
- sample selected bivariate ordered probit
 model, 317–319
- sample selected ordered probit model, 307–309
- sample selection models, 302, 307
 with ordered probit selection rule, 310–317
- sandwich estimator, 155
- SAS (software), 27, 107, 153
- scaled coefficients, example, 146
- scobit model, 203
- seemingly unrelated regressions (SUR) model, 290
- self assessed health status application of ordered
 choice regression model, 136–138
 average partial effects, 148
 dependent variable censoring, 171–173
 different normalizations, 171
 distributional assumptions, 138
 estimated ordered probit (logit) model,
 138–140
 estimation issues, 167
 grouped data, 167–170
 inference
 about coefficients, 150–154
 about partial effects, 157
 robust covariance matrix estimation, 155–156
 testing for structural change or homogeneity
 of strata, 154–155
 interpretation, 146
 measuring fit, 160–167
 MLE estimation, 173–175
 nonlinearities in the variables, 148
 partial effects, 142–146, 156–157
 perfect prediction, 170–171
 prediction, 157–160

- threshold parameters, 140–142
 - underlying regression, 142–150
- self-assessment component, 222–225
- semi-nonparametric analysis of ordered choice, 324–326
- semi-ordered bivariate probit model, 295
- semiparametric analysis of ordered choice, 320–321, 327–329
 - Bellemare *et al.* (2002) model, 327
 - distribution free estimator with unknown heteroscedasticity, 323–324
 - heteroscedasticity, 323
- semiparametric specifications of binary choice, 12–13
- sequential model, 130
- single crossing feature, 145, 193–197
- Snell, 1964 paper, 120–123
- SNP model, 324–326
- software
 - BLISS, 111–116
 - for ordered choice regression model, 179
 - NLOGIT, 13–14, 27, 108, 151–153
 - SAS, 27, 107, 151–153
 - Stata, 13–14, 27, 107, 152, 233, 241
- spatial autocorrelation, 289
- Stata (software), 13–14, 27, 107–108, 152, 232–233, 241
- Stereotype Ordered Regression Model, 183
- Stock Prices model (Tsay), 287–288
- SUR model, *see* seemingly unrelated regressions model
- symmetric distributions, 14
- tetrachoric correlation, bivariate binary choice model, 85–86
- threshold models, 209–214
- threshold parameters, inference about, 152
- thresholds, 2
 - and heterogeneity, 219–222
 - known, 132–133
- time series, 268–269, *see also* nonparametric duration model
- tolerances, 102, 119
- tradeoff ratio, 197
- trivariate ordered probit model, 299–301
- Tsay, *see* Stock Prices model
- Tutz, 130
- two-part models, 302
- utility, 1
 - and happiness, 101
- variation explained, 46–48
- Veall and Zimmermann fit measure, 45
- vignette component, 222–226
- vignette equivalence, 222, *see also* anchoring vignettes
- vignette model
 - application, 229–230
 - equivalence to HOPIT model, 237–238
 - testing assumptions, 228–229, *see also* anchoring vignettes
- Wald tests, 40
- Walker and Duncan, individual data and polychotomous outcomes, 125–126
- WESML (weighted endogenous sampling maximum likelihood) estimator, 96
- zero inflated ordered probit (ZIOP) model, 303
- zero inflation model, 302–306
- ZIOP model, *see* zero inflated ordered probit model
- ZIOPC model, 304