Cambridge University Press & Assessment 978-0-521-19420-4 — Modeling Ordered Choices William H. Greene , David A. Hensher Index More Information

Index

adjusted count R-squared, 164, 165 adjusted deviance residuals, 47 Agresti (2002), 128-129 AIC, see Akaike information criterion Aitchison and Silvey, 117-120 Akaike information criterion, (AIC), 45 anchoring vignette restriction, 226 anchoring vignettes, 219-222 in ordered probit model, 222-226 log likelihood and model identification, 226-227 multiple self-assessment equations, 230-232 Anderson (1984), 134 Anderson and Philips (1981), 132 APE, see average partial effects assessed ordered categorical variables, 181-182 average partial effects (APE) binary choice model, 36-37 example, 148

Bank Rate model (Eichengreen et al.), 286-287 Bayes Information Criterion (BIC), 164 Bellemare et al. (2002) model, 327 Ben-Akiva and Lerman fit measure, 48 bias reduction estimators, for binary choice models, 269-270 BIC, see Bayes Information Criterion binary choice model application to health satisfaction, 28-30 case-control studies, 97-98 definitions, 9 development of, 117 endogeneity of an RHS variable, 80-83 endogenous sampling, 96 estimation and inference, 16 goodness of fit measures, 39-43 hypothesis testing, 39 literature, 9 panel data, 57 parameter heterogeneity, 75-80 partial effects, 31, 32

probability models, 12 random utility formulation, 10–11, see also bivariate probit models; multivariate probit models bivariate ordered probit models, 291-294 applications, 295-297 panel data version, 297-298, see also sample selected bivariate ordered probit model; bivariate semi-ordered probit model bivariate Poisson regression model, 296 bivariate probit models, 83-85 marginal effects, 88-89 sample selection model, 91-93 testing for zero correlation, 86-87 tetrachoric correlation, 85-86, see also recursive bivariate probit models bivariate semi-ordered probit model, 295 BLISS (software), 116 Bliss, C., probit analysis, 111-116 Brant test, 188, 206 Burnett bivariate probit model, 90-91 Burr type II distribution, 203

case-control studies, binary choice model, 97-98 CDF, see cumulative density function censoring, 1 characteristics, 2 choice-based sampling, 96 Chow test, 154 classification problem, 254 cluster corrected covariance matrix, for binary choice estimator, 58 compensating variation, 197 complementary log log distribution, in binary choice, 13-14 conditional mean estimation, in random parameters models, 247 continuation ratio model, 120, 130 count R-squared, 164, 165 Cramer fit measure, 48

Cambridge University Press & Assessment 978-0-521-19420-4 — Modeling Ordered Choices William H. Greene , David A. Hensher Index

More Information

362

Index

cumulative density function (CDF), 14

cumulative odds model, 129, 131 deviance residuals, 47 DIF (differential item functioning), 219-220, see also anchoring vignettes dummy variables partial effect in binary choice model, 31-32 with empty cells, 46 DVD ratings model, 1 effects model, 57 Mundlak's correction for probit and logit models, 71-72 pooled estimation, 57-59 testing for fixed or random effects, 57-74 testing for heterogeneity, see fixed-effects model; random-effects model Efron fit measure, 46-47 Eichengreen et al. Bank Rate model, 286-287 elasticities of probabilities, 33-34 EM algorithm, see expectation maximization algorithm endogenous sampling, binary choice model, 96 expectation maximization (EM) algorithm, 250 - 254finite mixture model, 248 finite sample AIC (Akaike information criterion), 164 Finney, probit analysis, 116 fit measures, 39-43 adjusted count R-squared, 164, 165 AIC (Akaike information criterion), 45 based on predicted probabilities, 48 BIC (Bayes Information Criterion), 164 count R-squared, 164, 165 dummy variables with empty cells, 46 example use, 167 finite sample AIC (Akaike information criterion), 164 Hannan-Quinn IC, 164 Log AIC (Akaike information criterion), 45, 164 model's ability to predict, 49-52 perfect prediction, 45 ROC plots, 53-54 specification test, 53 fitted probabilities, binary choice model, 38 fixed effects model, 57, 59-66 Fortran, 122-123

Generalized Linear Models (GLIM) approach, 117 generalized ordered choice model with random thresholds, 262–267

generalized ordered logit model, 192 generalized ordered probit model, 189-192 generalized probit model, 209-214 generalized residual, 183, 202 German Socioeconomic Panel (GSOEP) data, 28, 136 Gibbs sampling, 22-23 GMM estimation, random effects model, 68 GOLogit, 189, 215-216, 233 Gompertz distribution, in binary choice, 13-14 GOProbit, 194, 233 grouped data, 9-10 binary choice estimation with iteratively reweighted least squares, 16-26 example, 170 GSOEP, see German Socioeconomic Panel data Gurland et al., minimum chi squared estimation of an ordered response, 123-125 Hannan-Quinn IC, 164 happiness, equating with utility, 101-102 Hausman heterogeneity test, 73 Heckman and Singer semiparametric approach, random effects model, 68-71 heterogeneity and thresholds, 219-222, see also individual heterogeneity heterogeneous scaling of random utility, 232-236 individually heterogeneous marginal utilities, 237 testing in effects models, 72-74 heterogeneous thresholds model, 210 heteroscedastic ordered choice model, 232-233 heteroscedastic ordered probit model, 240 semiparametric estimator for, 321-322 heteroscedasticity, 54-56, 202-203 Hierarchical Ordered Probit (HOPIT) model, 214-219 equivalence to vignette model, 238 homogeneity of strata, testing for, 155 HOPIT, see Hierarchical Ordered Probit model equivalence to vignette model, 238 identification through functional form, 215 IMDb.com, 2, 3 incidental parameters problem, 60-62

individual choice data, 9 individual heterogeneity, 208–209 inflation models, 302–306

Kay and Little fit measure, 48 Krinsky and Robb method, 37–38

CAMBRIDGE

Cambridge University Press & Assessment 978-0-521-19420-4 — Modeling Ordered Choices William H. Greene , David A. Hensher Index

More Information

363	Index	
	Lagrange multinlier (LM) test 41_42 55 200_203	MLF. see maximum likelihood estimation
	latent-class modeling 247-248	multiple equations 290–291
	application 255	multivariate ordered probit model 200, 301
	endogenous class assignment 258–261	multivariate probit models 93_96
	estimation by maximum likelihood 249–254	mutivariate probit models, 93–96
	estimation of class assignments 254	
	latent-class model extension 254_255	negative probabilities, 152, 190
	ordered choice model 248–249	Netflix, ratings model, 1–5
	latent continuous variable 134–135	NLOGIT (software), 13-14, 27, 108, 152, 153
	latent regression 11	nonparallel regressions, 132–134
	likelihood function 16–17	nonparametric duration model, 329–330
	likelihood ratio index 44	application, 333–336
	likelihood ratio tasta 40, 41	unobserved heterogeneity, 331–333
	average 153	nonparametric specifications of binary choice.
	example, 155	normalizations, impacts of different, 171
	LIMDEP (software), 233	
	linear probability model (LPM), 13	odds ratios. 33
	LM test, see Lagrange multiplier test	standard error. 36
	log AIC (Akaike information criterion),	ordered choice model
	45, 163	definitions 5
	log likelihood maximization, 19–20	dynamic models 285, 289
	Bayesian estimation by Gibbs sampling and	introductions to 6.7
	MCMC, 21–24	introductions to, 0–7
	EM algorithm, 20–21	for the set formation of the set
	method of scoring, 19–20	
	Newton's method, 19	methodological issues, 198
	logistic model, 131	parameter heterogeneity, 281–285
	logit model, 16	spatial autocorrelation, 289
	LPM, see linear probability model	specification tests, 198–199
		against logistic and normal
	marginal effects, standard errors, 37–38	distributions, 203–205
	Markov Chain Monte Carlo (MCMC) approach.	heteroscedasticity, 203
	23–24 109	missing variables, 199–203
	issues with 179	unspecified alternatives, 206–207
	maximum likelihood estimation (MLE) 16–18	testing for random or fixed effects, 278-281
	covariance matrix estimation 26–28	with fixed effects, 275
	example 156	with random effects, 268–274
	issues with 175	ordered choice regression model
	random effects model 67 see also log likelihood	antecedents, 111
	maximization	development of, xiii
	McCullagh	social science data and regression analysis for
	1980 paper 5, 102, 110	binary outcomes, 116–117
	and Nelder (1989) 24	software for, 179, 180, see also self-assessed
	cumulative odds model 127, 129	health status application of ordered cho
	McKelwey and Zeweine wiji wiy 5, 00, 110, 127	regression model
	ft measure 47, 48, 162	ordered logit model 108 see also generalized
	MaEaddan likelihood natio in day 44	ordered logit model
	MCMC annual have Markers Chain Manta Cash	ordered probit model 5-6 99
	MUMU approach, see Markov Unain Monte Carlo	analysis of data on ordered choices 100, 110
	approacn	analysis of data of ofdered choices, 109–110
	MCS (minimum chi squared estimator), 26,	anchoring vignettes, 222–226
	115–116	Bayesian (MCMC) estimation, 175–179
	minimum chi squared estimator, see MCS	log likelihood function, 108–109
	missing data models, 20	ordered choice as outcome of utility
	missing variables, LM test for, 200–202	maximization, 103–105

CAMBRIDGE

Cambridge University Press & Assessment 978-0-521-19420-4 — Modeling Ordered Choices William H. Greene , David A. Hensher Index

More Information

ordered probit model (Cont.)	maximum likelihood estimator, 67
probabilities, 108	pooled estimator, 66–67
underlying latent regression model, 99–103,	random parameters models, 239
see also bivariate ordered probit models;	conditional mean estimation, 245–247
multivariate ordered probit model; sample	implied heteroscedasticity, 239–240
selected ordered probit model	maximum simulated likelihood
with endogenous treatment effects, 319	estimation, 240–243
ordered regression model, 130–132	variance heterogeneity, 241
related models, 132	random utility function, 2, 3
ownership propensity, 103	random-effects ordered response model, 275 receiver operating characteristic (ROC) plots,
panel data	53–54
bivariate ordered probit models, 297–298	recursive bivariate probit models, 90–91
fixed effects. 268–274	response consistency, 222, <i>see also</i> anchoring
random effects, 268–274	vignettes
testing for random or fixed effects, 278–281	retrospective studies, 97
panel probit model. 94	robust covariance matrix estimation.
parallel regression assumption, 182–184	example, 156
Brant test. 184–188. 206	ROC plots, see receiver operating characteristic
parallel regressions, 182–184	plots
parameter heterogeneity, binary choice model.	L
75–80	sample selected bivariate ordered probit
parameter variation, 239	model, 317–319
partial effects	sample selected ordered probit model. 307–309
binary choice model, 31	sample selection models, 302, 307
choice invariant ratios, 197–198	with ordered probit selection rule, 310–317
example, 146, 157	sandwich estimator, 155
generalized ordered choice model, 193	SAS (software), 27, 107, 153
partial proportional odds model, 215–216	scaled coefficients, example, 146
Pearson residual, 47	scobit model. 203
Pearson's Tables for Statisticians and	seemingly unrelated regressions (SUR) model
Biometricians, 111–113	self assessed health status application of ordere
perfect prediction, 45	choice regression model. 136–138
example, 171	average partial effects, 148

QMLE, *see* quasi-maximum likelihood estimators quasi-maximum likelihood estimators (QMLE), 27

polychoric correlation coefficient, 294

random effects model, 66-67

proportional odds model/restriction, 128-129,

pseudo R-squared, 44, 161-162, 163, 165

pooled estimation

probits, 111

effects model, 57-59

184, 215-216

probit analysis, origin of, 111 probit model, 11–16

random effects model, 57, 66 GMM estimation, 68 Heckman and Singer semiparametric approach, 68–71 dependent variable censoring, 171–173 different normalizations, 171 distributional assumptions, 138 estimated ordered probit (logit) model, 138-140 estimation issues, 167 grouped data, 167-170 inference about coefficients, 150-154 about partial effects, 157 robust covariance matrix estimation, 155-156 testing for structural change or homogeneity of strata, 154-155 interpretation, 146 measuring fit, 160-167 MLE estimation, 173-175 nonlinearities in the variables, 148 partial effects, 142-146, 156-157 perfect prediction, 170-171 prediction, 157-160

CAMBRIDGE

Cambridge University Press & Assessment 978-0-521-19420-4 — Modeling Ordered Choices William H. Greene , David A. Hensher Index

More Information

365

Index

threshold parameters, 140-142 underlying regression, 142-150 self-assessment component, 222-225 semi-nonparametric analysis of ordered choice, 324-326 semi-ordered bivariate probit model, 295 semiparametric analysis of ordered choice, 320-321, 327-329 Bellemare et al. (2002) model, 327 distribution free estimator with unknown heteroscedasticity, 323-324 heteroscedasticity, 323 semiparametric specifications of binary choice, 12 - 13sequential model, 130 single crossing feature, 145, 193-197 Snell, 1964 paper, 120-123 SNP model, 324-326 software BLISS, 111–116 for ordered choice regression model, 179 NLOGIT, 13-14, 27, 108, 151-153 SAS, 27, 107, 151-153 Stata, 13-14, 27, 107, 152, 233, 241 spatial autocorrelation, 289 Stata (software), 13-14, 27, 107-108, 152, 232-233, 241 Stereotype Ordered Regression Model, 183 Stock Prices model (Tsay), 287-288 SUR model, see seemingly unrelated regressions model symmetric distributions, 14 tetrachoric correlation, bivariate binary choice model, 85-86 threshold models, 209-214 threshold parameters, inference about, 152

thresholds, 2 and heterogeneity, 219-222 known, 132–133 time series, 268-269, see also nonparametric duration model tolerances, 102, 119 tradeoff ratio, 197 trivariate ordered probit model, 299-301 Tsay, see Stock Prices model Tutz, 130 two-part models, 302 utility, 1 and happiness, 101 variation explained, 46-48 Veall and Zimmermann fit measure, 45 vignette component, 222-226 vignette equivalence, 222, see also anchoring vignettes vignette model application, 229-230 equivalence to HOPIT model, 237-238 testing assumptions, 228–229, see also anchoring vignettes Wald tests, 40 Walker and Duncan, individual data and polychotomous outcomes, 125-126 WESML (weighted endogenous sampling maximum likelihood) estimator, 96 zero inflated ordered probit (ZIOP) model, 303 zero inflation model, 302-306 ZIOP model, see zero inflated ordered probit

model

ZIOPC model, 304

© in this web service Cambridge University Press & Assessment