Cambridge University Press 978-0-521-19921-6 — A Guide to Feedback Theory Joel L. Dawson Index <u>More Information</u>

# Index

actuators, 61, 65 aliasing, 49, 105, 159, 162, 165, 166, 168 analog multipliers, 14 analog-to-digital converter (ADC), 157-159 delay, 163 low-latency, 164 pipelined, 163 quantization, 159 successive-approximation, 163 analysis equation discrete time Fourier transform, 49 Fourier series, 25 Fourier transform, 27 anti-aliasing filter, 159 aperiodic signals, 26 approximation, art of, 92 bandwidth ( $\omega_h$ ) second-order system, 98 Black's formula, 69, 78, 80, 83 block diagrams, 55, 58 rules governing, 58 Bode plots, 126 accuracy in hand analysis, 126 and Nyquist plots, 127, 134 and phase margin, 138, 144 in discrete time, 146 of loop transmissions, 116 of pure delays, 142 boundary conditions, 155, 157 capacitance

physical meaning of, 2

capacitor, 1, 7, 11, 14 charged with imaginary voltage, 19 constitutive law, 2 discharge, 1, 2, 6 in superposition discussion, 15 in time invariance discussion, 15 voltage, 4 Cauchy's principle of the argument, 119, 120, 122, 125 accounting, 123 change of variables, 160, 166, 167 characteristic equation, 9, 17, 20, 36 closed-loop, 81 compensation, 76, 77, 108 and poles in right-half plane, 76 and root locus, 81 definition of, 76 discrete time, 165, 169 dominant pole, 107, 108 gain vs. dynamics, 77 lag, 108-110 lead, 108, 110 PID, 111 complex conjugates, 20 complex numbers, 9 algebraic necessity of, 11 and Euler's relation, 42 as vectors, 42 geometrical picture of, 42 in the Z-transform, 50 logarithm of, 9 polar form of, 9 subtraction of, 42

to describe purely real quantities, 11

183

Cambridge University Press 978-0-521-19921-6 — A Guide to Feedback Theory Joel L. Dawson Index <u>More Information</u>

### 184

Index

complex plane, 42, 44, 45 conformal mapping, 117, 118 not to scale, 117 conjugate symmetry, 22, 128, 134 definition of, 21 contour integral, 35, 50, 165-167 convolution, 15 discrete time, 50 integral, 32, 47 sum, 32 cross-modulation, 18 cross-modulation terms, 14 cruise control system, 56, 61, 138 dynamics of, 63 D contour, 124, 125 curved part, 126 poles on, 152 damping heavy, 94 light, 94 damping ratio ( $\zeta$ ), 96, 102 delay, 70 and convergence for adaptive predistorters, 171 and digital pipelining, 170 as poles at the origin of the z-plane, 169 digital filters, 170 for DT control of CT systems, 163-165 fundamental importance of, 70, 71 half-sample, 162-164 impact on phase response, 72, 73 in communications systems, 163 in data converters, 158, 163 unit sample, 169, 170  $\delta$  function, 30, 31 Fourier transform of, 33 derivatives, 8, 10, 12, 28, 33, 34, 48 definition, 7 first-order, 8 higher-order, 8 of exponentials, 18, 19 second-order, 8, 9 difference equations, 6 and z, 50 and differential equations, 49 differential equations, 1, 2, 11-15, 22, 36 and s, 50 and difference equations, 47, 49 and frequency response, 26 and the Fourier transform, 33

and the Laplace transform, 35 are natural, 8, 12 as a shorthand, 3 becoming algebraic equations, 33, 36 first-order, 7 general form of, 16, 34, 36 reduced to polynomial equations, 17 solving, 16, 33 system of first-order, 11 with exponential drive, 18, 19 digital-to-analog converter (DAC), 157, 158 and half-sample delay, 162 low-latency, 164 operation of, 160 spectral replicas, 161 discrete time (DT) oversampled limit, 102 dynamics in compensation, 77 effective number of bits (ENOB), 159 eigenfunctions, 18 eigenvalues, 147, 150 eigenvectors, 19, 147, 150 encirclements definition of, 119 examples, 120 negative, 120 equilibrium definition, 67 stable, 67 unstable, 67 error in feedback systems, 56 Euler's relation, 9, 11, 20, 42 exponentials and roots of characteristic equations, 17 differentiating, 17, 18 exponentials, complex, 19, 20, 23, 24, 28, 33, 47 and time invariance, 15 CT vs. DT, 49 in continuous time, 49 in discrete time, 50 and frequency domain methods, 22 and phasors, 21 and transfer functions, 18 as eigenfunctions of LTI systems, 18, 47 convenience of, 21 Fourier transform of, 29 imaginary parts, 19

Cambridge University Press 978-0-521-19921-6 — A Guide to Feedback Theory Joel L. Dawson Index <u>More Information</u>

#### Index

in difference equations, 49 in differential equations, 17 in ZIRs and ZSRs, 16 special place in LTI systems, 15, 17, 18, 28 feedback fundamental advantage, 57 final value theorem, 44, 45 Fourier series, 23, 25 Fourier transform, 15, 26, 27, 29, 33 and differential equations, 33, 34 and impulse response, 33 in discrete time, 49 inverse, 29, 46 meaning of, 23 of first derivative, 33 of higher-order derivatives, 34 vs. Laplace transform, 35, 36 frequency domain methods, 15 gain, 77, 86 and lag compensation, 108 and lead compensation, 108

and PID control, 112 and root locus, 78, 89 at high frequencies, 107, 109, 110 at low frequencies, 107, 109, 110 block, 59 DC, 71 frequency-independent, 77, 81 prioritized in different frequency ranges, 108 variation of in forward path, 71 gain reduction, 105-107 is bad, 107 granularity in nature, 3 greed and bandwidth, 137 Green's functions, 15

#### harmonics, 24

impulse response, 15 continuous time, 32 contributions of each pole, 39 discrete time, 50 driven RC circuit, 37, 38 driving with train of impulses vs. continuous drive, 40 Fourier transform of, 33 185

linearity and time invariance, 47 multiple poles, 39 slow systems, 33 Z-transform of, 50 impulses, 29 and Laplace transform integration limits, 35 and slow-responding systems, 40 and unilateral Laplace transform, 35 behavior under integral, 30 continuous time, 30 discrete time, 50 Fourier transform of, 33 importance of area, 31 Laplace transform of, 37 shape, 30 superposition of time-delayed, 31, 32 inductor, 11 current, 11, 19 initial value theorem, 44, 46 integrals, 28 and calculus of residues, 35 and impulses, 30 convolution, 15 definition of, 27 integration by parts, 33, 34, 45 integrators, 67, 83 and dominant pole compensation, 107 discrete time, 170 intermodulation terms, 14 Laplace transform, 15, 35-37 and differential equations, 36 and impulse response, 37 bilateral, 19

definition, 35 inverse, 35, 37, 46 lower integration limit, 35 of unit step, 38 one-sided, 19 table of inverse transforms, 35, 46 vs. Fourier transform, 35 least-squares fit, 5 linear algebra, 147, 149 linear operator, 13 linear phase and delay, 73 linearity, 13-18, 21, 32, 47 linearization, 5 loop transmission, 66, 82, 83 and delay, 70 and fundamental oscillation condition, 74

Cambridge University Press 978-0-521-19921-6 — A Guide to Feedback Theory Joel L. Dawson Index <u>More Information</u>

### 186

loop transmission (Cont.) definition of, 66 getting sign right, 174 importance of, 67, 69, 70 in closed-loop transfer function, 70 normalized, 152 sign convention, 66 magnitude peaking  $(M_{\rm D})$ , 98 matrices, 147, 150 measurement limits, 30 memoryless system, 32 mixers. 14 mixing term, 14 multiplier, 60 music, 23 musicians, 23, 24

natural frequency ( $\omega_n$ ), 96 noncausal system, 13 nonlinear systems, 13, 14, 51 approximated as linear systems, 51 nonlinearity, 14 numerical fit, 12 Nyquist plots, 125, 128, 134, 142 and Bode plots, 127 and delay, 142 degree of stability, 138, 139 half, 134 public address system, 179 singularities on the  $j\omega$  axis, 152 Nyquist stability criterion, 116, 137 accounting, 132, 134 and Cauchy's principle of the argument, 119 and conformal mapping, 117 and phase margin, 138, 144 definition, 123 harmony with root locus, 132 in discrete time, 146 lack of nuance, 138 summary, 125

oscillation and the loop transmission, 74 as resonance, 155 fundamental condition, 74, 75, 107 wrong intuition, 151 public address system, 180 oscillators and closed-loop poles, 70 definition, 74

#### Index

ideal, 81 unintended, 74 oversampling, 159, 165, 168 and real-time control, 163 overtones, 24 partial fraction expansion, 38, 39 partials, 24 percentage overshoot  $(P_0)$ , 97 periodic signals, 23, 25, 26 phase margin, 116, 137, 138 advantages of, 138 and characteristics of second-order systems, 145 and degree of stability, 138 definition of, 143 reading off a Bode plot, 144 surprising result, 152 phase response as a frequency-dependent delay, 73 phasors, 21, 22 technique, 21 PID control, 111 and poles and zeros, 112 pole-zero diagram, 75, 80, 81, 84, 91, 94 and delay, 117 in discrete time, 100 poles, 36, 86 and compensation, 81 and impulse response, 39 and speed of response, 36, 38 and the D contour, 124 and the fundamental oscillation condition, at the origin, 43, 86, 90, 112 closed-loop, 70, 79, 80, 83, 85, 89 conjugate pairs, 87, 90 definition of, 37 dominance of, 91, 93 dominant, 40, 91, 92, 107 effect on sinusoids, 43, 44 fast, 39 geometric view of, 40, 44, 83, 87 in pole-zero diagrams, 75 in right-half plane, 76, 90 lightly damped, 43 multiple, 39 number of. 86 of an oscillator, 74 on root locus, 80, 81 open-loop, 83

Cambridge University Press 978-0-521-19921-6 — A Guide to Feedback Theory Joel L. Dawson Index <u>More Information</u>

#### Index

real, 43 right-half plane (RHP), 39, 70, 75, 174 slow, 39 small k in root locus, 86 unmodeled, 106, 134 widely spaced, 89, 92, 126 polynomial, 4, 6, 17, 18, 39 and computational hardware, 5 equation, 17 expansions, 5 fitting, 5 roots of, 17 positive feedback, 132 predistortion adaptive, 171 public address system, 175 pulses, rectangular, 31 quadratic formula, 9 residues, calculus of, 35 resistor, 1, 2 resolution limit, 30 resonance, 155, 157 Riemann sum, 27 right-half plane (RHP), 75, 93 and the Nyquist stability criterion, 122 definition of, 75 rise time  $(t_r)$ , 97 root locus, 76, 79 and compensation strategy, 83, 89, 91, 105 and delay, 117 and numerical values of k, 89 and phase response, 73 angle condition, 83, 89 arrow directions on loci, 85 definition, 79 drawing to scale, 89 first example, 81 in discrete time, 99, 101 limitations of, 137 list of rules, 85 magnitude condition, 83, 85 usefulness of, 81 roots nondistinct 17 of characteristic equation, 17, 20 of transfer function numerator, 39 repeated, 39

### 187

sampling, 159 fast, 163, 164 slow, 169 theoretical minimum rate, 165 second-order systems, 93 canonical transfer function, 96 forest vs. trees, 99 parameters to describe, 93 sensors, 61, 65, 105 settling time  $(t_{s2\%})$ , 97 shorthand, 3, 7, 10, 28, 51, 93, 99, 149 sinc function, 162-164 singularities, 37 geometric view of, 40 phase contribution, 72 sinusoids, 20-22, 29, 31, 33, 42, 43 and impulses, 33 and LTI systems, 21 and periodic signals, 23 and phasors, 21 and the Fourier transform, 30 complex, 25 effect of poles on, 43, 44 nondecaying, 43 of infinite extent, 152 purely real, 20 with very small separation, 30 speed of sound, 177 squarer, 13, 14 stability margins, 138 state variables, 11, 15-17, 148-150 step response, 39, 45 strategy compensation, 83 conservative, 106 control, 105 summing junction, 59 superposition, 13-15, 22, 25, 31, 74, 155 synthesis equation discrete time Fourier transform, 49 Fourier series 25 Fourier transform, 27 Taylor expansion, 12 timbre, 24 time constant, 40 time invariance, 15, 32, 47 time step, 5, 40, 48 transfer function, 18, 23, 33

and frequency response, 26

and impulse response, 33

Cambridge University Press 978-0-521-19921-6 — A Guide to Feedback Theory Joel L. Dawson Index <u>More Information</u>

### 188

#### Index

transfer function (Cont.) and step response, 38 discrete time, 49, 50 general form of, 39, 41 geometric view of singularities, 40, 42 of a driven RC circuit, 37, 38 poles of, 36 symbol for, 29 transform methods, 35

undersampling, 159 unit step function, 38 definition of, 37 Laplace transform of, 38 unity crossover frequency, 164 unity-gain feedback loop, 78

vectors, 41, 43, 44 as representing complex numbers, 42 subtraction of, 41 viscous resistance, 63 Z-transform, 15, 50, 167 inverse, 50, 166 of unit delay, 169 zero-input response (ZIR), 16, 20 zero-order hold (ZOH), 160 and half-sample delay, 162 and Laplace transform, 168 zero-state response (ZSR), 16, 18, 20-22, 34 zeros, 40, 42 and compensation, 81 and the D contour, 124 at infinity, 86 definition of, 39 dominant, 92 effect on sinusoids, 43 geometric view of, 40, 44, 83, 87 in PID control, 112 in pole-zero diagrams, 75 on root locus, 86 widely spaced, 126