

Index

- \sim , 90
 $(\cdot)^*$, 135
 $\alpha_{\text{End}(G)}$, 52
 A_G , 52
 A_R , 52
 \mathbf{Ab} , 265, 302
 adjoint isomorphism, 251, 252
 admits a G -cover, 261
 Albrecht, U. 129, 199
 algebraic number field, 78, 90, 94, 99, 101,
 102, 304
 Arnold's theorem, 63, 110
 Arnold–Lady theorem, 7, 107, 110
 Artinian ring, 314
 Artinian classical ring of quotients, 339
 asymptotically equal, 36, 305
 Azumaya, G. 153
 Azumaya–Krull–Schmidt theorem, 312, 314,
 340–342
 β_R , 52
 B_R , 52
 Baer Criterion for Injectivity, 252
 Baer–Kulikov–Kaplansky theorem, 358
 Baer's lemma, 191, 192, 260
 balanced G -split, 202
 balanced onto its image, 150
 balanced semi-primary group, 71
 balanced subgroup, 71
 Beaumont–Pierce theorem, 230, 231, 233, 236
 $\text{BiEnd}_{\mathbf{Z}}(G)$, 225
 \mathbf{Bim} , 281, 296
 bracket group, 73
 Butler's theorem, 308
 C_T , 57
 $\text{cogd}(G)$, 210
 $\text{coed}(G)$, 206
 $\text{coP}(\text{End}_R(G))$, 134
 $\text{coP}(G)$, 134, 171
 $\text{coP}_o(G)$, 134
 $C_G(\cdot)$, 63
 $\text{Cl}(\bar{E})$, 90
 $\text{Cl}(E, \tau)$, 90, 93
 $\text{Cl}(\text{End}_R(G))$, 158
 γ_G , 63, 72
 $\Gamma(X)$, 10
 category equivalence, 120, 126–128, 142
 cancellation property, 20–23, 29, 30, 32, 36–38,
 41, 43, 45, 303
 cancellation property in \mathbf{KAb} , 303
 center, 49, 51, 60, 61, 68, 70, 72, 75, 78, 81, 90,
 91, 102, 228, 241
 chain map, 118, 137
 Chinese Remainder Theorem, 82
 class number of G , 16, 304
 class number of \mathbf{k} , 17, 23, 32, 304
 class number of X in \mathbf{KAb} , 305
 classic reduced norm, 85
 classical right ring of quotients, 313
 cocommutative, 9, 11, 14–26, 32, 37, 39
 cogenerator, 170, 238, 258–261, 263
 coglobal dimension, 210
 $\mathbf{Coh}\text{-End}_R(G)$, 272, 299
 \mathbf{Coh} -injective modules, 254
 \mathbf{Coh} -injective, 255–258
 \mathbf{Coh} -self-injective, 258
 coherent, 140, 203, 226
 coherent coglobal dimension, 210
 coherent flat dimension, 215
 coherent G -plex, 125
 coherent module, 125, 254
 coherent X -plex, 298
 coherent X -cplex, 299
 cokernel group, 73
 cokernel ring, 125, 141
 commutative square, 91
 complete set of algebraic invariants, 275
 complete set of topological invariants, 275
 complete set of topological invariants for \mathbf{Ab}
 modulo isomorphism, 302
 complete set of algebraic invariants for \mathbf{KAb}
 modulo homotopy equivalence, 302
 complete set of topological invariants for \mathbf{S}
 modulo \cong , 301
 completely decomposable, 74, 75
 $\mathbf{Complex}$, 265
 conductor of group, 61
 conductor, 49, 51, 53–57, 59–67, 69–72, 75, 78,
 81, 91, 102, 111, 228, 241, 248
 Corner's theorem, 146, 327
 Corner module, 178, 190
 Corner ring, 178, 190

- countable reduced torsion-free group, 139, 143, 144
- Dedekind domain, 70–72, 81, 91, 94, 101
 Dedekind E -ring, 240
 Dedekind group, 70
 direct product, 1
 direct sum, 1
 discrete valuation domain, 83
 doubly G -cobalanced, 223, 225, 226
 duality, 135, 138, 139
- η_G , 52, 61
 $\text{ed}(G)$, 185
 $\text{ed}_G(\mathcal{Q})$, 179
 eEe , 3
 $E(G)$, 9, 49
 $E_\tau(G)$, 61, 66
 $E(\tau)$, 53
 E -coherent, 226
 E -cyclic group, 240
 E -domains, 232, 233
 E -finitely generated, 221, 223–225, 229, 230, 233–235, 238–240, 246
 E -finitely presented, 225, 226, 228, 240
 E -flat group, 109
 E -generator, 237, 239, 240
 E -lattice, 50, 81
 E -Noetherian group, 235
 E -progenerator, 237, 239, 240
 E -projective, 223, 240, 242, 245
 E -projective cover, 226, 227
 E -quasi-projective, 244, 245
 E -ring, 229, 242
 Eichler group, 103–105, 110
 Eilenberg-MacLane spaces, 284
 $\text{End}_R(G)$, 1
 $\mathbf{P}(\text{End}_R(G))$, 160
 $\text{End}_R(G)$ -**Coh**, 140, 272
 $\text{End}_R(G)$ -**FG**, 141
 $\text{End}_R(G)$ -**FP**, 141
 $\text{End}_R(G)$ -**Mod**, 134, 135, 137–139
 $\text{End}_{\mathbb{C}}(X)$, 285
 endomorphism modules, 219
 endomorphism ring, 1
 essential, 220
 exact dimension, 179
 $\text{Ext}_{\mathbb{Z}}^1(G, G)$, 111
- Φ , 6
 Φ_X , 135
 $\text{cohgd}(G)$, 210
 $\text{fd}(G)$, 195
 $\text{fd}_E(G)$, 185, 189, 196
 $\text{cohgd}(G)$, 177, 211
 \mathbf{FP} - $\text{End}_R(G)$, 125
 Faith-Utumi Theorem, 317
 faithful functor, 138, 139, 148
 faithful group, 157
 faithful E -flat R -module, 160
 faithful R -module, 191
 finite G -hull, 226, 227
 finite Goldie dimension, 222
 finitely faithful, 109, 111
 finitely faithful \mathcal{S} -group, 103
 finitely G -cogenerated, 141
 finitely G -copresented, 140
 finitely G -generated, 126, 127, 175, 211, 215
 finitely G -presented, 126, 209
 finitely G -split, 193, 199
 finitely generated modules, 141
 finitely presented, 141
 flat, 110, 157
 flat dimension, 146, 177
 flat resolution, 177
 fp faithful R -module, 191
 fp G -split, 191
 FP-injective, 209
 fractional ideal, 11, 94
 Free Complex, 266
 full functor, 121, 139
 full subcategory, 125
 Fuller, K. 153
 fundamental group, 284
- $G(\tau)$, 64
 G^τ , 64
 $\text{gd}(G)$, 188
 G -balanced, 115, 131, 202, 250, 251, 261, 262
 G -balanced onto its image, 148, 149, 152, 154
 G -**Cl**, 167
 G - $\overline{\mathbf{Cl}}$, 171
 G -closed, 167
 G -closed in, 157
 G -cobalanced, 223–225, 227
 G -cobalanced from its kernel, 169, 170
 G -cobalanced in W , 223
 G -**CohPlex**, 125
 G -**Cohcplx**, 140
 G -**Coh**, 129
 G -**Coh**-monomorphism, 255, 157, 183
 G -coherent modules, 255
 G -cogenerator, 258–260
 G -cocohherent, 141
 G -coherent, 125–127
 G -**Coplx**, 137, 206
 G -coplex, 136
 G -**coCoh**, 167
 G -copresented, 141
 G -**coPlex**, 288, 290, 292
 G -**coSol**, 167
 G -cosolvable, 167
 G -dense in M , 157
 G -**FP**, 126
 G -**Hom**, 164
 G -**Gen**, 148, 153
 G -**Gen**, 148, 155
 G -generated, 113, 196, 198–200, 215, 261
 G -monomorphism, 250–254, 257, 260–262, 264
 G -plex, 114
 G -**Plex**, 119
 G -**Pres**, 129
 G -presented, 132
 G -projective dimension, 180
 G -reject, 204
 G -socle, 113
 G -**Sol**, 129
 G -solvable, 129, 131, 185, 215

370

G -split, 191–193, 195, 196, 199
 G -**Sub**, 158
 G -subgenerated, 154, 187
 G -torsion $\text{End}_R(G)$ -module, 157
 G -torsionless, 167, 168, 204, 206
 G -torsion-free $\text{End}_R(G)$ -module, 157
 Gaussian integers, 45
 generator, 157, 246
 global dimension of G , 188
 Gödel's Constructibility Hypothesis, 134
 Goldie's theorem, 333
 group of units, 95

 h_0 , 167
 $h(E)$, 12
 $h(G)$, 16, 304
 $h(G(p))$, 33, 34
 $h(\mathbf{k})$, 17, 23
 $h(X)$, 305
 $h_G(\cdot)$, 121
 h^G , 139, 140
 $\mathbf{H}_G(\cdot)$, 6
 H_k , 115
 H_0 , 132, 296
 $h_X(\cdot)$, 291, 296
 $h^X(\cdot)$, 292
 $\text{Hom}_{\mathbb{C}}(U, V)$, 285
 Hamiltonian quaternions, 104, 105, 111
 hereditary ring, 109
 homology functor, 266
 homology groups, 115
 homomorphisms, 1
 homotopic chain maps, 121
 homotopic spaces, 284
 homotopic to, 119
 homotopic topological spaces, 267
 homotopy, 118, 119
 homotopy equivalence of ladder maps, 287
 homotopy equivalence class, 119
 homotopy type, 119

 $\{I\}$, 92
 $\text{id}_E(E, \tau)$, 87
 $\text{id}_E(\bar{S})$, 94
 $\text{id}_E(S, \tau)$, 94, 98
 $\text{id}_E(G)$, 206
 $\text{Inv}(S)$, 94
 idempotent, 3
 idempotents lift modulo, 52
 indecomposable, 1, 65, 66
 index of G , 71
 injective, 143, 195, 249, 251–258, 260–262, 264
 injective cogenerator, 207
 injective dimension, 206
 injective module, 252
 injective relative to, 253
 integrally closed ring, 102, 106
 integrally closed group, 13
 integral closure of a group, 13
 integral closure of a ring, 10
 internal cancellation property, 18
 inverse category equivalences, 122
 invertible ideal, 94, 247

Index

\mathcal{J} -group, 103, 109, 110
 Jacobson radical, 2
 Jategaonkar's example, 314
 Jónsson's theorem, 18, 105, 106, 110, 232, 340

 $\widehat{K}(\cdot)$ 290
 $\widehat{K}^*(\cdot)$ 291
KAb, 302
K-decomposition, 302
 K -indecomposable spaces, 305
 kernel group, 73
 $K(G, 1)$ -space, 284

 λ_G , 61–63
 λ_τ , 55
 L , 26
 $L(p)$, 32–34, 39, 41
 \mathcal{L} -group, 103, 106, 107, 109–111
 $\mathcal{L}(G)$, 161
 $\mathcal{L}(\text{End}_R(G))$, 161
 $\mathcal{L}_c(\text{End}_R(G))$, 161
 $L_\tau(\cdot)$, 55
 $L_G(\cdot)$, 61
 ladder map, 287
 $\text{lgd}(E)$, 211
 $\text{lgd}(\text{End}_R(G))$, 210
 local direct summand, 245
 local isomorphism, 9, 61
 local principal right ideal domain, 314
 local refinement property, 66
 local ring, 2, 109, 339
 locally isomorphic, 65, 77, 79–83, 92, 99–101, 106, 107, 304
 Locally semi-perfect rings, 67
 locally unique decomposition, 65, 66

 (μ) , 134, 136, 138, 140, 142, 166, 168, 169, 171, 203, 204, 211, 270–272, 274, 280, 281, 290, 293, 296–298, 301, 309
 m , 31
 \widehat{m} , 31
 \widehat{m}_p , 32, 39
 M -indecomposable, 276, 277, 278
 M -spaces, 269
 margimorphic, 312, 323–325, 327–343, 345, 348–360
 margimorphism, 312, 315, 323–331, 334, 335, 337–339, 342, 346, 351, 357, 360
 margimorphism pair, 323
 marginal decomposition, 323
 marginal summand, 312, 323, 327, 329, 343, 344, 346, 349, 353
 maximal ideal, 82, 96
 maximal order, 49, 90, 109, 246
 Mayer-Vietoris sequence, 27
Mod-End $_R(G)$, 5
 $*$ -modules, 129
 Moore k -space, 268
 Morita equivalence, 239
 Murley group, 73, 111

 n , 31
 \widehat{n} , 31
 \widehat{n}_p , 32, 39
 nr , 86, 87, 92

- \bar{n} , 89
 natural transformation, 254
 nil ideal, 313
 nilpotent, 2
 nilpotent set, 70, 342–346, 348–353, 360
 nilradical, 2
 Noetherian, 77, 236, 237, 246
 Noetherian hereditary prime ring, 111
 Noetherian hereditary R -module, 199
 non-Dedekind domain, 90
 non-maximal order, 90
 nonmeasurable cardinality, 134
 null homotopic, 118, 138, 139, 251
- Ore's theorem, 313
 Ore domain, 357, 358
- $\pi_1(X)$, 284
 $\hat{\pi}_1(\cdot)$, 288
 Π -self-cogenerator, 168, 170
 Π -quasi-injective, 170, 171
 (Π -self-)injective, 170
 Ψ_W , 203
 $\text{Pr}(S)$, 79
 \mathcal{P} , 114
 $\mathcal{P}(k)$, 188
 $\mathbf{P}(G)$, 5
 $\mathbf{P}_o(G)$, 7
 $\mathbf{P}_o(G)$, 161
 $\mathbf{P}(E)$, 6
 $\mathbf{P}_o(E)$, 7
 $\mathbf{coP}(G)$, 134, 171
 PF ring, 263
 $\text{Pic}(E)$, 11, 14
 $\text{Pr}(S, \tau)$, 96–98
 $\text{Pr}(S)$, 97
 power cancellation property, 10, 19, 77, 98, 304
 power cancellation property in \mathbf{KAb} , 285, 304
 power homotopic, 305
 primary ideal, 67, 71, 72
 primary regulating quotient, 75
 prime, rational, 305
 prime ring, 107, 353
 principal fractional ideals, 79, 94
 principal, 100
 progenerator, 151, 239, 247
 projective, 2, 3, 63, 68, 80, 81, 83, 84, 107, 109, 110, 143, 157, 176, 195, 200, 219, 221–227, 230, 231, 237–240, 242–248
 projective cover, 219, 226–228
 projective dimension, 177, 184, 188
 projective Euclidean k -space, 279
 projective generator, 207, 237
 projective relative to, 166, 245
 projective relative to a G -plex, 115
 projective resolution (of M), 177
- \mathbb{Q} , 114
 $\mathbb{Q}(k)$, 180, 188
 \mathbf{QAb} , 339
 $\mathbf{QEnd}(G)$, 314, 358
 QF ring, 257, 260, 261
 $\mathbf{QH}_G(\cdot)$, 323
 $\mathbf{QHom}_{\mathbf{Z}}(\cdot, \cdot)$, 339
- $\mathbf{Q}\lambda_G$, 64
 $\mathbf{QP}_o(G)$, 323
 quadratic number field, 44
 quasi-endomorphism ring of G , 314
 quasi-Frobenius, 206
 quasi-isomorphism, 275
 quasi-progenerator, 164, 187
 quasi-projective, 145, 153, 155, 157, 164, 244, 245
 quasi-split, 230, 231
- R -Cohcplx, 207
 rational primes, 32, 36
 refinement property, 49, 66
 regular, 313
 $\text{rgd}(E)$, 188, 194, 211
 $\mathbf{R}_G(U, X)$, 204
 right regular, 313
 right order, 313, 359
 right Ore property, 313
 rigid set, 352, 354, 357
 ring of algebraic integers, 92, 102
 rtffr ring, 10, 230–232
 rtffr, 49, 77, 79, 80, 93, 94, 96, 98–102, 107, 109–111, 135, 142, 229, 298
 rtffr Dedekind E -ring, 229
 rtffr E -domain, 229
 rtffr E -ring, 243, 246, 247
 rtffr R -module, 230
 rtffr ring, 10, 230–232
- S -group, 109–111
 \mathbf{SAb} , 265, 273
 $S(\tau)$, 53
 S^τ , 53
 $\mathbf{S}_G(\cdot)$, 113
 S -linear module, 242
 σ -self-generator, 155
 Σ -linear, 246
 Σ -quasi-projective, 145, 153, 154, 156, 157, 166, 187, 253, 254, 257, 258
 Σ -self-generator, 130, 155–157, 162, 164, 166, 178
 Σ -unique decomposition, 10, 21, 100, 102, 284, 304
 Σ -unique decomposition in \mathbf{KAb} , 285, 304
 $\Sigma(h)$ -unique decomposition, 305
 $\Sigma(h)$ -unique decomposition in \mathbf{KAb} , 305
 self-cogenerator, 170
 self-generator ring, 259
 self- FP -injective, 256
 self-injective ring, 253, 254, 258, 262, 263
 self-slender, 134–136, 138–140, 142–145, 147, 167–173, 175, 203–206, 209–211, 216, 218, 221, 227, 265, 270–272, 274, 280, 281, 293, 296–298, 301, 309
 self-small, 2, 117, 121, 122, 125–135, 140, 142, 143, 145, 147–149, 152–154, 156, 157, 159–163, 171, 172, 175–178, 180, 183, 185–191, 193, 195, 196, 198–202, 211, 214–218, 249–254, 257–262, 265, 269–272, 274, 279, 280, 283, 292, 293, 296–298, 301, 309

372

semi-Dedekind rtfrr group, 70
 semi-hereditary, 212
 semi-local, 63, 65
 semi-perfect ring, 3, 67, 144
 semi-prime, 63, 65, 67, 69, 77, 82, 102, 109, 111,
 228, 230, 232, 236, 239, 241, 246, 248, 317,
 322, 334, 338, 353, 358, 359
 semi-primary index, 71
 semi-simple Artinian ring, 65, 194
 simple ring, 92
SKAb, 294, 300
 slender, 134, 143, 144
 slender injective cogenerator, 134, 140, 142, 143,
 170, 171
 small, 128, 143, 144
 small projective generator, 127, 128, 142, 143,
 152, 154, 155, 157
Spaces, 267
 square-free rank, 72
 stably isomorphic, 90
 strongly finitely R -cogenerated, 207, 208
 strongly indecomposable, 9, 11, 12, 14, 16–26, 32,
 39, 70, 72, 73, 101, 106, 109–111, 232, 240,
 334, 339, 340
 subgenerated, 127, 187
 superfluous, 220
 Swan's Theorem, 78, 90, 91, 93

 τ , 53
 Θ , 6
 $\mathbf{T}_G(\cdot)$, 6, 131
 \mathfrak{t}_G , 123
 Tor_E^k , 184
 tensor functor, 131
Torsion, 282

Index

Torsion-free, 282
 torsion-free finite-rank groups, 2

 $u(R)$, 26
 uniform, 222
 unique decomposition, 4, 21, 49, 65, 302, 303, 314
 unique factorization, 99, 101
 unique finite Cartesian K -decomposition, 285
 unique K -decomposition, 302–304
 unit, 81, 95
 unit group, 26, 32
 unit lifting problem, 37

 $V = L$, 134

 $\mathcal{W}(k)$, 210
 Warfield's Theorem, 106, 107, 306, 307
 weak left global dimension, 178
 weakly balanced G -split, 183, 189, 201, 202
 weakly finite G -split, 198, 200
 weakly G -split, 189, 195, 196
 Weyl Algebra, 314
 $\mathrm{wlgd}(E)$, 178

 X -coplex, 287
 X -**CohPlex**, 298, 299
 X -**Cohcoplex**, 299
 X -**coPlex**, 293, 299
 X -plex, 286
 X -**Plex**, 289

 $\Omega(E(p))$, 41
 $\Omega(\bar{E})$, 23, 304
 $\Omega(\mathbf{k})$, 24, 37
 zero-th homology group, 266